

DELAWARE

2020 Core Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4024	780,379	800	20.5	18.7-22.3	1301	34.7	32.5-36.9	1303	31.0	29.0-33.0	466	10.2	8.8-11.6	154	3.6	2.8- 4.4
Male	1788	372,939	362	20.7	18.0-23.4	575	34.1	31.0-37.2	565	31.9	29.0-34.8	208	10.1	8.1-12.1	78	3.3	2.1- 4.5
Female	2236	407,440	438	20.3	17.9-22.7	726	35.4	32.7-38.1	738	30.2	27.7-32.7	258	10.3	8.5-12.1	76	3.8	2.6- 5.0
White/Non-Hisp	2627	489,719	542	21.4	19.4-23.4	949	38.0	35.5-40.5	776	28.3	26.1-30.5	256	8.6	7.2-10.0	104	3.7	2.7- 4.7
Black or Afr. Am./Non-Hisp	535	161,080	84	14.8	10.9-18.7	141	31.9	26.2-37.6	210	36.9	31.4-42.4	78	13.2	9.3-17.1	22	3.2	1.6- 4.8
Oth. Race/Non-Hisp.	135	30,212	35	34.9	22.0-47.8	43	34.4	23.0-45.8	39	21.6	13.2-30.0	11	5.0	1.5- 8.5	7	4.1	0.2- 8.0
MultiRacial/Non-Hisp.	98	16,652	19	32.5	17.0-48.0	30	21.7	12.5-30.9	28	25.1	13.3-36.9	17	11.9	3.5-20.3	4	8.8	0.0-21.9
Hispanic	540	64,847	104	17.8	12.9-22.7	114	21.6	16.3-26.9	215	41.6	34.7-48.5	91	16.1	11.8-20.4	16	2.9	1.1- 4.7
18-24	277	86,788	84	29.4	22.0-36.8	95	38.0	30.0-46.0	80	24.0	17.3-30.7	17	8.3	2.6-14.0	1	0.2	0.0- 0.6
25-34	470	126,351	113	22.4	17.3-27.5	148	38.1	32.0-44.2	157	28.4	22.9-33.9	43	8.6	4.9-12.3	9	2.5	0.5- 4.5
35-44	551	116,861	125	26.8	21.7-31.9	181	35.8	30.3-41.3	179	28.5	23.8-33.2	54	6.2	4.0- 8.4	12	2.6	0.4- 4.8
45-54	627	117,282	132	19.0	15.3-22.7	205	37.2	32.3-42.1	190	30.9	26.0-35.8	76	10.0	7.3-12.7	24	2.9	1.5- 4.3
55-64	813	136,436	157	18.6	15.3-21.9	247	31.7	27.4-36.0	259	33.2	28.9-37.5	112	11.9	9.2-14.6	38	4.7	2.9- 6.5
65+	1286	196,661	189	13.7	11.3-16.1	425	31.2	27.7-34.7	438	35.9	32.2-39.6	164	13.4	10.9-15.9	70	5.9	3.9- 7.9
Less Than H.S.	455	82,829	58	10.7	6.8-14.6	82	22.1	16.2-28.0	190	43.8	36.7-50.9	102	18.6	13.9-23.3	23	4.7	2.3- 7.1
H.S. or G.E.D.	1157	245,693	190	17.9	14.8-21.0	341	31.7	28.0-35.4	400	32.5	29.0-36.0	162	12.6	9.9-15.3	64	5.3	3.5- 7.1
Some Post-H.S.	1015	221,805	177	17.8	14.7-20.9	358	40.1	35.8-44.4	339	31.3	27.6-35.0	101	7.1	5.3- 8.9	40	3.7	1.9- 5.5
College Graduate	1383	228,212	373	29.4	26.1-32.7	515	37.3	33.8-40.8	369	24.5	21.6-27.4	99	7.5	5.3- 9.7	27	1.2	0.6- 1.8
Less than \$15,000	348	51,228	40	12.2	5.3-19.1	63	23.3	15.7-30.9	145	38.6	31.2-46.0	76	19.3	13.8-24.8	24	6.6	3.5- 9.7
\$15,000- 24,999	534	90,584	69	15.5	11.2-19.8	126	29.1	23.8-34.4	205	33.4	28.1-38.7	101	16.1	12.2-20.0	33	5.9	3.0- 8.8
\$25,000- 34,999	335	65,445	53	12.1	8.0-16.2	108	32.2	24.9-39.5	107	36.4	28.6-44.2	47	13.1	7.6-18.6	20	6.2	2.9- 9.5
\$35,000- 49,999	391	75,372	66	18.9	13.4-24.4	117	30.3	23.6-37.0	147	37.9	31.4-44.4	39	8.8	5.5-12.1	22	4.1	1.9- 6.3
\$50,000- 74,999	493	98,756	88	16.7	12.6-20.8	204	41.5	35.4-47.6	141	30.1	24.6-35.6	48	8.1	5.0-11.2	12	3.7	0.6- 6.8
\$75,000+	1123	246,206	315	28.7	25.2-32.2	448	41.3	37.4-45.2	295	23.7	20.6-26.8	59	5.6	3.6- 7.6	6	0.8	0.0- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	372,939	362	20.7	18.0-23.4	575	34.1	31.0-37.2	565	31.9	29.0-34.8	208	10.1	8.1-12.1	78	3.3	2.1- 4.5
White/Non-Hisp	1195	233,065	247	21.7	18.6-24.8	422	36.3	32.6-40.0	342	28.4	25.1-31.7	124	9.4	7.2-11.6	60	4.1	2.5- 5.7
Black or Afr. Am./Non-Hisp	188	74,047	32	13.5	7.2-19.8	53	33.8	24.6-43.0	73	40.9	31.7-50.1	24	9.8	4.5-15.1	6	2.0	0.0- 4.0
Oth. Race/Non-Hisp.	65	16,092	21	46.0	27.0-65.0	18	26.6	11.1-42.1	20	21.3	8.8-33.8	4	4.2	0.0- 9.1	2	1.8	0.0- 4.7
Hispanic	250	33,582	47	17.4	10.5-24.3	58	22.3	15.0-29.6	98	41.5	32.1-50.9	39	16.8	9.9-23.7	8	2.1	0.3- 3.9
18-24	144	44,041	44	32.1	20.9-43.3	45	34.7	23.7-45.7	48	27.7	18.3-37.1	7	5.5	0.0-12.8			
25-34	208	63,671	58	23.2	15.6-30.8	66	36.3	27.1-45.5	59	27.8	19.4-36.2	20	10.0	3.9-16.1	5	2.8	0.0- 6.1
35-44	236	57,387	51	27.1	19.7-34.5	78	36.9	28.5-45.3	75	28.7	21.3-36.1	27	6.1	3.4- 8.8	5	1.2	0.0- 2.4
45-54	274	56,273	53	17.0	11.7-22.3	103	41.6	34.0-49.2	78	29.9	22.8-37.0	31	9.4	5.7-13.1	9	2.1	0.1- 4.1
55-64	361	63,707	77	19.8	14.7-24.9	102	28.1	22.0-34.2	113	34.9	28.2-41.6	50	12.5	8.4-16.6	19	4.7	2.2- 7.2
65+	565	87,860	79	12.1	9.0-15.2	181	29.7	24.4-35.0	192	38.1	32.2-44.0	73	13.7	10.0-17.4	40	6.4	3.3- 9.5
Less Than H.S.	222	45,416	27	9.5	5.0-14.0	42	23.5	15.1-31.9	101	46.7	36.9-56.5	44	17.8	11.3-24.3	8	2.4	0.4- 4.4
H.S. or G.E.D.	533	124,047	92	20.6	15.3-25.9	160	32.0	26.5-37.5	179	32.8	27.5-38.1	72	9.7	6.6-12.8	30	4.9	2.5- 7.3
Some Post-H.S.	420	99,596	82	17.7	13.0-22.4	141	38.2	31.5-44.9	138	33.1	27.0-39.2	38	7.3	4.4-10.2	21	3.7	1.3- 6.1
College Graduate	610	103,396	159	28.5	23.6-33.4	232	37.3	32.0-42.6	146	23.0	18.5-27.5	54	9.9	6.0-13.8	19	1.4	0.6- 2.2
Less than \$15,000	143	20,991	17	20.3	5.8-34.8	31	26.5	13.4-39.6	56	31.5	20.5-42.5	30	16.1	8.7-23.5	9	5.5	0.6-10.4
\$15,000- 24,999	195	34,953	24	15.8	8.2-23.4	45	26.6	18.2-35.0	74	30.4	22.0-38.8	39	18.4	11.1-25.7	13	8.8	2.3-15.3
\$25,000- 34,999	143	33,517	25	11.3	6.0-16.6	39	27.2	16.2-38.2	44	40.3	27.8-52.8	22	15.0	5.8-24.2	13	6.1	1.8-10.4
\$35,000- 49,999	166	30,521	27	18.7	10.9-26.5	41	28.6	18.0-39.2	62	36.6	26.8-46.4	21	10.7	5.2-16.2	15	5.4	2.3- 8.5
\$50,000- 74,999	229	48,642	40	14.3	8.8-19.8	96	45.7	36.7-54.7	62	32.6	24.0-41.2	25	6.6	3.5- 9.7	6	0.8	0.0- 1.6
\$75,000+	590	132,566	157	27.7	22.6-32.8	241	41.1	35.6-46.6	160	24.4	20.1-28.7	28	5.7	2.6- 8.8	4	1.1	0.0- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	407,440	438	20.3	17.9-22.7	726	35.4	32.7-38.1	738	30.2	27.7-32.7	258	10.3	8.5-12.1	76	3.8	2.6- 5.0
White/Non-Hisp	1432	256,654	295	21.2	18.5-23.9	527	39.5	36.2-42.8	434	28.2	25.3-31.1	132	7.8	6.0- 9.6	44	3.3	2.1- 4.5
Black or Afr. Am./Non-Hisp	347	87,033	52	15.8	10.7-20.9	88	30.2	23.3-37.1	137	33.6	27.1-40.1	54	16.2	10.5-21.9	16	4.2	1.7- 6.7
Oth. Race/Non-Hisp.	70	14,120	14	22.2	7.9-36.5	25	43.2	27.9-58.5	19	22.0	10.6-33.4	7	5.9	1.0-10.8	5	6.8	0.0-14.4
MultiRacial/Non-Hisp.	55	10,754	11	31.3	10.9-51.7	21	22.4	10.4-34.4	12	20.9	6.4-35.4	9	13.3	1.1-25.5	2	12.1	0.0-31.7
Hispanic	290	31,265	57	18.3	11.2-25.4	56	20.8	13.2-28.4	117	41.7	31.7-51.7	52	15.4	10.1-20.7	8	3.8	0.9- 6.7
18-24	133	42,747	40	26.7	17.1-36.3	50	41.5	29.9-53.1	32	20.2	10.6-29.8	10	11.1	2.5-19.7	1	0.5	0.0- 1.5
25-34	262	62,680	55	21.7	15.2-28.2	82	39.8	31.6-48.0	98	29.1	22.0-36.2	23	7.2	2.7-11.7	4	2.2	0.0- 4.7
35-44	315	59,474	74	26.6	19.7-33.5	103	34.7	27.6-41.8	104	28.3	22.2-34.4	27	6.3	3.0- 9.6	7	4.0	0.0- 8.1
45-54	353	61,009	79	20.8	15.5-26.1	102	33.1	26.6-39.6	112	31.9	25.2-38.6	45	10.5	6.8-14.2	15	3.7	1.7- 5.7
55-64	452	72,729	80	17.5	13.0-22.0	145	34.9	29.0-40.8	146	31.6	26.3-36.9	62	11.4	7.9-14.9	19	4.7	2.2- 7.2
65+	721	108,801	110	15.0	11.5-18.5	244	32.3	27.6-37.0	246	34.0	29.1-38.9	91	13.1	9.8-16.4	30	5.5	2.8- 8.2
Less Than H.S.	233	37,413	31	12.1	5.4-18.8	40	20.4	12.2-28.6	89	40.3	29.9-50.7	58	19.6	12.9-26.3	15	7.5	3.0-12.0
H.S. or G.E.D.	624	121,647	98	15.2	11.7-18.7	181	31.3	26.4-36.2	221	32.1	27.2-37.0	90	15.6	11.3-19.9	34	5.8	3.4- 8.2
Some Post-H.S.	595	122,209	95	17.8	13.7-21.9	217	41.6	36.1-47.1	201	29.9	25.0-34.8	63	7.0	4.8- 9.2	19	3.7	1.2- 6.2
College Graduate	773	124,816	214	30.2	25.7-34.7	283	37.4	32.7-42.1	223	25.8	21.9-29.7	45	5.6	3.4- 7.8	8	1.0	0.0- 2.0
Less than \$15,000	205	30,237	23	6.5	3.0-10.0	32	21.1	12.1-30.1	89	43.6	34.0-53.2	46	21.4	13.8-29.0	15	7.3	3.4-11.2
\$15,000- 24,999	339	55,631	45	15.3	10.2-20.4	81	30.7	23.8-37.6	131	35.3	28.6-42.0	62	14.6	10.1-19.1	20	4.0	1.8- 6.2
\$25,000- 34,999	192	31,928	28	12.9	6.6-19.2	69	37.4	28.0-46.8	63	32.3	23.5-41.1	25	11.1	5.6-16.6	7	6.3	1.2-11.4
\$35,000- 49,999	225	44,851	39	19.0	11.4-26.6	76	31.4	22.8-40.0	85	38.8	30.2-47.4	18	7.6	3.5-11.7	7	3.2	0.5- 5.9
\$50,000- 74,999	264	50,114	48	19.0	12.7-25.3	108	37.5	29.9-45.1	79	27.6	20.3-34.9	23	9.5	4.0-15.0	6	6.4	0.5-12.3
\$75,000+	533	113,640	158	29.8	24.7-34.9	207	41.5	35.8-47.2	135	22.8	17.9-27.7	31	5.6	3.1- 8.1	2	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3970	768,288	2820	71.9	69.9-73.9	271	6.9	5.7- 8.1	350	8.5	7.3- 9.7	284	6.5	5.5- 7.5	245	6.1	5.1- 7.1
Male	1766	367,351	1299	74.5	71.6-77.4	111	6.6	5.0- 8.2	138	7.6	5.8- 9.4	117	6.5	4.9- 8.1	101	4.8	3.6- 6.0
Female	2204	400,937	1521	69.5	67.0-72.0	160	7.3	5.7- 8.9	212	9.4	7.8-11.0	167	6.5	5.1- 7.9	144	7.3	5.7- 8.9
White/Non-Hisp	2599	484,997	1844	71.7	69.3-74.1	176	6.9	5.5- 8.3	244	8.4	7.0- 9.8	161	6.2	5.0- 7.4	174	6.8	5.4- 8.2
Black or Afr. Am./Non-Hisp	525	155,976	371	72.1	67.0-77.2	35	6.2	3.7- 8.7	47	10.1	6.2-14.0	45	7.2	4.5- 9.9	27	4.3	2.1- 6.5
Oth. Race/Non-Hisp.	133	29,906	100	78.0	68.2-87.8	7	7.0	0.0-14.4	7	5.1	0.4- 9.8	10	5.2	0.7- 9.7	9	4.6	0.5- 8.7
MultiRacial/Non-Hisp.	94	16,288	48	54.4	39.1-69.7	12	9.5	3.0-16.0	13	12.6	4.0-21.2	11	6.4	1.3-11.5	10	17.1	2.6-31.6
Hispanic	532	64,017	393	73.5	67.6-79.4	34	7.7	3.8-11.6	31	6.1	3.4- 8.8	50	7.7	4.4-11.0	24	5.0	2.3- 7.7
18-24	273	85,423	218	78.1	71.2-85.0	21	9.8	4.9-14.7	21	7.9	3.0-12.8	10	3.8	1.3- 6.3	3	0.5	0.0- 1.1
25-34	466	125,788	345	71.9	66.2-77.6	36	7.1	4.2-10.0	42	9.8	6.1-13.5	23	6.2	2.9- 9.5	20	5.0	2.3- 7.7
35-44	546	116,069	401	76.7	72.0-81.4	36	7.0	4.1- 9.9	51	7.9	5.4-10.4	37	4.6	2.6- 6.6	21	3.7	1.2- 6.2
45-54	621	116,153	443	74.3	70.0-78.6	40	5.9	3.5- 8.3	48	7.1	4.6- 9.6	48	7.3	4.8- 9.8	42	5.4	3.4- 7.4
55-64	801	134,108	538	67.3	63.2-71.4	60	8.1	5.7-10.5	68	8.0	5.6-10.4	76	9.4	6.7-12.1	59	7.2	5.0- 9.4
65+	1263	190,747	875	67.9	64.4-71.4	78	5.4	3.6- 7.2	120	9.6	7.4-11.8	90	6.6	4.8- 8.4	100	10.5	8.0-13.0
Less Than H.S.	445	81,327	312	70.1	63.8-76.4	24	6.4	2.7-10.1	29	5.5	3.0- 8.0	48	8.8	5.1-12.5	32	9.3	5.4-13.2
H.S. or G.E.D.	1141	240,318	777	70.2	66.7-73.7	70	5.7	3.9- 7.5	98	7.9	5.9- 9.9	105	8.3	6.3-10.3	91	7.8	5.6-10.0
Some Post-H.S.	1003	218,950	686	70.2	66.3-74.1	72	7.3	5.1- 9.5	99	9.7	7.2-12.2	76	7.0	4.8- 9.2	70	5.7	3.7- 7.7
College Graduate	1367	225,853	1036	75.9	72.8-79.0	104	8.1	6.1-10.1	123	9.2	6.8-11.6	54	3.4	2.2- 4.6	50	3.5	2.3- 4.7
Less than \$15,000	339	50,215	208	63.0	55.4-70.6	25	6.3	2.8- 9.8	19	5.5	2.2- 8.8	48	12.0	7.1-16.9	39	13.1	7.8-18.4
\$15,000- 24,999	529	89,984	330	63.9	58.4-69.4	41	8.0	5.1-10.9	52	8.4	5.5-11.3	59	10.7	6.8-14.6	47	9.0	5.9-12.1
\$25,000- 34,999	331	63,400	230	69.7	62.6-76.8	18	5.8	1.9- 9.7	31	10.9	5.6-16.2	23	5.1	2.6- 7.6	29	8.4	4.7-12.1
\$35,000- 49,999	390	75,336	264	70.6	64.9-76.3	30	7.0	4.1- 9.9	40	9.0	5.7-12.3	27	6.7	3.6- 9.8	29	6.6	3.7- 9.5
\$50,000- 74,999	489	98,053	355	73.0	67.5-78.5	29	6.8	3.5-10.1	55	9.0	6.1-11.9	26	4.7	2.5- 6.9	24	6.5	2.6-10.4
\$75,000+	1110	243,530	865	76.7	73.2-80.2	80	7.3	5.1- 9.5	93	8.7	6.2-11.2	48	4.3	2.7- 5.9	24	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	367,351	1299	74.5	71.6-77.4	111	6.6	5.0- 8.2	138	7.6	5.8- 9.4	117	6.5	4.9- 8.1	101	4.8	3.6- 6.0
White/Non-Hisp	1187	231,832	870	74.6	71.3-77.9	77	6.8	4.8- 8.8	95	6.6	5.0- 8.2	69	6.0	4.2- 7.8	76	6.0	4.2- 7.8
Black or Afr. Am./Non-Hisp	183	70,686	135	73.6	65.0-82.2	12	6.0	1.9-10.1	15	10.8	3.9-17.7	15	7.6	2.9-12.3	6	2.1	0.1- 4.1
Oth. Race/Non-Hisp.	64	16,049	51	84.4	71.5-97.3	2	5.6	0.0-15.8	3	2.4	0.0- 6.3	3	4.1	0.0-11.2	5	3.5	0.0- 7.4
Hispanic	244	32,889	185	74.1	65.9-82.3	11	5.6	1.1-10.1	14	6.9	2.8-11.0	23	8.8	2.9-14.7	11	4.6	0.9- 8.3
18-24	141	43,023	117	77.4	66.8-88.0	10	9.1	2.8-15.4	8	9.8	0.8-18.8	5	3.6	0.0- 7.3	1	0.1	0.0- 0.3
25-34	206	63,386	164	75.3	67.1-83.5	14	6.7	2.4-11.0	10	5.5	0.6-10.4	9	7.2	1.7-12.7	9	5.3	1.4- 9.2
35-44	233	56,885	175	79.0	72.3-85.7	11	7.1	1.8-12.4	25	8.9	4.8-13.0	16	3.6	1.4- 5.8	6	1.4	0.0- 2.8
45-54	273	56,127	208	79.8	74.1-85.5	16	4.6	1.9- 7.3	13	4.2	1.7- 6.7	19	7.6	3.5-11.7	17	3.8	1.4- 6.2
55-64	355	63,171	246	67.7	61.4-74.0	31	10.0	5.9-14.1	29	8.0	4.7-11.3	27	8.6	4.5-12.7	22	5.7	2.8- 8.6
65+	558	84,759	389	70.9	65.6-76.2	29	3.7	1.9- 5.5	53	9.1	6.0-12.2	41	7.2	4.1-10.3	46	9.1	5.6-12.6
Less Than H.S.	216	44,292	159	76.0	68.0-84.0	11	6.1	0.8-11.4	14	5.7	2.4- 9.0	21	8.2	3.1-13.3	11	4.1	1.2- 7.0
H.S. or G.E.D.	526	121,195	373	74.6	69.7-79.5	29	5.8	3.1- 8.5	38	6.0	3.6- 8.4	48	7.7	5.0-10.4	38	5.8	3.3- 8.3
Some Post-H.S.	416	98,773	304	71.8	65.7-77.9	22	6.4	3.1- 9.7	39	9.3	5.0-13.6	25	8.1	4.0-12.2	26	4.3	2.1- 6.5
College Graduate	605	102,606	460	76.1	71.2-81.0	49	8.0	5.1-10.9	47	8.6	4.7-12.5	23	2.9	1.3- 4.5	26	4.4	2.2- 6.6
Less than \$15,000	140	20,829	90	70.8	60.0-81.6	8	5.8	0.3-11.3	6	3.9	0.2- 7.6	21	8.2	3.3-13.1	15	11.3	3.9-18.7
\$15,000- 24,999	192	34,594	124	62.9	53.3-72.5	16	8.4	3.9-12.9	13	5.8	1.3-10.3	20	15.5	6.9-24.1	19	7.4	3.1-11.7
\$25,000- 34,999	140	31,536	98	70.6	59.4-81.8	6	6.6	0.0-13.9	12	9.7	1.5-17.9	9	3.8	0.7- 6.9	15	9.4	3.9-14.9
\$35,000- 49,999	166	30,521	108	69.7	60.9-78.5	11	6.4	1.9-10.9	17	9.7	4.0-15.4	15	8.2	2.9-13.5	15	6.0	2.3- 9.7
\$50,000- 74,999	226	47,964	163	78.7	72.2-85.2	13	4.5	1.2- 7.8	26	7.5	4.0-11.0	13	5.9	2.0- 9.8	11	3.5	0.8- 6.2
\$75,000+	586	131,949	485	79.2	74.3-84.1	39	7.2	4.3-10.1	36	7.3	3.8-10.8	20	3.9	1.9- 5.9	6	2.5	0.3- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2204	400,937	1521	69.5	67.0-72.0	160	7.3	5.7- 8.9	212	9.4	7.8-11.0	167	6.5	5.1- 7.9	144	7.3	5.7- 8.9
White/Non-Hisp	1412	253,165	974	69.1	66.0-72.2	99	7.1	5.3- 8.9	149	10.1	8.1-12.1	92	6.3	4.5- 8.1	98	7.5	5.7- 9.3
Black or Afr. Am./Non-Hisp	342	85,290	236	70.9	64.8-77.0	23	6.4	3.3- 9.5	32	9.5	5.6-13.4	30	6.9	4.0- 9.8	21	6.2	2.9- 9.5
Oth. Race/Non-Hisp.	69	13,857	49	70.5	56.0-85.0	5	8.7	0.0-19.7	4	8.3	0.0-17.1	7	6.5	1.2-11.8	4	6.0	0.0-13.6
MultiRacial/Non-Hisp.	52	10,503	24	51.0	30.2-71.8	7	9.0	1.7-16.3	7	8.8	0.0-18.0	7	7.8	0.4-15.2	7	23.4	2.4-44.4
Hispanic	288	31,128	208	72.9	64.7-81.1	23	9.9	3.6-16.2	17	5.2	1.5- 8.9	27	6.5	3.4- 9.6	13	5.6	1.9- 9.3
18-24	132	42,400	101	78.8	70.2-87.4	11	10.4	3.1-17.7	13	6.0	2.3- 9.7	5	3.9	0.2- 7.6	2	0.9	0.0- 2.1
25-34	260	62,401	181	68.5	60.9-76.1	22	7.5	3.4-11.6	32	14.1	8.6-19.6	14	5.2	1.3- 9.1	11	4.7	1.0- 8.4
35-44	313	59,184	226	74.6	68.1-81.1	25	6.9	4.0- 9.8	26	7.0	3.7-10.3	21	5.6	2.5- 8.7	15	6.0	1.3-10.7
45-54	348	60,027	235	69.2	62.9-75.5	24	7.1	3.6-10.6	35	9.8	5.5-14.1	29	7.0	4.1- 9.9	25	6.9	3.8-10.0
55-64	446	70,937	292	66.9	61.4-72.4	29	6.5	3.8- 9.2	39	8.1	5.0-11.2	49	10.0	6.5-13.5	37	8.5	5.2-11.8
65+	705	105,988	486	65.4	60.5-70.3	49	6.7	4.2- 9.2	67	10.0	6.9-13.1	49	6.2	4.0- 8.4	54	11.7	8.0-15.4
Less Than H.S.	229	37,035	153	63.0	53.2-72.8	13	6.8	1.3-12.3	15	5.2	1.1- 9.3	27	9.5	3.8-15.2	21	15.5	8.2-22.8
H.S. or G.E.D.	615	119,123	404	65.7	60.8-70.6	41	5.6	3.2- 8.0	60	9.9	7.0-12.8	57	8.9	6.2-11.6	53	9.9	6.6-13.2
Some Post-H.S.	587	120,176	382	68.9	63.8-74.0	50	8.1	5.0-11.2	60	10.1	7.0-13.2	51	6.1	4.1- 8.1	44	6.9	4.0- 9.8
College Graduate	762	123,248	576	75.7	71.8-79.6	55	8.2	5.7-10.7	76	9.6	6.9-12.3	31	3.7	1.9- 5.5	24	2.8	1.4- 4.2
Less than \$15,000	199	29,385	118	57.6	47.8-67.4	17	6.7	2.0-11.4	13	6.7	1.6-11.8	27	14.8	7.4-22.2	24	14.3	7.0-21.6
\$15,000- 24,999	337	55,390	206	64.5	57.8-71.2	25	7.8	3.9-11.7	39	10.0	6.1-13.9	39	7.7	4.8-10.6	28	10.1	5.6-14.6
\$25,000- 34,999	191	31,864	132	68.9	60.1-77.7	12	5.0	1.9- 8.1	19	12.2	5.5-18.9	14	6.5	2.6-10.4	14	7.5	2.4-12.6
\$35,000- 49,999	224	44,814	156	71.2	63.8-78.6	19	7.5	3.6-11.4	23	8.5	4.4-12.6	12	5.7	2.0- 9.4	14	7.0	2.7-11.3
\$50,000- 74,999	263	50,089	192	67.5	59.1-75.9	16	9.1	3.6-14.6	29	10.4	5.9-14.9	13	3.6	1.2- 6.0	13	9.4	2.5-16.3
\$75,000+	524	111,581	380	73.7	68.8-78.6	41	7.5	4.8-10.2	57	10.4	7.1-13.7	28	4.8	2.4- 7.2	18	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	769,525	2648	65.2	63.0-67.4	294	7.3	6.1- 8.5	394	11.5	10.1-12.9	380	9.7	8.5-10.9	243	6.3	5.1- 7.5
Male	1765	368,031	1293	71.9	69.0-74.8	101	6.1	4.5- 7.7	138	8.7	6.7-10.7	140	7.1	5.5- 8.7	93	6.1	4.3- 7.9
Female	2194	401,494	1355	59.1	56.4-61.8	193	8.3	6.9- 9.7	256	14.1	11.9-16.3	240	12.1	10.1-14.1	150	6.5	5.1- 7.9
White/Non-Hisp	2584	482,933	1714	64.7	62.3-67.1	198	7.5	6.1- 8.9	273	11.4	9.8-13.0	228	9.3	7.9-10.7	171	7.0	5.6- 8.4
Black or Afr. Am./Non-Hisp	530	158,665	351	63.9	58.4-69.4	38	6.8	4.1- 9.5	53	14.3	9.8-18.8	55	9.5	6.6-12.4	33	5.6	3.1- 8.1
Oth. Race/Non-Hisp.	132	29,973	90	71.9	61.7-82.1	8	5.5	1.0-10.0	11	10.0	3.3-16.7	16	10.5	3.6-17.4	7	2.1	0.1- 4.1
MultiRacial/Non-Hisp.	97	16,540	48	46.7	31.8-61.6	7	8.0	0.9-15.1	10	8.5	0.9-16.1	20	21.4	7.5-35.3	12	15.3	2.4-28.2
Hispanic	529	63,939	384	70.9	64.8-77.0	38	7.8	4.5-11.1	43	9.5	5.4-13.6	50	8.7	5.6-11.8	14	3.1	0.4- 5.8
18-24	276	86,718	147	52.5	44.3-60.7	19	7.2	2.7-11.7	46	18.0	11.9-24.1	49	14.1	9.4-18.8	15	8.2	3.3-13.1
25-34	465	125,330	280	56.4	50.1-62.7	38	7.4	4.5-10.3	64	16.0	11.1-20.9	54	11.2	7.5-14.9	29	9.1	5.0-13.2
35-44	544	116,224	339	62.1	56.6-67.6	36	7.3	4.4-10.2	69	13.6	9.7-17.5	63	11.7	8.0-15.4	37	5.4	3.2- 7.6
45-54	617	114,673	396	64.1	59.4-68.8	47	7.5	5.0-10.0	53	9.9	6.8-13.0	76	11.7	8.6-14.8	45	6.7	4.3- 9.1
55-64	796	133,896	526	67.3	63.2-71.4	65	7.5	5.1- 9.9	72	9.6	6.9-12.3	76	9.8	7.3-12.3	57	5.8	3.8- 7.8
65+	1261	192,685	960	77.7	74.6-80.8	89	6.8	5.0- 8.6	90	6.8	4.8- 8.8	62	4.3	2.9- 5.7	60	4.3	2.7- 5.9
Less Than H.S.	446	81,743	320	69.5	63.0-76.0	28	6.1	2.6- 9.6	36	10.1	5.6-14.6	40	8.8	5.1-12.5	22	5.5	2.4- 8.6
H.S. or G.E.D.	1139	242,330	759	66.6	62.9-70.3	81	6.5	4.5- 8.5	102	9.7	7.3-12.1	110	10.1	7.7-12.5	87	7.2	5.2- 9.2
Some Post-H.S.	998	217,844	630	60.3	56.2-64.4	71	7.4	5.2- 9.6	104	12.6	9.5-15.7	123	11.7	9.2-14.2	70	7.9	5.4-10.4
College Graduate	1362	225,769	930	66.8	63.3-70.3	114	8.4	6.4-10.4	151	13.0	10.5-15.5	105	7.6	5.8- 9.4	62	4.1	2.5- 5.7
Less than \$15,000	338	50,414	215	61.6	54.0-69.2	23	5.4	2.5- 8.3	29	11.6	6.5-16.7	42	12.9	7.4-18.4	29	8.5	4.8-12.2
\$15,000- 24,999	528	89,683	313	59.8	54.3-65.3	43	9.5	6.2-12.8	53	9.6	6.5-12.7	67	11.1	8.0-14.2	52	9.9	6.6-13.2
\$25,000- 34,999	328	62,569	216	62.4	54.6-70.2	17	4.8	1.1- 8.5	34	11.2	6.1-16.3	38	12.3	7.6-17.0	23	9.3	3.2-15.4
\$35,000- 49,999	385	75,009	229	55.3	48.4-62.2	30	8.0	3.7-12.3	47	14.5	9.2-19.8	51	14.5	9.8-19.2	28	7.7	3.8-11.6
\$50,000- 74,999	491	98,651	323	63.4	57.3-69.5	49	9.7	6.2-13.2	50	10.8	6.9-14.7	47	11.6	7.3-15.9	22	4.5	1.8- 7.2
\$75,000+	1110	243,107	787	68.4	64.7-72.1	75	6.7	4.9- 8.5	126	13.6	10.7-16.5	82	7.6	5.6- 9.6	40	3.7	2.1- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	368,031	1293	71.9	69.0-74.8	101	6.1	4.5- 7.7	138	8.7	6.7-10.7	140	7.1	5.5- 8.7	93	6.1	4.3- 7.9
White/Non-Hisp	1180	230,604	860	71.3	67.8-74.8	73	6.4	4.6- 8.2	92	8.4	6.2-10.6	86	7.2	5.4- 9.0	69	6.7	4.5- 8.9
Black or Afr. Am./Non-Hisp	186	72,145	133	70.0	61.2-78.8	12	6.4	1.5-11.3	17	11.7	5.2-18.2	12	4.5	1.6- 7.4	12	7.4	2.3-12.5
Oth. Race/Non-Hisp.	63	15,979	49	81.2	68.1-94.3	1	1.5	0.0- 4.4	3	5.2	0.0-12.6	7	10.2	0.0-20.6	3	1.8	0.0- 4.5
Hispanic	248	33,409	189	75.2	67.0-83.4	12	6.8	1.5-12.1	21	8.0	3.5-12.5	22	6.6	3.1-10.1	4	3.3	0.0- 8.4
18-24	143	43,971	86	59.2	48.0-70.4	11	9.6	2.3-16.9	20	12.0	5.3-18.7	20	11.6	5.3-17.9	6	7.6	0.9-14.3
25-34	205	62,978	137	58.8	49.2-68.4	15	7.8	3.1-12.5	22	15.0	7.4-22.6	14	4.5	1.6- 7.4	17	13.8	6.2-21.4
35-44	235	57,286	174	75.6	68.5-82.7	10	5.2	0.7- 9.7	21	8.8	4.1-13.5	19	7.6	3.5-11.7	11	2.8	1.0- 4.6
45-54	270	55,180	189	71.7	65.2-78.2	12	4.0	1.3- 6.7	21	7.5	3.8-11.2	31	10.5	6.2-14.8	17	6.3	2.8- 9.8
55-64	354	63,183	256	74.1	68.4-79.8	25	6.0	3.1- 8.9	18	5.1	2.4- 7.8	32	8.9	5.4-12.4	23	6.0	2.9- 9.1
65+	558	85,433	451	84.2	80.3-88.1	28	5.2	2.8- 7.6	36	5.8	3.3- 8.3	24	3.0	1.2- 4.8	19	1.9	0.9- 2.9
Less Than H.S.	220	44,940	169	74.9	66.3-83.5	10	7.0	0.9-13.1	15	8.0	2.1-13.9	17	7.1	2.8-11.4	9	2.9	0.7- 5.1
H.S. or G.E.D.	525	121,996	372	71.5	66.2-76.8	29	5.8	2.9- 8.7	43	8.5	5.4-11.6	45	7.6	4.9-10.3	36	6.6	3.5- 9.7
Some Post-H.S.	414	98,101	279	63.8	57.3-70.3	35	8.3	5.0-11.6	38	11.8	6.9-16.7	45	9.2	5.9-12.5	17	7.0	2.7-11.3
College Graduate	603	102,509	470	78.8	74.3-83.3	27	4.1	2.1- 6.1	42	6.3	3.9- 8.7	33	4.7	2.5- 6.9	31	6.1	3.0- 9.2
Less than \$15,000	139	20,724	99	70.6	59.0-82.2	7	5.4	0.1-10.7	8	7.8	1.5-14.1	18	10.0	3.1-16.9	7	6.3	0.0-12.6
\$15,000- 24,999	194	34,888	122	60.6	51.2-70.0	13	10.3	4.0-16.6	19	9.8	4.5-15.1	23	9.5	4.8-14.2	17	9.7	3.6-15.8
\$25,000- 34,999	140	31,513	95	59.6	46.9-72.3	6	6.3	0.0-13.2	13	9.4	2.1-16.7	16	10.9	4.0-17.8	10	13.8	2.4-25.2
\$35,000- 49,999	164	30,338	107	60.2	49.6-70.8	12	10.2	1.2-19.2	15	11.2	4.5-17.9	19	13.1	6.0-20.2	11	5.3	1.2- 9.4
\$50,000- 74,999	228	48,562	157	70.4	62.4-78.4	23	8.4	4.3-12.5	22	11.3	5.0-17.6	14	4.6	1.7- 7.5	12	5.3	1.0- 9.6
\$75,000+	583	131,072	465	78.0	73.3-82.7	26	4.5	2.1- 6.9	45	9.0	5.5-12.5	30	5.3	2.9- 7.7	17	3.2	1.0- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2194	401,494	1355	59.1	56.4-61.8	193	8.3	6.9- 9.7	256	14.1	11.9-16.3	240	12.1	10.1-14.1	150	6.5	5.1- 7.9
White/Non-Hisp	1404	252,329	854	58.8	55.5-62.1	125	8.5	6.5-10.5	181	14.1	11.7-16.5	142	11.3	9.1-13.5	102	7.3	5.5- 9.1
Black or Afr. Am./Non-Hisp	344	86,520	218	58.7	51.6-65.8	26	7.1	4.0-10.2	36	16.6	10.5-22.7	43	13.6	8.9-18.3	21	4.0	2.0- 6.0
Oth. Race/Non-Hisp.	69	13,994	41	61.3	46.6-76.0	7	10.0	1.4-18.6	8	15.5	4.3-26.7	9	10.8	2.4-19.2	4	2.3	0.0- 5.2
MultiRacial/Non-Hisp.	55	10,754	22	35.6	17.8-53.4	7	12.3	1.3-23.3	6	8.7	0.0-19.7	12	21.8	2.4-41.2	8	21.6	2.8-40.4
Hispanic	281	30,530	195	66.2	57.4-75.0	26	8.9	4.6-13.2	22	11.1	4.0-18.2	28	11.0	5.7-16.3	10	2.9	0.9- 4.9
18-24	133	42,747	61	45.7	33.9-57.5	8	4.8	0.0- 9.9	26	24.1	14.1-34.1	29	16.6	9.7-23.5	9	8.8	1.5-16.1
25-34	260	62,351	143	53.9	45.7-62.1	23	7.0	3.5-10.5	42	17.0	10.9-23.1	40	17.9	11.6-24.2	12	4.2	1.3- 7.1
35-44	309	58,938	165	49.0	41.6-56.4	26	9.3	5.2-13.4	48	18.2	12.3-24.1	44	15.6	9.7-21.5	26	7.9	4.2-11.6
45-54	347	59,493	207	57.2	50.5-63.9	35	10.7	6.6-14.8	32	12.1	7.4-16.8	45	12.9	8.4-17.4	28	7.1	4.2-10.0
55-64	442	70,712	270	61.2	55.3-67.1	40	8.9	5.6-12.2	54	13.7	9.2-18.2	44	10.6	6.7-14.5	34	5.6	3.2- 8.0
65+	703	107,252	509	72.5	68.0-77.0	61	8.1	5.6-10.6	54	7.7	5.0-10.4	38	5.3	3.1- 7.5	41	6.3	3.8- 8.8
Less Than H.S.	226	36,803	151	63.0	53.2-72.8	18	4.9	2.2- 7.6	21	12.7	5.8-19.6	23	10.9	4.8-17.0	13	8.5	2.2-14.8
H.S. or G.E.D.	614	120,334	387	61.6	56.5-66.7	52	7.1	4.7- 9.5	59	10.8	7.5-14.1	65	12.6	9.1-16.1	51	7.8	5.3-10.3
Some Post-H.S.	584	119,743	351	57.5	52.0-63.0	36	6.7	4.0- 9.4	66	13.3	9.4-17.2	78	13.9	10.2-17.6	53	8.6	5.5-11.7
College Graduate	759	123,259	460	56.9	52.2-61.6	87	12.0	8.9-15.1	109	18.7	14.6-22.8	72	10.0	7.3-12.7	31	2.4	1.4- 3.4
Less than \$15,000	199	29,691	116	55.3	45.5-65.1	16	5.5	2.4- 8.6	21	14.2	6.8-21.6	24	14.9	7.3-22.5	22	10.0	5.3-14.7
\$15,000- 24,999	334	54,795	191	59.3	52.4-66.2	30	9.0	5.3-12.7	34	9.5	5.6-13.4	44	12.2	8.1-16.3	35	10.1	6.0-14.2
\$25,000- 34,999	188	31,056	121	65.4	56.4-74.4	11	3.2	1.0- 5.4	21	13.0	5.7-20.3	22	13.6	7.3-19.9	13	4.8	1.9- 7.7
\$35,000- 49,999	221	44,671	122	52.0	42.8-61.2	18	6.5	2.8-10.2	32	16.7	9.1-24.3	32	15.4	9.1-21.7	17	9.3	3.6-15.0
\$50,000- 74,999	263	50,089	166	56.7	48.3-65.1	26	11.0	5.3-16.7	28	10.2	5.7-14.7	33	18.4	10.8-26.0	10	3.7	0.2- 7.2
\$75,000+	527	112,035	322	57.2	51.5-62.9	49	9.3	6.4-12.2	81	19.0	14.5-23.5	52	10.3	7.2-13.4	23	4.2	1.7- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1890	372,332	1092	59.3	56.2-62.4	168	8.7	6.9-10.5	252	13.9	11.5-16.3	237	11.9	9.9-13.9	141	6.2	4.8- 7.6
Male	742	155,900	440	62.1	57.2-67.0	57	7.5	4.8-10.2	96	13.8	10.1-17.5	96	11.3	8.4-14.2	53	5.2	3.4- 7.0
Female	1148	216,432	652	57.2	53.3-61.1	111	9.6	7.2-12.0	156	13.9	11.2-16.6	141	12.4	9.7-15.1	88	6.9	5.1- 8.7
White/Non-Hisp	1260	239,055	744	59.9	56.4-63.4	112	8.6	6.6-10.6	162	12.2	10.0-14.4	152	12.4	9.9-14.9	90	6.9	5.1- 8.7
Black or Afr. Am./Non-Hisp	256	77,603	153	60.1	51.9-68.3	16	6.3	1.8-10.8	41	21.2	13.6-28.8	29	8.9	5.2-12.6	17	3.5	1.5- 5.5
Oth. Race/Non-Hisp.	54	11,250	28	65.8	49.5-82.1	5	11.1	0.1-22.1	4	5.6	0.0-12.3	6	5.1	0.2-10.0	11	12.5	1.9-23.1
MultiRacial/Non-Hisp.	66	11,061	33	44.0	25.6-62.4	6	6.8	0.9-12.7	12	13.3	3.7-22.9	10	31.0	9.0-53.0	5	4.9	0.0- 9.8
Hispanic	214	26,147	114	59.1	49.7-68.5	25	14.0	6.7-21.3	25	9.6	4.5-14.7	36	12.4	7.5-17.3	14	4.9	2.0- 7.8
18-24	145	48,792	83	56.9	46.3-67.5	22	12.8	6.3-19.3	29	21.0	12.0-30.0	9	7.8	1.5-14.1	2	1.5	0.0- 3.9
25-34	226	64,662	122	54.2	45.4-63.0	31	14.2	7.9-20.5	37	18.8	11.4-26.2	26	8.7	4.2-13.2	10	4.1	1.0- 7.2
35-44	266	53,892	157	65.3	58.0-72.6	22	5.7	3.0- 8.4	31	8.3	4.8-11.8	39	15.8	9.5-22.1	17	4.8	2.1- 7.5
45-54	298	54,405	156	57.7	50.8-64.6	28	9.3	5.2-13.4	38	10.9	6.8-15.0	47	14.0	9.5-18.5	29	8.1	4.6-11.6
55-64	397	64,293	220	57.1	50.8-63.4	35	8.8	5.3-12.3	50	11.9	8.2-15.6	55	14.3	9.6-19.0	37	8.0	4.9-11.1
65+	558	86,288	354	63.3	57.6-69.0	30	3.8	1.8- 5.8	67	13.0	9.1-16.9	61	11.2	7.3-15.1	46	8.8	5.5-12.1
Less Than H.S.	193	37,211	95	56.8	46.8-66.8	18	5.4	2.1- 8.7	27	14.5	7.1-21.9	33	15.4	7.8-23.0	20	7.9	3.6-12.2
H.S. or G.E.D.	567	117,704	329	59.5	54.2-64.8	41	8.3	5.2-11.4	64	10.8	7.7-13.9	83	14.1	10.4-17.8	50	7.3	4.8- 9.8
Some Post-H.S.	510	113,579	282	56.7	50.8-62.6	43	9.0	5.3-12.7	79	16.4	11.7-21.1	70	13.0	8.9-17.1	36	4.9	2.7- 7.1
College Graduate	614	103,221	384	62.9	57.6-68.2	66	10.2	7.3-13.1	82	14.5	10.4-18.6	49	6.9	4.4- 9.4	33	5.5	3.1- 7.9
Less than \$15,000	187	27,547	87	48.7	38.5-58.9	14	4.4	1.7- 7.1	25	17.6	9.0-26.2	40	21.3	13.1-29.5	21	7.9	3.8-12.0
\$15,000- 24,999	303	51,089	166	56.7	49.3-64.1	27	9.9	5.4-14.4	34	11.2	6.3-16.1	44	14.2	9.3-19.1	32	8.1	4.8-11.4
\$25,000- 34,999	159	31,919	96	59.6	48.2-71.0	12	5.4	1.7- 9.1	16	15.8	5.4-26.2	21	12.4	5.7-19.1	14	6.8	2.5-11.1
\$35,000- 49,999	215	42,795	124	55.8	46.6-65.0	11	5.3	1.8- 8.8	39	19.7	11.7-27.7	25	12.8	6.1-19.5	16	6.3	2.6-10.0
\$50,000- 74,999	232	47,195	124	54.0	45.2-62.8	29	12.5	6.0-19.0	39	16.0	9.7-22.3	28	11.3	5.4-17.2	12	6.3	1.8-10.8
\$75,000+	461	106,326	291	64.0	58.1-69.9	48	10.9	7.0-14.8	63	11.4	7.7-15.1	46	10.4	6.3-14.5	13	3.4	1.0- 5.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	742	155,900	440	62.1	57.2-67.0	57	7.5	4.8-10.2	96	13.8	10.1-17.5	96	11.3	8.4-14.2	53	5.2	3.4- 7.0
White/Non-Hisp	513	101,736	310	63.6	58.1-69.1	40	7.2	4.5- 9.9	65	10.9	8.0-13.8	65	13.1	9.0-17.2	33	5.3	2.9- 7.7
Black or Afr. Am./Non-Hisp	77	30,941	49	61.5	46.8-76.2	3	5.3	0.0-13.1	14	25.0	11.1-38.9	8	5.4	1.1- 9.7	3	2.8	0.0- 6.5
Hispanic	90	12,342	49	64.3	50.6-78.0	8	8.2	0.0-18.2	8	7.5	1.0-14.0	18	14.9	6.5-23.3	7	5.1	0.6- 9.6
18-24	68	24,000	45	68.0	53.5-82.5	7	9.7	1.7-17.7	11	15.7	3.7-27.7	4	4.3	0.0- 9.4	1	2.4	0.0- 7.1
25-34	84	30,747	50	57.7	43.6-71.8	7	8.5	0.0-17.3	14	22.0	9.8-34.2	9	8.5	1.1-15.9	4	3.3	0.0- 7.6
35-44	90	19,865	55	72.1	61.3-82.9	6	3.9	0.2- 7.6	10	7.8	2.1-13.5	14	13.4	5.2-21.6	5	2.8	0.1- 5.5
45-54	116	21,917	61	56.9	45.9-67.9	11	8.1	2.6-13.6	10	8.3	2.2-14.4	20	15.1	7.7-22.5	14	11.6	4.3-18.9
55-64	155	26,498	86	57.2	47.4-67.0	18	11.0	4.9-17.1	17	12.4	6.1-18.7	23	13.9	7.2-20.6	11	5.5	1.6- 9.4
65+	229	32,874	143	63.4	54.4-72.4	8	3.9	0.2- 7.6	34	13.4	7.7-19.1	26	13.2	5.4-21.0	18	6.1	2.6- 9.6
Less Than H.S.	84	17,687	45	65.4	51.5-79.3	7	2.9	0.5- 5.3	12	17.7	4.8-30.6	11	7.2	1.9-12.5	9	6.8	1.5-12.1
H.S. or G.E.D.	234	51,902	143	64.9	56.7-73.1	13	6.7	2.4-11.0	27	11.1	6.0-16.2	34	13.3	7.4-19.2	17	4.0	1.5- 6.5
Some Post-H.S.	189	47,201	110	58.2	48.4-68.0	14	8.6	2.3-14.9	29	18.3	9.9-26.7	26	11.8	5.9-17.7	10	3.2	0.8- 5.6
College Graduate	235	39,110	142	61.8	53.0-70.6	23	9.3	4.8-13.8	28	10.4	5.5-15.3	25	10.0	4.9-15.1	17	8.5	3.2-13.8
Less than \$15,000	65	8,828	31	55.7	39.0-72.4	4	3.7	0.0- 7.8	7	12.2	0.6-23.8	15	19.6	6.7-32.5	8	8.8	1.9-15.7
\$15,000- 24,999	109	20,397	67	59.8	48.2-71.4	8	9.4	1.8-17.0	9	11.6	5.9-17.3	15	12.6	5.2-20.0	10	6.5	1.4-11.6
\$25,000- 34,999	68	16,634	40	60.2	42.4-78.0	2	0.8	0.0- 2.0	7	18.4	1.2-35.6	9	11.3	1.7-20.9	10	9.3	1.9-16.7
\$35,000- 49,999	87	16,251	47	61.7	48.0-75.4	5	7.2	0.1-14.3	15	14.4	6.2-22.6	12	10.8	2.2-19.4	8	5.9	0.6-11.2
\$50,000- 74,999	104	19,991	61	63.5	51.3-75.7	8	4.4	0.9- 7.9	18	18.5	8.1-28.9	14	11.3	4.6-18.0	3	2.3	0.0- 5.4
\$75,000+	191	47,166	126	65.5	55.7-75.3	21	10.9	4.4-17.4	21	9.2	3.1-15.3	18	10.3	3.8-16.8	5	4.1	0.2- 8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1148	216,432	652	57.2	53.3-61.1	111	9.6	7.2-12.0	156	13.9	11.2-16.6	141	12.4	9.7-15.1	88	6.9	5.1- 8.7
White/Non-Hisp	747	137,319	434	57.2	52.5-61.9	72	9.7	6.8-12.6	97	13.1	10.2-16.0	87	11.8	8.7-14.9	57	8.1	5.6-10.6
Black or Afr. Am./Non-Hisp	179	46,662	104	59.1	49.7-68.5	13	7.1	2.0-12.2	27	18.6	10.2-27.0	21	11.2	5.9-16.5	14	4.0	1.6- 6.4
Hispanic	124	13,805	65	54.5	41.6-67.4	17	19.1	8.3-29.9	17	11.5	3.9-19.1	18	10.1	4.6-15.6	7	4.8	0.9- 8.7
18-24	77	24,792	38	46.2	32.3-60.1	15	15.9	5.7-26.1	18	26.1	12.8-39.4	5	11.2	0.0-22.4	1	0.6	0.0- 1.8
25-34	142	33,914	72	51.1	40.5-61.7	24	19.4	10.6-28.2	23	15.9	8.6-23.2	17	8.8	3.1-14.5	6	4.8	0.3- 9.3
35-44	176	34,027	102	61.4	52.0-70.8	16	6.8	3.1-10.5	21	8.7	4.4-13.0	25	17.2	8.6-25.8	12	6.0	2.1- 9.9
45-54	182	32,488	95	58.2	49.4-67.0	17	10.2	4.5-15.9	28	12.6	6.9-18.3	27	13.2	7.7-18.7	15	5.8	2.7- 8.9
55-64	242	37,795	134	57.0	49.0-65.0	17	7.2	2.9-11.5	33	11.5	7.2-15.8	32	14.6	8.1-21.1	26	9.7	5.2-14.2
65+	329	53,414	211	63.2	55.9-70.5	22	3.7	1.7- 5.7	33	12.7	7.2-18.2	35	9.9	5.8-14.0	28	10.4	5.3-15.5
Less Than H.S.	109	19,524	50	49.1	35.4-62.8	11	7.6	1.7-13.5	15	11.7	3.7-19.7	22	22.8	10.1-35.5	11	8.8	2.1-15.5
H.S. or G.E.D.	333	65,802	186	55.3	48.4-62.2	28	9.5	5.0-14.0	37	10.5	6.4-14.6	49	14.7	10.0-19.4	33	10.0	6.1-13.9
Some Post-H.S.	321	66,378	172	55.6	48.3-62.9	29	9.4	4.9-13.9	50	15.0	10.1-19.9	44	13.8	8.3-19.3	26	6.2	2.9- 9.5
College Graduate	379	64,111	242	63.5	56.8-70.2	43	10.7	7.0-14.4	54	17.0	11.1-22.9	24	5.1	2.4- 7.8	16	3.7	1.5- 5.9
Less than \$15,000	122	18,719	56	45.4	33.1-57.7	10	4.7	1.2- 8.2	18	20.1	8.9-31.3	25	22.2	11.8-32.6	13	7.5	2.2-12.8
\$15,000- 24,999	194	30,691	99	54.6	45.8-63.4	19	10.2	4.7-15.7	25	10.9	6.0-15.8	29	15.2	8.7-21.7	22	9.1	4.8-13.4
\$25,000- 34,999	91	15,285	56	58.8	45.3-72.3	10	10.4	3.0-17.8	9	13.0	2.0-24.0	12	13.7	4.5-22.9	4	4.1	0.0- 8.2
\$35,000- 49,999	128	26,544	77	52.2	40.2-64.2	6	4.2	0.7- 7.7	24	23.0	11.6-34.4	13	14.1	4.9-23.3	8	6.6	1.5-11.7
\$50,000- 74,999	128	27,204	63	47.0	35.2-58.8	21	18.5	7.9-29.1	21	14.1	6.7-21.5	14	11.2	2.2-20.2	9	9.2	1.9-16.5
\$75,000+	270	59,160	165	62.8	55.4-70.2	27	10.9	6.2-15.6	42	13.1	8.4-17.8	28	10.4	5.1-15.7	8	2.8	0.3- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	778,418	3533	89.9	88.5-91.3	477	10.1	8.7-11.5
Male	1781	371,681	1530	87.6	85.4-89.8	251	12.4	10.2-14.6
Female	2229	406,737	2003	92.0	90.4-93.6	226	8.0	6.4- 9.6
White/Non-Hisp	2618	488,672	2480	93.6	92.2-95.0	138	6.4	5.0- 7.8
Black or Afr. Am./Non-Hisp	535	161,080	490	91.8	88.5-95.1	45	8.2	4.9-11.5
Oth. Race/Non-Hisp.	134	30,074	124	94.8	90.7-98.9	10	5.2	1.1- 9.3
MultiRacial/Non-Hisp.	98	16,652	92	96.2	92.5-99.9	6	3.8	0.1- 7.5
Hispanic	538	64,720	266	52.7	46.0-59.4	272	47.3	40.6-54.0
18-24	270	85,432	202	81.5	74.8-88.2	68	18.5	11.8-25.2
25-34	469	126,242	353	83.4	79.1-87.7	116	16.6	12.3-20.9
35-44	549	116,721	433	86.6	83.3-89.9	116	13.4	10.1-16.7
45-54	626	117,257	539	90.4	87.9-92.9	87	9.6	7.1-12.1
55-64	812	136,329	742	91.7	89.3-94.1	70	8.3	5.9-10.7
65+	1284	196,438	1264	98.2	97.0-99.4	20	1.8	0.6- 3.0
Less Than H.S.	454	82,732	235	61.3	54.6-68.0	219	38.7	32.0-45.4
H.S. or G.E.D.	1151	244,405	1017	90.1	87.9-92.3	134	9.9	7.7-12.1
Some Post-H.S.	1013	221,589	940	94.2	92.2-96.2	73	5.8	3.8- 7.8
College Graduate	1378	227,853	1328	95.9	94.1-97.7	50	4.1	2.3- 5.9
Less than \$15,000	346	50,995	231	73.6	67.1-80.1	115	26.4	19.9-32.9
\$15,000- 24,999	532	90,374	430	84.8	80.9-88.7	102	15.2	11.3-19.1
\$25,000- 34,999	335	65,445	282	83.9	77.8-90.0	53	16.1	10.0-22.2
\$35,000- 49,999	390	75,265	356	89.3	84.8-93.8	34	10.7	6.2-15.2
\$50,000- 74,999	493	98,756	464	93.9	91.2-96.6	29	6.1	3.4- 8.8
\$75,000+	1121	245,977	1092	96.5	94.3-98.7	29	3.5	1.3- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1781	371,681	1530	87.6	85.4-89.8	251	12.4	10.2-14.6
White/Non-Hisp	1191	232,487	1108	91.5	89.3-93.7	83	8.5	6.3-10.7
Black or Afr. Am./Non-Hisp	188	74,047	168	89.7	83.4-96.0	20	10.3	4.0-16.6
Oth. Race/Non-Hisp.	64	15,954	60	97.7	94.8- 100	4	2.3	0.0- 5.2
Hispanic	250	33,688	113	49.8	40.6-59.0	137	50.2	41.0-59.4
18-24	138	42,866	97	76.1	65.9-86.3	41	23.9	13.7-34.1
25-34	207	63,562	149	80.1	73.0-87.2	58	19.9	12.8-27.0
35-44	235	57,278	178	84.1	78.6-89.6	57	15.9	10.4-21.4
45-54	274	56,273	230	89.3	85.6-93.0	44	10.7	7.0-14.4
55-64	361	63,707	322	89.6	85.7-93.5	39	10.4	6.5-14.3
65+	566	87,995	554	98.5	97.5-99.5	12	1.5	0.5- 2.5
Less Than H.S.	223	45,551	109	59.9	50.9-68.9	114	40.1	31.1-49.1
H.S. or G.E.D.	528	122,939	448	87.4	83.9-90.9	80	12.6	9.1-16.1
Some Post-H.S.	419	99,449	386	93.1	89.6-96.6	33	6.9	3.4-10.4
College Graduate	608	103,257	585	94.9	91.4-98.4	23	5.1	1.6- 8.6
Less than \$15,000	143	20,991	79	65.0	53.4-76.6	64	35.0	23.4-46.6
\$15,000- 24,999	194	34,924	146	79.4	71.6-87.2	48	20.6	12.8-28.4
\$25,000- 34,999	143	33,517	112	77.0	66.4-87.6	31	23.0	12.4-33.6
\$35,000- 49,999	166	30,521	144	85.0	77.0-93.0	22	15.0	7.0-23.0
\$50,000- 74,999	229	48,642	208	91.0	86.1-95.9	21	9.0	4.1-13.9
\$75,000+	589	132,406	572	96.1	93.4-98.8	17	3.9	1.2- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	406,737	2003	92.0	90.4-93.6	226	8.0	6.4- 9.6
White/Non-Hisp	1427	256,185	1372	95.6	94.2-97.0	55	4.4	3.0- 5.8
Black or Afr. Am./Non-Hisp	347	87,033	322	93.7	90.8-96.6	25	6.3	3.4- 9.2
Oth. Race/Non-Hisp.	70	14,120	64	91.6	83.8-99.4	6	8.4	0.6-16.2
MultiRacial/Non-Hisp.	55	10,754	52	98.1	95.7- 100	3	1.9	0.0- 4.3
Hispanic	288	31,032	153	55.9	45.9-65.9	135	44.1	34.1-54.1
18-24	132	42,566	105	86.8	78.2-95.4	27	13.2	4.6-21.8
25-34	262	62,680	204	86.8	82.1-91.5	58	13.2	8.5-17.9
35-44	314	59,442	255	89.1	85.2-93.0	59	10.9	7.0-14.8
45-54	352	60,984	309	91.5	88.2-94.8	43	8.5	5.2-11.8
55-64	451	72,622	420	93.6	90.7-96.5	31	6.4	3.5- 9.3
65+	718	108,443	710	98.0	96.2-99.8	8	2.0	0.2- 3.8
Less Than H.S.	231	37,180	126	63.0	52.8-73.2	105	37.0	26.8-47.2
H.S. or G.E.D.	623	121,466	569	92.9	90.5-95.3	54	7.1	4.7- 9.5
Some Post-H.S.	594	122,139	554	95.0	93.0-97.0	40	5.0	3.0- 7.0
College Graduate	770	124,596	743	96.8	95.2-98.4	27	3.2	1.6- 4.8
Less than \$15,000	203	30,004	152	79.6	71.6-87.6	51	20.4	12.4-28.4
\$15,000- 24,999	338	55,451	284	88.2	84.3-92.1	54	11.8	7.9-15.7
\$25,000- 34,999	192	31,928	170	91.2	85.9-96.5	22	8.8	3.5-14.1
\$35,000- 49,999	224	44,743	212	92.3	87.4-97.2	12	7.7	2.8-12.6
\$50,000- 74,999	264	50,114	256	96.7	94.2-99.2	8	3.3	0.8- 5.8
\$75,000+	532	113,571	520	97.0	93.9- 100	12	3.0	0.0- 6.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	778,453	3048	75.5	73.5-77.5	305	7.5	6.3- 8.7	658	17.0	15.2-18.8
Male	1782	371,578	1277	72.0	69.1-74.9	129	6.3	4.7- 7.9	376	21.7	19.0-24.4
Female	2229	406,875	1771	78.7	76.2-81.2	176	8.7	6.9-10.5	282	12.6	10.4-14.8
White/Non-Hisp	2622	489,058	2118	78.8	76.6-81.0	208	7.0	5.8- 8.2	296	14.2	12.2-16.2
Black or Afr. Am./Non-Hisp	534	160,421	430	78.4	73.3-83.5	38	8.5	5.2-11.8	66	13.1	8.8-17.4
Oth. Race/Non-Hisp.	135	30,212	94	72.5	61.7-83.3	10	5.8	1.3-10.3	31	21.8	11.6-32.0
MultiRacial/Non-Hisp.	98	16,652	75	73.2	58.7-87.7	6	4.1	0.0- 8.8	17	22.7	8.4-37.0
Hispanic	535	64,477	268	47.8	41.1-54.5	34	9.3	5.4-13.2	233	42.9	36.2-49.6
18-24	275	86,286	159	60.9	52.7-69.1	16	5.2	2.3- 8.1	100	33.9	25.9-41.9
25-34	468	125,582	267	61.1	55.0-67.2	29	7.3	4.4-10.2	172	31.6	25.9-37.3
35-44	547	116,628	378	71.9	67.0-76.8	26	5.4	2.9- 7.9	143	22.7	18.2-27.2
45-54	627	117,282	483	78.7	74.6-82.8	45	8.2	5.1-11.3	99	13.1	10.0-16.2
55-64	812	136,381	677	86.6	83.9-89.3	54	5.3	3.5- 7.1	81	8.1	5.9-10.3
65+	1282	196,295	1084	83.7	80.4-87.0	135	11.1	8.4-13.8	63	5.2	3.0- 7.4
Less Than H.S.	450	82,365	227	53.7	46.6-60.8	27	6.1	2.2-10.0	196	40.2	33.1-47.3
H.S. or G.E.D.	1153	244,713	858	72.1	68.4-75.8	103	8.9	6.7-11.1	192	19.0	15.5-22.5
Some Post-H.S.	1015	221,805	812	80.3	76.8-83.8	81	7.6	5.4- 9.8	122	12.1	9.2-15.0
College Graduate	1380	228,017	1140	82.3	79.6-85.0	94	6.6	4.8- 8.4	146	11.1	8.7-13.5
Less than \$15,000	346	50,537	212	64.5	56.5-72.5	18	3.5	1.3- 5.7	116	32.0	24.0-40.0
\$15,000- 24,999	530	90,261	386	71.5	66.0-77.0	36	7.1	3.8-10.4	108	21.4	16.5-26.3
\$25,000- 34,999	334	65,390	243	69.8	62.4-77.2	27	9.4	5.3-13.5	64	20.8	13.9-27.7
\$35,000- 49,999	391	75,372	301	76.6	70.5-82.7	34	6.2	3.5- 8.9	56	17.1	11.4-22.8
\$50,000- 74,999	490	98,281	399	82.3	77.6-87.0	37	5.8	3.1- 8.5	54	11.9	7.8-16.0
\$75,000+	1123	246,206	926	79.3	75.8-82.8	88	8.6	6.2-11.0	109	12.1	9.2-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1782	371,578	1277	72.0	69.1-74.9	129	6.3	4.7- 7.9	376	21.7	19.0-24.4
White/Non-Hisp	1194	232,874	922	75.2	71.9-78.5	102	6.5	4.7- 8.3	170	18.3	15.2-21.4
Black or Afr. Am./Non-Hisp	187	73,387	144	76.9	68.5-85.3	10	6.2	1.5-10.9	33	17.0	9.4-24.6
Oth. Race/Non-Hisp.	65	16,092	43	70.6	54.1-87.1	3	2.8	0.0- 6.3	19	26.6	10.3-42.9
Hispanic	248	33,306	107	44.2	34.8-53.6	5	3.1	0.2- 6.0	136	52.7	43.3-62.1
18-24	142	43,539	69	57.9	46.5-69.3	7	4.8	0.7- 8.9	66	37.3	26.3-48.3
25-34	206	62,902	105	57.5	48.3-66.7	10	4.2	1.5- 6.9	91	38.3	29.3-47.3
35-44	234	57,217	150	68.1	60.5-75.7	5	1.2	0.0- 2.4	79	30.7	23.1-38.3
45-54	274	56,273	205	79.6	73.9-85.3	12	3.3	0.8- 5.8	57	17.0	11.7-22.3
55-64	360	63,652	294	84.7	80.2-89.2	24	6.4	3.1- 9.7	42	9.0	5.9-12.1
65+	566	87,995	454	77.8	71.9-83.7	71	13.6	8.9-18.3	41	8.6	4.3-12.9
Less Than H.S.	219	45,015	99	48.9	39.1-58.7	7	5.9	0.0-12.6	113	45.2	35.6-54.8
H.S. or G.E.D.	531	123,196	360	67.5	61.8-73.2	48	7.5	4.6-10.4	123	25.0	19.7-30.3
Some Post-H.S.	420	99,596	324	77.9	72.4-83.4	35	6.8	4.1- 9.5	61	15.3	10.2-20.4
College Graduate	609	103,286	492	81.7	77.4-86.0	39	4.6	2.6- 6.6	78	13.8	9.9-17.7
Less than \$15,000	142	20,331	67	44.9	31.6-58.2	5	2.3	0.0- 5.0	70	52.8	39.3-66.3
\$15,000- 24,999	193	34,717	122	62.3	52.9-71.7	14	7.9	2.6-13.2	57	29.9	20.9-38.9
\$25,000- 34,999	142	33,461	95	66.6	55.0-78.2	10	5.8	1.3-10.3	37	27.5	16.3-38.7
\$35,000- 49,999	166	30,521	113	72.5	63.5-81.5	20	7.7	2.8-12.6	33	19.8	11.6-28.0
\$50,000- 74,999	227	48,206	177	80.7	74.0-87.4	18	4.7	1.8- 7.6	32	14.6	8.3-20.9
\$75,000+	590	132,566	484	79.5	74.8-84.2	41	6.6	4.1- 9.1	65	13.9	9.6-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	406,875	1771	78.7	76.2-81.2	176	8.7	6.9-10.5	282	12.6	10.4-14.8
White/Non-Hisp	1428	256,184	1196	82.1	79.4-84.8	106	7.4	5.6-9.2	126	10.5	8.1-12.9
Black or Afr. Am./Non-Hisp	347	87,033	286	79.7	73.4-86.0	28	10.5	5.8-15.2	33	9.8	5.1-14.5
Oth. Race/Non-Hisp.	70	14,120	51	74.6	61.3-87.9	7	9.2	0.6-17.8	12	16.2	4.8-27.6
MultiRacial/Non-Hisp.	55	10,754	43	75.8	56.8-94.8	3	2.4	0.0-5.5	9	21.8	2.8-40.8
Hispanic	287	31,171	161	51.8	42.0-61.6	29	15.9	8.6-23.2	97	32.3	22.1-42.5
18-24	133	42,747	90	64.0	51.8-76.2	9	5.6	1.3-9.9	34	30.4	18.2-42.6
25-34	262	62,680	162	64.7	57.1-72.3	19	10.4	5.3-15.5	81	25.0	18.1-31.9
35-44	313	59,411	228	75.5	69.4-81.6	21	9.5	4.6-14.4	64	15.0	10.5-19.5
45-54	353	61,009	278	77.8	71.7-83.9	33	12.8	7.3-18.3	42	9.4	6.1-12.7
55-64	452	72,729	383	88.2	84.7-91.7	30	4.4	2.6-6.2	39	7.4	4.3-10.5
65+	716	108,300	630	88.5	85.4-91.6	64	9.1	6.2-12.0	22	2.4	1.2-3.6
Less Than H.S.	231	37,350	128	59.4	49.0-69.8	20	6.4	2.9-9.9	83	34.2	23.8-44.6
H.S. or G.E.D.	622	121,517	498	76.8	71.9-81.7	55	10.2	6.9-13.5	69	13.0	8.7-17.3
Some Post-H.S.	595	122,209	488	82.2	77.9-86.5	46	8.3	5.2-11.4	61	9.4	6.1-12.7
College Graduate	771	124,731	648	82.8	79.1-86.5	55	8.3	5.4-11.2	68	8.9	6.4-11.4
Less than \$15,000	204	30,206	145	77.6	69.8-85.4	13	4.4	1.5-7.3	46	17.9	10.5-25.3
\$15,000- 24,999	337	55,544	264	77.2	70.7-83.7	22	6.6	2.3-10.9	51	16.2	10.7-21.7
\$25,000- 34,999	192	31,928	148	73.2	64.0-82.4	17	13.1	6.0-20.2	27	13.8	6.4-21.2
\$35,000- 49,999	225	44,851	188	79.4	71.4-87.4	14	5.3	2.0-8.6	23	15.3	7.5-23.1
\$50,000- 74,999	263	50,074	222	83.9	77.4-90.4	19	6.9	2.4-11.4	22	9.2	4.1-14.3
\$75,000+	533	113,640	442	79.0	73.7-84.3	47	11.0	7.1-14.9	44	10.0	5.9-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	779,216	367	9.3	7.9-10.7	3650	90.7	89.3-92.1
Male	1785	372,433	170	10.5	8.3-12.7	1615	89.5	87.3-91.7
Female	2232	406,783	197	8.1	6.5- 9.7	2035	91.9	90.3-93.5
White/Non-Hisp	2622	488,650	158	6.8	5.4- 8.2	2464	93.2	91.8-94.6
Black or Afr. Am./Non-Hisp	534	161,048	59	12.2	8.1-16.3	475	87.8	83.7-91.9
Oth. Race/Non-Hisp.	135	30,212	17	10.1	3.4-16.8	118	89.9	83.2-96.6
MultiRacial/Non-Hisp.	98	16,652	12	10.3	2.5-18.1	86	89.7	81.9-97.5
Hispanic	539	64,786	117	20.8	15.5-26.1	422	79.2	73.9-84.5
18-24	276	86,709	38	13.9	7.6-20.2	238	86.1	79.8-92.4
25-34	470	126,351	71	13.8	9.3-18.3	399	86.2	81.7-90.7
35-44	551	116,861	71	10.8	7.5-14.1	480	89.2	85.9-92.5
45-54	626	117,164	75	10.4	7.3-13.5	551	89.6	86.5-92.7
55-64	811	135,929	64	7.0	4.8- 9.2	747	93.0	90.8-95.2
65+	1283	196,201	48	4.3	2.7- 5.9	1235	95.7	94.1-97.3
Less Than H.S.	453	82,735	98	17.2	12.3-22.1	355	82.8	77.9-87.7
H.S. or G.E.D.	1155	244,748	119	10.9	8.0-13.8	1036	89.1	86.2-92.0
Some Post-H.S.	1014	221,769	91	9.6	7.1-12.1	923	90.4	87.9-92.9
College Graduate	1381	228,125	59	4.4	2.8- 6.0	1322	95.6	94.0-97.2
Less than \$15,000	347	51,110	63	19.0	11.6-26.4	284	81.0	73.6-88.4
\$15,000- 24,999	532	90,515	80	14.3	10.2-18.4	452	85.7	81.6-89.8
\$25,000- 34,999	335	65,445	42	16.7	9.8-23.6	293	83.3	76.4-90.2
\$35,000- 49,999	389	74,866	42	11.7	7.6-15.8	347	88.3	84.2-92.4
\$50,000- 74,999	493	98,756	26	4.6	2.4- 6.8	467	95.4	93.2-97.6
\$75,000+	1122	245,712	37	3.7	2.1- 5.3	1085	96.3	94.7-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,433	170	10.5	8.3-12.7	1615	89.5	87.3-91.7
White/Non-Hisp	1192	232,502	74	7.8	5.4-10.2	1118	92.2	89.8-94.6
Black or Afr. Am./Non-Hisp	188	74,047	26	13.7	7.2-20.2	162	86.3	79.8-92.8
Oth. Race/Non-Hisp.	65	16,092	12	13.3	2.1-24.5	53	86.7	75.5-97.9
Hispanic	250	33,638	51	23.8	15.2-32.4	199	76.2	67.6-84.8
18-24	143	43,962	17	13.3	4.3-22.3	126	86.7	77.7-95.7
25-34	208	63,671	36	19.1	11.3-26.9	172	80.9	73.1-88.7
35-44	236	57,387	34	12.2	6.9-17.5	202	87.8	82.5-93.1
45-54	274	56,273	30	9.9	5.2-14.6	244	90.1	85.4-94.8
55-64	361	63,707	28	6.8	3.7- 9.9	333	93.2	90.1-96.3
65+	563	87,433	25	5.0	2.5- 7.5	538	95.0	92.5-97.5
Less Than H.S.	222	45,472	46	20.7	12.9-28.5	176	79.3	71.5-87.1
H.S. or G.E.D.	532	123,553	59	11.4	7.1-15.7	473	88.6	84.3-92.9
Some Post-H.S.	419	99,560	35	9.9	5.6-14.2	384	90.1	85.8-94.4
College Graduate	609	103,362	30	5.6	2.9- 8.3	579	94.4	91.7-97.1
Less than \$15,000	143	20,991	28	23.1	8.4-37.8	115	76.9	62.2-91.6
\$15,000- 24,999	193	34,884	36	18.7	10.5-26.9	157	81.3	73.1-89.5
\$25,000- 34,999	143	33,517	23	22.6	11.4-33.8	120	77.4	66.2-88.6
\$35,000- 49,999	166	30,521	19	13.8	6.5-21.1	147	86.2	78.9-93.5
\$50,000- 74,999	229	48,642	12	4.2	1.3- 7.1	217	95.8	92.9-98.7
\$75,000+	589	132,072	18	4.1	1.6- 6.6	571	95.9	93.4-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,783	197	8.1	6.5- 9.7	2035	91.9	90.3-93.5
White/Non-Hisp	1430	256,148	84	6.0	4.4- 7.6	1346	94.0	92.4-95.6
Black or Afr. Am./Non-Hisp	346	87,001	33	10.8	5.7-15.9	313	89.2	84.1-94.3
Oth. Race/Non-Hisp.	70	14,120	5	6.5	0.0-13.2	65	93.5	86.8- 100
MultiRacial/Non-Hisp.	55	10,754	6	10.3	0.0-21.1	49	89.7	78.9- 100
Hispanic	289	31,147	66	17.6	11.9-23.3	223	82.4	76.7-88.1
18-24	133	42,747	21	14.5	5.9-23.1	112	85.5	76.9-94.1
25-34	262	62,680	35	8.5	4.2-12.8	227	91.5	87.2-95.8
35-44	315	59,474	37	9.4	5.7-13.1	278	90.6	86.9-94.3
45-54	352	60,891	45	10.9	6.8-15.0	307	89.1	85.0-93.2
55-64	450	72,222	36	7.2	4.3-10.1	414	92.8	89.9-95.7
65+	720	108,769	23	3.8	1.6- 6.0	697	96.2	94.0-98.4
Less Than H.S.	231	37,263	52	13.0	8.5-17.5	179	87.0	82.5-91.5
H.S. or G.E.D.	623	121,195	60	10.3	6.6-14.0	563	89.7	86.0-93.4
Some Post-H.S.	595	122,209	56	9.5	6.4-12.6	539	90.5	87.4-93.6
College Graduate	772	124,762	29	3.3	1.7- 4.9	743	96.7	95.1-98.3
Less than \$15,000	204	30,119	35	16.1	9.0-23.2	169	83.9	76.8-91.0
\$15,000- 24,999	339	55,631	44	11.5	7.2-15.8	295	88.5	84.2-92.8
\$25,000- 34,999	192	31,928	19	10.4	3.3-17.5	173	89.6	82.5-96.7
\$35,000- 49,999	223	44,344	23	10.3	5.6-15.0	200	89.7	85.0-94.4
\$50,000- 74,999	264	50,114	14	4.9	1.6- 8.2	250	95.1	91.8-98.4
\$75,000+	533	113,640	19	3.2	1.2- 5.2	514	96.8	94.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3993	772,792	3165	77.6	75.8-79.4	415	11.8	10.4-13.2	214	5.8	4.8- 6.8	162	4.3	3.3- 5.3	37	0.6	0.2- 1.0
Male	1775	369,338	1325	72.8	69.9-75.7	199	13.6	11.2-16.0	115	6.8	5.2- 8.4	109	5.9	4.5- 7.3	27	1.0	0.4- 1.6
Female	2218	403,454	1840	81.9	79.5-84.3	216	10.1	8.3-11.9	99	4.8	3.4- 6.2	53	2.8	1.6- 4.0	10	0.3	0.1- 0.5
White/Non-Hisp	2607	484,822	2121	76.5	74.1-78.9	253	12.0	10.2-13.8	127	6.6	5.2- 8.0	99	4.7	3.5- 5.9	7	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	532	159,354	458	85.2	81.1-89.3	42	9.0	5.7-12.3	17	3.3	1.3- 5.3	14	2.0	0.8- 3.2	1	0.5	0.0- 1.5
Oth. Race/Non-Hisp.	134	29,918	93	72.5	62.1-82.9	23	18.4	9.0-27.8	12	6.0	1.7-10.3	4	2.7	0.0- 5.4	2	0.4	0.0- 1.0
MultiRacial/Non-Hisp.	98	16,652	75	73.7	60.0-87.4	13	19.1	5.8-32.4	3	2.5	0.0- 5.8	6	3.8	0.5- 7.1	1	0.9	0.0- 2.7
Hispanic	534	64,309	340	66.3	59.8-72.8	78	14.3	10.0-18.6	52	7.4	4.9- 9.9	38	8.6	2.9-14.3	26	3.4	1.4- 5.4
18-24	270	84,803	181	70.6	63.2-78.0	40	12.4	7.7-17.1	29	11.4	6.3-16.5	13	4.0	0.0- 8.3	7	1.6	0.0- 3.6
25-34	465	124,279	288	63.7	57.6-69.8	78	16.9	12.2-21.6	47	9.9	6.4-13.4	40	8.2	4.7-11.7	12	1.3	0.3- 2.3
35-44	543	114,596	357	67.9	62.8-73.0	84	14.6	10.5-18.7	51	8.3	5.6-11.0	41	8.3	5.4-11.2	10	0.8	0.2- 1.4
45-54	622	116,790	477	76.0	71.7-80.3	76	16.0	11.9-20.1	39	4.4	2.8- 6.0	26	3.4	1.6- 5.2	4	0.3	0.0- 0.7
55-64	811	136,218	685	83.9	80.6-87.2	70	10.4	7.7-13.1	32	3.7	1.9- 5.5	21	1.9	0.9- 2.9	3	0.2	0.0- 0.4
65+	1282	196,106	1177	91.5	89.3-93.7	67	5.2	3.4- 7.0	16	1.5	0.3- 2.7	21	1.7	0.9- 2.5	1	0.1	0.0- 0.3
Less Than H.S.	445	80,221	284	66.7	60.0-73.4	61	14.2	9.5-18.9	41	6.5	3.4- 9.6	38	10.2	4.9-15.5	21	2.4	0.8- 4.0
H.S. or G.E.D.	1149	242,897	929	78.7	75.4-82.0	108	10.9	8.4-13.4	55	5.0	3.2- 6.8	48	4.4	2.6- 6.2	9	0.8	0.0- 1.6
Some Post-H.S.	1011	221,408	818	80.0	76.7-83.3	95	10.4	7.9-12.9	53	6.1	3.9- 8.3	40	3.3	2.1- 4.5	5	0.2	0.0- 0.4
College Graduate	1374	226,427	1123	77.7	74.6-80.8	149	13.2	10.7-15.7	65	6.0	4.2- 7.8	35	2.9	1.5- 4.3	2	0.1	0.1- 0.1
Less than \$15,000	343	49,615	245	73.9	67.0-80.8	44	11.1	6.8-15.4	29	9.6	4.1-15.1	15	3.8	1.4- 6.2	10	1.6	0.4- 2.8
\$15,000- 24,999	531	90,157	413	76.0	70.9-81.1	58	13.4	9.3-17.5	27	5.3	2.9- 7.7	29	5.2	2.7- 7.7	4	0.1	0.0- 0.3
\$25,000- 34,999	334	65,080	259	77.1	72.0-84.0	37	13.9	7.8-20.0	15	2.7	1.1- 4.3	18	5.6	1.9- 9.3	5	0.7	0.0- 1.5
\$35,000- 49,999	389	74,688	315	77.9	72.0-83.8	34	10.5	6.2-14.8	20	6.8	2.9-10.7	18	4.2	1.8- 6.6	2	0.6	0.0- 1.6
\$50,000- 74,999	489	97,619	394	76.0	70.3-81.7	45	9.9	6.0-13.8	31	9.3	5.4-13.2	18	4.8	1.9- 7.7	1	0.0	0.0- 0.0
\$75,000+	1121	245,720	923	79.2	75.9-82.5	118	12.1	9.6-14.6	50	5.4	3.4- 7.4	26	2.9	1.1- 4.7	4	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	369,338	1325	72.8	69.9-75.7	199	13.6	11.2-16.0	115	6.8	5.2- 8.4	109	5.9	4.5- 7.3	27	1.0	0.4- 1.6
White/Non-Hisp	1189	231,673	923	71.1	67.4-74.8	126	14.4	11.5-17.3	67	7.5	5.3- 9.7	68	6.7	4.5- 8.9	5	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	186	72,537	147	80.1	72.8-87.4	19	11.0	5.1-16.9	10	4.9	1.2- 8.6	9	2.7	0.5- 4.9	1	1.2	0.0- 3.6
Oth. Race/Non-Hisp.	64	15,798	39	66.7	50.2-83.2	11	20.8	6.1-35.5	8	6.6	0.3-12.9	4	5.1	0.0-10.4	2	0.8	0.0- 2.0
Hispanic	246	33,177	144	65.6	57.2-74.0	35	13.8	7.1-20.5	25	7.1	3.8-10.4	24	8.6	4.5-12.7	18	4.9	1.6- 8.2
18-24	138	42,652	83	66.2	55.6-76.8	22	12.7	6.4-19.0	21	16.1	7.7-24.5	8	2.5	0.7- 4.3	4	2.5	0.0- 6.4
25-34	207	63,604	110	57.8	48.6-67.0	34	16.8	9.5-24.1	28	12.2	6.7-17.7	25	11.2	5.5-16.9	10	1.9	0.1- 3.7
35-44	233	55,747	136	61.6	53.4-69.8	41	17.6	10.7-24.5	20	7.4	3.3-11.5	30	12.5	7.4-17.6	6	1.0	0.0- 2.0
45-54	271	55,998	196	70.4	63.1-77.7	35	19.3	12.4-26.2	20	4.9	2.4- 7.4	17	4.9	2.0- 7.8	3	0.5	0.0- 1.3
55-64	361	63,707	303	83.6	78.7-88.5	25	10.5	6.0-15.0	16	3.3	1.1- 5.5	14	2.3	0.9- 3.7	3	0.4	0.0- 1.0
65+	565	87,630	497	87.7	84.0-91.4	42	7.8	4.7-10.9	10	1.8	0.6- 3.0	15	2.6	1.2- 4.0	1	0.2	0.0- 0.6
Less Than H.S.	215	43,175	124	64.7	55.9-73.5	32	14.6	8.1-21.1	18	4.4	1.9- 6.9	27	13.1	7.0-19.2	14	3.2	0.7- 5.7
H.S. or G.E.D.	531	123,560	400	73.8	68.5-79.1	54	11.8	7.9-15.7	33	6.3	3.4- 9.2	37	6.8	4.1- 9.5	7	1.2	0.0- 2.6
Some Post-H.S.	420	99,596	325	75.9	70.2-81.6	39	12.2	7.7-16.7	30	7.8	4.1-11.5	22	3.6	1.6- 5.6	4	0.5	0.0- 1.1
College Graduate	606	102,523	474	72.0	66.7-77.3	74	16.8	12.1-21.5	34	7.4	4.5-10.3	22	3.7	1.3- 6.1	2	0.1	0.0- 0.3
Less than \$15,000	140	19,743	84	65.7	54.1-77.3	21	13.7	6.1-21.3	18	12.3	4.3-20.3	9	5.2	1.3- 9.1	8	3.0	0.6- 5.4
\$15,000- 24,999	194	34,659	141	72.4	63.6-81.2	19	14.0	6.4-21.6	13	4.5	1.6- 7.4	18	8.7	3.2-14.2	3	0.3	0.0- 0.7
\$25,000- 34,999	142	33,152	104	71.3	59.9-82.7	14	18.7	7.7-29.7	6	2.6	0.2- 5.0	13	6.0	2.1- 9.9	5	1.4	0.0- 2.8
\$35,000- 49,999	166	30,521	125	72.5	63.1-81.9	19	13.5	6.6-20.4	6	4.8	0.0-10.7	15	9.0	3.5-14.5	1	0.2	0.0- 0.6
\$50,000- 74,999	227	48,222	170	68.4	59.4-77.4	25	12.6	5.7-19.5	18	10.9	5.0-16.8	13	8.0	2.5-13.5	1	0.1	0.0- 0.3
\$75,000+	588	132,080	475	77.9	73.2-82.6	61	12.2	8.7-15.7	35	7.6	4.5-10.7	14	1.9	0.5- 3.3	3	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2218	403,454	1840	81.9	79.5-84.3	216	10.1	8.3-11.9	99	4.8	3.4- 6.2	53	2.8	1.6- 4.0	10	0.3	0.1- 0.5
White/Non-Hisp	1418	253,149	1198	81.5	78.8-84.2	127	9.7	7.7-11.7	60	5.8	3.8- 7.8	31	2.7	1.5- 3.9	2	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	346	86,817	311	89.4	85.1-93.7	23	7.4	3.7-11.1	7	1.9	0.1- 3.7	5	1.4	0.0- 2.8			
Oth. Race/Non-Hisp.	70	14,120	54	78.8	66.5-91.1	12	15.7	4.5-26.9	4	5.4	0.0-11.7						
MultiRacial/Non-Hisp.	55	10,754	44	73.3	54.1-92.5	8	23.5	4.3-42.7	1	1.1	0.0- 3.3	2	2.0	0.0- 4.9			
Hispanic	288	31,132	196	66.9	56.7-77.1	43	14.8	9.1-20.5	27	7.8	4.1-11.5	14	8.7	0.0-19.5	8	1.8	0.2- 3.4
18-24	132	42,151	98	75.1	64.3-85.9	18	12.0	5.1-18.9	8	6.7	0.8-12.6	5	5.5	0.0-13.7	3	0.7	0.0- 1.7
25-34	258	60,675	178	69.9	62.3-77.5	44	16.9	10.8-23.0	19	7.5	3.2-11.8	15	4.9	1.0- 8.8	2	0.7	0.0- 1.9
35-44	310	58,849	221	74.0	67.9-80.1	43	11.8	7.3-16.3	31	9.2	5.5-12.9	11	4.4	1.5- 7.3	4	0.6	0.0- 1.4
45-54	351	60,792	281	81.2	76.3-86.1	41	12.8	8.5-17.1	19	3.9	1.9- 5.9	9	2.1	0.3- 3.9	1	0.0	0.0- 0.0
55-64	450	72,511	382	84.1	79.6-88.6	45	10.3	6.8-13.8	16	4.0	1.3- 6.7	7	1.6	0.0- 3.2			
65+	717	108,475	680	94.5	92.1-96.9	25	3.1	1.5- 4.7	6	1.3	0.0- 3.1	6	1.0	0.0- 2.0			
Less Than H.S.	230	37,046	160	69.1	58.5-79.7	29	13.7	6.8-20.6	23	8.9	3.0-14.8	11	7.0	0.0-16.2	7	1.4	0.0- 2.8
H.S. or G.E.D.	618	119,337	529	83.8	79.7-87.9	54	10.0	6.7-13.3	22	3.7	1.7- 5.7	11	2.0	0.0- 4.0	2	0.5	0.0- 1.3
Some Post-H.S.	591	121,812	493	83.4	79.5-87.3	56	8.9	6.2-11.6	23	4.7	2.0- 7.4	18	3.0	1.4- 4.6	1	0.0	0.0- 0.0
College Graduate	768	123,904	649	82.5	79.0-86.0	75	10.3	7.6-13.0	31	4.9	2.9- 6.9	13	2.3	0.9- 3.7			
Less than \$15,000	203	29,872	161	79.4	70.6-88.2	23	9.4	4.1-14.7	11	7.7	0.3-15.1	6	2.9	0.2- 5.6	2	0.7	0.0- 1.9
\$15,000- 24,999	337	55,498	272	78.3	72.4-84.2	39	13.0	8.1-17.9	14	5.7	2.2- 9.2	11	2.9	0.7- 5.1	1	0.0	0.0- 0.0
\$25,000- 34,999	192	31,928	155	83.1	75.5-90.7	23	9.0	4.5-13.5	9	2.8	0.6- 5.0	5	5.1	0.0-11.6			
\$35,000- 49,999	223	44,167	190	81.7	74.3-89.1	15	8.4	2.9-13.9	14	8.1	2.8-13.4	3	1.0	0.0- 2.4	1	0.9	0.0- 2.7
\$50,000- 74,999	262	49,397	224	83.4	77.1-89.7	20	7.2	3.7-10.7	13	7.8	2.7-12.9	5	1.6	0.0- 3.2			
\$75,000+	533	113,640	448	80.8	75.9-85.7	57	12.0	8.5-15.5	15	3.0	1.2- 4.8	12	4.1	0.6- 7.6	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4021	780,099	2936	75.3	73.3-77.3	1085	24.7	22.7-26.7
Male	1788	372,911	1352	77.3	74.6-80.0	436	22.7	20.0-25.4
Female	2233	407,188	1584	73.5	71.0-76.0	649	26.5	24.0-29.0
White/Non-Hisp	2625	489,433	2000	78.5	76.3-80.7	625	21.5	19.3-23.7
Black or Afr. Am./Non-Hisp	534	161,026	347	68.8	63.5-74.1	187	31.2	25.9-36.5
Oth. Race/Non-Hisp.	135	30,212	105	82.4	74.0-90.8	30	17.6	9.2-26.0
MultiRacial/Non-Hisp.	98	16,652	70	72.7	58.4-87.0	28	27.3	13.0-41.6
Hispanic	540	64,908	343	62.2	55.3-69.1	197	37.8	30.9-44.7
18-24	276	86,714	222	82.5	75.8-89.2	54	17.5	10.8-24.2
25-34	470	126,351	351	76.7	71.4-82.0	119	23.3	18.0-28.6
35-44	550	116,698	418	80.0	75.5-84.5	132	20.0	15.5-24.5
45-54	627	117,282	459	75.7	71.4-80.0	168	24.3	20.0-28.6
55-64	813	136,436	601	76.5	72.8-80.2	212	23.5	19.8-27.2
65+	1285	196,618	885	67.2	63.5-70.9	400	32.8	29.1-36.5
Less Than H.S.	455	82,890	248	56.0	48.9-63.1	207	44.0	36.9-51.1
H.S. or G.E.D.	1156	245,570	751	67.4	63.7-71.1	405	32.6	28.9-36.3
Some Post-H.S.	1014	221,750	771	79.4	76.1-82.7	243	20.6	17.3-23.9
College Graduate	1382	228,049	1156	86.8	84.6-89.0	226	13.2	11.0-15.4
Less than \$15,000	347	51,105	189	49.0	41.0-57.0	158	51.0	43.0-59.0
\$15,000- 24,999	534	90,584	326	63.0	57.5-68.5	208	37.0	31.5-42.5
\$25,000- 34,999	335	65,445	225	66.8	59.0-74.6	110	33.2	25.4-41.0
\$35,000- 49,999	390	75,209	279	73.4	67.7-79.1	111	26.6	20.9-32.3
\$50,000- 74,999	493	98,756	383	77.1	71.6-82.6	110	22.9	17.4-28.4
\$75,000+	1123	246,206	963	87.5	84.8-90.2	160	12.5	9.8-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1788	372,911	1352	77.3	74.6-80.0	436	22.7	20.0-25.4
White/Non-Hisp	1194	232,902	934	80.6	77.7-83.5	260	19.4	16.5-22.3
Black or Afr. Am./Non-Hisp	188	74,047	125	68.0	59.0-77.0	63	32.0	23.0-41.0
Oth. Race/Non-Hisp.	65	16,092	55	88.8	78.4-99.2	10	11.2	0.8-21.6
Hispanic	251	33,717	170	66.2	57.0-75.4	81	33.8	24.6-43.0
18-24	144	44,041	114	83.5	74.7-92.3	30	16.5	7.7-25.3
25-34	208	63,671	162	77.2	69.2-85.2	46	22.8	14.8-30.8
35-44	235	57,224	186	81.4	74.5-88.3	49	18.6	11.7-25.5
45-54	274	56,273	215	81.3	75.4-87.2	59	18.7	12.8-24.6
55-64	361	63,707	268	75.6	69.9-81.3	93	24.4	18.7-30.1
65+	566	87,995	407	70.2	64.5-75.9	159	29.8	24.1-35.5
Less Than H.S.	223	45,551	134	59.3	49.5-69.1	89	40.7	30.9-50.5
H.S. or G.E.D.	533	124,047	365	68.9	63.2-74.6	168	31.1	25.4-36.8
Some Post-H.S.	420	99,596	335	85.4	81.3-89.5	85	14.6	10.5-18.7
College Graduate	609	103,233	515	87.3	84.0-90.6	94	12.7	9.4-16.0
Less than \$15,000	143	20,991	84	52.1	38.2-66.0	59	47.9	34.0-61.8
\$15,000- 24,999	195	34,953	124	65.6	56.6-74.6	71	34.4	25.4-43.4
\$25,000- 34,999	143	33,517	92	61.7	49.0-74.4	51	38.3	25.6-51.0
\$35,000- 49,999	165	30,358	114	71.5	62.7-80.3	51	28.5	19.7-37.3
\$50,000- 74,999	229	48,642	181	81.0	73.9-88.1	48	19.0	11.9-26.1
\$75,000+	590	132,566	519	89.9	87.0-92.8	71	10.1	7.2-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2233	407,188	1584	73.5	71.0-76.0	649	26.5	24.0-29.0
White/Non-Hisp	1431	256,531	1066	76.5	73.6-79.4	365	23.5	20.6-26.4
Black or Afr. Am./Non-Hisp	346	86,979	222	69.5	63.2-75.8	124	30.5	24.2-36.8
Oth. Race/Non-Hisp.	70	14,120	50	75.1	61.8-88.4	20	24.9	11.6-38.2
MultiRacial/Non-Hisp.	55	10,754	39	68.9	48.5-89.3	16	31.1	10.7-51.5
Hispanic	289	31,191	173	57.8	47.6-68.0	116	42.2	32.0-52.4
18-24	132	42,673	108	81.5	71.3-91.7	24	18.5	8.3-28.7
25-34	262	62,680	189	76.2	69.3-83.1	73	23.8	16.9-30.7
35-44	315	59,474	232	78.6	72.5-84.7	83	21.4	15.3-27.5
45-54	353	61,009	244	70.6	64.3-76.9	109	29.4	23.1-35.7
55-64	452	72,729	333	77.4	72.7-82.1	119	22.6	17.9-27.3
65+	719	108,623	478	64.9	60.0-69.8	241	35.1	30.2-40.0
Less Than H.S.	232	37,339	114	51.9	41.7-62.1	118	48.1	37.9-58.3
H.S. or G.E.D.	623	121,524	386	65.9	61.0-70.8	237	34.1	29.2-39.0
Some Post-H.S.	594	122,154	436	74.5	69.4-79.6	158	25.5	20.4-30.6
College Graduate	773	124,816	641	86.5	83.6-89.4	132	13.5	10.6-16.4
Less than \$15,000	204	30,114	105	46.9	37.1-56.7	99	53.1	43.3-62.9
\$15,000- 24,999	339	55,631	202	61.4	54.5-68.3	137	38.6	31.7-45.5
\$25,000- 34,999	192	31,928	133	72.2	63.8-80.6	59	27.8	19.4-36.2
\$35,000- 49,999	225	44,851	165	74.7	67.1-82.3	60	25.3	17.7-32.9
\$50,000- 74,999	264	50,114	202	73.3	65.3-81.3	62	26.7	18.7-34.7
\$75,000+	533	113,640	444	84.6	80.1-89.1	89	15.4	10.9-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4007	776,415	1275	33.2	31.0-35.4	2568	63.0	60.8-65.2	164	3.7	2.9- 4.5
Male	1784	372,630	566	33.9	30.8-37.0	1139	61.8	58.7-64.9	79	4.3	2.9- 5.7
Female	2223	403,784	709	32.6	29.9-35.3	1429	64.2	61.5-66.9	85	3.2	2.2- 4.2
White/Non-Hisp	2618	488,843	782	30.1	27.7-32.5	1744	66.8	64.4-69.2	92	3.0	2.2- 3.8
Black or Afr. Am./Non-Hisp	532	160,577	225	42.3	36.6-48.0	273	51.9	46.0-57.8	34	5.8	3.1- 8.5
Oth. Race/Non-Hisp.	133	29,782	51	38.8	27.2-50.4	75	56.4	44.4-68.4	7	4.8	0.3- 9.3
MultiRacial/Non-Hisp.	98	16,652	51	55.6	40.9-70.3	45	41.8	27.5-56.1	2	2.5	0.0- 6.4
Hispanic	539	62,880	135	25.0	19.5-30.5	377	71.1	65.4-76.8	27	3.9	2.1- 5.7
18-24	276	84,962	76	30.2	22.2-38.2	186	65.0	56.8-73.2	14	4.7	0.8- 8.6
25-34	469	126,073	168	36.5	30.4-42.6	284	60.9	54.8-67.0	17	2.6	1.0- 4.2
35-44	550	116,671	215	37.4	32.1-42.7	322	61.2	55.9-66.5	13	1.3	0.5- 2.1
45-54	626	117,082	226	37.1	32.2-42.0	383	61.1	56.2-66.0	17	1.9	0.7- 3.1
55-64	812	136,159	260	32.8	28.5-37.1	521	63.4	59.1-67.7	31	3.9	2.1- 5.7
65+	1274	195,466	330	28.0	24.5-31.5	872	65.6	61.9-69.3	72	6.4	4.4- 8.4
Less Than H.S.	452	80,517	130	33.3	26.6-40.0	292	59.4	52.5-66.3	30	7.2	3.9-10.5
H.S. or G.E.D.	1149	244,645	409	37.0	33.1-40.9	678	58.9	55.0-62.8	62	4.1	2.7- 5.5
Some Post-H.S.	1013	221,733	334	33.1	29.0-37.2	647	63.9	59.8-68.0	32	3.0	1.6- 4.4
College Graduate	1380	227,833	399	29.4	26.1-32.7	941	67.8	64.3-71.3	40	2.8	1.2- 4.4
Less than \$15,000	346	50,752	105	29.9	22.1-37.7	211	60.6	52.6-68.6	30	9.5	4.8-14.2
\$15,000- 24,999	530	89,887	183	32.8	27.7-37.9	317	60.8	55.3-66.3	30	6.4	3.5- 9.3
\$25,000- 34,999	332	65,125	112	38.0	30.0-46.0	201	58.0	50.0-66.0	19	4.0	2.0- 6.0
\$35,000- 49,999	390	75,351	143	39.8	32.9-46.7	233	56.8	49.9-63.7	14	3.4	1.2- 5.6
\$50,000- 74,999	492	98,649	167	36.9	31.0-42.8	314	60.7	54.6-66.8	11	2.4	0.6- 4.2
\$75,000+	1122	244,380	343	31.4	27.7-35.1	756	66.7	63.0-70.4	23	1.9	0.5- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	372,630	566	33.9	30.8-37.0	1139	61.8	58.7-64.9	79	4.3	2.9- 5.7
White/Non-Hisp	1191	232,898	371	31.6	28.1-35.1	773	65.1	61.6-68.6	47	3.3	2.1- 4.5
Black or Afr. Am./Non-Hisp	188	74,047	80	42.6	33.2-52.0	93	49.5	40.1-58.9	15	7.8	2.3-13.3
Oth. Race/Non-Hisp.	65	16,092	25	37.3	20.4-54.2	36	57.4	40.0-74.8	4	5.3	0.0-11.0
Hispanic	250	33,441	54	24.3	15.9-32.7	184	71.6	63.0-80.2	12	4.1	1.4- 6.8
18-24	144	44,041	40	28.6	17.6-39.6	95	64.3	52.5-76.1	9	7.1	0.0-14.4
25-34	208	63,671	73	38.4	29.0-47.8	130	59.3	49.9-68.7	5	2.3	0.1- 4.5
35-44	236	57,387	85	32.7	25.3-40.1	145	65.9	58.3-73.5	6	1.4	0.0- 2.8
45-54	274	56,273	112	44.1	36.5-51.7	155	54.4	46.8-62.0	7	1.4	0.2- 2.6
55-64	360	63,430	114	33.8	27.1-40.5	234	62.1	55.2-69.0	12	4.1	1.2- 7.0
65+	562	87,828	142	27.7	22.2-33.2	380	64.1	58.2-70.0	40	8.2	4.9-11.5
Less Than H.S.	222	45,275	58	30.7	21.7-39.7	144	59.6	50.2-69.0	20	9.7	4.4-15.0
H.S. or G.E.D.	532	124,031	193	36.3	30.4-42.2	308	59.2	53.3-65.1	31	4.5	2.3- 6.7
Some Post-H.S.	418	99,524	145	38.1	31.6-44.6	264	59.9	53.4-66.4	9	2.0	0.4- 3.6
College Graduate	609	103,316	170	28.6	23.7-33.5	420	67.5	62.2-72.8	19	3.9	0.6- 7.2
Less than \$15,000	142	20,714	35	29.0	14.7-43.3	94	62.7	48.6-76.8	13	8.3	2.2-14.4
\$15,000- 24,999	194	34,937	65	30.6	22.2-39.0	116	61.0	51.6-70.4	13	8.4	2.3-14.5
\$25,000- 34,999	141	33,386	52	47.2	34.7-59.7	78	47.5	35.2-59.8	11	5.3	1.8- 8.8
\$35,000- 49,999	166	30,521	56	35.6	25.4-45.8	104	61.6	51.4-71.8	6	2.8	0.4- 5.2
\$50,000- 74,999	229	48,642	76	32.9	24.9-40.9	148	64.5	56.1-72.9	5	2.6	0.0- 5.5
\$75,000+	590	132,566	187	33.7	28.4-39.0	391	63.9	58.4-69.4	12	2.4	0.0- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	403,784	709	32.6	29.9-35.3	1429	64.2	61.5-66.9	85	3.2	2.2- 4.2
White/Non-Hisp	1427	255,945	411	28.8	25.7-31.9	971	68.4	65.3-71.5	45	2.8	1.6- 4.0
Black or Afr. Am./Non-Hisp	344	86,530	145	42.0	34.9-49.1	180	53.9	46.8-61.0	19	4.1	1.9- 6.3
Oth. Race/Non-Hisp.	68	13,691	26	40.5	25.0-56.0	39	55.1	39.4-70.8	3	4.3	0.0-11.6
MultiRacial/Non-Hisp.	55	10,754	30	56.2	36.6-75.8	23	39.9	20.7-59.1	2	3.9	0.0- 9.8
Hispanic	289	29,440	81	25.7	18.8-32.6	193	70.6	63.5-77.7	15	3.7	1.5- 5.9
18-24	132	40,921	36	31.9	20.3-43.5	91	65.8	54.2-77.4	5	2.2	0.0- 4.4
25-34	261	62,402	95	34.6	27.0-42.2	154	62.4	54.6-70.2	12	3.0	0.8- 5.2
35-44	314	59,284	130	42.0	34.7-49.3	177	56.7	49.4-64.0	7	1.3	0.3- 2.3
45-54	352	60,809	114	30.5	24.4-36.6	228	67.2	60.9-73.5	10	2.3	0.3- 4.3
55-64	452	72,729	146	31.9	26.4-37.4	287	64.5	58.8-70.2	19	3.7	1.5- 5.9
65+	712	107,638	188	28.2	23.5-32.9	492	66.9	62.0-71.8	32	4.9	2.5- 7.3
Less Than H.S.	230	35,242	72	36.7	27.3-46.1	148	59.2	49.6-68.8	10	4.1	0.8- 7.4
H.S. or G.E.D.	617	120,613	216	37.6	32.3-42.9	370	58.6	53.3-63.9	31	3.8	2.2- 5.4
Some Post-H.S.	595	122,209	189	29.1	24.2-34.0	383	67.1	62.0-72.2	23	3.8	1.6- 6.0
College Graduate	771	124,517	229	30.1	25.6-34.6	521	68.1	63.6-72.6	21	1.8	0.8- 2.8
Less than \$15,000	204	30,037	70	30.6	21.8-39.4	117	59.1	49.3-68.9	17	10.3	3.4-17.2
\$15,000- 24,999	336	54,950	118	34.2	27.7-40.7	201	60.6	53.9-67.3	17	5.2	2.3- 8.1
\$25,000- 34,999	191	31,739	60	28.3	19.9-36.7	123	69.0	60.6-77.4	8	2.7	0.7- 4.7
\$35,000- 49,999	224	44,829	87	42.7	33.5-51.9	129	53.5	44.3-62.7	8	3.8	0.7- 6.9
\$50,000- 74,999	263	50,007	91	40.8	32.4-49.2	166	57.0	48.6-65.4	6	2.2	0.0- 4.4
\$75,000+	532	111,814	156	28.7	23.8-33.6	365	70.0	65.1-74.9	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59
	(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	62
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	65
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	68
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	71
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	74
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4013	778,003	243	5.5	4.5- 6.5	3770	94.5	93.5-95.5
Male	1784	372,267	157	7.1	5.5- 8.7	1627	92.9	91.3-94.5
Female	2229	405,736	86	4.0	2.8- 5.2	2143	96.0	94.8-97.2
White/Non-Hisp	2621	488,599	184	6.7	5.5- 7.9	2437	93.3	92.1-94.5
Black or Afr. Am./Non-Hisp	531	159,907	28	3.4	1.6- 5.2	503	96.6	94.8-98.4
Oth. Race/Non-Hisp.	135	30,212	4	3.5	0.0- 8.4	131	96.5	91.6- 100
MultiRacial/Non-Hisp.	97	16,503	5	3.3	0.0- 6.8	92	96.7	93.2- 100
Hispanic	540	64,913	15	2.5	0.9- 4.1	525	97.5	95.9-99.1
18-24	275	86,314	1	0.1	0.0- 0.3	274	99.9	99.7- 100
25-34	470	126,351	6	1.7	0.0- 3.5	464	98.3	96.5- 100
35-44	548	116,349	6	1.5	0.0- 3.1	542	98.5	96.9- 100
45-54	625	116,504	15	1.8	0.6- 3.0	610	98.2	97.0-99.4
55-64	812	136,351	53	6.0	4.0- 8.0	759	94.0	92.0-96.0
65+	1283	196,134	162	14.5	11.8-17.2	1121	85.5	82.8-88.2
Less Than H.S.	453	82,692	33	8.9	5.0-12.8	420	91.1	87.2-95.0
H.S. or G.E.D.	1154	245,036	90	6.4	4.6- 8.2	1064	93.6	91.8-95.4
Some Post-H.S.	1010	220,802	53	5.1	3.3- 6.9	957	94.9	93.1-96.7
College Graduate	1382	227,634	67	3.7	2.5- 4.9	1315	96.3	95.1-97.5
Less than \$15,000	347	51,028	19	5.9	2.2- 9.6	328	94.1	90.4-97.8
\$15,000- 24,999	531	90,040	45	10.1	6.2-14.0	486	89.9	86.0-93.8
\$25,000- 34,999	334	65,132	35	10.0	6.1-13.9	299	90.0	86.1-93.9
\$35,000- 49,999	391	75,372	23	4.9	2.2- 7.6	368	95.1	92.4-97.8
\$50,000- 74,999	491	98,034	22	2.9	1.5- 4.3	469	97.1	95.7-98.5
\$75,000+	1123	246,206	54	4.2	2.6- 5.8	1069	95.8	94.2-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	372,267	157	7.1	5.7- 8.5	1627	92.9	91.5-94.3
White/Non-Hisp	1192	232,716	131	9.7	7.5-11.9	1061	90.3	88.1-92.5
Black or Afr. Am./Non-Hisp	187	73,737	6	1.8	0.2- 3.4	181	98.2	96.6-99.8
Oth. Race/Non-Hisp.	65	16,092				65	100.0	100.0- 100
Hispanic	251	33,717	10	4.1	1.2- 7.0	241	95.9	93.0-98.8
18-24	144	44,041	1	0.2	0.0- 0.6	143	99.8	99.4- 100
25-34	208	63,671	4	2.0	0.0- 4.9	204	98.0	95.1- 100
35-44	234	56,929	3	1.4	0.0- 3.0	231	98.6	97.0- 100
45-54	274	56,273	8	2.1	0.3- 3.9	266	97.9	96.1-99.7
55-64	361	63,707	32	8.3	5.0-11.6	329	91.7	88.4-95.0
65+	563	87,646	109	20.6	15.9-25.3	454	79.4	74.7-84.1
Less Than H.S.	221	45,348	18	7.6	3.3-11.9	203	92.4	88.1-96.7
H.S. or G.E.D.	532	123,903	53	7.5	4.8-10.2	479	92.5	89.8-95.2
Some Post-H.S.	418	99,137	33	7.8	4.5-11.1	385	92.2	88.9-95.5
College Graduate	610	103,396	53	6.0	4.0- 8.0	557	94.0	92.0-96.0
Less than \$15,000	143	20,991	8	4.6	0.9- 8.3	135	95.4	91.7-99.1
\$15,000- 24,999	193	34,494	25	15.8	8.0-23.6	168	84.2	76.4-92.0
\$25,000- 34,999	143	33,517	20	11.3	5.4-17.2	123	88.7	82.8-94.6
\$35,000- 49,999	166	30,521	15	5.6	1.7- 9.5	151	94.4	90.5-98.3
\$50,000- 74,999	228	48,498	16	3.4	1.2- 5.6	212	96.6	94.4-98.8
\$75,000+	590	132,566	40	5.6	3.2- 8.0	550	94.4	92.0-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	405,736	86	4.0	2.8- 5.2	2143	96.0	94.8-97.2
White/Non-Hisp	1429	255,883	53	4.1	2.7- 5.5	1376	95.9	94.5-97.3
Black or Afr. Am./Non-Hisp	344	86,170	22	4.8	2.1- 7.5	322	95.2	92.5-97.9
Oth. Race/Non-Hisp.	70	14,120	4	7.6	0.0-17.6	66	92.4	82.4- 100
MultiRacial/Non-Hisp.	55	10,754	1	1.3	0.0- 3.8	54	98.7	96.2- 100
Hispanic	289	31,196	5	0.9	0.0- 1.9	284	99.1	98.1- 100
18-24	131	42,273				131	100.0	100.0- 100
25-34	262	62,680	2	1.4	0.0- 3.6	260	98.6	96.4- 100
35-44	314	59,420	3	1.6	0.0- 4.1	311	98.4	95.9- 100
45-54	351	60,231	7	1.6	0.0- 3.4	344	98.4	96.6- 100
55-64	451	72,644	21	3.9	1.9- 5.9	430	96.1	94.1-98.1
65+	720	108,488	53	9.7	6.4-13.0	667	90.3	87.0-93.6
Less Than H.S.	232	37,344	15	10.5	3.6-17.4	217	89.5	82.6-96.4
H.S. or G.E.D.	622	121,134	37	5.3	2.9- 7.7	585	94.7	92.3-97.1
Some Post-H.S.	592	121,665	20	3.0	1.2- 4.8	572	97.0	95.2-98.8
College Graduate	772	124,238	14	1.8	0.6- 3.0	758	98.2	97.0-99.4
Less than \$15,000	204	30,037	11	6.8	0.9-12.7	193	93.2	87.3-99.1
\$15,000- 24,999	338	55,546	20	6.5	2.6-10.4	318	93.5	89.6-97.4
\$25,000- 34,999	191	31,615	15	8.6	3.3-13.9	176	91.4	86.1-96.7
\$35,000- 49,999	225	44,851	8	4.5	0.6- 8.4	217	95.5	91.6-99.4
\$50,000- 74,999	263	49,536	6	2.3	0.3- 4.3	257	97.7	95.7-99.7
\$75,000+	533	113,640	14	2.4	0.6- 4.2	519	97.6	95.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	776,545	236	4.8	4.0- 5.6	3764	95.2	94.4-96.0
Male	1774	371,467	143	6.2	4.8- 7.6	1631	93.8	92.4-95.2
Female	2226	405,077	93	3.5	2.5- 4.5	2133	96.5	95.5-97.5
White/Non-Hisp	2616	488,538	187	6.4	5.2- 7.6	2429	93.6	92.4-94.8
Black or Afr. Am./Non-Hisp	527	158,834	16	1.5	0.5- 2.5	511	98.5	97.5-99.5
Oth. Race/Non-Hisp.	135	30,212	7	1.0	0.2- 1.8	128	99.0	98.2-99.8
MultiRacial/Non-Hisp.	97	16,503	7	6.5	0.0-13.4	90	93.5	86.6- 100
Hispanic	538	64,771	11	1.8	0.6- 3.0	527	98.2	97.0-99.4
18-24	276	86,746	1	0.1	0.0- 0.3	275	99.9	99.7- 100
25-34	470	126,351	5	1.4	0.0- 3.2	465	98.6	96.8- 100
35-44	550	116,712	5	1.2	0.0- 2.4	545	98.8	97.6- 100
45-54	626	116,704	12	1.4	0.4- 2.4	614	98.6	97.6-99.6
55-64	807	135,588	50	4.9	3.1- 6.7	757	95.1	93.3-96.9
65+	1271	194,443	163	13.2	10.5-15.9	1108	86.8	84.1-89.5
Less Than H.S.	452	82,533	26	6.4	3.1- 9.7	426	93.6	90.3-96.9
H.S. or G.E.D.	1148	243,724	73	5.0	3.4- 6.6	1075	95.0	93.4-96.6
Some Post-H.S.	1012	221,563	51	4.8	3.0- 6.6	961	95.2	93.4-97.0
College Graduate	1375	226,993	86	3.9	2.9- 4.9	1289	96.1	95.1-97.1
Less than \$15,000	345	50,519	21	7.2	2.9-11.5	324	92.8	88.5-97.1
\$15,000- 24,999	530	90,193	37	6.3	3.2- 9.4	493	93.7	90.6-96.8
\$25,000- 34,999	335	65,445	22	5.3	2.4- 8.2	313	94.7	91.8-97.6
\$35,000- 49,999	389	74,924	28	4.1	2.1- 6.1	361	95.9	93.9-97.9
\$50,000- 74,999	488	97,804	19	4.1	1.6- 6.6	469	95.9	93.4-98.4
\$75,000+	1121	245,792	64	4.2	2.8- 5.6	1057	95.8	94.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1774	371,467	143	6.2	4.8- 7.6	1631	93.8	92.4-95.2
White/Non-Hisp	1187	232,488	119	8.6	6.4-10.8	1068	91.4	89.2-93.6
Black or Afr. Am./Non-Hisp	185	73,410	3	0.5	0.0- 1.3	182	99.5	98.7- 100
Oth. Race/Non-Hisp.	65	16,092	3	0.8	0.0- 2.0	62	99.2	98.0- 100
Hispanic	249	33,548	6	2.7	0.3- 5.1	243	97.3	94.9-99.7
18-24	144	44,041	1	0.2	0.0- 0.6	143	99.8	99.4- 100
25-34	208	63,671	3	2.4	0.0- 5.7	205	97.6	94.3- 100
35-44	235	57,238	2	1.0	0.0- 2.4	233	99.0	97.6- 100
45-54	274	56,273	5	0.8	0.0- 1.6	269	99.2	98.4- 100
55-64	357	63,052	30	7.0	3.9-10.1	327	93.0	89.9-96.1
65+	556	87,192	102	18.1	13.6-22.6	454	81.9	77.4-86.4
Less Than H.S.	221	45,352	13	6.5	2.2-10.8	208	93.5	89.2-97.8
H.S. or G.E.D.	529	123,436	43	5.7	3.2- 8.2	486	94.3	91.8-96.8
Some Post-H.S.	418	99,440	28	6.7	3.6- 9.8	390	93.3	90.2-96.4
College Graduate	603	102,755	59	6.1	4.1- 8.1	544	93.9	91.9-95.9
Less than \$15,000	142	20,954	9	7.0	1.3-12.7	133	93.0	87.3-98.7
\$15,000- 24,999	192	34,647	16	8.9	2.2-15.6	176	91.1	84.4-97.8
\$25,000- 34,999	143	33,517	14	5.5	1.6- 9.4	129	94.5	90.6-98.4
\$35,000- 49,999	165	30,492	17	6.3	2.2-10.4	148	93.7	89.6-97.8
\$50,000- 74,999	227	48,454	14	4.9	1.6- 8.2	213	95.1	91.8-98.4
\$75,000+	588	132,153	49	6.3	3.8- 8.8	539	93.7	91.2-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	405,077	93	3.5	2.5- 4.5	2133	96.5	95.5-97.5
White/Non-Hisp	1429	256,050	68	4.3	2.9- 5.7	1361	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	342	85,424	13	2.4	0.8- 4.0	329	97.6	96.0-99.2
Oth. Race/Non-Hisp.	70	14,120	4	1.2	0.0- 2.6	66	98.8	97.4- 100
MultiRacial/Non-Hisp.	55	10,754	2	6.0	0.0-15.6	53	94.0	84.4- 100
Hispanic	289	31,223	5	0.8	0.2- 1.4	284	99.2	98.6-99.8
18-24	132	42,705				132	100.0	100.0- 100
25-34	262	62,680	2	0.3	0.0- 0.9	260	99.7	99.1- 100
35-44	315	59,474	3	1.4	0.0- 3.4	312	98.6	96.6- 100
45-54	352	60,431	7	1.9	0.0- 3.9	345	98.1	96.1- 100
55-64	450	72,536	20	3.0	1.4- 4.6	430	97.0	95.4-98.6
65+	715	107,251	61	9.2	6.1-12.3	654	90.8	87.7-93.9
Less Than H.S.	231	37,180	13	6.2	1.1-11.3	218	93.8	88.7-98.9
H.S. or G.E.D.	619	120,288	30	4.4	2.2- 6.6	589	95.6	93.4-97.8
Some Post-H.S.	594	122,123	23	3.3	1.3- 5.3	571	96.7	94.7-98.7
College Graduate	772	124,238	27	2.1	1.1- 3.1	745	97.9	96.9-98.9
Less than \$15,000	203	29,565	12	7.3	1.2-13.4	191	92.7	86.6-98.8
\$15,000- 24,999	338	55,546	21	4.6	1.9- 7.3	317	95.4	92.7-98.1
\$25,000- 34,999	192	31,928	8	5.1	0.6- 9.6	184	94.9	90.4-99.4
\$35,000- 49,999	224	44,432	11	2.6	0.6- 4.6	213	97.4	95.4-99.4
\$50,000- 74,999	261	49,350	5	3.4	0.0- 7.1	256	96.6	92.9- 100
\$75,000+	533	113,640	15	1.7	0.5- 2.9	518	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	779,212	143	3.4	2.6- 4.2	3874	96.6	95.8-97.4
Male	1785	372,662	65	3.0	2.0- 4.0	1720	97.0	96.0-98.0
Female	2232	406,550	78	3.7	2.5- 4.9	2154	96.3	95.1-97.5
White/Non-Hisp	2624	489,472	94	3.0	2.2- 3.8	2530	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	534	160,502	27	5.4	2.9- 7.9	507	94.6	92.1-97.1
Oth. Race/Non-Hisp.	135	30,212	8	3.3	0.8- 5.8	127	96.7	94.2-99.2
MultiRacial/Non-Hisp.	97	16,503	5	3.5	0.2- 6.8	92	96.5	93.2-99.8
Hispanic	539	64,762	6	1.1	0.1- 2.1	533	98.9	97.9-99.9
18-24	277	86,788				277	100.0	100.0- 100
25-34	470	126,351	6	2.4	0.0- 4.9	464	97.6	95.1- 100
35-44	549	116,611	9	1.1	0.3- 1.9	540	98.9	98.1-99.7
45-54	626	116,704	17	2.6	1.0- 4.2	609	97.4	95.8-99.0
55-64	810	136,054	28	3.3	1.5- 5.1	782	96.7	94.9-98.5
65+	1285	196,704	83	7.3	5.3- 9.3	1202	92.7	90.7-94.7
Less Than H.S.	454	82,715	17	4.6	2.1- 7.1	437	95.4	92.9-97.9
H.S. or G.E.D.	1156	245,538	56	4.9	3.1- 6.7	1100	95.1	93.3-96.9
Some Post-H.S.	1014	221,685	33	2.7	1.3- 4.1	981	97.3	95.9-98.7
College Graduate	1380	227,542	37	1.9	1.1- 2.7	1343	98.1	97.3-98.9
Less than \$15,000	348	51,228	13	5.5	1.6- 9.4	335	94.5	90.6-98.4
\$15,000- 24,999	533	90,435	35	4.7	2.7- 6.7	498	95.3	93.3-97.3
\$25,000- 34,999	334	65,344	18	7.5	3.2-11.8	316	92.5	88.2-96.8
\$35,000- 49,999	390	75,323	11	2.4	0.6- 4.2	379	97.6	95.8-99.4
\$50,000- 74,999	492	98,178	16	3.5	1.0- 6.0	476	96.5	94.0-99.0
\$75,000+	1122	246,163	21	1.5	0.7- 2.3	1101	98.5	97.7-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,662	65	3.0	2.0- 4.0	1720	97.0	96.0-98.0
White/Non-Hisp	1194	233,022	44	2.6	1.6- 3.6	1150	97.4	96.4-98.4
Black or Afr. Am./Non-Hisp	188	74,047	10	5.0	1.7- 8.3	178	95.0	91.7-98.3
Oth. Race/Non-Hisp.	65	16,092	3	2.0	0.0- 4.7	62	98.0	95.3- 100
Hispanic	249	33,497	4	1.5	0.0- 3.3	245	98.5	96.7- 100
18-24	144	44,041				144	100.0	100.0- 100
25-34	208	63,671	3	1.1	0.0- 2.5	205	98.9	97.5- 100
35-44	234	57,137	3	0.9	0.0- 2.1	231	99.1	97.9- 100
45-54	274	56,273	7	2.3	0.3- 4.3	267	97.7	95.7-99.7
55-64	360	63,588	14	4.0	0.9- 7.1	346	96.0	92.9-99.1
65+	565	87,953	38	7.1	4.4- 9.8	527	92.9	90.2-95.6
Less Than H.S.	221	45,301	9	4.3	1.2- 7.4	212	95.7	92.6-98.8
H.S. or G.E.D.	533	124,047	24	4.2	2.0- 6.4	509	95.8	93.6-98.0
Some Post-H.S.	419	99,477	11	1.7	0.5- 2.9	408	98.3	97.1-99.5
College Graduate	609	103,353	21	2.4	1.0- 3.8	588	97.6	96.2-99.0
Less than \$15,000	143	20,991	6	4.0	0.3- 7.7	137	96.0	92.3-99.7
\$15,000- 24,999	194	34,804	12	5.1	1.8- 8.4	182	94.9	91.6-98.2
\$25,000- 34,999	142	33,415	10	8.7	2.0-15.4	132	91.3	84.6-98.0
\$35,000- 49,999	166	30,521	4	2.3	0.0- 4.8	162	97.7	95.2- 100
\$50,000- 74,999	229	48,642	4	0.9	0.0- 1.9	225	99.1	98.1- 100
\$75,000+	589	132,523	14	1.8	0.6- 3.0	575	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,550	78	3.7	2.5- 4.9	2154	96.3	95.1-97.5
White/Non-Hisp	1430	256,450	50	3.3	1.9- 4.7	1380	96.7	95.3-98.1
Black or Afr. Am./Non-Hisp	346	86,455	17	5.9	2.2- 9.6	329	94.1	90.4-97.8
Oth. Race/Non-Hisp.	70	14,120	5	4.9	0.2- 9.6	65	95.1	90.4-99.8
MultiRacial/Non-Hisp.	55	10,754	3	3.5	0.0- 7.6	52	96.5	92.4- 100
Hispanic	290	31,265	2	0.8	0.0- 2.0	288	99.2	98.0- 100
18-24	133	42,747				133	100.0	100.0- 100
25-34	262	62,680	3	3.8	0.0- 8.5	259	96.2	91.5- 100
35-44	315	59,474	6	1.3	0.1- 2.5	309	98.7	97.5-99.9
45-54	352	60,431	10	2.9	0.5- 5.3	342	97.1	94.7-99.5
55-64	450	72,466	14	2.8	0.8- 4.8	436	97.2	95.2-99.2
65+	720	108,752	45	7.4	4.5-10.3	675	92.6	89.7-95.5
Less Than H.S.	233	37,413	8	4.9	0.6- 9.2	225	95.1	90.8-99.4
H.S. or G.E.D.	623	121,491	32	5.6	2.9- 8.3	591	94.4	91.7-97.1
Some Post-H.S.	595	122,209	22	3.6	1.2- 6.0	573	96.4	94.0-98.8
College Graduate	771	124,189	16	1.5	0.7- 2.3	755	98.5	97.7-99.3
Less than \$15,000	205	30,237	7	6.6	0.5-12.7	198	93.4	87.3-99.5
\$15,000- 24,999	339	55,631	23	4.5	2.1- 6.9	316	95.5	93.1-97.9
\$25,000- 34,999	192	31,928	8	6.3	0.6-12.0	184	93.7	88.0-99.4
\$35,000- 49,999	224	44,802	7	2.5	0.1- 4.9	217	97.5	95.1-99.9
\$50,000- 74,999	263	49,536	12	6.1	1.2-11.0	251	93.9	89.0-98.8
\$75,000+	533	113,640	7	1.0	0.0- 2.0	526	99.0	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	778,991	549	14.5	12.9-16.1	3468	85.5	83.9-87.1
Male	1785	372,571	198	13.4	10.9-15.9	1587	86.6	84.1-89.1
Female	2232	406,420	351	15.4	13.2-17.6	1881	84.6	82.4-86.8
White/Non-Hisp	2623	489,146	354	13.0	11.4-14.6	2269	87.0	85.4-88.6
Black or Afr. Am./Non-Hisp	534	160,502	98	21.3	16.2-26.4	436	78.7	73.6-83.8
Oth. Race/Non-Hisp.	135	30,212	12	10.4	0.2-20.6	123	89.6	79.4-99.8
MultiRacial/Non-Hisp.	98	16,652	18	22.5	8.2-36.8	80	77.5	63.2-91.8
Hispanic	539	64,718	56	9.8	6.3-13.3	483	90.2	86.7-93.7
18-24	277	86,788	48	20.7	13.4-28.0	229	79.3	72.0-86.6
25-34	469	126,190	74	17.5	12.6-22.4	395	82.5	77.6-87.4
35-44	550	116,716	78	12.2	8.9-15.5	472	87.8	84.5-91.1
45-54	625	116,635	97	16.6	12.7-20.5	528	83.4	79.5-87.3
55-64	809	135,865	106	11.8	9.1-14.5	703	88.2	85.5-90.9
65+	1287	196,796	146	11.7	9.2-14.2	1141	88.3	85.8-90.8
Less Than H.S.	455	82,886	53	13.6	8.7-18.5	402	86.4	81.5-91.3
H.S. or G.E.D.	1155	245,388	156	15.4	12.3-18.5	999	84.6	81.5-87.7
Some Post-H.S.	1014	221,685	169	17.0	13.7-20.3	845	83.0	79.7-86.3
College Graduate	1380	227,299	169	11.4	9.2-13.6	1211	88.6	86.4-90.8
Less than \$15,000	347	51,083	54	15.2	10.1-20.3	293	84.8	79.7-89.9
\$15,000- 24,999	534	90,584	89	19.2	14.1-24.3	445	80.8	75.7-85.9
\$25,000- 34,999	335	65,445	51	14.1	8.6-19.6	284	85.9	80.4-91.4
\$35,000- 49,999	391	75,372	44	10.2	6.7-13.7	347	89.8	86.3-93.3
\$50,000- 74,999	491	98,100	71	15.6	10.9-20.3	420	84.4	79.7-89.1
\$75,000+	1121	245,871	138	13.4	10.5-16.3	983	86.6	83.7-89.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,571	198	13.4	10.9-15.9	1587	86.6	84.1-89.1
White/Non-Hisp	1193	232,826	138	12.8	10.3-15.3	1055	87.2	84.7-89.7
Black or Afr. Am./Non-Hisp	188	74,047	24	19.3	11.1-27.5	164	80.7	72.5-88.9
Oth. Race/Non-Hisp.	65	16,092	8	16.2	0.0-34.2	57	83.8	65.8- 100
Hispanic	249	33,453	18	7.5	3.2-11.8	231	92.5	88.2-96.8
18-24	144	44,041	23	18.0	8.2-27.8	121	82.0	72.2-91.8
25-34	207	63,510	40	24.9	16.3-33.5	167	75.1	66.5-83.7
35-44	235	57,242	25	9.5	5.2-13.8	210	90.5	86.2-94.8
45-54	274	56,273	28	9.6	5.1-14.1	246	90.4	85.9-94.9
55-64	359	63,509	30	7.7	4.0-11.4	329	92.3	88.6-96.0
65+	566	87,995	52	12.1	7.6-16.6	514	87.9	83.4-92.4
Less Than H.S.	222	45,473	26	16.0	8.2-23.8	196	84.0	76.2-91.8
H.S. or G.E.D.	531	123,741	48	11.1	7.0-15.2	483	88.9	84.8-93.0
Some Post-H.S.	419	99,477	57	18.6	12.7-24.5	362	81.4	75.5-87.3
College Graduate	610	103,396	67	10.2	7.1-13.3	543	89.8	86.7-92.9
Less than \$15,000	142	20,846	13	11.0	2.4-19.6	129	89.0	80.4-97.6
\$15,000- 24,999	195	34,953	23	16.7	8.3-25.1	172	83.3	74.9-91.7
\$25,000- 34,999	143	33,517	14	9.9	2.1-17.7	129	90.1	82.3-97.9
\$35,000- 49,999	166	30,521	12	7.0	2.5-11.5	154	93.0	88.5-97.5
\$50,000- 74,999	228	48,564	32	16.4	9.3-23.5	196	83.6	76.5-90.7
\$75,000+	590	132,566	70	14.5	10.0-19.0	520	85.5	81.0-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,420	351	15.4	13.2-17.6	1881	84.6	82.4-86.8
White/Non-Hisp	1430	256,320	216	13.2	11.0-15.4	1214	86.8	84.6-89.0
Black or Afr. Am./Non-Hisp	346	86,455	74	23.1	16.8-29.4	272	76.9	70.6-83.2
Oth. Race/Non-Hisp.	70	14,120	4	3.6	0.0- 7.3	66	96.4	92.7- 100
MultiRacial/Non-Hisp.	55	10,754	12	29.2	8.6-49.8	43	70.8	50.2-91.4
Hispanic	290	31,265	38	12.2	6.5-17.9	252	87.8	82.1-93.5
18-24	133	42,747	25	23.4	12.8-34.0	108	76.6	66.0-87.2
25-34	262	62,680	34	9.9	5.6-14.2	228	90.1	85.8-94.4
35-44	315	59,474	53	14.9	9.6-20.2	262	85.1	79.8-90.4
45-54	351	60,362	69	23.0	16.9-29.1	282	77.0	70.9-83.1
55-64	450	72,356	76	15.4	11.3-19.5	374	84.6	80.5-88.7
65+	721	108,801	94	11.4	8.5-14.3	627	88.6	85.7-91.5
Less Than H.S.	233	37,413	27	10.7	6.0-15.4	206	89.3	84.6-94.0
H.S. or G.E.D.	624	121,647	108	19.7	15.0-24.4	516	80.3	75.6-85.0
Some Post-H.S.	595	122,209	112	15.7	11.8-19.6	483	84.3	80.4-88.2
College Graduate	770	123,904	102	12.3	9.4-15.2	668	87.7	84.8-90.6
Less than \$15,000	205	30,237	41	18.1	11.8-24.4	164	81.9	75.6-88.2
\$15,000- 24,999	339	55,631	66	20.8	14.5-27.1	273	79.2	72.9-85.5
\$25,000- 34,999	192	31,928	37	18.5	11.1-25.9	155	81.5	74.1-88.9
\$35,000- 49,999	225	44,851	32	12.3	7.4-17.2	193	87.7	82.8-92.6
\$50,000- 74,999	263	49,536	39	14.8	8.3-21.3	224	85.2	78.7-91.7
\$75,000+	531	113,305	68	12.1	8.4-15.8	463	87.9	84.2-91.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	537	109,711	399	76.0	71.1-80.9	138	24.0	19.1-28.9
Male	191	47,667	122	66.9	57.7-76.1	69	33.1	23.9-42.3
Female	346	62,044	277	83.0	78.1-87.9	69	17.0	12.1-21.9
White/Non-Hisp	349	61,544	257	73.6	67.7-79.5	92	26.4	20.5-32.3
Black or Afr. Am./Non-Hisp	97	34,181	81	81.4	71.0-91.8	16	18.6	8.2-29.0
Hispanic	52	5,713	34	71.2	54.5-87.9	18	28.8	12.1-45.5
25-34	69	20,529	42	70.1	57.2-83.0	27	29.9	17.0-42.8
35-44	76	13,794	57	78.2	66.8-89.6	19	21.8	10.4-33.2
45-54	97	19,314	79	81.7	71.1-92.3	18	18.3	7.7-28.9
55-64	104	15,516	79	73.5	62.5-84.5	25	26.5	15.5-37.5
65+	144	22,963	111	82.5	74.9-90.1	33	17.5	9.9-25.1
Less Than H.S.	52	10,818	41	74.7	58.6-90.8	11	25.3	9.2-41.4
H.S. or G.E.D.	152	36,223	114	80.9	73.5-88.3	38	19.1	11.7-26.5
Some Post-H.S.	166	37,304	122	72.6	62.8-82.4	44	27.4	17.6-37.2
College Graduate	165	25,231	121	74.9	65.9-83.9	44	25.1	16.1-34.1
Less than \$15,000	53	7,717	44	80.7	65.6-95.8	9	19.3	4.2-34.4
\$15,000- 24,999	88	17,033	72	84.2	74.6-93.8	16	15.8	6.2-25.4
\$25,000- 34,999	51	9,226	36	61.8	39.8-83.8	15	38.2	16.2-60.2
\$50,000- 74,999	69	14,350	46	62.8	46.3-79.3	23	37.2	20.7-53.7
\$75,000+	135	32,038	96	77.1	68.1-86.1	39	22.9	13.9-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	191	47,667	122	66.9	57.7-76.1	69	33.1	23.9-42.3
White/Non-Hisp	134	27,962	87	65.3	55.3-75.3	47	34.7	24.7-44.7
65+	51	10,591	39	84.9	72.7-97.1	12	15.1	2.9-27.3
Some Post-H.S.	55	18,216	38	64.9	47.5-82.3	17	35.1	17.7-52.5
College Graduate	65	10,129	42	71.2	56.5-85.9	23	28.8	14.1-43.5
\$75,000+	68	18,419	44	75.9	63.4-88.4	24	24.1	11.6-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	346	62,044	277	83.0	78.1-87.9	69	17.0	12.1-21.9
White/Non-Hisp	215	33,583	170	80.6	74.3-86.9	45	19.4	13.1-25.7
Black or Afr. Am./Non-Hisp	73	19,873	67	91.6	83.8-99.4	6	8.4	0.6-16.2
35-44	52	8,663	44	90.0	82.0-98.0	8	10.0	2.0-18.0
45-54	69	13,891	56	82.1	70.5-93.7	13	17.9	6.3-29.5
55-64	75	11,060	58	72.2	59.3-85.1	17	27.8	14.9-40.7
65+	93	12,372	72	80.5	71.1-89.9	21	19.5	10.1-28.9
H.S. or G.E.D.	106	23,727	88	87.2	79.9-94.5	18	12.8	5.5-20.1
Some Post-H.S.	111	19,087	84	79.9	71.1-88.7	27	20.1	11.3-28.9
College Graduate	100	15,102	79	77.5	66.3-88.7	21	22.5	11.3-33.7
\$15,000- 24,999	66	11,558	56	83.3	71.0-95.6	10	16.7	4.4-29.0
\$75,000+	67	13,620	52	78.8	66.5-91.1	15	21.2	8.9-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	779,112	355	6.4	5.6- 7.2	3662	93.6	92.8-94.4
Male	1785	372,560	188	7.5	6.1- 8.9	1597	92.5	91.1-93.9
Female	2232	406,552	167	5.4	4.4- 6.4	2065	94.6	93.6-95.6
White/Non-Hisp	2624	489,439	323	9.2	8.0-10.4	2301	90.8	89.6-92.0
Black or Afr. Am./Non-Hisp	534	160,502	4	0.6	0.0- 1.4	530	99.4	98.6- 100
Oth. Race/Non-Hisp.	135	30,212	7	2.0	0.0- 4.5	128	98.0	95.5- 100
MultiRacial/Non-Hisp.	97	16,410	5	4.1	0.0- 9.8	92	95.9	90.2- 100
Hispanic	540	64,863	5	0.5	0.1- 0.9	535	99.5	99.1-99.9
18-24	277	86,788	1	0.1	0.0- 0.3	276	99.9	99.7- 100
25-34	469	126,109	1	0.1	0.0- 0.3	468	99.9	99.7- 100
35-44	551	116,861	8	1.9	0.5- 3.3	543	98.1	96.7-99.5
45-54	626	116,704	26	3.8	2.0- 5.6	600	96.2	94.4-98.0
55-64	810	136,131	62	6.3	4.3- 8.3	748	93.7	91.7-95.7
65+	1284	196,519	257	17.5	14.8-20.2	1027	82.5	79.8-85.2
Less Than H.S.	455	82,886	18	4.1	1.6- 6.6	437	95.9	93.4-98.4
H.S. or G.E.D.	1155	245,529	77	4.7	3.3- 6.1	1078	95.3	93.9-96.7
Some Post-H.S.	1014	221,685	100	7.7	5.9- 9.5	914	92.3	90.5-94.1
College Graduate	1380	227,280	159	7.9	6.3- 9.5	1221	92.1	90.5-93.7
Less than \$15,000	348	51,228	15	3.5	1.3- 5.7	333	96.5	94.3-98.7
\$15,000- 24,999	534	90,584	35	4.2	2.2- 6.2	499	95.8	93.8-97.8
\$25,000- 34,999	335	65,445	34	8.1	4.6-11.6	301	91.9	88.4-95.4
\$35,000- 49,999	391	75,372	38	7.4	4.5-10.3	353	92.6	89.7-95.5
\$50,000- 74,999	491	98,100	51	5.9	3.9- 7.9	440	94.1	92.1-96.1
\$75,000+	1122	246,093	111	7.3	5.5- 9.1	1011	92.7	90.9-94.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,560	188	7.5	6.1- 8.9	1597	92.5	91.1-93.9
White/Non-Hisp	1194	232,986	173	11.0	9.0-13.0	1021	89.0	87.0-91.0
Black or Afr. Am./Non-Hisp	188	74,047	1	0.2	0.0- 0.6	187	99.8	99.4- 100
Oth. Race/Non-Hisp.	65	16,092	4	0.5	0.0- 1.1	61	99.5	98.9- 100
Hispanic	250	33,598	3	0.5	0.0- 1.1	247	99.5	98.9- 100
18-24	144	44,041	1	0.2	0.0- 0.6	143	99.8	99.4- 100
25-34	207	63,429	1	0.1	0.0- 0.3	206	99.9	99.7- 100
35-44	236	57,387	5	2.8	0.1- 5.5	231	97.2	94.5-99.9
45-54	274	56,273	11	4.0	1.1- 6.9	263	96.0	93.1-98.9
55-64	359	63,509	29	7.6	4.3-10.9	330	92.4	89.1-95.7
65+	565	87,920	141	21.7	17.4-26.0	424	78.3	74.0-82.6
Less Than H.S.	222	45,473	12	4.7	1.2- 8.2	210	95.3	91.8-98.8
H.S. or G.E.D.	532	123,972	41	5.3	3.3- 7.3	491	94.7	92.7-96.7
Some Post-H.S.	419	99,477	50	9.6	6.5-12.7	369	90.4	87.3-93.5
College Graduate	609	103,154	85	9.3	6.8-11.8	524	90.7	88.2-93.2
Less than \$15,000	143	20,991	6	4.7	0.4- 9.0	137	95.3	91.0-99.6
\$15,000- 24,999	195	34,953	15	5.6	1.5- 9.7	180	94.4	90.3-98.5
\$25,000- 34,999	143	33,517	17	6.5	2.2-10.8	126	93.5	89.2-97.8
\$35,000- 49,999	166	30,521	22	8.7	4.2-13.2	144	91.3	86.8-95.8
\$50,000- 74,999	228	48,564	31	7.6	4.3-10.9	197	92.4	89.1-95.7
\$75,000+	590	132,566	70	9.3	6.6-12.0	520	90.7	88.0-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,552	167	5.4	4.4- 6.4	2065	94.6	93.6-95.6
White/Non-Hisp	1430	256,452	150	7.6	6.0- 9.2	1280	92.4	90.8-94.0
Black or Afr. Am./Non-Hisp	346	86,455	3	1.0	0.0- 2.6	343	99.0	97.4- 100
Oth. Race/Non-Hisp.	70	14,120	3	3.6	0.0- 8.9	67	96.4	91.1- 100
MultiRacial/Non-Hisp.	55	10,754	4	1.8	0.0- 3.8	51	98.2	96.2- 100
Hispanic	290	31,265	2	0.4	0.0- 1.2	288	99.6	98.8- 100
18-24	133	42,747				133	100.0	100.0- 100
25-34	262	62,680				262	100.0	100.0- 100
35-44	315	59,474	3	1.0	0.0- 2.2	312	99.0	97.8- 100
45-54	352	60,431	15	3.7	1.5- 5.9	337	96.3	94.1-98.5
55-64	451	72,622	33	5.1	3.1- 7.1	418	94.9	92.9-96.9
65+	719	108,599	116	14.2	10.9-17.5	603	85.8	82.5-89.1
Less Than H.S.	233	37,413	6	3.3	0.0- 7.0	227	96.7	93.0- 100
H.S. or G.E.D.	623	121,557	36	4.0	2.4- 5.6	587	96.0	94.4-97.6
Some Post-H.S.	595	122,209	50	6.2	4.0- 8.4	545	93.8	91.6-96.0
College Graduate	771	124,126	74	6.6	4.6- 8.6	697	93.4	91.4-95.4
Less than \$15,000	205	30,237	9	2.7	0.5- 4.9	196	97.3	95.1-99.5
\$15,000- 24,999	339	55,631	20	3.2	1.4- 5.0	319	96.8	95.0-98.6
\$25,000- 34,999	192	31,928	17	9.7	3.8-15.6	175	90.3	84.4-96.2
\$35,000- 49,999	225	44,851	16	6.5	2.8-10.2	209	93.5	89.8-97.2
\$50,000- 74,999	263	49,536	20	4.2	1.8- 6.6	243	95.8	93.4-98.2
\$75,000+	532	113,527	41	5.0	3.0- 7.0	491	95.0	93.0-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4007	777,695	367	7.4	6.4- 8.4	3640	92.6	91.6-93.6
Male	1777	371,617	151	6.6	5.2- 8.0	1626	93.4	92.0-94.8
Female	2230	406,077	216	8.0	6.6- 9.4	2014	92.0	90.6-93.4
White/Non-Hisp	2614	487,785	288	9.0	7.6-10.4	2326	91.0	89.6-92.4
Black or Afr. Am./Non-Hisp	534	160,502	43	6.1	3.7- 8.5	491	93.9	91.5-96.3
Oth. Race/Non-Hisp.	134	30,180	8	2.3	0.3- 4.3	126	97.7	95.7-99.7
MultiRacial/Non-Hisp.	98	16,652	6	6.4	0.0-13.5	92	93.6	86.5- 100
Hispanic	539	64,815	12	1.1	0.3- 1.9	527	98.9	98.1-99.7
18-24	277	86,788	1	1.0	0.0- 3.0	276	99.0	97.0- 100
25-34	469	126,302	8	2.0	0.0- 4.0	461	98.0	96.0- 100
35-44	548	116,200	16	2.4	0.8- 4.0	532	97.6	96.0-99.2
45-54	625	116,519	23	3.0	1.4- 4.6	602	97.0	95.4-98.6
55-64	807	135,920	73	8.5	6.0-11.0	734	91.5	89.0-94.0
65+	1281	195,965	246	18.4	15.5-21.3	1035	81.6	78.7-84.5
Less Than H.S.	454	82,838	25	6.4	3.3- 9.5	429	93.6	90.5-96.7
H.S. or G.E.D.	1152	244,635	94	7.1	5.1- 9.1	1058	92.9	90.9-94.9
Some Post-H.S.	1011	221,328	92	7.1	5.1- 9.1	919	92.9	90.9-94.9
College Graduate	1377	227,162	155	8.3	6.5-10.1	1222	91.7	89.9-93.5
Less than \$15,000	347	51,191	18	5.2	2.1- 8.3	329	94.8	91.7-97.9
\$15,000- 24,999	532	90,206	52	8.9	5.8-12.0	480	91.1	88.0-94.2
\$25,000- 34,999	332	65,104	31	7.9	3.8-12.0	301	92.1	88.0-96.2
\$35,000- 49,999	388	74,970	44	10.4	6.3-14.5	344	89.6	85.5-93.7
\$50,000- 74,999	489	97,585	45	6.4	3.9- 8.9	444	93.6	91.1-96.1
\$75,000+	1122	246,021	109	7.2	5.4- 9.0	1013	92.8	91.0-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1777	371,617	151	6.6	5.2- 8.0	1626	93.4	92.0-94.8
White/Non-Hisp	1185	231,759	123	8.5	6.5-10.5	1062	91.5	89.5-93.5
Black or Afr. Am./Non-Hisp	188	74,047	13	4.6	1.3- 7.9	175	95.4	92.1-98.7
Oth. Race/Non-Hisp.	64	16,060	3	0.8	0.0- 2.0	61	99.2	98.0- 100
Hispanic	250	33,598	4	0.9	0.0- 1.9	246	99.1	98.1- 100
18-24	144	44,041	1	2.0	0.0- 5.9	143	98.0	94.1- 100
25-34	208	63,671	1	0.2	0.0- 0.6	207	99.8	99.4- 100
35-44	234	56,813	6	2.0	0.2- 3.8	228	98.0	96.2-99.8
45-54	273	56,089	6	1.2	0.2- 2.2	267	98.8	97.8-99.8
55-64	356	63,298	25	7.3	3.4-11.2	331	92.7	88.8-96.6
65+	562	87,705	112	19.6	14.9-24.3	450	80.4	75.7-85.1
Less Than H.S.	222	45,473	9	6.2	1.7-10.7	213	93.8	89.3-98.3
H.S. or G.E.D.	529	123,279	29	5.0	2.3- 7.7	500	95.0	92.3-97.7
Some Post-H.S.	417	99,370	36	6.6	4.1- 9.1	381	93.4	90.9-95.9
College Graduate	606	103,011	77	8.9	6.4-11.4	529	91.1	88.6-93.6
Less than \$15,000	142	20,954	2	1.1	0.0- 2.7	140	98.9	97.3- 100
\$15,000- 24,999	195	34,953	14	9.1	3.4-14.8	181	90.9	85.2-96.6
\$25,000- 34,999	141	33,427	15	7.1	1.2-13.0	126	92.9	87.0-98.8
\$35,000- 49,999	163	30,119	22	11.1	5.2-17.0	141	88.9	83.0-94.8
\$50,000- 74,999	226	48,049	13	2.8	0.8- 4.8	213	97.2	95.2-99.2
\$75,000+	589	132,381	61	7.5	4.8-10.2	528	92.5	89.8-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2230	406,077	216	8.0	6.6- 9.4	2014	92.0	90.6-93.4
White/Non-Hisp	1429	256,026	165	9.4	7.4-11.4	1264	90.6	88.6-92.6
Black or Afr. Am./Non-Hisp	346	86,455	30	7.3	4.0-10.6	316	92.7	89.4-96.0
Oth. Race/Non-Hisp.	70	14,120	5	4.0	0.1- 7.9	65	96.0	92.1-99.9
MultiRacial/Non-Hisp.	55	10,754	2	5.8	0.0-15.4	53	94.2	84.6- 100
Hispanic	289	31,216	8	1.2	0.2- 2.2	281	98.8	97.8-99.8
18-24	133	42,747				133	100.0	100.0- 100
25-34	261	62,631	7	3.8	0.0- 7.7	254	96.2	92.3- 100
35-44	314	59,386	10	2.8	0.4- 5.2	304	97.2	94.8-99.6
45-54	352	60,431	17	4.7	2.0- 7.4	335	95.3	92.6-98.0
55-64	451	72,622	48	9.6	6.3-12.9	403	90.4	87.1-93.7
65+	719	108,260	134	17.3	13.6-21.0	585	82.7	79.0-86.4
Less Than H.S.	232	37,365	16	6.7	2.0-11.4	216	93.3	88.6-98.0
H.S. or G.E.D.	623	121,357	65	9.3	6.4-12.2	558	90.7	87.8-93.6
Some Post-H.S.	594	121,958	56	7.4	4.5-10.3	538	92.6	89.7-95.5
College Graduate	771	124,151	78	7.8	5.6-10.0	693	92.2	90.0-94.4
Less than \$15,000	205	30,237	16	8.0	2.9-13.1	189	92.0	86.9-97.1
\$15,000- 24,999	337	55,253	38	8.8	5.1-12.5	299	91.2	87.5-94.9
\$25,000- 34,999	191	31,678	16	8.7	3.0-14.4	175	91.3	85.6-97.0
\$35,000- 49,999	225	44,851	22	10.0	4.5-15.5	203	90.0	84.5-95.5
\$50,000- 74,999	263	49,536	32	9.8	5.3-14.3	231	90.2	85.7-94.7
\$75,000+	533	113,640	48	6.7	4.3- 9.1	485	93.3	90.9-95.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	777,968	329	6.2	5.2- 7.2	3681	93.8	92.8-94.8
Male	1781	371,734	138	6.4	4.8- 8.0	1643	93.6	92.0-95.2
Female	2229	406,234	191	6.0	5.0- 7.0	2038	94.0	93.0-95.0
White/Non-Hisp	2620	488,504	253	7.7	6.5- 8.9	2367	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	533	160,422	37	4.4	2.2- 6.6	496	95.6	93.4-97.8
Oth. Race/Non-Hisp.	135	30,212	12	3.2	0.8- 5.6	123	96.8	94.4-99.2
MultiRacial/Non-Hisp.	97	16,542	6	1.9	0.0- 4.1	91	98.1	95.9- 100
Hispanic	537	64,528	17	2.5	1.1- 3.9	520	97.5	96.1-98.9
18-24	275	86,555	3	0.9	0.0- 2.1	272	99.1	97.9- 100
25-34	470	126,351	9	2.9	0.4- 5.4	461	97.1	94.6-99.6
35-44	549	116,484	14	2.0	0.8- 3.2	535	98.0	96.8-99.2
45-54	623	116,479	33	3.8	2.2- 5.4	590	96.2	94.6-97.8
55-64	809	135,723	83	8.4	6.2-10.6	726	91.6	89.4-93.8
65+	1284	196,376	187	13.0	10.5-15.5	1097	87.0	84.5-89.5
Less Than H.S.	451	82,078	37	8.6	4.3-12.9	414	91.4	87.1-95.7
H.S. or G.E.D.	1153	245,078	125	7.5	5.9- 9.1	1028	92.5	90.9-94.1
Some Post-H.S.	1014	221,685	97	6.8	4.8- 8.8	917	93.2	91.2-95.2
College Graduate	1379	227,394	69	3.3	2.3- 4.3	1310	96.7	95.7-97.7
Less than \$15,000	346	51,104	47	10.5	6.8-14.2	299	89.5	85.8-93.2
\$15,000- 24,999	533	90,473	61	10.9	7.2-14.6	472	89.1	85.4-92.8
\$25,000- 34,999	334	65,400	41	9.2	5.7-12.7	293	90.8	87.3-94.3
\$35,000- 49,999	391	75,372	46	8.5	5.4-11.6	345	91.5	88.4-94.6
\$50,000- 74,999	491	98,062	22	4.0	1.6- 6.4	469	96.0	93.6-98.4
\$75,000+	1121	245,722	45	2.5	1.5- 3.5	1076	97.5	96.5-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1781	371,734	138	6.4	4.8- 8.0	1643	93.6	92.0-95.2
White/Non-Hisp	1190	232,191	114	8.6	6.4-10.8	1076	91.4	89.2-93.6
Black or Afr. Am./Non-Hisp	187	73,966	8	3.7	0.0- 7.8	179	96.3	92.2- 100
Oth. Race/Non-Hisp.	65	16,092	3	0.6	0.0- 1.6	62	99.4	98.4- 100
Hispanic	249	33,331	8	2.0	0.4- 3.6	241	98.0	96.4-99.6
18-24	143	43,850	3	1.8	0.0- 4.3	140	98.2	95.7- 100
25-34	208	63,671	6	4.5	0.0- 9.0	202	95.5	91.0- 100
35-44	235	57,120	6	2.3	0.3- 4.3	229	97.7	95.7-99.7
45-54	272	56,074	13	3.0	1.0- 5.0	259	97.0	95.0-99.0
55-64	359	63,146	30	6.9	4.0- 9.8	329	93.1	90.2-96.0
65+	564	87,872	80	14.4	9.7-19.1	484	85.6	80.9-90.3
Less Than H.S.	221	44,843	13	7.3	0.4-14.2	208	92.7	85.8-99.6
H.S. or G.E.D.	531	123,773	50	6.4	4.0- 8.8	481	93.6	91.2-96.0
Some Post-H.S.	419	99,477	40	9.0	5.3-12.7	379	91.0	87.3-94.7
College Graduate	607	103,156	35	3.4	1.8- 5.0	572	96.6	95.0-98.2
Less than \$15,000	142	20,909	16	7.3	2.6-12.0	126	92.7	88.0-97.4
\$15,000- 24,999	195	34,953	23	13.1	5.8-20.4	172	86.9	79.6-94.2
\$25,000- 34,999	143	33,517	14	6.6	2.3-10.9	129	93.4	89.1-97.7
\$35,000- 49,999	166	30,521	25	11.3	5.8-16.8	141	88.7	83.2-94.2
\$50,000- 74,999	228	48,526	13	5.9	1.8-10.0	215	94.1	90.0-98.2
\$75,000+	588	132,082	22	2.6	0.8- 4.4	566	97.4	95.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	406,234	191	6.0	5.0- 7.0	2038	94.0	93.0-95.0
White/Non-Hisp	1430	256,313	139	6.9	5.5- 8.3	1291	93.1	91.7-94.5
Black or Afr. Am./Non-Hisp	346	86,455	29	5.0	2.8- 7.2	317	95.0	92.8-97.2
Oth. Race/Non-Hisp.	70	14,120	9	6.2	1.5-10.9	61	93.8	89.1-98.5
MultiRacial/Non-Hisp.	54	10,644	2	1.0	0.0- 2.6	52	99.0	97.4- 100
Hispanic	288	31,197	9	3.0	0.5- 5.5	279	97.0	94.5-99.5
18-24	132	42,705				132	100.0	100.0- 100
25-34	262	62,680	3	1.2	0.0- 3.2	259	98.8	96.8- 100
35-44	314	59,364	8	1.7	0.3- 3.1	306	98.3	96.9-99.7
45-54	351	60,404	20	4.5	2.3- 6.7	331	95.5	93.3-97.7
55-64	450	72,577	53	9.8	6.7-12.9	397	90.2	87.1-93.3
65+	720	108,504	107	11.8	9.1-14.5	613	88.2	85.5-90.9
Less Than H.S.	230	37,235	24	10.1	5.4-14.8	206	89.9	85.2-94.6
H.S. or G.E.D.	622	121,305	75	8.6	6.2-11.0	547	91.4	89.0-93.8
Some Post-H.S.	595	122,209	57	5.1	3.3- 6.9	538	94.9	93.1-96.7
College Graduate	772	124,238	34	3.2	1.8- 4.6	738	96.8	95.4-98.2
Less than \$15,000	204	30,195	31	12.7	7.4-18.0	173	87.3	82.0-92.6
\$15,000- 24,999	338	55,521	38	9.5	5.8-13.2	300	90.5	86.8-94.2
\$25,000- 34,999	191	31,884	27	11.9	6.6-17.2	164	88.1	82.8-93.4
\$35,000- 49,999	225	44,851	21	6.6	2.9-10.3	204	93.4	89.7-97.1
\$50,000- 74,999	263	49,536	9	2.1	0.5- 3.7	254	97.9	96.3-99.5
\$75,000+	533	113,640	23	2.4	1.2- 3.6	510	97.6	96.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	777,908	1178	26.7	24.9-28.5	2832	73.3	71.5-75.1
Male	1785	372,483	454	22.2	19.7-24.7	1331	77.8	75.3-80.3
Female	2225	405,425	724	30.8	28.3-33.3	1501	69.2	66.7-71.7
White/Non-Hisp	2622	488,738	884	29.8	27.6-32.0	1738	70.2	68.0-72.4
Black or Afr. Am./Non-Hisp	531	160,090	153	26.5	21.6-31.4	378	73.5	68.6-78.4
Oth. Race/Non-Hisp.	135	30,212	30	15.2	7.6-22.8	105	84.8	77.2-92.4
MultiRacial/Non-Hisp.	98	16,652	35	26.7	12.8-40.6	63	73.3	59.4-87.2
Hispanic	538	64,679	49	7.9	5.0-10.8	489	92.1	89.2-95.0
18-24	276	86,746	7	1.7	0.3- 3.1	269	98.3	96.9-99.7
25-34	468	125,824	28	7.9	4.0-11.8	440	92.1	88.2-96.0
35-44	549	116,565	73	13.8	9.9-17.7	476	86.2	82.3-90.1
45-54	624	116,472	161	27.7	23.0-32.4	463	72.3	67.6-77.0
55-64	810	136,174	303	35.6	31.3-39.9	507	64.4	60.1-68.7
65+	1283	196,128	606	50.6	46.9-54.3	677	49.4	45.7-53.1
Less Than H.S.	455	82,923	94	25.3	19.0-31.6	361	74.7	68.4-81.0
H.S. or G.E.D.	1153	245,149	376	28.7	25.4-32.0	777	71.3	68.0-74.6
Some Post-H.S.	1011	221,203	333	28.1	24.4-31.8	678	71.9	68.2-75.6
College Graduate	1378	226,902	371	23.4	20.5-26.3	1007	76.6	73.7-79.5
Less than \$15,000	347	51,186	100	29.9	22.6-37.2	247	70.1	62.8-77.4
\$15,000- 24,999	533	90,457	190	33.0	27.7-38.3	343	67.0	61.7-72.3
\$25,000- 34,999	334	65,389	106	27.3	21.0-33.6	228	72.7	66.4-79.0
\$35,000- 49,999	388	74,998	117	24.2	18.9-29.5	271	75.8	70.5-81.1
\$50,000- 74,999	492	98,178	149	29.2	23.5-34.9	343	70.8	65.1-76.5
\$75,000+	1121	245,715	277	22.4	19.3-25.5	844	77.6	74.5-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	372,483	454	22.2	19.7-24.7	1331	77.8	75.3-80.3
White/Non-Hisp	1193	232,790	359	25.6	22.5-28.7	834	74.4	71.3-77.5
Black or Afr. Am./Non-Hisp	187	73,851	42	22.2	14.4-30.0	145	77.8	70.0-85.6
Oth. Race/Non-Hisp.	65	16,092	9	5.9	0.0-11.8	56	94.1	88.2- 100
Hispanic	250	33,598	17	5.2	2.3- 8.1	233	94.8	91.9-97.7
18-24	144	44,041	2	0.5	0.0- 1.3	142	99.5	98.7- 100
25-34	208	63,671	17	10.3	4.0-16.6	191	89.7	83.4-96.0
35-44	235	57,147	26	12.0	6.7-17.3	209	88.0	82.7-93.3
45-54	274	56,273	60	23.2	16.5-29.9	214	76.8	70.1-83.5
55-64	359	63,552	123	33.5	27.0-40.0	236	66.5	60.0-73.0
65+	565	87,799	226	39.5	33.8-45.2	339	60.5	54.8-66.2
Less Than H.S.	223	45,551	36	20.3	11.9-28.7	187	79.7	71.3-88.1
H.S. or G.E.D.	533	124,047	146	22.3	17.8-26.8	387	77.7	73.2-82.2
Some Post-H.S.	418	99,280	115	23.3	18.0-28.6	303	76.7	71.4-82.0
College Graduate	608	103,120	156	21.7	17.4-26.0	452	78.3	74.0-82.6
Less than \$15,000	143	20,991	28	14.7	7.6-21.8	115	85.3	78.2-92.4
\$15,000- 24,999	195	34,953	62	29.1	20.5-37.7	133	70.9	62.3-79.5
\$25,000- 34,999	143	33,517	33	14.6	8.1-21.1	110	85.4	78.9-91.9
\$35,000- 49,999	164	30,290	45	18.8	12.1-25.5	119	81.2	74.5-87.9
\$50,000- 74,999	229	48,642	63	24.8	17.2-32.4	166	75.2	67.6-82.8
\$75,000+	590	132,566	127	20.4	16.1-24.7	463	79.6	75.3-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	405,425	724	30.8	28.3-33.3	1501	69.2	66.7-71.7
White/Non-Hisp	1429	255,948	525	33.6	30.5-36.7	904	66.4	63.3-69.5
Black or Afr. Am./Non-Hisp	344	86,239	111	30.1	23.6-36.6	233	69.9	63.4-76.4
Oth. Race/Non-Hisp.	70	14,120	21	25.8	12.1-39.5	49	74.2	60.5-87.9
MultiRacial/Non-Hisp.	55	10,754	18	23.4	4.4-42.4	37	76.6	57.6-95.6
Hispanic	288	31,081	32	10.8	5.7-15.9	256	89.2	84.1-94.3
18-24	132	42,705	5	2.8	0.1- 5.5	127	97.2	94.5-99.9
25-34	260	62,153	11	5.6	1.3- 9.9	249	94.4	90.1-98.7
35-44	314	59,418	47	15.4	9.9-20.9	267	84.6	79.1-90.1
45-54	350	60,199	101	31.9	25.4-38.4	249	68.1	61.6-74.6
55-64	451	72,622	180	37.4	31.7-43.1	271	62.6	56.9-68.3
65+	718	108,329	380	59.5	54.6-64.4	338	40.5	35.6-45.4
Less Than H.S.	232	37,371	58	31.5	22.5-40.5	174	68.5	59.5-77.5
H.S. or G.E.D.	620	121,103	230	35.3	30.2-40.4	390	64.7	59.6-69.8
Some Post-H.S.	593	121,922	218	32.1	27.0-37.2	375	67.9	62.8-73.0
College Graduate	770	123,781	215	24.8	20.9-28.7	555	75.2	71.3-79.1
Less than \$15,000	204	30,195	72	40.4	30.4-50.4	132	59.6	49.6-69.6
\$15,000- 24,999	338	55,505	128	35.4	28.7-42.1	210	64.6	57.9-71.3
\$25,000- 34,999	191	31,872	73	40.7	31.3-50.1	118	59.3	49.9-68.7
\$35,000- 49,999	224	44,709	72	27.8	20.2-35.4	152	72.2	64.6-79.8
\$50,000- 74,999	263	49,536	86	33.5	25.3-41.7	177	66.5	58.3-74.7
\$75,000+	531	113,149	150	24.7	20.2-29.2	381	75.3	70.8-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	776,979	654	15.6	14.0-17.2	3356	84.4	82.8-86.0
Male	1784	372,322	213	10.9	9.1-12.7	1571	89.1	87.3-90.9
Female	2226	404,658	441	19.9	17.5-22.3	1785	80.1	77.7-82.5
White/Non-Hisp	2623	488,789	473	17.8	15.8-19.8	2150	82.2	80.2-84.2
Black or Afr. Am./Non-Hisp	532	159,727	71	11.7	8.2-15.2	461	88.3	84.8-91.8
Oth. Race/Non-Hisp.	134	29,710	22	10.7	4.4-17.0	112	89.3	83.0-95.6
MultiRacial/Non-Hisp.	97	16,591	22	23.7	9.4-38.0	75	76.3	62.0-90.6
Hispanic	537	64,567	53	9.5	6.2-12.8	484	90.5	87.2-93.8
18-24	274	86,228	40	15.1	9.2-21.0	234	84.9	79.0-90.8
25-34	468	125,741	79	18.9	14.2-23.6	389	81.1	76.4-85.8
35-44	548	116,421	94	16.2	12.3-20.1	454	83.8	79.9-87.7
45-54	624	116,327	121	16.9	13.4-20.4	503	83.1	79.6-86.6
55-64	811	136,209	148	15.8	12.7-18.9	663	84.2	81.1-87.3
65+	1285	196,053	172	12.3	9.9-14.7	1113	87.7	85.3-90.1
Less Than H.S.	454	82,814	44	10.1	6.6-13.6	410	89.9	86.4-93.4
H.S. or G.E.D.	1151	244,568	204	16.2	13.5-18.9	947	83.8	81.1-86.5
Some Post-H.S.	1012	221,048	184	17.9	14.8-21.0	828	82.1	79.0-85.2
College Graduate	1380	226,817	219	14.6	12.1-17.1	1161	85.4	82.9-87.9
Less than \$15,000	345	50,842	66	19.1	13.4-24.8	279	80.9	75.2-86.6
\$15,000- 24,999	533	90,523	119	22.2	17.5-26.9	414	77.8	73.1-82.5
\$25,000- 34,999	334	65,336	60	14.6	10.1-19.1	274	85.4	80.9-89.9
\$35,000- 49,999	391	75,372	85	22.5	16.6-28.4	306	77.5	71.6-83.4
\$50,000- 74,999	492	98,178	76	16.4	11.5-21.3	416	83.6	78.7-88.5
\$75,000+	1122	245,704	146	13.2	10.7-15.7	976	86.8	84.3-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	372,322	213	10.9	9.1-12.7	1571	89.1	87.3-90.9
White/Non-Hisp	1193	232,637	153	12.5	10.1-14.9	1040	87.5	85.1-89.9
Black or Afr. Am./Non-Hisp	188	74,047	19	6.8	3.3-10.3	169	93.2	89.7-96.7
Oth. Race/Non-Hisp.	65	16,092	10	10.3	0.7-19.9	55	89.7	80.1-99.3
Hispanic	249	33,453	16	7.1	2.4-11.8	233	92.9	88.2-97.6
18-24	143	43,722	15	8.9	3.6-14.2	128	91.1	85.8-96.4
25-34	208	63,671	34	17.2	10.3-24.1	174	82.8	75.9-89.7
35-44	234	57,134	24	8.4	4.7-12.1	210	91.6	87.9-95.3
45-54	273	56,212	38	11.3	7.2-15.4	235	88.7	84.6-92.8
55-64	360	63,588	45	10.0	6.5-13.5	315	90.0	86.5-93.5
65+	566	87,995	57	9.4	6.3-12.5	509	90.6	87.5-93.7
Less Than H.S.	223	45,551	15	6.3	2.8- 9.8	208	93.7	90.2-97.2
H.S. or G.E.D.	530	123,474	73	11.5	8.2-14.8	457	88.5	85.2-91.8
Some Post-H.S.	418	99,416	44	10.3	6.6-14.0	374	89.7	86.0-93.4
College Graduate	610	103,396	81	12.8	9.3-16.3	529	87.2	83.7-90.7
Less than \$15,000	142	20,846	22	14.4	6.6-22.2	120	85.6	77.8-93.4
\$15,000- 24,999	194	34,892	27	16.7	9.1-24.3	167	83.3	75.7-90.9
\$25,000- 34,999	143	33,517	20	13.6	6.5-20.7	123	86.4	79.3-93.5
\$35,000- 49,999	166	30,521	31	17.4	10.3-24.5	135	82.6	75.5-89.7
\$50,000- 74,999	229	48,642	28	10.0	4.7-15.3	201	90.0	84.7-95.3
\$75,000+	590	132,566	48	7.6	5.1-10.1	542	92.4	89.9-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	404,658	441	19.9	17.5-22.3	1785	80.1	77.7-82.5
White/Non-Hisp	1430	256,152	320	22.6	19.7-25.5	1110	77.4	74.5-80.3
Black or Afr. Am./Non-Hisp	344	85,680	52	15.9	10.2-21.6	292	84.1	78.4-89.8
Oth. Race/Non-Hisp.	69	13,619	12	11.2	3.2-19.2	57	88.8	80.8-96.8
MultiRacial/Non-Hisp.	55	10,754	15	26.5	6.5-46.5	40	73.5	53.5-93.5
Hispanic	288	31,114	37	12.0	7.3-16.7	251	88.0	83.3-92.7
18-24	131	42,506	25	21.4	11.4-31.4	106	78.6	68.6-88.6
25-34	260	62,070	45	20.7	14.0-27.4	215	79.3	72.6-86.0
35-44	314	59,287	70	23.8	17.3-30.3	244	76.2	69.7-82.7
45-54	351	60,115	83	22.0	16.7-27.3	268	78.0	72.7-83.3
55-64	451	72,622	103	20.8	16.1-25.5	348	79.2	74.5-83.9
65+	719	108,058	115	14.8	11.3-18.3	604	85.2	81.7-88.7
Less Than H.S.	231	37,262	29	14.8	8.1-21.5	202	85.2	78.5-91.9
H.S. or G.E.D.	621	121,094	131	21.0	16.9-25.1	490	79.0	74.9-83.1
Some Post-H.S.	594	121,632	140	24.1	19.4-28.8	454	75.9	71.2-80.6
College Graduate	770	123,421	138	16.1	12.4-19.8	632	83.9	80.2-87.6
Less than \$15,000	203	29,996	44	22.3	14.5-30.1	159	77.7	69.9-85.5
\$15,000- 24,999	339	55,631	92	25.7	19.8-31.6	247	74.3	68.4-80.2
\$25,000- 34,999	191	31,819	40	15.7	10.2-21.2	151	84.3	78.8-89.8
\$35,000- 49,999	225	44,851	54	25.9	17.5-34.3	171	74.1	65.7-82.5
\$50,000- 74,999	263	49,536	48	22.7	14.9-30.5	215	77.3	69.5-85.1
\$75,000+	532	113,138	98	19.8	15.1-24.5	434	80.2	75.5-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	776,579	174	3.5	2.7- 4.3	3837	96.5	95.7-97.3
Male	1783	371,334	85	3.5	2.5- 4.5	1698	96.5	95.5-97.5
Female	2228	405,245	89	3.6	2.6- 4.6	2139	96.4	95.4-97.4
White/Non-Hisp	2621	487,605	110	3.4	2.6- 4.2	2511	96.6	95.8-97.4
Black or Afr. Am./Non-Hisp	533	159,883	36	5.0	3.0- 7.0	497	95.0	93.0-97.0
Oth. Race/Non-Hisp.	133	30,146	1	0.4	0.0- 1.2	132	99.6	98.8- 100
MultiRacial/Non-Hisp.	98	16,652	8	6.0	0.0-12.1	90	94.0	87.9- 100
Hispanic	538	64,532	16	2.4	0.8- 4.0	522	97.6	96.0-99.2
18-24	276	86,168	3	0.6	0.0- 1.4	273	99.4	98.6- 100
25-34	470	126,351	2	0.6	0.0- 1.4	468	99.4	98.6- 100
35-44	549	116,530	6	1.3	0.1- 2.5	543	98.7	97.5-99.9
45-54	626	116,704	18	2.2	0.8- 3.6	608	97.8	96.4-99.2
55-64	807	135,919	39	4.7	2.7- 6.7	768	95.3	93.3-97.3
65+	1283	194,907	106	8.1	5.9-10.3	1177	91.9	89.7-94.1
Less Than H.S.	454	82,633	19	4.6	1.7- 7.5	435	95.4	92.5-98.3
H.S. or G.E.D.	1154	243,841	58	3.5	2.3- 4.7	1096	96.5	95.3-97.7
Some Post-H.S.	1011	221,020	40	3.1	1.9- 4.3	971	96.9	95.7-98.1
College Graduate	1379	227,352	56	3.6	2.2- 5.0	1323	96.4	95.0-97.8
Less than \$15,000	346	51,183	17	5.3	1.6- 9.0	329	94.7	91.0-98.4
\$15,000- 24,999	532	90,051	35	4.7	2.7- 6.7	497	95.3	93.3-97.3
\$25,000- 34,999	334	65,405	21	6.4	2.7-10.1	313	93.6	89.9-97.3
\$35,000- 49,999	391	75,372	13	2.3	0.7- 3.9	378	97.7	96.1-99.3
\$50,000- 74,999	491	97,559	22	3.5	1.3- 5.7	469	96.5	94.3-98.7
\$75,000+	1121	244,954	39	3.1	1.9- 4.3	1082	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1783	371,334	85	3.5	2.5- 4.5	1698	96.5	95.5-97.5
White/Non-Hisp	1192	231,776	58	3.0	1.8- 4.2	1134	97.0	95.8-98.2
Black or Afr. Am./Non-Hisp	188	74,047	16	6.3	2.6-10.0	172	93.7	90.0-97.4
Oth. Race/Non-Hisp.	65	16,092				65	100.0	100.0- 100
Hispanic	248	33,267	5	1.1	0.1- 2.1	243	98.9	97.9-99.9
18-24	144	44,041				144	100.0	100.0- 100
25-34	208	63,671	1	0.7	0.0- 2.1	207	99.3	97.9- 100
35-44	234	57,056	1	0.7	0.0- 2.1	233	99.3	97.9- 100
45-54	274	56,273	8	2.4	0.0- 4.8	266	97.6	95.2- 100
55-64	359	63,403	16	5.1	1.6- 8.6	343	94.9	91.4-98.4
65+	564	86,891	59	8.5	5.6-11.4	505	91.5	88.6-94.4
Less Than H.S.	221	45,220	7	3.3	0.4- 6.2	214	96.7	93.8-99.6
H.S. or G.E.D.	532	122,980	25	2.8	1.0- 4.6	507	97.2	95.4-99.0
Some Post-H.S.	418	99,440	19	4.1	1.7- 6.5	399	95.9	93.5-98.3
College Graduate	609	103,211	34	3.7	1.9- 5.5	575	96.3	94.5-98.1
Less than \$15,000	142	20,954	7	2.0	0.2- 3.8	135	98.0	96.2-99.8
\$15,000- 24,999	194	34,907	14	5.7	1.6- 9.8	180	94.3	90.2-98.4
\$25,000- 34,999	143	33,517	10	8.0	1.5-14.5	133	92.0	85.5-98.5
\$35,000- 49,999	166	30,521	8	2.6	0.2- 5.0	158	97.4	95.0-99.8
\$50,000- 74,999	229	48,642	11	1.4	0.4- 2.4	218	98.6	97.6-99.6
\$75,000+	588	131,314	23	3.7	1.7- 5.7	565	96.3	94.3-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2228	405,245	89	3.6	2.6- 4.6	2139	96.4	95.4-97.4
White/Non-Hisp	1429	255,830	52	3.7	2.3- 5.1	1377	96.3	94.9-97.7
Black or Afr. Am./Non-Hisp	345	85,836	20	3.9	1.9- 5.9	325	96.1	94.1-98.1
Oth. Race/Non-Hisp.	68	14,055	1	0.8	0.0- 2.4	67	99.2	97.6- 100
MultiRacial/Non-Hisp.	55	10,754	3	3.2	0.0- 7.3	52	96.8	92.7- 100
Hispanic	290	31,265	11	3.9	1.0- 6.8	279	96.1	93.2-99.0
18-24	132	42,127	3	1.2	0.0- 2.8	129	98.8	97.2- 100
25-34	262	62,680	1	0.4	0.0- 1.2	261	99.6	98.8- 100
35-44	315	59,474	5	1.9	0.0- 3.9	310	98.1	96.1- 100
45-54	352	60,431	10	1.9	0.5- 3.3	342	98.1	96.7-99.5
55-64	448	72,517	23	4.3	2.3- 6.3	425	95.7	93.7-97.7
65+	719	108,016	47	7.8	4.9-10.7	672	92.2	89.3-95.1
Less Than H.S.	233	37,413	12	6.3	1.2-11.4	221	93.7	88.6-98.8
H.S. or G.E.D.	622	120,861	33	4.3	2.7- 5.9	589	95.7	94.1-97.3
Some Post-H.S.	593	121,581	21	2.3	1.1- 3.5	572	97.7	96.5-98.9
College Graduate	770	124,141	22	3.4	1.6- 5.2	748	96.6	94.8-98.4
Less than \$15,000	204	30,229	10	7.6	1.5-13.7	194	92.4	86.3-98.5
\$15,000- 24,999	338	55,143	21	4.0	2.0- 6.0	317	96.0	94.0-98.0
\$25,000- 34,999	191	31,889	11	4.8	1.5- 8.1	180	95.2	91.9-98.5
\$35,000- 49,999	225	44,851	5	2.1	0.0- 4.3	220	97.9	95.7- 100
\$50,000- 74,999	262	48,916	11	5.5	1.6- 9.4	251	94.5	90.6-98.4
\$75,000+	533	113,640	16	2.5	1.1- 3.9	517	97.5	96.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4018	779,230	547	12.4	11.0-13.8	54	1.0	0.6- 1.4	3347	85.1	83.5-86.7	70	1.4	1.0- 1.8
Male	1786	372,798	272	13.6	11.4-15.8				1482	85.1	82.9-87.3	32	1.3	0.7- 1.9
Female	2232	406,433	275	11.3	9.5-13.1	54	2.0	1.4- 2.6	1865	85.1	83.1-87.1	38	1.5	0.9- 2.1
White/Non-Hisp	2625	489,397	350	10.9	9.5-12.3	32	1.0	0.6- 1.4	2199	86.7	85.1-88.3	44	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	534	160,502	105	19.8	15.3-24.3	7	0.8	0.2- 1.4	414	78.5	73.8-83.2	8	0.9	0.3- 1.5
Oth. Race/Non-Hisp.	134	30,180	11	3.3	0.6- 6.0	3	3.2	0.0- 6.9	112	85.9	77.7-94.1	8	7.6	0.5-14.7
MultiRacial/Non-Hisp.	98	16,652	14	7.3	2.6-12.0	2	1.2	0.0- 3.0	80	90.6	85.3-95.9	2	0.9	0.0- 2.3
Hispanic	539	64,737	55	10.8	6.7-14.9	9	1.0	0.0- 2.0	467	87.0	82.7-91.3	8	1.2	0.2- 2.2
18-24	277	86,788	3	2.4	0.0- 6.1	1	0.0	0.0- 0.0	273	97.5	93.8- 100			
25-34	470	126,351	10	3.0	0.6- 5.4	5	0.6	0.0- 1.4	452	96.1	93.6-98.6	3	0.4	0.0- 0.8
35-44	549	116,616	32	5.6	3.1- 8.1	20	2.7	1.3- 4.1	493	91.2	88.5-93.9	4	0.5	0.0- 1.1
45-54	626	116,704	71	10.4	7.3-13.5	15	2.2	1.0- 3.4	529	85.4	81.7-89.1	11	2.0	0.4- 3.6
55-64	811	136,297	135	19.4	15.5-23.3	6	0.5	0.1- 0.9	649	77.4	73.3-81.5	21	2.7	1.3- 4.1
65+	1285	196,474	296	23.4	20.1-26.7	7	0.5	0.0- 1.1	951	74.1	70.8-77.4	31	2.0	1.0- 3.0
Less Than H.S.	455	82,733	63	14.1	9.8-18.4	9	1.2	0.2- 2.2	373	83.1	78.6-87.6	10	1.7	0.5- 2.9
H.S. or G.E.D.	1156	245,604	186	15.5	12.4-18.6	12	0.8	0.2- 1.4	936	81.9	78.8-85.0	22	1.8	0.8- 2.8
Some Post-H.S.	1014	221,780	140	11.1	8.7-13.5	14	0.9	0.3- 1.5	841	86.6	84.1-89.1	19	1.5	0.5- 2.5
College Graduate	1380	227,382	155	9.7	7.7-11.7	19	1.5	0.7- 2.3	1187	87.9	85.7-90.1	19	0.9	0.3- 1.5
Less than \$15,000	348	51,228	65	20.6	13.2-28.0	6	1.0	0.0- 2.0	270	76.0	68.4-83.6	7	2.4	0.4- 4.4
\$15,000- 24,999	533	90,559	93	15.0	10.9-19.1	9	1.6	0.2- 3.0	421	81.5	77.0-86.0	10	2.0	0.2- 3.8
\$25,000- 34,999	335	65,445	53	15.0	9.9-20.1	5	1.1	0.0- 2.3	272	82.6	77.3-87.9	5	1.3	0.1- 2.5
\$35,000- 49,999	391	75,372	60	17.0	11.9-22.1	5	1.0	0.0- 2.2	321	80.9	75.6-86.2	5	1.1	0.0- 2.5
\$50,000- 74,999	492	98,178	62	11.4	7.3-15.5	7	1.4	0.2- 2.6	413	85.9	81.6-90.2	10	1.2	0.0- 2.4
\$75,000+	1123	246,206	107	8.1	6.1-10.1	16	1.1	0.5- 1.7	983	89.5	87.3-91.7	17	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	372,798	272	13.6	11.4-15.8	1482	85.1	82.9-87.3	32	1.3	0.7- 1.9
White/Non-Hisp	1195	233,065	190	12.7	10.3-15.1	983	86.2	83.8-88.6	22	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	188	74,047	40	19.9	12.5-27.3	146	79.4	72.0-86.8	2	0.7	0.0- 1.7
Oth. Race/Non-Hisp.	64	16,060	5	3.4	0.0- 7.7	55	88.2	77.2-99.2	4	8.4	0.0-18.6
Hispanic	249	33,472	21	10.3	3.8-16.8	225	88.5	81.8-95.2	3	1.2	0.0- 3.0
18-24	144	44,041	3	4.8	0.0-12.1	141	95.2	87.9- 100			
25-34	208	63,671	4	2.7	0.0- 5.8	203	97.0	93.9- 100	1	0.3	0.0- 0.9
35-44	234	57,142	10	4.3	1.0- 7.6	222	95.1	91.8-98.4	2	0.6	0.0- 1.6
45-54	274	56,273	33	10.2	5.9-14.5	239	87.9	82.8-93.0	2	1.8	0.0- 4.5
55-64	360	63,676	70	25.2	18.5-31.9	282	72.4	65.7-79.1	8	2.4	0.4- 4.4
65+	566	87,995	152	25.7	20.8-30.6	395	72.2	67.3-77.1	19	2.1	0.9- 3.3
Less Than H.S.	223	45,551	27	12.0	6.5-17.5	192	86.6	80.9-92.3	4	1.5	0.0- 3.3
H.S. or G.E.D.	533	124,047	82	15.9	11.2-20.6	440	82.9	78.2-87.6	11	1.2	0.4- 2.0
Some Post-H.S.	419	99,572	67	11.8	8.3-15.3	344	86.3	82.4-90.2	8	1.8	0.0- 3.6
College Graduate	608	103,143	95	13.1	9.8-16.4	504	86.0	82.5-89.5	9	0.9	0.1- 1.7
Less than \$15,000	143	20,991	23	20.8	6.3-35.3	117	77.4	62.9-91.9	3	1.9	0.0- 4.6
\$15,000- 24,999	194	34,928	34	17.3	10.0-24.6	158	82.0	74.7-89.3	2	0.7	0.0- 1.9
\$25,000- 34,999	143	33,517	27	15.3	7.7-22.9	112	82.8	74.8-90.8	4	1.9	0.0- 3.9
\$35,000- 49,999	166	30,521	29	17.4	9.8-25.0	136	82.2	74.6-89.8	1	0.5	0.0- 1.5
\$50,000- 74,999	229	48,642	37	11.6	6.1-17.1	186	87.2	81.5-92.9	6	1.2	0.0- 2.6
\$75,000+	590	132,566	66	9.9	7.0-12.8	513	88.4	85.1-91.7	11	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	406,433	275	11.3	9.5-13.1	54	2.0	1.4- 2.6	1865	85.1	83.1-87.1	38	1.5	0.9- 2.1
White/Non-Hisp	1430	256,333	160	9.4	7.4-11.4	32	1.9	1.1- 2.7	1216	87.2	85.0-89.4	22	1.5	0.7- 2.3
Black or Afr. Am./Non-Hisp	346	86,455	65	19.8	14.1-25.5	7	1.4	0.2- 2.6	268	77.8	71.9-83.7	6	1.0	0.2- 1.8
Oth. Race/Non-Hisp.	70	14,120	6	3.1	0.0- 6.4	3	6.9	0.0-14.5	57	83.2	71.0-95.4	4	6.7	0.0-16.5
MultiRacial/Non-Hisp.	55	10,754	7	6.0	0.9-11.1	2	1.9	0.0- 4.4	45	91.1	84.8-97.4	1	1.0	0.0- 3.0
Hispanic	290	31,265	34	11.4	6.5-16.3	9	2.1	0.1- 4.1	242	85.3	79.8-90.8	5	1.2	0.0- 2.4
18-24	133	42,747				1	0.1	0.0- 0.3	132	99.9	99.7- 100			
25-34	262	62,680	6	3.2	0.0- 6.9	5	1.2	0.0- 2.6	249	95.1	91.0-99.2	2	0.5	0.0- 1.3
35-44	315	59,474	22	6.8	3.1-10.5	20	5.2	2.7- 7.7	271	87.5	83.0-92.0	2	0.5	0.0- 1.1
45-54	352	60,431	38	10.5	5.8-15.2	15	4.3	1.9- 6.7	290	83.1	77.8-88.4	9	2.1	0.5- 3.7
55-64	451	72,622	65	14.3	10.2-18.4	6	0.9	0.0- 1.9	367	81.8	77.3-86.3	13	3.0	1.0- 5.0
65+	719	108,479	144	21.5	17.2-25.8	7	0.9	0.0- 1.9	556	75.6	71.1-80.1	12	1.9	0.3- 3.5
Less Than H.S.	232	37,181	36	16.7	9.8-23.6	9	2.6	0.2- 5.0	181	78.8	71.4-86.2	6	1.8	0.0- 3.6
H.S. or G.E.D.	623	121,557	104	15.1	11.2-19.0	12	1.6	0.4- 2.8	496	81.0	76.7-85.3	11	2.3	0.5- 4.1
Some Post-H.S.	595	122,209	73	10.5	7.4-13.6	14	1.6	0.6- 2.6	497	86.8	83.5-90.1	11	1.1	0.3- 1.9
College Graduate	772	124,238	60	6.9	4.5- 9.3	19	2.7	1.3- 4.1	683	89.5	86.8-92.2	10	1.0	0.2- 1.8
Less than \$15,000	205	30,237	42	20.5	12.7-28.3	6	1.7	0.1- 3.3	153	75.1	66.9-83.3	4	2.7	0.0- 5.4
\$15,000- 24,999	339	55,631	59	13.5	8.6-18.4	9	2.5	0.3- 4.7	263	81.1	75.4-86.8	8	2.8	0.0- 5.7
\$25,000- 34,999	192	31,928	26	14.7	8.0-21.4	5	2.3	0.0- 4.7	160	82.5	75.4-89.6	1	0.6	0.0- 1.8
\$35,000- 49,999	225	44,851	31	16.7	10.0-23.4	5	1.6	0.0- 3.4	185	80.1	73.0-87.2	4	1.6	0.0- 3.8
\$50,000- 74,999	263	49,536	25	11.2	5.1-17.3	7	2.9	0.5- 5.3	227	84.7	78.2-91.2	4	1.2	0.0- 2.8
\$75,000+	533	113,640	41	6.0	3.5- 8.5	16	2.3	0.9- 3.7	470	90.9	88.0-93.8	6	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	522	93,396	11	3.7	0.0- 7.4	64	14.3	9.8-18.8	126	24.6	19.3-29.9	214	40.1	34.2-46.0	107	17.3	13.2-21.4
Male	259	49,314	4	4.4	0.0-10.9	25	11.4	5.3-17.5	65	28.7	20.7-36.7	113	38.8	30.6-47.0	52	16.7	11.2-22.2
Female	263	44,082	7	2.9	0.0- 6.0	39	17.5	10.6-24.4	61	20.0	13.5-26.5	101	41.6	33.2-50.0	55	17.9	11.4-24.4
White/Non-Hisp	341	52,891	8	3.0	0.3- 5.7	29	7.6	4.3-10.9	68	20.2	14.7-25.7	152	47.7	40.4-55.0	84	21.5	15.8-27.2
Black or Afr. Am./Non-Hisp	100	30,228	2	5.9	0.0-16.3	18	22.2	11.2-33.2	30	29.7	17.7-41.7	33	29.4	18.0-40.8	17	12.8	5.2-20.4
Hispanic	51	6,690	1	0.8	0.0- 2.4	11	28.8	6.5-51.1	23	40.9	21.3-60.5	13	26.6	10.7-42.5	3	2.9	0.0- 7.2
45-54	66	11,652	2	2.1	0.0- 5.2	14	18.5	6.0-31.0	36	52.1	34.9-69.3	14	27.2	10.0-44.4			
55-64	133	26,253	2	0.9	0.0- 2.1	15	16.1	6.7-25.5	37	26.9	15.9-37.9	73	53.5	41.7-65.3	6	2.5	0.0- 5.6
65+	279	43,347	2	0.3	0.0- 0.9	15	4.6	1.5- 7.7	35	12.8	7.7-17.9	126	46.6	38.4-54.8	101	35.7	28.1-43.3
Less Than H.S.	61	11,257				8	7.9	0.6-15.2	18	23.9	11.0-36.8	22	40.1	24.2-56.0	13	28.0	11.3-44.7
H.S. or G.E.D.	172	36,190	4	7.0	0.0-16.2	29	19.9	10.9-28.9	41	23.8	14.0-33.6	67	39.2	28.2-50.2	31	10.1	5.6-14.6
Some Post-H.S.	133	23,548	2	0.7	0.0- 1.9	10	11.2	2.4-20.0	32	27.1	16.9-37.3	63	40.6	30.0-51.2	26	20.5	11.7-29.3
College Graduate	153	22,000	5	3.4	0.0- 6.9	17	12.0	5.1-18.9	35	24.0	14.8-33.2	61	41.5	30.5-52.5	35	19.0	11.0-27.0
Less than \$15,000	60	9,746	1	17.2	0.0-45.6	11	22.1	7.2-37.0	19	20.5	6.2-34.8	20	21.9	8.8-35.0	9	18.4	2.9-33.9
\$15,000- 24,999	87	13,155	3	1.6	0.0- 3.8	17	16.7	6.3-27.1	24	28.0	14.1-41.9	26	38.7	22.8-54.6	17	14.9	6.3-23.5
\$25,000- 34,999	52	9,542				6	20.0	0.8-39.2	11	16.5	4.7-28.3	23	42.2	24.6-59.8	12	21.3	8.2-34.4
\$35,000- 49,999	59	12,701	2	3.5	0.0- 9.0	7	11.1	2.5-19.7	11	26.2	10.9-41.5	26	32.9	19.0-46.8	13	26.3	10.2-42.4
\$50,000- 74,999	61	11,137	1	1.1	0.0- 3.3	7	22.7	4.1-41.3	13	22.4	4.0-40.8	25	41.1	22.5-59.7	15	12.7	4.7-20.7
\$75,000+	106	19,746	1	0.5	0.0- 1.5	5	5.6	0.0-11.9	27	29.2	17.8-40.6	55	51.4	38.7-64.1	18	13.3	5.7-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	49,314	4	4.4	0.0-11.1	25	11.4	5.3-17.5	65	28.7	20.5-36.9	113	38.8	30.4-47.2	52	16.7	11.2-22.2
White/Non-Hisp	186	29,245	3	1.6	0.0- 4.0	13	6.9	2.2-11.6	40	22.2	14.8-29.6	86	49.1	39.5-58.7	44	20.1	13.2-27.0
55-64	70	16,064				7	15.7	2.4-29.0	23	32.6	16.7-48.5	38	49.0	32.9-65.1	2	2.7	0.0- 7.6
65+	143	21,704	2	0.6	0.0- 1.6	6	3.0	0.3- 5.7	18	13.1	5.8-20.4	67	47.4	36.0-58.8	50	35.9	25.5-46.3
H.S. or G.E.D.	77	19,144	1	8.8	0.0-24.7	9	14.5	2.7-26.3	22	29.7	14.2-45.2	34	39.0	23.1-54.9	11	8.0	2.5-13.5
Some Post-H.S.	63	11,421	1	0.3	0.0- 0.9	3	11.2	0.0-25.7	19	32.8	18.3-47.3	30	36.0	22.1-49.9	10	19.7	7.4-32.0
College Graduate	93	13,476	2	3.3	0.0- 8.4	9	9.7	1.7-17.7	20	27.2	14.3-40.1	37	36.8	23.5-50.1	25	23.0	12.0-34.0
\$75,000+	65	12,950	1	0.8	0.0- 2.4	3	7.5	0.0-16.9	18	29.4	16.3-42.5	32	47.1	31.0-63.2	11	15.2	4.6-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	263	44,082	7	2.9	0.0- 5.8	39	17.5	10.6-24.4	61	20.0	13.5-26.5	101	41.6	33.2-50.0	55	17.9	11.4-24.4
White/Non-Hisp	155	23,646	5	4.7	0.0-10.0	16	8.5	3.6-13.4	28	17.7	9.7-25.7	66	45.9	34.9-56.9	40	23.2	13.8-32.6
Black or Afr. Am./Non-Hisp	62	15,829	1	0.8	0.0- 2.4	14	28.7	12.8-44.6	13	17.8	5.6-30.0	21	37.7	21.4-54.0	13	15.0	4.0-26.0
55-64	63	10,189	2	2.3	0.0- 5.4	8	16.8	4.6-29.0	14	18.0	5.7-30.3	35	60.7	45.2-76.2	4	2.3	0.0- 5.2
65+	136	21,644				9	6.1	0.2-12.0	17	12.6	5.2-20.0	59	45.8	33.8-57.8	51	35.5	23.9-47.1
H.S. or G.E.D.	95	17,046	3	5.0	0.0-12.1	20	26.0	12.3-39.7	19	17.2	7.0-27.4	33	39.4	24.5-54.3	20	12.4	5.1-19.7
Some Post-H.S.	70	12,127	1	1.0	0.0- 3.0	7	11.2	0.8-21.6	13	21.7	7.0-36.4	33	44.9	29.4-60.4	16	21.2	8.5-33.9
College Graduate	60	8,523	3	3.6	0.0- 7.7	8	15.6	2.9-28.3	15	19.0	8.2-29.8	24	48.9	31.3-66.5	10	12.8	1.2-24.4
\$15,000- 24,999	55	7,250	2	2.4	0.0- 6.1	14	22.1	8.6-35.6	14	18.8	7.0-30.6	13	41.7	19.7-63.7	12	14.9	4.1-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 7: ORAL HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1 MALES AND FEMALES	79
2 MALES ONLY	80
3 FEMALES ONLY	81
NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4 MALES AND FEMALES	82
5 MALES ONLY	83
6 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1493	274,601	473	33.9	30.6-37.2	449	30.8	27.5-34.1	515	32.5	29.2-35.8	56	2.8	1.8- 3.8
Male	736	146,798	218	33.5	28.6-38.4	227	28.7	24.2-33.2	263	34.7	29.8-39.6	28	3.1	1.3- 4.9
Female	757	127,803	255	34.4	29.7-39.1	222	33.2	28.1-38.3	252	29.9	25.4-34.4	28	2.5	1.3- 3.7
White/Non-Hisp	815	151,985	253	32.8	28.5-37.1	235	28.6	24.5-32.7	320	37.4	32.9-41.9	7	1.2	0.2- 2.2
Black or Afr. Am./Non-Hisp	253	71,916	80	34.1	26.5-41.7	87	35.6	27.6-43.6	81	28.2	20.8-35.6	5	2.1	0.0- 4.6
Oth. Race/Non-Hisp.	56	9,810	18	46.3	28.3-64.3	20	21.8	10.6-33.0	15	25.0	10.9-39.1	3	6.9	0.0-14.5
Hispanic	296	30,689	94	31.9	23.1-40.7	87	34.0	23.6-44.4	77	23.3	16.4-30.2	38	10.8	6.5-15.1
18-24	112	30,386	39	35.4	23.2-47.6	51	45.7	32.0-59.4	18	14.9	5.3-24.5	4	4.0	0.0- 9.7
25-34	232	53,715	80	40.4	31.2-49.6	63	26.6	19.0-34.2	70	29.3	21.1-37.5	19	3.7	1.5- 5.9
35-44	238	42,871	82	36.1	27.7-44.5	65	26.3	18.7-33.9	74	33.4	25.2-41.6	17	4.2	1.7- 6.7
45-54	233	39,775	78	40.0	31.4-48.6	71	28.1	20.7-35.5	81	31.0	23.4-38.6	3	0.8	0.0- 1.8
55-64	284	46,047	90	28.7	22.0-35.4	82	32.7	25.3-40.1	109	37.6	30.2-45.0	3	0.9	0.0- 2.1
65+	394	61,806	104	25.9	20.0-31.8	117	30.4	23.9-36.9	163	40.5	33.4-47.6	10	3.2	0.7- 5.7
Less Than H.S.	294	50,369	69	20.3	13.6-27.0	84	30.1	21.3-38.9	103	40.8	32.2-49.4	38	8.8	5.1-12.5
H.S. or G.E.D.	541	102,554	145	28.7	23.4-34.0	172	33.2	27.7-38.7	215	36.3	30.8-41.8	9	1.9	0.1- 3.7
Some Post-H.S.	363	74,709	128	40.9	33.6-48.2	104	28.7	22.2-35.2	128	29.9	23.4-36.4	3	0.4	0.0- 1.0
College Graduate	292	46,424	129	48.6	40.8-56.4	88	29.3	22.4-36.2	69	19.8	13.5-26.1	6	2.3	0.3- 4.3
Less than \$15,000	227	30,351	56	22.0	14.7-29.3	65	29.7	20.1-39.3	88	43.1	33.3-52.9	18	5.3	2.6- 8.0
\$15,000- 24,999	292	47,448	65	25.2	18.5-31.9	94	35.4	28.0-42.8	125	36.6	29.5-43.7	8	2.8	0.1- 5.5
\$25,000- 34,999	154	32,095	46	29.5	19.1-39.9	42	21.8	14.4-29.2	61	46.2	34.2-58.2	5	2.5	0.0- 5.2
\$35,000- 49,999	151	30,070	53	38.8	28.4-49.2	50	29.1	20.1-38.1	44	29.1	19.9-38.3	4	2.9	0.0- 6.0
\$50,000- 74,999	144	29,094	60	44.0	33.0-55.0	46	36.1	25.3-46.9	35	18.6	10.6-26.6	3	1.3	0.0- 2.9
\$75,000+	220	49,270	97	46.0	36.6-55.4	68	30.8	22.0-39.6	51	22.0	14.7-29.3	4	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	736	146,798	218	33.5	28.6-38.4	227	28.7	24.4-33.0	263	34.7	29.8-39.6	28	3.1	1.3- 4.9
White/Non-Hisp	412	80,134	118	32.8	26.5-39.1	128	27.6	22.5-32.7	163	38.4	32.3-44.5	3	1.2	0.0- 2.8
Black or Afr. Am./Non-Hisp	109	38,848	27	29.8	18.6-41.0	37	33.3	22.1-44.5	42	33.8	22.2-45.4	3	3.0	0.0- 7.5
Hispanic	145	16,890	46	35.5	23.3-47.7	42	27.7	17.7-37.7	39	26.2	16.2-36.2	18	10.5	4.8-16.2
18-24	65	15,398	25	43.0	26.5-59.5	28	31.5	18.0-45.0	8	17.7	1.6-33.8	4	7.8	0.0-18.6
25-34	108	29,857	34	41.3	27.8-54.8	28	25.5	15.5-35.5	36	30.7	18.9-42.5	10	2.4	0.8- 4.0
35-44	120	24,733	42	33.8	22.6-45.0	35	29.7	18.3-41.1	38	33.2	21.6-44.8	5	3.3	0.0- 6.6
45-54	115	23,204	38	42.2	29.7-54.7	37	28.0	17.4-38.6	38	28.8	18.4-39.2	2	1.0	0.0- 2.6
55-64	133	22,676	30	22.5	13.3-31.7	36	26.0	16.2-35.8	65	49.9	38.9-60.9	2	1.6	0.0- 4.0
65+	195	30,929	49	22.5	14.9-30.1	63	31.8	22.4-41.2	78	41.7	31.3-52.1	5	4.0	0.0- 8.3
Less Than H.S.	147	27,246	31	18.2	9.2-27.2	45	31.1	19.9-42.3	53	41.7	30.1-53.3	18	9.1	3.4-14.8
H.S. or G.E.D.	274	55,522	65	27.9	20.6-35.2	93	31.3	24.0-38.6	110	38.5	30.7-46.3	6	2.4	0.0- 5.5
Some Post-H.S.	160	37,524	54	43.0	31.8-54.2	48	25.5	17.3-33.7	58	31.5	21.5-41.5			
College Graduate	155	26,507	68	47.5	36.7-58.3	41	25.2	16.4-34.0	42	24.4	14.8-34.0	4	3.0	0.1- 5.9
Less than \$15,000	94	12,372	19	16.1	7.5-24.7	27	35.6	18.4-52.8	39	42.6	27.3-57.9	9	5.6	1.5- 9.7
\$15,000- 24,999	119	19,945	24	23.1	13.3-32.9	38	34.3	23.5-45.1	51	36.4	25.0-47.8	6	6.2	0.0-12.7
\$25,000- 34,999	76	18,400	19	23.0	9.1-36.9	18	17.8	8.4-27.2	36	56.6	40.5-72.7	3	2.6	0.0- 5.9
\$35,000- 49,999	78	14,746	20	31.0	16.3-45.7	30	34.1	21.2-47.0	26	33.1	20.0-46.2	2	1.8	0.0- 4.5
\$50,000- 74,999	79	16,187	30	40.6	25.5-55.7	24	35.9	21.0-50.8	23	21.9	9.7-34.1	2	1.7	0.0- 4.1
\$75,000+	136	31,976	55	48.0	36.2-59.8	46	25.6	17.0-34.2	34	25.6	16.0-35.2	1	0.8	0.0- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	757	127,803	255	34.4	29.7-39.1	222	33.2	27.9-38.5	252	29.9	25.4-34.4	28	2.5	1.3- 3.7
White/Non-Hisp	403	71,851	135	32.8	26.9-38.7	107	29.8	23.9-35.7	157	36.2	29.9-42.5	4	1.2	0.0- 2.6
Black or Afr. Am./Non-Hisp	144	33,068	53	39.1	28.5-49.7	50	38.2	26.8-49.6	39	21.6	13.6-29.6	2	1.0	0.0- 2.6
Hispanic	151	13,799	48	27.5	15.5-39.5	45	41.6	24.0-59.2	38	19.7	11.1-28.3	20	11.2	4.5-17.9
25-34	124	23,858	46	39.3	27.5-51.1	35	28.0	17.6-38.4	34	27.4	16.6-38.2	9	5.3	1.0- 9.6
35-44	118	18,138	40	39.3	26.8-51.8	30	21.7	12.5-30.9	36	33.6	22.0-45.2	12	5.5	1.6- 9.4
45-54	118	16,571	40	36.9	25.9-47.9	34	28.2	18.2-38.2	43	34.2	23.6-44.8	1	0.7	0.0- 2.1
55-64	151	23,371	60	34.8	25.2-44.4	46	39.3	28.5-50.1	44	25.7	16.7-34.7	1	0.1	0.0- 0.3
65+	199	30,877	55	29.3	20.7-37.9	54	28.9	20.1-37.7	85	39.3	29.7-48.9	5	2.5	0.0- 5.0
Less Than H.S.	147	23,123	38	22.7	12.5-32.9	39	29.0	15.1-42.9	50	39.8	27.1-52.5	20	8.5	3.6-13.4
H.S. or G.E.D.	267	47,032	80	29.7	22.3-37.1	79	35.4	27.0-43.8	105	33.7	26.3-41.1	3	1.3	0.0- 3.1
Some Post-H.S.	203	37,185	74	38.9	30.1-47.7	56	32.0	23.0-41.0	70	28.2	20.4-36.0	3	0.8	0.0- 1.8
College Graduate	137	19,918	61	50.1	38.5-61.7	47	34.7	23.9-45.5	27	13.7	6.8-20.6	2	1.5	0.0- 3.9
Less than \$15,000	133	17,980	37	26.0	15.8-36.2	38	25.7	15.9-35.5	49	43.3	31.9-54.7	9	5.0	1.3- 8.7
\$15,000- 24,999	173	27,502	41	26.8	18.2-35.4	56	36.2	26.8-45.6	74	36.7	27.9-45.5	2	0.3	0.0- 0.7
\$25,000- 34,999	78	13,695	27	38.2	23.3-53.1	24	27.2	15.4-39.0	25	32.2	16.9-47.5	2	2.4	0.0- 6.7
\$35,000- 49,999	73	15,324	33	46.4	31.5-61.3	20	24.3	12.0-36.6	18	25.3	12.0-38.6	2	4.0	0.0- 9.7
\$50,000- 74,999	65	12,908	30	48.3	32.4-64.2	22	36.4	20.9-51.9	12	14.4	4.6-24.2	1	0.8	0.0- 2.6
\$75,000+	84	17,294	42	42.4	26.9-57.9	22	40.2	22.8-57.6	17	15.5	5.9-25.1	3	1.9	0.0- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	104,944	449	65.4	59.9-70.9	206	34.6	29.1-40.1
Male	299	48,192	208	66.4	57.8-75.0	91	33.6	25.0-42.2
Female	356	56,752	241	64.5	57.6-71.4	115	35.5	28.6-42.4
White/Non-Hisp	462	69,793	316	68.1	62.4-73.8	146	31.9	26.2-37.6
Black or Afr. Am./Non-Hisp	105	24,874	69	53.9	39.8-68.0	36	46.1	32.0-60.2
45-54	70	10,540	53	76.5	63.6-89.4	17	23.5	10.6-36.4
55-64	163	27,223	116	73.6	65.2-82.0	47	26.4	18.0-34.8
65+	368	56,154	236	57.4	49.6-65.2	132	42.6	34.8-50.4
Less Than H.S.	105	22,510	66	57.5	43.4-71.6	39	42.5	28.4-56.6
H.S. or G.E.D.	257	43,312	157	59.5	51.1-67.9	100	40.5	32.1-48.9
Some Post-H.S.	163	24,401	120	75.6	66.4-84.8	43	24.4	15.2-33.6
College Graduate	129	14,654	105	77.9	67.5-88.3	24	22.1	11.7-32.5
Less than \$15,000	86	12,146	56	64.8	51.5-78.1	30	35.2	21.9-48.5
\$15,000- 24,999	130	17,205	77	58.5	47.3-69.7	53	41.5	30.3-52.7
\$25,000- 34,999	73	13,183	51	57.6	38.6-76.6	22	42.4	23.4-61.4
\$35,000- 49,999	78	14,920	57	71.5	57.2-85.8	21	28.5	14.2-42.8
\$50,000- 74,999	69	12,241	54	78.5	66.9-90.1	15	21.5	9.9-33.1
\$75,000+	85	13,581	70	75.4	61.1-89.7	15	24.6	10.3-38.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	299	48,192	208	66.4	57.8-75.0	91	33.6	25.0-42.2	
White/Non-Hisp	228	32,455	164	73.9	66.6-81.2	64	26.1	18.8-33.4	
55-64	73	12,561	49	68.0	53.9-82.1	24	32.0	17.9-46.1	
65+	173	26,320	115	58.1	45.4-70.8	58	41.9	29.2-54.6	
H.S. or G.E.D.	109	19,833	75	66.0	52.1-79.9	34	34.0	20.1-47.9	
Some Post-H.S.	68	10,202	47	69.1	53.6-84.6	21	30.9	15.4-46.4	
College Graduate	77	8,270	58	75.5	63.7-87.3	19	24.5	12.7-36.3	
\$15,000- 24,999	51	6,402	29	54.5	34.9-74.1	22	45.5	25.9-65.1	
\$75,000+	52	8,838	44	75.4	56.4-94.4	8	24.6	5.6-43.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	356	56,752	241	64.5	57.6-71.4	115	35.5	28.6-42.4	
White/Non-Hisp	234	37,338	152	63.0	54.6-71.4	82	37.0	28.6-45.4	
Black or Afr. Am./Non-Hisp	75	14,596	51	61.6	47.5-75.7	24	38.4	24.3-52.5	
55-64	90	14,662	67	78.5	68.7-88.3	23	21.5	11.7-31.3	
65+	195	29,834	121	56.7	46.9-66.5	74	43.3	33.5-53.1	
Less Than H.S.	60	12,623	38	58.0	40.9-75.1	22	42.0	24.9-59.1	
H.S. or G.E.D.	148	23,479	82	54.0	43.8-64.2	66	46.0	35.8-56.2	
Some Post-H.S.	95	14,199	73	80.3	69.7-90.9	22	19.7	9.1-30.3	
College Graduate	52	6,384	47	81.0	62.4-99.6	5	19.0	0.4-37.6	
Less than \$15,000	54	8,559	34	61.4	44.0-78.8	20	38.6	21.2-56.0	
\$15,000- 24,999	79	10,803	48	60.8	47.3-74.3	31	39.2	25.7-52.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	89
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)	
7 MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16 MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19 MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43	MALES AND FEMALES	131
44	MALES ONLY	132
45	FEMALES ONLY	133
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46	MALES AND FEMALES	134
47	MALES ONLY	135
48	FEMALES ONLY	136
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49	MALES AND FEMALES	137
50	MALES ONLY	138
51	FEMALES ONLY	139
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52	MALES AND FEMALES	140
53	MALES ONLY	141
54	FEMALES ONLY	142
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55	MALES AND FEMALES	143
56	MALES ONLY	144
57	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4025	780,514	277	11.1	9.3-12.9	470	16.2	14.4-18.0	551	15.0	13.4-16.6	627	15.0	13.6-16.4	813	17.5	15.9-19.1	1287	25.2	23.4-27.0
Male	1789	373,074	144	11.8	9.3-14.3	208	17.1	14.2-20.0	236	15.4	13.0-17.8	274	15.1	12.9-17.3	361	17.1	14.9-19.3	566	23.6	21.1-26.1
Female	2236	407,440	133	10.5	8.1-12.9	262	15.4	13.0-17.8	315	14.6	12.6-16.6	353	15.0	13.0-17.0	452	17.9	15.9-19.9	721	26.7	24.3-29.1
White/Non-Hisp	2627	489,719	120	8.3	6.5-10.1	208	14.6	12.4-16.8	282	12.7	11.1-14.3	386	14.2	12.6-15.8	581	19.3	17.5-21.1	1050	30.9	28.7-33.1
Black or Afr. Am./Non-Hisp	535	161,080	47	15.9	10.8-21.0	64	13.6	9.5-17.7	61	14.8	10.5-19.1	106	19.1	15.0-23.2	135	18.5	14.6-22.4	122	18.2	13.9-22.5
Oth. Race/Non-Hisp.	135	30,212	11	13.8	2.4-25.2	24	21.3	11.1-31.5	27	26.1	15.7-36.5	17	12.2	4.8-19.6	25	10.1	4.8-15.4	31	16.5	8.5-24.5
MultiRacial/Non-Hisp.	98	16,652	13	20.0	6.5-33.5	15	14.9	6.3-23.5	21	31.6	16.3-46.9	14	11.5	3.3-19.7	15	6.8	2.3-11.3	20	15.2	5.2-25.2
Hispanic	541	64,982	82	18.6	12.5-24.7	151	34.3	27.4-41.2	154	25.1	20.0-30.2	83	11.0	7.9-14.1	41	6.6	4.1- 9.1	30	4.3	2.3- 6.3
Less Than H.S.	456	82,965	46	10.7	5.4-16.0	106	24.3	18.2-30.4	100	18.7	13.4-24.0	60	8.3	5.6-11.0	57	14.1	9.8-18.4	87	23.9	17.6-30.2
H.S. or G.E.D.	1157	245,693	98	13.3	10.0-16.6	129	16.0	12.9-19.1	127	11.7	9.3-14.1	181	15.5	12.8-18.2	252	19.3	16.4-22.2	370	24.3	21.2-27.4
Some Post-H.S.	1015	221,805	88	14.4	11.1-17.7	110	16.6	12.9-20.3	109	11.1	8.6-13.6	157	15.2	12.5-17.9	207	16.0	13.3-18.7	344	26.7	23.4-30.0
College Graduate	1383	228,212	45	5.9	3.5- 8.3	124	13.1	10.4-15.8	214	21.0	17.9-24.1	224	16.7	14.2-19.2	294	18.2	15.8-20.6	482	25.2	22.5-27.9
Less than \$15,000	348	51,228	28	12.8	5.5-20.1	64	17.5	12.0-23.0	68	16.9	10.6-23.2	49	11.1	7.4-14.8	71	19.9	14.2-25.6	68	21.8	15.1-28.5
\$15,000- 24,999	534	90,584	46	14.9	10.4-19.4	69	16.9	12.2-21.6	72	11.7	8.4-15.0	91	15.6	11.7-19.5	85	14.9	11.0-18.8	171	26.1	21.4-30.8
\$25,000- 34,999	335	65,445	23	7.8	3.1-12.5	41	21.1	13.3-28.9	48	14.3	9.4-19.2	37	9.1	5.4-12.8	53	13.2	8.7-17.7	133	34.5	27.2-41.8
\$35,000- 49,999	391	75,372	26	14.6	7.9-21.3	52	18.0	12.7-23.3	41	11.6	7.7-15.5	42	9.1	5.8-12.4	90	18.8	14.1-23.5	140	27.8	22.1-33.5
\$50,000- 74,999	493	98,756	30	9.7	5.6-13.8	63	17.2	12.3-22.1	68	15.3	10.6-20.0	55	14.1	9.8-18.4	113	19.8	15.3-24.3	164	23.9	19.2-28.6
\$75,000+	1123	246,206	44	8.6	5.5-11.7	96	15.1	11.6-18.6	178	19.5	16.4-22.6	240	19.9	17.0-22.8	255	17.3	14.8-19.8	310	19.6	16.9-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	373,074	144	11.8	9.3-14.3	208	17.1	14.2-20.0	236	15.4	13.0-17.8	274	15.1	12.9-17.3	361	17.1	14.9-19.3	566	23.6	21.1-26.1
White/Non-Hisp	1195	233,065	66	9.4	6.9-11.9	96	15.0	11.7-18.3	120	13.4	10.9-15.9	177	14.7	12.2-17.2	264	18.6	16.1-21.1	472	29.0	25.9-32.1
Black or Afr. Am./Non-Hisp	188	74,047	18	16.3	8.1-24.5	22	13.5	6.8-20.2	19	13.4	6.5-20.3	40	19.3	12.6-26.0	49	20.1	13.4-26.8	40	17.4	10.3-24.5
Oth. Race/Non-Hisp.	65	16,092	8	19.2	0.4-38.0	10	21.1	5.2-37.0	12	24.4	9.7-39.1	7	13.3	1.1-25.5	12	7.3	1.2-13.4	16	14.8	5.0-24.6
Hispanic	251	33,717	48	17.1	11.4-22.8	64	36.1	26.1-46.1	71	26.3	18.9-33.7	36	9.8	5.5-14.1	21	7.6	3.7-11.5	11	3.2	1.0- 5.4
Less Than H.S.	223	45,551	29	9.6	5.1-14.1	49	25.9	16.9-34.9	50	21.7	13.5-29.9	26	7.4	3.7-11.1	34	15.5	9.4-21.6	35	19.9	11.3-28.5
H.S. or G.E.D.	533	124,047	57	16.4	11.1-21.7	63	15.5	11.0-20.0	67	13.7	10.0-17.4	86	15.3	11.4-19.2	125	20.5	16.2-24.8	135	18.5	14.4-22.6
Some Post-H.S.	420	99,596	37	12.4	7.7-17.1	46	20.8	14.1-27.5	39	9.6	5.9-13.3	76	18.0	13.3-22.7	85	14.2	10.5-17.9	137	25.1	20.2-30.0
College Graduate	610	103,396	21	6.8	2.9-10.7	49	11.4	7.5-15.3	80	20.2	15.3-25.1	85	15.3	11.6-19.0	117	16.5	13.0-20.0	258	29.7	25.2-34.2
Less than \$15,000	143	20,991	17	17.8	3.5-32.1	28	21.8	11.2-32.4	29	19.6	7.4-31.8	19	9.8	4.1-15.5	33	20.3	11.5-29.1	17	10.8	4.9-16.7
\$15,000- 24,999	195	34,953	17	13.1	6.4-19.8	20	16.4	7.6-25.2	26	10.6	5.5-15.7	30	12.8	7.3-18.3	36	20.2	12.2-28.2	66	27.0	19.2-34.8
\$25,000- 34,999	143	33,517	13	11.2	2.6-19.8	19	23.9	11.6-36.2	22	17.6	9.0-26.2	16	6.8	2.7-10.9	20	12.0	5.1-18.9	53	28.5	17.9-39.1
\$35,000- 49,999	166	30,521	11	14.6	4.6-24.6	22	18.1	9.7-26.5	17	14.5	7.1-21.9	19	10.8	4.9-16.7	38	16.2	9.9-22.5	59	25.9	17.9-33.9
\$50,000- 74,999	229	48,642	18	11.7	5.8-17.6	29	16.9	9.6-24.2	25	13.6	6.7-20.5	29	16.1	9.2-23.0	50	20.5	13.4-27.6	78	21.2	15.1-27.3
\$75,000+	590	132,566	25	8.6	4.3-12.9	52	16.1	11.0-21.2	86	17.9	13.8-22.0	112	19.2	15.1-23.3	129	16.8	13.3-20.3	186	21.5	17.6-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	407,440	133	10.5	8.1-12.9	262	15.4	13.0-17.8	315	14.6	12.6-16.6	353	15.0	13.0-17.0	452	17.9	15.9-19.9	721	26.7	24.3-29.1
White/Non-Hisp	1432	256,654	54	7.2	5.0- 9.4	112	14.2	11.3-17.1	162	12.1	9.9-14.3	209	13.9	11.7-16.1	317	20.0	17.5-22.5	578	32.7	29.8-35.6
Black or Afr. Am./Non-Hisp	347	87,033	29	15.4	9.1-21.7	42	13.6	8.7-18.5	42	16.0	10.7-21.3	66	18.9	13.4-24.4	86	17.2	12.5-21.9	82	18.8	13.7-23.9
Oth. Race/Non-Hisp.	70	14,120	3	7.6	0.0-17.0	14	21.5	9.5-33.5	15	28.1	13.4-42.8	10	11.0	3.0-19.0	13	13.3	4.3-22.3	15	18.5	5.8-31.2
MultiRacial/Non-Hisp.	55	10,754	13	31.0	11.6-50.4	5	8.2	0.0-16.8	10	27.3	6.5-48.1	10	14.9	2.6-27.2	6	5.7	0.2-11.2	11	12.9	1.7-24.1
Hispanic	290	31,265	34	20.3	9.5-31.1	87	32.4	23.6-41.2	83	23.8	16.9-30.7	47	12.4	7.9-16.9	20	5.6	2.5- 8.7	19	5.6	2.3- 8.9
Less Than H.S.	233	37,413	17	11.9	1.7-22.1	57	22.5	14.7-30.3	50	15.1	9.2-21.0	34	9.5	5.6-13.4	23	12.5	6.2-18.8	52	28.6	19.6-37.6
H.S. or G.E.D.	624	121,647	41	10.2	6.3-14.1	66	16.5	12.0-21.0	60	9.6	6.7-12.5	95	15.6	11.9-19.3	127	18.0	14.3-21.7	235	30.1	25.6-34.6
Some Post-H.S.	595	122,209	51	16.0	11.3-20.7	64	13.3	9.4-17.2	70	12.2	8.5-15.9	81	13.0	9.7-16.3	122	17.6	13.7-21.5	207	28.0	23.5-32.5
College Graduate	773	124,816	24	5.1	2.4- 7.8	75	14.5	10.8-18.2	134	21.7	17.6-25.8	139	17.8	14.3-21.3	177	19.5	16.2-22.8	224	21.4	17.9-24.9
Less than \$15,000	205	30,237	11	9.3	2.6-16.0	36	14.5	8.6-20.4	39	15.1	8.4-21.8	30	12.0	7.1-16.9	38	19.6	12.2-27.0	51	29.5	19.7-39.3
\$15,000- 24,999	339	55,631	29	16.0	10.1-21.9	49	17.2	11.7-22.7	46	12.4	8.1-16.7	61	17.3	11.8-22.8	49	11.6	7.7-15.5	105	25.5	19.6-31.4
\$25,000- 34,999	192	31,928	10	4.3	1.2- 7.4	22	18.2	9.2-27.2	26	10.8	6.1-15.5	21	11.4	5.3-17.5	33	14.5	8.6-20.4	80	40.8	31.4-50.2
\$35,000- 49,999	225	44,851	15	14.7	5.9-23.5	30	18.0	10.9-25.1	24	9.7	5.4-14.0	23	7.9	4.0-11.8	52	20.5	13.8-27.2	81	29.1	21.3-36.9
\$50,000- 74,999	264	50,114	12	7.7	2.2-13.2	34	17.5	10.6-24.4	43	17.0	10.7-23.3	26	12.2	6.7-17.7	63	19.0	13.5-24.5	86	26.6	19.5-33.7
\$75,000+	533	113,640	19	8.6	3.9-13.3	44	14.0	9.5-18.5	92	21.4	16.7-26.1	128	20.8	16.5-25.1	126	17.8	14.1-21.5	124	17.3	13.6-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	771,374	191	3.7	2.9- 4.5	85	1.3	0.9- 1.7	9	0.1	0.1- 0.1	252	3.3	2.7- 3.9	4	0.1	0.1- 0.1	3440	91.6	90.4-92.8
Male	1770	368,393	96	4.4	3.0- 5.8	32	1.3	0.7- 1.9	7	0.2	0.0- 0.4	113	3.2	2.4- 4.0	3	0.1	0.0- 0.3	1519	90.8	89.2-92.4
Female	2211	402,981	95	3.0	2.2- 3.8	53	1.3	0.9- 1.7	2	0.0	0.0- 0.0	139	3.5	2.3- 4.7	1	0.0	0.0- 0.0	1921	92.2	90.8-93.6
18-24	274	85,914	27	3.9	1.9- 5.9	5	0.6	0.0- 1.4	2	0.4	0.0- 1.2	47	8.9	4.4-13.4	1	0.3	0.0- 0.9	192	85.9	80.8-91.0
25-34	466	125,758	46	8.4	4.9-11.9	24	3.1	1.1- 5.1	1	0.1	0.0- 0.3	79	6.1	4.1- 8.1	1	0.1	0.0- 0.3	315	82.3	78.0-86.6
35-44	548	115,797	64	7.1	4.7- 9.5	22	2.2	1.0- 3.4	1	0.1	0.0- 0.3	67	4.7	3.1- 6.3				394	85.9	83.0-88.8
45-54	615	114,863	33	2.8	1.6- 4.0	13	1.1	0.3- 1.9	2	0.1	0.0- 0.3	33	2.1	1.1- 3.1	2	0.2	0.0- 0.4	532	93.8	92.0-95.6
55-64	806	134,986	14	1.7	0.7- 2.7	14	0.7	0.3- 1.1	2	0.1	0.0- 0.3	11	0.8	0.2- 1.4				765	96.8	95.6-98.0
65+	1272	194,055	7	0.3	0.1- 0.5	7	0.4	0.0- 0.8	1	0.0	0.0- 0.0	15	0.7	0.3- 1.1				1242	98.6	98.0-99.2
Less Than H.S.	451	81,844	106	22.7	17.0-28.4	12	1.6	0.6- 2.6	1	0.4	0.0- 1.2	164	19.7	14.6-24.8	3	0.3	0.0- 0.7	165	55.3	48.4-62.2
H.S. or G.E.D.	1143	242,256	47	2.2	1.2- 3.2	30	1.4	0.6- 2.2	3	0.1	0.1- 0.1	39	2.2	1.2- 3.2				1024	94.1	92.5-95.7
Some Post-H.S.	1005	220,157	22	1.2	0.2- 2.2	26	1.7	0.7- 2.7	3	0.1	0.0- 0.3	20	0.8	0.2- 1.4				934	96.2	94.8-97.6
College Graduate	1372	225,708	16	0.7	0.3- 1.1	17	0.6	0.2- 1.0	2	0.1	0.0- 0.3	27	1.0	0.4- 1.6	1	0.1	0.0- 0.3	1309	97.5	96.7-98.3
Less than \$15,000	346	50,964	53	13.5	8.6-18.4	15	2.2	0.8- 3.6	1	0.1	0.0- 0.3	85	12.5	9.0-16.0	2	0.4	0.0- 1.0	190	71.3	65.0-77.6
\$15,000- 24,999	528	89,782	48	6.8	4.4- 9.2	13	1.3	0.3- 2.3	2	0.1	0.0- 0.3	39	3.8	2.2- 5.4	1	0.1	0.0- 0.3	425	88.0	85.1-90.9
\$25,000- 34,999	334	65,106	23	7.4	2.7-12.1	14	2.2	0.6- 3.8	1	0.1	0.0- 0.3	20	4.0	1.5- 6.5				276	86.2	80.7-91.7
\$35,000- 49,999	386	74,730	11	2.0	0.2- 3.8	6	1.1	0.1- 2.1				13	2.8	1.0- 4.6				356	94.1	91.4-96.8
\$50,000- 74,999	490	98,160	6	0.7	0.1- 1.3	6	0.4	0.0- 0.8	1	0.3	0.0- 0.9	13	1.5	0.5- 2.5	1	0.2	0.0- 0.6	463	96.9	95.5-98.3
\$75,000+	1115	243,826	8	0.7	0.0- 1.5	15	1.1	0.5- 1.7	4	0.1	0.0- 0.3	14	1.3	0.0- 2.9				1074	96.8	95.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	368,393	96	4.4	3.0- 5.8	32	1.3	0.7- 1.9	7	0.2	0.0- 0.4	113	3.2	2.4- 4.0	3	0.1	0.0- 0.3	1519	90.8	89.2-92.4
18-24	141	43,167	13	3.0	1.0- 5.0	2	0.2	0.0- 0.6	2	0.8	0.0- 2.2	30	8.8	4.9-12.7	1	0.5	0.0- 1.5	93	86.6	81.7-91.5
25-34	205	63,188	21	9.7	3.8-15.6	12	4.2	0.9- 7.5	1	0.1	0.0- 0.3	29	5.1	2.6- 7.6	1	0.1	0.0- 0.3	141	80.8	73.7-87.9
35-44	234	56,406	38	9.9	5.8-14.0	4	1.1	0.0- 2.5	1	0.1	0.0- 0.3	28	4.5	2.3- 6.7				163	84.3	79.4-89.2
45-54	271	55,570	13	2.9	0.9- 4.9	5	0.7	0.0- 1.5	2	0.3	0.0- 0.7	15	2.0	0.6- 3.4	1	0.1	0.0- 0.3	235	94.1	91.6-96.6
55-64	359	63,110	7	2.0	0.2- 3.8	6	0.7	0.1- 1.3	1	0.1	0.0- 0.3	7	1.3	0.3- 2.3				338	95.9	93.7-98.1
65+	560	86,951	4	0.5	0.0- 1.1	3	0.5	0.0- 1.1				4	0.3	0.0- 0.7				549	98.8	98.0-99.6
Less Than H.S.	219	44,714	55	25.5	17.3-33.7	7	1.7	0.3- 3.1	1	0.7	0.0- 2.1	74	16.4	11.5-21.3	2	0.3	0.0- 0.7	80	55.4	46.0-64.8
H.S. or G.E.D.	529	122,783	21	2.0	0.8- 3.2	9	0.9	0.1- 1.7	2	0.1	0.0- 0.3	20	2.2	1.0- 3.4				477	94.8	92.8-96.8
Some Post-H.S.	415	98,893	13	1.8	0.0- 3.8	11	2.5	0.3- 4.7	3	0.2	0.0- 0.4	9	0.8	0.0- 1.6				379	94.8	91.9-97.7
College Graduate	604	101,517	7	0.7	0.1- 1.3	5	0.3	0.0- 0.7	1	0.1	0.0- 0.3	9	0.8	0.2- 1.4	1	0.2	0.0- 0.6	581	97.9	96.9-98.9
Less than \$15,000	143	20,991	30	20.0	10.2-29.8	4	1.9	0.0- 4.1	1	0.1	0.0- 0.3	41	16.6	9.7-23.5	1	0.3	0.0- 0.9	66	61.0	48.8-73.2
\$15,000- 24,999	193	34,687	22	7.3	3.6-11.0	2	0.2	0.0- 0.6				20	5.0	2.3- 7.7	1	0.2	0.0- 0.6	148	87.3	82.6-92.0
\$25,000- 34,999	142	33,178	13	11.9	3.1-20.7	5	1.2	0.0- 2.4	1	0.2	0.0- 0.6	10	4.1	1.2- 7.0				113	82.5	73.3-91.7
\$35,000- 49,999	164	30,184	6	3.2	0.0- 6.9	5	2.4	0.0- 4.9				7	3.6	0.5- 6.7				146	90.8	85.3-96.3
\$50,000- 74,999	227	48,352	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	7	1.4	0.2- 2.6	1	0.5	0.0- 1.5	213	96.7	94.5-98.9
\$75,000+	586	130,913	6	1.2	0.0- 2.6	8	0.9	0.1- 1.7	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4				564	97.4	95.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2211	402,981	95	3.0	2.2- 3.8	53	1.3	0.9- 1.7	2	0.0	0.0- 0.0	139	3.5	2.3- 4.7	1	0.0	0.0- 0.0	1921	92.2	90.8-93.6
18-24	133	42,747	14	4.8	1.5- 8.1	3	1.1	0.0- 2.5				17	9.0	0.8-17.2				99	85.2	76.4-94.0
25-34	261	62,570	25	7.1	3.2-11.0	12	2.0	0.4- 3.6				50	7.1	4.0-10.2				174	83.8	78.7-88.9
35-44	314	59,391	26	4.5	2.1- 6.9	18	3.2	1.4- 5.0				39	4.9	2.9- 6.9				231	87.5	83.8-91.2
45-54	344	59,293	20	2.7	1.3- 4.1	8	1.5	0.1- 2.9				18	2.2	1.0- 3.4	1	0.2	0.0- 0.6	297	93.5	91.1-95.9
55-64	447	71,876	7	1.4	0.2- 2.6	8	0.6	0.0- 1.2	1	0.0	0.0- 0.0	4	0.4	0.0- 0.8				427	97.6	96.2-99.0
65+	712	107,104	3	0.2	0.0- 0.4	4	0.3	0.0- 0.7	1	0.0	0.0- 0.0	11	1.1	0.3- 1.9				693	98.4	97.4-99.4
Less Than H.S.	232	37,130	51	19.4	12.1-26.7	5	1.5	0.1- 2.9				90	23.6	14.4-32.8	1	0.3	0.0- 0.9	85	55.2	45.2-65.2
H.S. or G.E.D.	614	119,472	26	2.5	1.3- 3.7	21	2.0	0.8- 3.2	1	0.0	0.0- 0.0	19	2.1	0.5- 3.7				547	93.4	91.0-95.8
Some Post-H.S.	590	121,264	9	0.7	0.0- 1.5	15	1.1	0.3- 1.9				11	0.8	0.2- 1.4				555	97.3	96.1-98.5
College Graduate	768	124,191	9	0.8	0.2- 1.4	12	0.8	0.2- 1.4	1	0.0	0.0- 0.0	18	1.2	0.4- 2.0				728	97.2	96.0-98.4
Less than \$15,000	203	29,973	23	8.9	4.2-13.6	11	2.4	0.4- 4.4				44	9.7	6.0-13.4	1	0.4	0.0- 1.2	124	78.6	72.1-85.1
\$15,000- 24,999	335	55,095	26	6.4	3.3- 9.5	11	2.0	0.6- 3.4	2	0.1	0.0- 0.3	19	3.1	1.1- 5.1				277	88.4	84.5-92.3
\$25,000- 34,999	192	31,928	10	2.8	0.3- 5.3	9	3.2	0.3- 6.1				10	4.0	0.0- 8.3				163	90.1	84.4-95.8
\$35,000- 49,999	222	44,546	5	1.2	0.0- 2.4	1	0.1	0.0- 0.3				6	2.3	0.1- 4.5				210	96.4	93.9-98.9
\$50,000- 74,999	263	49,808	2	0.7	0.0- 1.7	5	0.7	0.0- 1.5				6	1.5	0.0- 3.1				250	97.1	95.1-99.1
\$75,000+	529	112,912	2	0.1	0.0- 0.3	7	1.2	0.2- 2.2				10	2.6	0.0- 5.7				510	96.1	92.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3833	748,403	2717	65.5	63.3-67.7	568	21.6	19.4-23.8	33	0.5	0.3- 0.7	64	2.4	1.6- 3.2	9	0.2	0.0- 0.4	442	9.8	8.6-11.0
Male	1699	355,903	1222	65.4	61.9-68.9	209	20.8	17.5-24.1	19	0.5	0.1- 0.9	33	3.1	1.7- 4.5	4	0.2	0.0- 0.4	212	10.0	8.0-12.0
Female	2134	392,500	1495	65.6	62.7-68.5	359	22.3	19.6-25.0	14	0.4	0.2- 0.6	31	1.9	1.1- 2.7	5	0.2	0.0- 0.4	230	9.7	7.9-11.5
18-24	253	81,550	148	54.2	45.6-62.8	53	31.5	22.9-40.1	3	0.3	0.0- 0.7	10	4.6	0.1- 9.1	1	0.1	0.0- 0.3	38	9.3	5.2-13.4
25-34	426	116,707	249	63.1	56.8-69.4	72	19.3	13.8-24.8	2	0.3	0.0- 0.9	12	2.2	0.8- 3.6	3	0.6	0.0- 1.4	88	14.5	10.2-18.8
35-44	515	114,044	318	57.2	51.3-63.1	72	21.7	16.2-27.2	3	0.2	0.0- 0.4	21	6.3	3.2- 9.4	1	0.1	0.0- 0.3	100	14.5	10.6-18.4
45-54	591	112,125	403	62.2	56.9-67.5	109	26.3	21.2-31.4	3	0.6	0.0- 1.4	7	1.8	0.0- 3.6	2	0.1	0.0- 0.3	67	9.0	6.3-11.7
55-64	792	132,637	572	69.8	65.3-74.3	137	22.4	18.1-26.7	7	0.3	0.0- 0.7	8	1.2	0.2- 2.2	2	0.3	0.0- 0.9	66	6.0	4.2- 7.8
65+	1256	191,340	1027	75.8	72.1-79.5	125	15.3	11.8-18.8	15	0.7	0.1- 1.3	6	0.6	0.0- 1.2				83	7.6	5.6- 9.6
Less Than H.S.	361	67,430	178	52.0	44.6-59.4	56	23.3	15.9-30.7	6	0.9	0.1- 1.7	3	0.8	0.0- 1.8				118	23.0	17.5-28.5
H.S. or G.E.D.	1125	240,776	788	64.5	60.4-68.6	215	25.6	21.7-29.5	10	0.5	0.1- 0.9	7	1.1	0.0- 2.5	3	0.3	0.0- 0.7	102	8.1	5.9-10.3
Some Post-H.S.	985	215,713	721	68.7	64.4-73.0	138	20.0	16.1-23.9	10	0.5	0.1- 0.9	11	1.3	0.3- 2.3	2	0.1	0.0- 0.3	103	9.4	6.9-11.9
College Graduate	1353	223,167	1022	67.5	63.8-71.2	159	18.3	14.8-21.8	7	0.3	0.0- 0.7	43	5.5	3.5- 7.5	4	0.2	0.0- 0.4	118	8.1	6.3- 9.9
Less than \$15,000	304	47,460	162	48.5	40.1-56.9	65	32.8	23.8-41.8	6	1.4	0.0- 2.8	3	1.5	0.0- 4.0				68	15.9	10.6-21.2
\$15,000- 24,999	504	87,906	333	63.3	57.6-69.0	87	22.7	17.4-28.0	6	0.7	0.1- 1.3	5	1.4	0.2- 2.6	1	0.3	0.0- 0.9	72	11.6	8.1-15.1
\$25,000- 34,999	319	61,341	215	60.8	52.6-69.0	63	28.8	20.6-37.0	3	0.3	0.0- 0.7	6	1.4	0.0- 3.0				32	8.6	4.7-12.5
\$35,000- 49,999	380	73,360	273	68.8	61.9-75.7	59	18.9	12.6-25.2	6	1.6	0.0- 3.2	3	0.7	0.0- 1.5				39	10.0	5.9-14.1
\$50,000- 74,999	481	96,504	353	64.4	58.1-70.7	78	25.2	19.1-31.3				4	0.7	0.0- 1.5	2	0.3	0.0- 0.9	44	9.5	5.4-13.6
\$75,000+	1106	241,558	877	73.3	69.4-77.2	99	13.8	10.5-17.1	2	0.0	0.0- 0.0	27	4.3	2.1- 6.5	4	0.2	0.0- 0.6	97	8.4	6.2-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	355,903	1222	65.4	61.9-68.9	209	20.8	17.5-24.1	19	0.5	0.1- 0.9	33	3.1	1.7- 4.5	4	0.2	0.0- 0.4	212	10.0	8.0-12.0
18-24	128	41,549	80	57.9	45.2-70.6	24	29.4	16.7-42.1	3	0.6	0.0- 1.4	8	7.4	0.0-15.4				13	4.6	0.5- 8.7
25-34	188	57,197	106	61.5	51.7-71.3	28	18.7	10.3-27.1				4	1.6	0.0-3.2	2	0.8	0.0- 2.0	48	17.5	10.2-24.8
35-44	225	56,269	138	58.6	49.8-67.4	26	19.2	10.8-27.6	2	0.3	0.0- 0.7	9	6.5	1.6-11.4	1	0.2	0.0- 0.6	49	15.3	9.8-20.8
45-54	256	53,284	184	64.3	56.3-72.3	39	23.5	15.9-31.1	2	1.0	0.0- 2.8	3	2.6	0.0- 5.9	1	0.1	0.0- 0.3	27	8.6	4.5-12.7
55-64	354	62,635	260	67.8	60.7-74.9	50	23.4	16.5-30.3	4	0.3	0.0- 0.7	5	1.4	0.0- 2.8				35	7.1	4.0-10.2
65+	548	84,969	454	75.2	69.1-81.3	42	15.4	9.5-21.3	8	1.0	0.0- 2.0	4	1.2	0.0- 2.4				40	7.3	4.4-10.2
Less Than H.S.	184	37,884	86	49.1	38.5-59.7	28	26.4	15.0-37.8	5	1.5	0.0- 3.1	3	1.4	0.0- 3.0				62	21.6	14.5-28.7
H.S. or G.E.D.	518	121,382	369	65.0	58.9-71.1	90	25.5	19.6-31.4	5	0.6	0.0- 1.4	4	1.5	0.0- 4.0	1	0.2	0.0- 0.6	49	7.2	4.5- 9.9
Some Post-H.S.	403	96,011	293	66.0	59.1-72.9	48	19.7	13.4-26.0	4	0.2	0.0- 0.4	7	2.5	0.1- 4.9	1	0.0	0.0- 0.0	50	11.5	7.0-16.0
College Graduate	592	100,232	472	71.4	65.7-77.1	43	14.0	8.9-19.1	5	0.5	0.0- 1.1	19	6.1	3.0- 9.2	2	0.3	0.0- 0.9	51	7.7	5.0-10.4
Less than \$15,000	127	18,990	66	42.0	28.7-55.3	16	31.4	14.2-48.6	4	2.3	0.0- 5.0	1	0.4	0.0- 1.2				40	24.0	13.4-34.6
\$15,000- 24,999	179	33,493	117	64.6	55.0-74.2	27	23.5	14.3-32.7	2	0.6	0.0- 1.4	3	2.5	0.0- 5.4				30	8.7	4.6-12.8
\$25,000- 34,999	132	29,757	85	57.5	44.2-70.8	25	32.8	18.9-46.7	3	0.6	0.0- 1.2	2	0.4	0.0- 1.0				17	8.7	3.4-14.0
\$35,000- 49,999	159	29,130	128	75.2	64.6-85.8	15	14.4	4.4-24.4	2	1.8	0.0- 4.9	1	0.7	0.0- 2.1				13	8.0	2.5-13.5
\$50,000- 74,999	222	47,322	170	64.4	54.8-74.0	28	24.2	15.0-33.4				1	0.7	0.0- 2.1	2	0.6	0.0- 1.6	21	10.2	4.3-16.1
\$75,000+	581	130,448	460	72.1	66.4-77.8	44	11.7	7.4-16.0	2	0.0	0.0- 0.0	18	5.9	2.4- 9.4	1	0.1	0.0- 0.3	56	10.2	6.7-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2134	392,500	1495	65.6	62.7-68.5	359	22.3	19.6-25.0	14	0.4	0.2- 0.6	31	1.9	1.1- 2.7	5	0.2	0.0- 0.4	230	9.7	7.9-11.5
18-24	125	40,001	68	50.4	38.6-62.2	29	33.6	21.6-45.6				2	1.7	0.0- 4.6	1	0.2	0.0- 0.6	25	14.1	6.8-21.4
25-34	238	59,510	143	64.6	56.8-72.4	44	19.8	12.9-26.7	2	0.7	0.0- 1.9	8	2.7	0.3- 5.1	1	0.5	0.0- 1.5	40	11.6	7.1-16.1
35-44	290	57,775	180	55.8	48.0-63.6	46	24.1	16.7-31.5	1	0.1	0.0- 0.3	12	6.2	2.1-10.3				51	13.8	8.3-19.3
45-54	335	58,840	219	60.2	53.1-67.3	70	28.8	21.7-35.9	1	0.3	0.0- 0.9	4	1.1	0.0- 2.5	1	0.2	0.0- 0.6	40	9.4	5.7-13.1
55-64	438	70,003	312	71.5	66.0-77.0	87	21.5	16.2-26.8	3	0.4	0.0- 1.0	3	1.0	0.0- 2.2	2	0.5	0.0- 1.5	31	5.0	3.0- 7.0
65+	708	106,371	573	76.3	71.8-80.8	83	15.3	11.4-19.2	7	0.6	0.2- 1.0	2	0.1	0.0- 0.3				43	7.8	4.9-10.7
Less Than H.S.	177	29,545	92	55.8	45.4-66.2	28	19.4	11.2-27.6	1	0.2	0.0- 0.6							56	24.7	15.9-33.5
H.S. or G.E.D.	607	119,394	419	64.1	58.6-69.6	125	25.6	20.5-30.7	5	0.3	0.0- 0.7	3	0.6	0.0- 1.6	2	0.4	0.0- 1.0	53	9.0	5.9-12.1
Some Post-H.S.	582	119,702	428	70.9	65.6-76.2	90	20.2	15.3-25.1	6	0.7	0.0- 1.5	4	0.3	0.1- 0.5	1	0.2	0.0- 0.6	53	7.7	5.0-10.4
College Graduate	761	122,936	550	64.2	59.3-69.1	116	21.9	17.2-26.6	2	0.2	0.0- 0.6	24	5.1	2.7- 7.5	2	0.1	0.0- 0.3	67	8.5	6.0-11.0
Less than \$15,000	177	28,470	96	52.9	42.7-63.1	49	33.7	23.9-43.5	2	0.8	0.0- 2.2	2	2.2	0.0- 6.3				28	10.5	5.4-15.6
\$15,000- 24,999	325	54,413	216	62.4	55.1-69.7	60	22.2	15.7-28.7	4	0.7	0.0- 1.5	2	0.7	0.0- 1.7	1	0.5	0.0- 1.5	42	13.4	8.3-18.5
\$25,000- 34,999	187	31,584	130	63.9	54.5-73.3	38	25.1	16.5-33.7				4	2.4	0.0- 5.1				15	8.6	2.9-14.3
\$35,000- 49,999	221	44,230	145	64.7	55.7-73.7	44	22.0	14.0-30.0	4	1.4	0.0- 3.2	2	0.6	0.0- 1.6				26	11.3	5.4-17.2
\$50,000- 74,999	259	49,182	183	64.3	55.9-72.7	50	26.2	18.4-34.0				3	0.8	0.0- 1.8				23	8.7	3.2-14.2
\$75,000+	525	111,110	417	74.7	69.4-80.0	55	16.2	11.3-21.1				9	2.4	0.6- 4.2	3	0.4	0.0- 1.0	41	6.3	3.9- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	92	14,540	38	46.3	29.2-63.4	28	33.1	18.2-48.0	9	5.4	0.9- 9.9	6	3.1	0.4- 5.8	1	2.0	0.0- 5.9	10	10.1	1.7-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS  
TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3987	774,915	1902	50.4	48.2-52.6	538	10.6	9.4-11.8	411	6.8	5.8- 7.8	119	2.3	1.7- 2.9	797	25.4	23.4-27.4	220	4.5	3.7- 5.3			
Male	1777	371,582	938	53.0	49.7-56.3	200	9.3	7.5-11.1	107	3.5	2.3- 4.7	36	1.6	0.8- 2.4	394	27.4	24.3-30.5	102	5.1	3.7- 6.5			
Female	2210	403,333	964	48.0	45.1-50.9	338	11.8	10.0-13.6	304	9.7	8.1-11.3	83	2.9	1.9- 3.9	403	23.6	20.9-26.3	118	4.0	3.0- 5.0			
White/Non-Hisp	2608	486,660	1381	56.2	53.7-58.7	393	11.2	9.6-12.8	311	7.8	6.6- 9.0	47	1.3	0.9- 1.7	398	19.7	17.5-21.9	78	3.8	2.8- 4.8			
Black or Afr. Am./Non-Hisp	532	160,305	179	36.0	30.5-41.5	77	11.6	8.1-15.1	54	6.2	3.5- 8.9	26	4.0	1.8- 6.2	179	39.3	33.4-45.2	17	2.9	1.1- 4.7			
Oth. Race/Non-Hisp.	135	30,212	73	56.0	43.7-68.3	8	5.6	0.5-10.7	14	4.0	0.9- 7.1	1	0.0	0.0- 0.0	37	33.3	20.6-46.0	2	1.0	0.0- 2.6			
MultiRacial/Non-Hisp.	98	16,652	30	31.3	16.4-46.2	18	15.2	4.2-26.2	7	4.6	0.7- 8.5	4	4.3	0.0-10.6	36	43.5	28.6-58.4	3	1.1	0.0- 2.5			
Hispanic	536	64,747	196	41.7	34.8-48.6	30	4.0	2.0- 6.0	18	2.3	0.9- 3.7	41	6.9	3.4-10.4	134	28.1	22.2-34.0	117	16.9	12.8-21.0			
18-24	274	86,416	17	7.1	2.0-12.2	1	0.2	0.0- 0.6	1	1.9	0.0- 5.6	6	1.5	0.1- 2.9	226	84.9	78.6-91.2	23	4.5	2.3- 6.7			
25-34	469	126,280	143	34.2	28.1-40.3	25	6.2	2.9- 9.5	4	1.3	0.0- 3.1	18	2.3	0.5- 4.1	206	46.9	40.6-53.2	73	9.1	6.2-12.0			
35-44	548	116,238	291	57.7	52.2-63.2	63	10.6	7.5-13.7	6	0.6	0.0- 1.2	28	3.5	1.5- 5.5	108	20.7	16.0-25.4	52	6.8	4.3- 9.3			
45-54	615	114,969	356	64.4	59.7-69.1	94	12.6	9.5-15.7	19	2.0	0.8- 3.2	29	3.6	2.0- 5.2	84	13.3	10.0-16.6	33	4.1	2.1- 6.1			
55-64	804	135,498	434	60.3	56.0-64.6	157	14.6	11.7-17.5	59	7.7	5.3-10.1	28	3.2	1.2- 5.2	100	10.7	8.0-13.4	26	3.5	1.9- 5.1			
65+	1277	195,514	661	60.6	56.9-64.3	198	14.0	11.3-16.7	322	18.2	15.7-20.7	10	0.6	0.0- 1.2	73	5.4	3.6- 7.2	13	1.2	0.4- 2.0			
Less Than H.S.	453	82,783	147	38.0	30.9-45.1	43	10.6	6.7-14.5	45	7.7	4.6-10.8	37	6.3	3.0- 9.6	90	24.4	18.3-30.5	91	13.0	9.3-16.7			
H.S. or G.E.D.	1153	245,079	474	44.1	40.2-48.0	163	11.4	8.9-13.9	139	7.4	5.8- 9.0	40	2.6	1.6- 3.6	276	29.8	25.9-33.7	61	4.6	3.2- 6.0			
Some Post-H.S.	1002	220,086	471	48.6	44.3-52.9	146	10.8	8.6-13.0	117	7.9	5.9- 9.9	20	1.9	0.5- 3.3	209	27.3	23.2-31.4	39	3.5	2.1- 4.9			
College Graduate	1369	225,560	803	63.4	59.9-66.9	184	9.5	7.7-11.3	110	4.6	2.8- 6.4	21	0.8	0.4- 1.2	222	19.4	16.3-22.5	29	2.4	1.2- 3.6			
Less than \$15,000	345	50,952	84	27.0	19.6-34.4	57	13.3	9.0-17.6	43	12.0	6.9-17.1	32	8.0	4.1-11.9	86	30.2	22.2-38.2	43	9.5	5.8-13.2			
\$15,000- 24,999	533	90,445	145	28.9	23.6-34.2	99	13.9	10.6-17.2	72	10.4	7.5-13.3	32	5.3	2.8- 7.8	140	35.3	29.6-41.0	45	6.2	3.7- 8.7			
\$25,000- 34,999	334	65,375	121	33.3	26.4-40.2	57	17.5	10.6-24.4	49	10.1	6.4-13.8	15	4.2	0.9- 7.5	77	30.4	22.8-38.0	15	4.4	1.9- 6.9			
\$35,000- 49,999	388	74,898	158	40.9	34.2-47.6	64	12.7	8.6-16.8	40	7.1	4.2-10.0	11	1.8	0.4- 3.2	95	33.0	25.9-40.1	20	4.5	2.1- 6.9			
\$50,000- 74,999	490	97,985	254	51.5	45.4-57.6	71	11.1	8.0-14.2	48	5.0	3.0- 7.0	5	1.0	0.0- 2.0	96	27.5	21.6-33.4	16	4.0	1.6- 6.4			
\$75,000+	1119	245,996	793	70.7	66.8-74.6	107	7.5	5.5- 9.5	52	2.7	1.1- 4.3	9	0.5	0.1- 0.9	127	16.0	12.5-19.5	31	2.7	1.5- 3.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1777	371,582	938	53.0	49.7-56.3	200	9.3	7.5-11.1	107	3.5	2.3- 4.7	36	1.6	0.8- 2.4	394	27.4	24.3-30.5	102	5.1	3.7- 6.5
White/Non-Hisp	1190	232,192	690	59.0	55.3-62.7	151	10.2	8.0-12.4	82	3.5	2.5- 4.5	14	0.8	0.2- 1.4	219	22.5	19.2-25.8	34	4.1	2.5- 5.7
Black or Afr. Am./Non-Hisp	188	74,047	82	42.5	33.3-51.7	20	9.1	3.6-14.6	9	3.8	0.0- 8.1	7	3.0	0.3- 5.7	60	37.2	27.8-46.6	10	4.5	1.2- 7.8
Oth. Race/Non-Hisp.	65	16,092	34	50.7	32.1-69.3	2	0.7	0.0- 1.7	6	4.5	0.0- 9.8	1	0.1	0.0- 0.3	21	42.9	23.5-62.3	1	1.2	0.0- 3.6
Hispanic	248	33,544	94	40.1	30.9-49.3	13	4.3	1.4- 7.2	4	1.3	0.0- 2.7	13	6.2	0.5-11.9	69	31.3	22.5-40.1	55	16.8	11.1-22.5
18-24	143	43,962	6	4.3	0.0- 8.6				1	3.7	0.0-10.8	1	0.4	0.0- 1.2	125	88.2	80.0-96.4	10	3.5	1.1- 5.9
25-34	207	63,600	55	34.1	24.9-43.3	10	5.4	0.5-10.3	1	0.2	0.0- 0.6	4	1.9	0.0- 4.8	100	47.7	38.3-57.1	37	10.8	5.9-15.7
35-44	234	56,796	122	52.6	44.2-61.0	21	9.8	5.1-14.5	2	0.6	0.0- 1.6	7	2.1	0.0- 4.3	56	26.6	18.8-34.4	26	8.4	4.1-12.7
45-54	272	55,917	175	71.6	65.1-78.1	35	9.5	5.8-13.2	5	1.3	0.0- 3.1	11	2.4	0.6- 4.2	33	11.0	6.7-15.3	13	4.2	1.1- 7.3
55-64	358	63,546	219	64.9	58.4-71.4	61	14.3	9.8-18.8	15	3.7	1.5- 5.9	9	2.5	0.0- 5.0	43	11.2	6.5-15.9	11	3.5	1.0- 6.0
65+	563	87,761	361	71.1	65.8-76.4	73	12.7	8.2-17.2	83	9.0	6.5-11.5	4	0.8	0.0- 1.8	37	5.1	2.9- 7.3	5	1.4	0.0- 3.2
Less Than H.S.	221	45,401	78	39.3	29.5-49.1	23	10.9	5.4-16.4	13	3.4	1.2- 5.6	10	4.3	0.0- 8.6	52	28.1	19.1-37.1	45	13.9	8.4-19.4
H.S. or G.E.D.	532	124,007	234	45.3	39.6-51.0	71	11.3	7.2-15.4	29	2.7	1.3- 4.1	15	2.0	0.6- 3.4	146	32.7	26.8-38.6	37	5.9	3.5- 8.3
Some Post-H.S.	415	99,129	225	53.9	47.2-60.6	49	9.1	6.2-12.0	25	3.4	1.6- 5.2	5	1.1	0.0- 2.7	97	29.0	22.5-35.5	14	3.5	1.1- 5.9
College Graduate	606	102,560	399	67.4	61.9-72.9	57	6.3	4.1- 8.5	40	4.6	1.3- 7.9	5	0.5	0.0- 1.1	99	19.4	14.7-24.1	6	1.8	0.0- 4.0
Less than \$15,000	143	20,991	40	30.1	17.4-42.8	17	7.5	3.0-12.0	9	5.0	1.1- 8.9	14	11.1	3.7-18.5	40	34.3	19.8-48.8	23	12.0	5.1-18.9
\$15,000- 24,999	195	34,953	57	30.1	21.5-38.7	37	15.6	9.5-21.7	13	4.1	1.6- 6.6	7	3.3	0.0- 7.4	60	39.0	29.2-48.8	21	7.9	3.0-12.8
\$25,000- 34,999	143	33,517	58	32.2	21.6-42.8	17	17.3	5.5-29.1	13	4.5	1.2- 7.8	8	5.7	0.0-11.8	38	34.3	22.3-46.3	9	6.0	1.7-10.3
\$35,000- 49,999	164	30,302	72	43.7	33.5-53.9	24	11.4	5.9-16.9	14	4.4	1.3- 7.5	2	0.5	0.0- 1.1	44	36.1	25.3-46.9	8	4.0	0.3- 7.7
\$50,000- 74,999	228	48,596	137	52.5	43.5-61.5	18	8.1	3.6-12.6	16	3.3	0.9- 5.7				47	31.1	21.9-40.3	10	4.9	1.0- 8.8
\$75,000+	588	132,515	427	71.6	66.1-77.1	52	6.2	4.0- 8.4	23	3.3	0.6- 6.0	2	0.2	0.0- 0.6	73	16.3	11.4-21.2	11	2.3	0.7- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2210	403,333	964	48.0	45.1-50.9	338	11.8	10.0-13.6	304	9.7	8.1-11.3	83	2.9	1.9- 3.9	403	23.6	20.9-26.3	118	4.0	3.0- 5.0
White/Non-Hisp	1418	254,468	691	53.6	50.1-57.1	242	12.2	10.2-14.2	229	11.8	9.6-14.0	33	1.7	0.9- 2.5	179	17.2	14.3-20.1	44	3.5	2.3- 4.7
Black or Afr. Am./Non-Hisp	344	86,258	97	30.5	24.0-37.0	57	13.7	9.2-18.2	45	8.2	4.9-11.5	19	4.9	1.8- 8.0	119	41.1	33.8-48.4	7	1.6	0.2- 3.0
Oth. Race/Non-Hisp.	70	14,120	39	62.1	47.4-76.8	6	11.1	0.9-21.3	8	3.6	0.5- 6.7				16	22.4	9.9-34.9	1	0.8	0.0- 2.4
MultiRacial/Non-Hisp.	55	10,754	18	36.9	16.3-57.5	9	10.6	0.4-20.8	4	3.1	0.0- 6.6	3	6.4	0.0-16.2	19	42.2	22.2-62.2	2	0.8	0.0- 2.2
Hispanic	288	31,203	102	43.5	33.3-53.7	17	3.7	1.2- 6.2	14	3.4	1.2- 5.6	28	7.7	3.6-11.8	65	24.7	17.1-32.3	62	16.9	11.2-22.6
18-24	131	42,454	11	10.0	1.0-19.0	1	0.4	0.0- 1.2				5	2.6	0.0- 5.3	101	81.5	71.9-91.1	13	5.5	1.6- 9.4
25-34	262	62,680	88	34.2	26.6-41.8	15	7.0	2.5-11.5	3	2.5	0.0- 6.2	14	2.7	0.9- 4.5	106	46.2	38.0-54.4	36	7.4	4.3-10.5
35-44	314	59,442	169	62.7	55.8-69.6	42	11.3	7.0-15.6	4	0.6	0.0- 1.4	21	4.9	1.8- 8.0	52	15.1	10.2-20.0	26	5.3	2.6- 8.0
45-54	343	59,052	181	57.6	50.7-64.5	59	15.5	10.4-20.6	14	2.7	0.9- 4.5	18	4.7	2.2- 7.2	51	15.5	10.4-20.6	20	3.9	1.5- 6.3
55-64	446	71,952	215	56.3	50.4-62.2	96	15.0	11.3-18.7	44	11.2	7.3-15.1	19	3.8	0.7- 6.9	57	10.2	7.1-13.3	15	3.5	1.5- 5.5
65+	714	107,752	300	52.0	46.9-57.1	125	15.1	11.6-18.6	239	25.7	21.6-29.8	6	0.5	0.1- 0.9	36	5.7	3.0- 8.4	8	1.0	0.2- 1.8
Less Than H.S.	232	37,382	69	36.3	25.7-46.9	20	10.2	4.5-15.9	32	13.0	6.7-19.3	27	8.8	3.9-13.7	38	19.9	11.9-27.9	46	11.8	7.1-16.5
H.S. or G.E.D.	621	121,072	240	42.9	37.6-48.2	92	11.4	8.5-14.3	110	12.2	9.3-15.1	25	3.3	1.7- 4.9	130	26.9	21.8-32.0	24	3.3	1.7- 4.9
Some Post-H.S.	587	120,957	246	44.2	38.7-49.7	97	12.2	8.9-15.5	92	11.6	8.3-14.9	15	2.5	0.5- 4.5	112	26.0	20.7-31.3	25	3.4	1.8- 5.0
College Graduate	763	122,999	404	60.0	55.3-64.7	127	12.1	9.2-15.0	70	4.6	3.2- 6.0	16	1.1	0.3- 1.9	123	19.3	15.2-23.4	23	2.9	1.3- 4.5
Less than \$15,000	202	29,961	44	24.8	15.6-34.0	40	17.3	11.0-23.6	34	16.9	9.1-24.7	18	5.8	1.3-10.3	46	27.4	18.6-36.2	20	7.8	3.3-12.3
\$15,000- 24,999	338	55,493	88	28.0	21.3-34.7	62	12.9	9.0-16.8	59	14.3	9.8-18.8	25	6.5	3.4- 9.6	80	33.0	26.1-39.9	24	5.2	2.3- 8.1
\$25,000- 34,999	191	31,859	63	34.5	25.7-43.3	40	17.7	10.6-24.8	36	16.0	9.5-22.5	7	2.6	0.0- 5.5	39	26.2	16.8-35.6	6	2.8	0.3- 5.3
\$35,000- 49,999	224	44,596	86	39.0	30.4-47.6	40	13.7	8.0-19.4	26	8.9	4.4-13.4	9	2.7	0.5- 4.9	51	30.9	21.5-40.3	12	4.8	1.5- 8.1
\$50,000- 74,999	262	49,388	117	50.4	42.2-58.6	53	14.1	9.4-18.8	32	6.6	3.5- 9.7	5	2.0	0.0- 4.2	49	23.9	16.5-31.3	6	3.0	0.3- 5.7
\$75,000+	531	113,480	366	69.5	64.0-75.0	55	8.9	5.6-12.2	29	1.9	0.9- 2.9	7	1.0	0.2- 1.8	54	15.5	10.6-20.4	20	3.1	1.5- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4011	778,674	23	0.6	0.2- 1.0	218	3.3	2.7- 3.9	215	6.8	5.6- 8.0	1157	31.6	29.6-33.6	1015	28.5	26.5-30.5	1383	29.3	27.5-31.1
Male	1786	372,589	13	0.5	0.1- 0.9	103	3.7	2.7- 4.7	107	8.0	6.0-10.0	533	33.3	30.2-36.4	420	26.7	23.8-29.6	610	27.8	25.1-30.5
Female	2225	406,085	10	0.6	0.0- 1.6	115	2.9	2.3- 3.5	108	5.7	4.3- 7.1	624	30.0	27.3-32.7	595	30.1	27.4-32.8	773	30.7	28.2-33.2
White/Non-Hisp	2620	488,620				21	0.8	0.4- 1.2	81	4.7	3.5- 5.9	764	31.8	29.4-34.2	716	30.8	28.4-33.2	1038	31.9	29.7-34.1
Black or Afr. Am./Non-Hisp	535	161,080				4	0.9	0.0- 2.1	39	7.9	4.6-11.2	201	37.4	31.7-43.1	139	27.7	22.6-32.8	152	26.0	21.1-30.9
Oth. Race/Non-Hisp.	134	30,060				5	2.1	0.0- 4.3	6	4.3	0.2- 8.4	24	18.3	6.9-29.7	32	24.3	13.3-35.3	67	50.9	38.6-63.2
MultiRacial/Non-Hisp.	98	16,652				1	0.7	0.0- 2.1	7	12.3	0.3-24.3	26	30.8	16.9-44.7	32	34.0	19.3-48.7	32	22.2	11.2-33.2
Hispanic	539	64,826	23	6.9	1.4-12.4	183	29.2	23.7-34.7	80	20.4	14.5-26.3	119	21.9	16.8-27.0	71	13.0	8.3-17.7	63	8.6	5.9-11.3
18-24	277	86,788	3	2.4	0.0- 6.5	22	2.6	1.4- 3.8	21	5.2	1.9- 8.5	98	37.6	29.6-45.6	88	36.7	28.9-44.5	45	15.5	9.6-21.4
25-34	469	126,260	2	0.2	0.0- 0.4	68	7.1	4.7- 9.5	36	8.8	5.1-12.5	129	31.1	25.2-37.0	110	29.2	23.1-35.3	124	23.7	18.8-28.6
35-44	550	116,795	8	1.0	0.2- 1.8	53	3.6	2.2- 5.0	39	8.7	5.2-12.2	127	24.6	19.9-29.3	109	21.0	16.3-25.7	214	41.1	35.6-46.6
45-54	622	116,653	6	0.4	0.0- 0.8	34	2.9	1.7- 4.1	20	2.6	1.2- 4.0	181	32.6	27.7-37.5	157	28.9	24.2-33.6	224	32.6	27.9-37.3
55-64	810	136,130	3	0.4	0.0- 0.8	16	2.3	1.1- 3.5	38	6.0	3.6- 8.4	252	34.8	30.5-39.1	207	26.1	22.0-30.2	294	30.4	26.5-34.3
65+	1283	196,049	1	0.0	0.0- 0.0	25	1.9	0.9- 2.9	61	8.1	5.4-10.8	370	30.4	26.9-33.9	344	30.2	26.7-33.7	482	29.3	26.2-32.4
Less than \$15,000	347	51,138	5	1.2	0.0- 2.4	87	17.1	12.6-21.6	54	22.4	15.1-29.7	121	36.1	28.1-44.1	56	16.9	10.8-23.0	24	6.3	3.0- 9.6
\$15,000- 24,999	533	90,492	4	0.2	0.0- 0.4	40	5.1	3.1- 7.1	51	10.0	6.7-13.3	229	47.2	41.5-52.9	137	26.7	21.6-31.8	72	10.9	7.8-14.0
\$25,000- 34,999	335	65,445	1	0.4	0.0- 1.2	16	5.2	1.7- 8.7	26	13.9	7.4-20.4	120	40.9	33.1-48.7	97	25.4	19.1-31.7	75	14.1	9.6-18.6
\$35,000- 49,999	391	75,372	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6	15	8.2	3.5-12.9	133	35.1	28.6-41.6	121	34.2	27.7-40.7	119	21.8	16.5-27.1
\$50,000- 74,999	493	98,756	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	13	3.2	0.8- 5.6	126	29.8	24.1-35.5	148	33.5	27.6-39.4	203	33.1	27.6-38.6
\$75,000+	1123	246,206	1	0.7	0.0- 2.1	6	0.2	0.0- 0.4	7	1.1	0.1- 2.1	178	19.8	16.5-23.1	263	29.9	26.0-33.8	668	48.2	44.3-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	372,589	13	0.5	0.1- 0.9	103	3.7	2.7- 4.7	107	8.0	6.0-10.0	533	33.3	30.2-36.4	420	26.7	23.8-29.6	610	27.8	25.1-30.5
White/Non-Hisp	1193	232,671				10	0.7	0.1- 1.3	42	5.3	3.3- 7.3	365	34.1	30.4-37.8	292	27.6	24.1-31.1	484	32.2	28.9-35.5
Black or Afr. Am./Non-Hisp	188	74,047				2	1.4	0.0- 3.6	15	10.4	3.9-16.9	81	41.0	31.8-50.2	49	27.3	18.9-35.7	41	19.9	12.6-27.2
Oth. Race/Non-Hisp.	65	16,092				3	3.1	0.0- 7.0	4	4.4	0.0- 9.1	12	18.9	0.9-36.9	16	30.3	12.3-48.3	30	43.2	25.6-60.8
Hispanic	250	33,627	13	5.7	2.2- 9.2	84	29.0	21.2-36.8	42	24.6	15.8-33.4	52	18.9	12.4-25.4	36	15.4	7.6-23.2	23	6.4	3.3- 9.5
18-24	144	44,041	2	0.6	0.0- 1.6	14	3.7	1.5- 5.9	13	5.6	1.5- 9.7	57	46.1	34.3-57.9	37	28.0	18.0-38.0	21	15.9	7.1-24.7
25-34	207	63,580	1	0.2	0.0- 0.6	29	7.4	3.5-11.3	19	10.9	4.8-17.0	63	30.3	21.9-38.7	46	32.5	22.9-42.1	49	18.6	12.1-25.1
35-44	236	57,387	3	1.2	0.0- 2.6	25	3.3	1.7- 4.9	22	12.7	6.2-19.2	67	29.7	22.3-37.1	39	16.7	10.6-22.8	80	36.3	28.1-44.5
45-54	273	56,114	4	0.5	0.0- 1.1	11	2.1	0.5- 3.7	11	3.3	0.8- 5.8	86	33.9	26.6-41.2	76	31.9	24.6-39.2	85	28.2	21.5-34.9
55-64	361	63,707	2	0.7	0.0- 1.7	11	3.2	1.0- 5.4	21	7.2	3.5-10.9	125	39.9	33.0-46.8	85	22.2	16.7-27.7	117	26.8	21.3-32.3
65+	565	87,760	1	0.1	0.0- 0.3	13	2.8	0.6- 5.0	21	7.5	3.2-11.8	135	26.2	20.7-31.7	137	28.5	23.4-33.6	258	35.0	29.9-40.1
Less than \$15,000	142	20,900	2	1.7	0.0- 4.4	41	17.8	10.7-24.9	22	25.4	12.7-38.1	51	40.8	26.5-55.1	19	9.2	3.1-15.3	7	5.0	0.7- 9.3
\$15,000- 24,999	195	34,953	2	0.3	0.0- 0.7	25	8.4	4.5-12.3	21	11.4	5.1-17.7	80	45.4	35.8-55.0	40	23.2	14.6-31.8	27	11.3	6.0-16.6
\$25,000- 34,999	143	33,517	1	0.8	0.0- 2.4	11	9.0	2.1-15.9	18	20.7	9.5-31.9	51	35.9	23.7-48.1	35	22.3	12.9-31.7	27	11.3	5.0-17.6
\$35,000- 49,999	166	30,521	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9	10	9.0	2.9-15.1	60	37.8	27.4-48.2	50	35.9	25.9-45.9	44	16.5	10.4-22.6
\$50,000- 74,999	229	48,642				2	0.4	0.0- 1.0	8	5.1	0.8- 9.4	76	40.3	31.5-49.1	65	28.3	20.7-35.9	78	26.0	18.2-33.8
\$75,000+	590	132,566				1	0.1	0.0- 0.3	4	1.7	0.0- 3.5	109	23.8	18.9-28.7	134	29.5	24.0-35.0	342	44.9	39.4-50.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	406,085	10	0.6	0.0- 1.6	115	2.9	2.3- 3.5	108	5.7	4.3- 7.1	624	30.0	27.3-32.7	595	30.1	27.4-32.8	773	30.7	28.2-33.2
White/Non-Hisp	1427	255,949				11	0.8	0.2- 1.4	39	4.1	2.5- 5.7	399	29.6	26.5-32.7	424	33.7	30.4-37.0	554	31.7	28.8-34.6
Black or Afr. Am./Non-Hisp	347	87,033				2	0.5	0.0- 1.3	24	5.8	2.9- 8.7	120	34.4	27.5-41.3	90	28.1	21.6-34.6	111	31.2	24.5-37.9
Oth. Race/Non-Hisp.	69	13,968				2	1.0	0.0- 2.6	2	4.1	0.0-11.2	12	17.6	4.5-30.7	16	17.4	7.4-27.4	37	59.8	44.5-75.1
MultiRacial/Non-Hisp.	55	10,754				1	1.0	0.0- 3.0	4	14.9	0.0-32.5	13	26.8	9.6-44.0	20	32.3	12.7-51.9	17	24.9	9.4-40.4
Hispanic	289	31,199	10	8.2	0.0-19.0	99	29.3	21.9-36.7	38	15.9	8.6-23.2	67	25.2	17.4-33.0	35	10.4	5.7-15.1	40	11.0	6.3-15.7
18-24	133	42,747	1	4.3	0.0-12.3	8	1.5	0.3- 2.7	8	4.6	0.0- 9.7	41	28.9	18.5-39.3	51	45.7	34.1-57.3	24	15.0	7.0-23.0
25-34	262	62,680	1	0.1	0.0- 0.3	39	6.8	4.1- 9.5	17	6.5	2.2-10.8	66	31.9	23.9-39.9	64	25.9	18.6-33.2	75	28.8	21.7-35.9
35-44	314	59,408	5	0.7	0.0- 1.5	28	3.9	1.7- 6.1	17	4.9	2.0- 7.8	60	19.7	14.2-25.2	70	25.2	18.5-31.9	134	45.6	38.2-53.0
45-54	349	60,539	2	0.4	0.0- 1.0	23	3.6	1.8- 5.4	9	1.9	0.5- 3.3	95	31.3	24.8-37.8	81	26.2	20.1-32.3	139	36.6	30.1-43.1
55-64	449	72,423	1	0.0	0.0- 0.0	5	1.5	0.1- 2.9	17	4.9	2.0- 7.8	127	30.3	24.8-35.8	122	29.6	23.7-35.5	177	33.6	28.3-38.9
65+	718	108,289				12	1.2	0.4- 2.0	40	8.7	5.4-12.0	235	33.8	29.1-38.5	207	31.6	26.9-36.3	224	24.7	20.8-28.6
Less than \$15,000	205	30,237	3	0.8	0.0- 1.8	46	16.7	10.8-22.6	32	20.3	11.5-29.1	70	32.8	24.0-41.6	37	22.1	13.1-31.1	17	7.2	2.5-11.9
\$15,000- 24,999	338	55,540	2	0.1	0.0- 0.3	15	3.1	1.1- 5.1	30	9.1	5.2-13.0	149	48.3	41.2-55.4	97	28.8	22.5-35.1	45	10.6	6.7-14.5
\$25,000- 34,999	192	31,928				5	1.3	0.1- 2.5	8	6.7	1.2-12.2	69	46.3	36.7-55.9	62	28.7	20.9-36.5	48	17.0	10.7-23.3
\$35,000- 49,999	225	44,851				1	0.8	0.0- 2.4	5	7.6	0.9-14.3	73	33.3	25.1-41.5	71	33.0	24.6-41.4	75	25.4	17.6-33.2
\$50,000- 74,999	264	50,114	1	0.2	0.0- 0.6				5	1.4	0.0- 3.0	50	19.7	13.0-26.4	83	38.7	30.3-47.1	125	40.0	32.2-47.8
\$75,000+	533	113,640	1	1.6	0.0- 4.7	5	0.4	0.0- 0.8	3	0.4	0.0- 0.8	69	15.2	11.1-19.3	129	30.3	24.8-35.8	326	52.1	46.4-57.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3999	775,470	2697	73.5	71.7-75.3	1106	20.9	19.3-22.5	196	5.6	4.4- 6.8
Male	1783	370,934	1200	72.1	69.4-74.8	497	22.1	19.6-24.6	86	5.8	4.0- 7.6
Female	2216	404,536	1497	74.8	72.4-77.2	609	19.8	17.6-22.0	110	5.4	4.0- 6.8
White/Non-Hisp	2612	486,081	2072	82.9	81.1-84.7	419	12.2	10.6-13.8	121	5.0	3.8- 6.2
Black or Afr. Am./Non-Hisp	532	160,656	269	60.6	55.1-66.1	226	31.3	26.4-36.2	37	8.1	4.6-11.6
Oth. Race/Non-Hisp.	133	30,000	80	67.4	56.8-78.0	48	28.5	18.7-38.3	5	4.1	0.0- 9.0
MultiRacial/Non-Hisp.	98	16,652	54	59.5	44.8-74.2	33	22.6	12.4-32.8	11	17.8	4.1-31.5
Hispanic	539	64,890	165	42.3	35.2-49.4	356	55.1	48.2-62.0	18	2.6	1.0- 4.2
18-24	275	86,413	52	31.8	23.2-40.4	142	36.8	29.4-44.2	81	31.3	23.9-38.7
25-34	470	126,351	169	54.4	48.3-60.5	273	40.5	34.6-46.4	28	5.1	2.9- 7.3
35-44	548	116,143	302	70.4	65.7-75.1	231	26.7	22.2-31.2	15	2.9	0.7- 5.1
45-54	620	115,905	433	81.9	78.8-85.0	171	16.3	13.4-19.2	16	1.7	0.7- 2.7
55-64	810	135,752	627	86.8	84.4-89.2	163	11.6	9.4-13.8	20	1.6	0.6- 2.6
65+	1276	194,906	1114	92.1	90.5-93.7	126	6.7	5.1- 8.3	36	1.2	0.6- 1.8
Less Than H.S.	455	82,903	135	47.9	40.8-55.0	295	46.2	39.3-53.1	25	6.0	2.7- 9.3
H.S. or G.E.D.	1150	244,220	707	68.2	64.7-71.7	357	24.1	21.0-27.2	86	7.7	5.5- 9.9
Some Post-H.S.	1010	221,020	719	76.2	72.7-79.7	243	17.5	14.6-20.4	48	6.3	3.9- 8.7
College Graduate	1373	225,833	1128	86.1	83.9-88.3	208	11.3	9.3-13.3	37	2.6	1.4- 3.8
Less than \$15,000	346	51,138	99	41.1	32.7-49.5	224	52.3	44.1-60.5	23	6.6	2.9-10.3
\$15,000- 24,999	533	90,537	256	56.1	50.4-61.8	242	36.9	31.6-42.2	35	7.0	4.1- 9.9
\$25,000- 34,999	334	65,305	213	72.4	65.7-79.1	108	23.5	17.6-29.4	13	4.0	0.1- 7.9
\$35,000- 49,999	391	75,372	280	72.6	66.3-78.9	94	20.5	15.4-25.6	17	6.9	2.2-11.6
\$50,000- 74,999	491	98,481	381	80.6	76.1-85.1	99	17.0	12.7-21.3	11	2.4	0.6- 4.2
\$75,000+	1122	246,046	963	87.8	85.3-90.3	126	7.9	6.1- 9.7	33	4.3	2.3- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1783	370,934	1200	72.1	69.4-74.8	497	22.1	19.6-24.6	86	5.8	4.0- 7.6
White/Non-Hisp	1190	231,135	940	81.1	78.2-84.0	195	13.5	11.0-16.0	55	5.4	3.6- 7.2
Black or Afr. Am./Non-Hisp	188	74,047	97	61.0	52.2-69.8	78	29.7	21.9-37.5	13	9.3	3.2-15.4
Oth. Race/Non-Hisp.	65	16,092	42	70.0	55.1-84.9	20	23.4	10.7-36.1	3	6.6	0.0-15.6
Hispanic	251	33,717	70	38.6	29.0-48.2	171	58.7	49.1-68.3	10	2.7	0.3- 5.1
18-24	143	43,882	16	24.4	12.2-36.6	80	39.5	28.9-50.1	47	36.1	24.9-47.3
25-34	208	63,671	76	55.6	46.6-64.6	121	41.0	32.2-49.8	11	3.3	1.1- 5.5
35-44	235	56,819	127	65.8	58.0-73.6	103	31.7	24.3-39.1	5	2.5	0.0- 5.8
45-54	273	56,063	192	82.4	77.7-87.1	77	17.0	12.3-21.7	4	0.6	0.0- 1.2
55-64	361	63,707	280	86.6	82.9-90.3	71	11.4	8.1-14.7	10	2.0	0.2- 3.8
65+	563	86,793	509	95.1	93.5-96.7	45	4.2	2.6- 5.8	9	0.7	0.1- 1.3
Less Than H.S.	223	45,551	76	51.5	41.9-61.1	139	45.5	36.1-54.9	8	3.0	0.6- 5.4
H.S. or G.E.D.	531	123,495	327	68.6	63.3-73.9	162	22.8	18.3-27.3	42	8.7	5.2-12.2
Some Post-H.S.	419	99,412	299	73.9	68.0-79.8	103	19.8	14.7-24.9	17	6.3	2.4-10.2
College Graduate	607	101,990	497	84.0	80.3-87.7	91	12.8	9.7-15.9	19	3.3	1.3- 5.3
Less than \$15,000	143	20,991	37	36.6	22.3-50.9	99	58.6	44.5-72.7	7	4.8	0.1- 9.5
\$15,000- 24,999	195	34,953	91	53.9	44.3-63.5	95	43.4	33.8-53.0	9	2.7	0.3- 5.1
\$25,000- 34,999	143	33,517	90	70.0	59.2-80.8	47	24.9	15.5-34.3	6	5.1	0.0-12.2
\$35,000- 49,999	166	30,521	115	66.0	55.4-76.6	42	23.3	14.9-31.7	9	10.7	1.5-19.9
\$50,000- 74,999	229	48,642	174	76.9	69.6-84.2	48	20.2	13.1-27.3	7	2.9	0.5- 5.3
\$75,000+	589	132,406	498	86.8	83.3-90.3	75	9.2	6.7-11.7	16	4.0	1.5- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2216	404,536	1497	74.8	72.4-77.2	609	19.8	17.6-22.0	110	5.4	4.0- 6.8
White/Non-Hisp	1422	254,946	1132	84.4	82.0-86.8	224	11.0	9.2-12.8	66	4.6	3.2- 6.0
Black or Afr. Am./Non-Hisp	344	86,609	172	60.2	53.3-67.1	148	32.7	26.4-39.0	24	7.0	3.1-10.9
Oth. Race/Non-Hisp.	68	13,909	38	64.3	49.8-78.8	28	34.4	20.1-48.7	2	1.2	0.0- 3.0
MultiRacial/Non-Hisp.	55	10,754	31	55.5	35.3-75.7	15	17.4	5.8-29.0	9	27.1	7.1-47.1
Hispanic	288	31,173	95	46.3	36.3-56.3	185	51.2	41.4-61.0	8	2.5	0.3- 4.7
18-24	132	42,531	36	39.5	27.3-51.7	62	34.1	23.5-44.7	34	26.4	16.6-36.2
25-34	262	62,680	93	53.1	45.1-61.1	152	40.0	32.4-47.6	17	7.0	3.3-10.7
35-44	313	59,325	175	74.7	69.2-80.2	128	22.0	17.1-26.9	10	3.3	0.6- 6.0
45-54	347	59,842	241	81.4	77.1-85.7	94	15.8	11.9-19.7	12	2.8	0.8- 4.8
55-64	449	72,045	347	87.0	83.9-90.1	92	11.8	8.9-14.7	10	1.2	0.2- 2.2
65+	713	108,113	605	89.7	87.2-92.2	81	8.7	6.3-11.1	27	1.6	0.8- 2.4
Less Than H.S.	232	37,352	59	43.5	32.9-54.1	156	47.0	37.2-56.8	17	9.6	2.9-16.3
H.S. or G.E.D.	619	120,724	380	67.8	62.9-72.7	195	25.6	20.9-30.3	44	6.6	4.1- 9.1
Some Post-H.S.	591	121,607	420	78.1	73.8-82.4	140	15.6	12.3-18.9	31	6.3	3.4- 9.2
College Graduate	766	123,843	631	87.9	85.4-90.4	117	10.0	7.6-12.4	18	2.1	0.9- 3.3
Less than \$15,000	203	30,147	62	44.3	34.1-54.5	125	47.9	38.3-57.5	16	7.8	2.5-13.1
\$15,000- 24,999	338	55,584	165	57.6	50.7-64.5	147	32.7	26.6-38.8	26	9.7	5.2-14.2
\$25,000- 34,999	191	31,788	123	75.0	67.7-82.3	61	22.1	15.4-28.8	7	2.9	0.0- 5.8
\$35,000- 49,999	225	44,851	165	77.1	69.8-84.4	52	18.6	12.5-24.7	8	4.3	0.0- 9.0
\$50,000- 74,999	262	49,839	207	84.2	78.9-89.5	51	13.8	9.1-18.5	4	1.9	0.0- 4.4
\$75,000+	533	113,640	465	88.9	85.2-92.6	51	6.4	4.0- 8.8	17	4.8	1.9- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3876	746,679	3678	95.2	94.0-96.4	126	2.6	1.8- 3.4	72	2.2	1.4- 3.0
Male	1709	354,104	1614	94.4	92.6-96.2	56	2.5	1.5- 3.5	39	3.1	1.5- 4.7
Female	2167	392,575	2064	96.0	94.6-97.4	70	2.6	1.4- 3.8	33	1.4	0.8- 2.0
White/Non-Hisp	2515	465,370	2474	97.9	97.1-98.7	12	0.7	0.1- 1.3	29	1.4	0.8- 2.0
Black or Afr. Am./Non-Hisp	519	155,908	500	95.1	91.8-98.4	9	1.6	0.0- 3.2	10	3.3	0.4- 6.2
Oth. Race/Non-Hisp.	130	28,891	120	93.0	88.1-97.9	5	2.9	0.0- 5.8	5	4.1	0.2- 8.0
MultiRacial/Non-Hisp.	95	15,851	94	99.6	98.8- 100				1	0.4	0.0- 1.2
Hispanic	533	63,506	412	76.4	69.9-82.9	99	19.5	13.4-25.6	22	4.1	1.0- 7.2
18-24	268	83,760	232	88.1	81.2-95.0	26	5.8	1.3-10.3	10	6.1	0.6-11.6
25-34	447	119,926	409	94.9	92.4-97.4	29	3.3	1.3- 5.3	9	1.7	0.1- 3.3
35-44	534	112,448	495	96.4	95.0-97.8	33	3.2	1.8- 4.6	6	0.4	0.0- 0.8
45-54	604	111,362	573	94.1	91.6-96.6	15	2.3	0.5- 4.1	16	3.6	1.4- 5.8
55-64	781	131,169	759	96.8	95.0-98.6	9	1.5	0.1- 2.9	13	1.6	0.4- 2.8
65+	1242	188,014	1210	97.5	96.1-98.9	14	1.1	0.1- 2.1	18	1.4	0.4- 2.4
Less Than H.S.	453	82,206	344	80.1	74.2-86.0	90	16.6	11.1-22.1	19	3.4	1.0- 5.8
H.S. or G.E.D.	1121	236,628	1077	95.8	93.8-97.8	21	1.3	0.3- 2.3	23	2.9	1.1- 4.7
Some Post-H.S.	976	212,242	953	97.9	96.5-99.3	8	0.7	0.0- 1.5	15	1.4	0.4- 2.4
College Graduate	1314	214,002	1293	97.8	96.2-99.4	7	0.4	0.0- 0.8	14	1.7	0.1- 3.3
Less than \$15,000	344	50,910	291	85.0	77.9-92.1	41	10.0	5.7-14.3	12	5.1	0.0-11.4
\$15,000- 24,999	524	88,366	495	95.7	93.2-98.2	21	3.4	1.0- 5.8	8	0.9	0.0- 1.9
\$25,000- 34,999	329	63,926	323	98.6	97.4-99.8	5	1.1	0.1- 2.1	1	0.3	0.0- 0.9
\$35,000- 49,999	373	71,048	367	99.1	98.3-99.9	3	0.5	0.0- 1.3	3	0.3	0.0- 0.7
\$50,000- 74,999	479	94,415	470	98.6	97.4-99.8	4	0.6	0.0- 1.4	5	0.8	0.0- 1.6
\$75,000+	1059	232,321	1044	97.0	94.6-99.4	6	1.0	0.0- 2.6	9	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	354,104	1614	94.4	92.6-96.2	56	2.5	1.5- 3.5	39	3.1	1.5- 4.7
White/Non-Hisp	1137	220,023	1114	97.4	96.0-98.8	6	0.7	0.0- 1.5	17	1.9	0.7- 3.1
Black or Afr. Am./Non-Hisp	178	70,113	168	91.8	84.9-98.7	4	2.4	0.0- 5.5	6	5.8	0.0-12.1
Oth. Race/Non-Hisp.	61	15,149	56	94.4	88.9-99.9	3	3.3	0.0- 7.6	2	2.3	0.0- 5.4
Hispanic	247	33,159	193	78.9	71.5-86.3	42	14.8	9.3-20.3	12	6.3	0.6-12.0
18-24	137	41,902	113	85.1	74.9-95.3	16	4.6	1.9- 7.3	8	10.3	0.0-20.7
25-34	196	60,165	181	94.0	89.5-98.5	8	3.3	0.0- 6.8	7	2.8	0.0- 5.9
35-44	226	54,523	208	96.3	94.1-98.5	17	3.3	1.3- 5.3	1	0.4	0.0- 1.2
45-54	262	52,968	248	92.8	88.3-97.3	5	2.5	0.0- 5.6	9	4.7	1.4- 8.0
55-64	348	61,373	341	98.5	97.1-99.9	2	0.4	0.0- 1.0	5	1.1	0.0- 2.3
65+	540	83,172	523	96.2	93.3-99.1	8	1.9	0.0- 3.9	9	2.0	0.0- 4.2
Less Than H.S.	222	45,343	172	82.6	76.1-89.1	37	12.0	6.7-17.3	13	5.4	1.3- 9.5
H.S. or G.E.D.	510	118,301	490	95.5	92.2-98.8	10	1.5	0.0- 3.1	10	3.0	0.1- 5.9
Some Post-H.S.	400	94,408	388	96.8	94.1-99.5	5	1.2	0.0- 3.0	7	1.9	0.0- 4.1
College Graduate	574	95,568	561	96.3	92.8-99.8	4	0.5	0.0- 1.1	9	3.3	0.0- 6.8
Less than \$15,000	142	20,909	116	80.5	66.4-94.6	17	7.6	2.9-12.3	9	11.9	0.0-26.2
\$15,000- 24,999	189	33,674	171	92.2	86.3-98.1	14	7.0	1.1-12.9	4	0.7	0.0- 1.5
\$25,000- 34,999	140	33,000	136	98.1	96.1- 100	4	1.9	0.0- 3.9			
\$35,000- 49,999	161	28,825	158	99.0	97.8- 100	1	0.3	0.0- 0.9	2	0.7	0.0- 1.7
\$50,000- 74,999	221	45,766	216	98.3	96.5- 100	2	0.3	0.0- 0.9	3	1.4	0.0- 3.0
\$75,000+	547	122,695	542	97.1	94.0- 100				5	2.9	0.0- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2167	392,575	2064	96.0	94.6-97.4	70	2.6	1.4- 3.8	33	1.4	0.8- 2.0
White/Non-Hisp	1378	245,347	1360	98.4	97.4-99.4	6	0.7	0.0- 1.5	12	1.0	0.2- 1.8
Black or Afr. Am./Non-Hisp	341	85,794	332	97.9	96.1-99.7	5	0.9	0.0- 1.9	4	1.2	0.0- 2.8
Oth. Race/Non-Hisp.	69	13,742	64	91.4	83.4-99.4	2	2.4	0.0- 5.9	3	6.1	0.0-13.4
MultiRacial/Non-Hisp.	54	10,160	54	100.0	100.0- 100						
Hispanic	286	30,347	219	73.7	63.1-84.3	57	24.7	13.9-35.5	10	1.6	0.4- 2.8
18-24	131	41,858	119	91.2	82.4- 100	10	7.0	0.0-15.4	2	1.9	0.0- 4.8
25-34	251	59,761	228	95.9	93.5-98.3	21	3.4	1.4- 5.4	2	0.7	0.0- 1.9
35-44	308	57,925	287	96.5	94.5-98.5	16	3.1	1.1- 5.1	5	0.4	0.0- 0.8
45-54	342	58,393	325	95.3	92.6-98.0	10	2.1	0.7- 3.5	7	2.7	0.3- 5.1
55-64	433	69,796	418	95.3	92.2-98.4	7	2.6	0.1- 5.1	8	2.1	0.1- 4.1
65+	702	104,842	687	98.5	97.5-99.5	6	0.5	0.0- 1.1	9	1.0	0.2- 1.8
Less Than H.S.	231	36,863	172	76.9	66.9-86.9	53	22.2	12.2-32.2	6	0.9	0.1- 1.7
H.S. or G.E.D.	611	118,327	587	96.2	94.2-98.2	11	1.1	0.3- 1.9	13	2.8	0.8- 4.8
Some Post-H.S.	576	117,834	565	98.7	97.7-99.7	3	0.3	0.0- 0.7	8	1.0	0.2- 1.8
College Graduate	740	118,434	732	99.1	98.3-99.9	3	0.4	0.0- 1.0	5	0.5	0.0- 1.1
Less than \$15,000	202	30,001	175	88.1	81.8-94.4	24	11.6	5.3-17.9	3	0.3	0.0- 0.7
\$15,000- 24,999	335	54,692	324	97.8	96.0-99.6	7	1.1	0.1- 2.1	4	1.0	0.0- 2.4
\$25,000- 34,999	189	30,926	187	99.2	97.8- 100	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8
\$35,000- 49,999	212	42,223	209	99.2	98.0- 100	2	0.7	0.0- 1.9	1	0.1	0.0- 0.3
\$50,000- 74,999	258	48,649	254	98.9	97.3- 100	2	0.9	0.0- 2.3	2	0.2	0.0- 0.4
\$75,000+	512	109,627	502	96.9	93.6- 100	6	2.2	0.0- 5.5	4	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4025	780,514	3715	91.4	90.0-92.8	100	1.9	1.1- 2.7	210	6.7	5.5- 7.9
Male	1789	373,074	1619	89.4	87.0-91.8	62	2.5	1.5- 3.5	108	8.1	5.9-10.3
Female	2236	407,440	2096	93.3	91.7-94.9	38	1.4	0.4- 2.4	102	5.4	4.0- 6.8
White/Non-Hisp	2627	489,719	2495	94.1	92.9-95.3	21	0.6	0.2- 1.0	111	5.2	4.0- 6.4
Black or Afr. Am./Non-Hisp	535	161,080	494	90.6	86.7-94.5	11	2.0	0.0- 4.2	30	7.4	4.1-10.7
Oth. Race/Non-Hisp.	135	30,212	118	82.7	71.3-94.1	3	1.1	0.0- 2.5	14	16.3	4.9-27.7
MultiRacial/Non-Hisp.	98	16,652	94	97.9	95.7- 100	1	0.7	0.0- 2.1	3	1.3	0.0- 2.9
Hispanic	541	64,982	448	81.4	75.1-87.7	61	11.8	6.1-17.5	32	6.7	3.0-10.4
18-24	277	86,788	236	84.4	77.0-91.8	24	7.1	1.6-12.6	17	8.5	2.8-14.2
25-34	470	126,351	416	90.4	87.1-93.7	20	2.0	0.8- 3.2	34	7.6	4.5-10.7
35-44	551	116,861	511	93.0	89.7-96.3	13	1.1	0.3- 1.9	27	5.9	2.8- 9.0
45-54	627	117,282	567	88.5	85.0-92.0	10	1.1	0.3- 1.9	50	10.4	7.1-13.7
55-64	813	136,436	761	92.4	89.9-94.9	9	0.6	0.2- 1.0	43	7.1	4.6- 9.6
65+	1287	196,796	1224	95.3	93.7-96.9	24	1.5	0.7- 2.3	39	3.3	1.9- 4.7
Less Than H.S.	456	82,965	371	84.1	78.8-89.4	58	10.7	6.0-15.4	27	5.2	2.3- 8.1
H.S. or G.E.D.	1157	245,693	1085	92.0	89.3-94.7	21	1.0	0.4- 1.6	51	7.1	4.6- 9.6
Some Post-H.S.	1015	221,805	944	92.6	90.2-95.0	10	0.4	0.0- 0.8	61	7.0	4.6- 9.4
College Graduate	1383	228,212	1307	92.6	90.2-95.0	10	1.1	0.0- 2.5	66	6.3	4.3- 8.3
Less than \$15,000	348	51,228	311	91.0	84.7-97.3	24	3.7	1.9- 5.5	13	5.3	0.0-11.6
\$15,000- 24,999	534	90,584	505	94.7	92.0-97.4	14	1.9	0.5- 3.3	15	3.4	0.9- 5.9
\$25,000- 34,999	335	65,445	320	96.2	93.8-98.6	7	1.7	0.3- 3.1	8	2.1	0.1- 4.1
\$35,000- 49,999	391	75,372	382	97.3	95.3-99.3	1	0.1	0.0- 0.3	8	2.5	0.5- 4.5
\$50,000- 74,999	493	98,756	468	94.4	91.5-97.3	6	0.9	0.1- 1.7	19	4.8	2.1- 7.5
\$75,000+	1123	246,206	1076	93.4	90.7-96.1	6	1.6	0.0- 3.6	41	5.0	2.8- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	373,074	1619	89.4	87.0-91.8	62	2.5	1.5- 3.5	108	8.1	5.9-10.3
White/Non-Hisp	1195	233,065	1126	92.9	90.7-95.1	16	1.0	0.4- 1.6	53	6.2	4.0- 8.4
Black or Afr. Am./Non-Hisp	188	74,047	166	85.6	78.2-93.0	5	3.1	0.0- 7.4	17	11.3	5.0-17.6
Oth. Race/Non-Hisp.	65	16,092	57	83.1	65.1- 100	2	1.7	0.0- 4.2	6	15.2	0.0-33.2
Hispanic	251	33,717	196	79.5	72.2-86.8	37	12.3	7.4-17.2	18	8.2	2.1-14.3
18-24	144	44,041	115	80.0	68.6-91.4	19	9.0	1.6-16.4	10	11.0	1.0-21.0
25-34	208	63,671	178	88.2	82.5-93.9	13	3.2	1.0- 5.4	17	8.6	3.3-13.9
35-44	236	57,387	216	92.3	87.4-97.2	8	1.6	0.2- 3.0	12	6.1	1.2-11.0
45-54	274	56,273	237	83.0	76.7-89.3	5	1.1	0.0- 2.5	32	15.9	9.8-22.0
55-64	361	63,707	338	93.6	90.5-96.7	4	0.5	0.0- 1.1	19	5.9	2.8- 9.0
65+	566	87,995	535	94.1	91.4-96.8	13	1.6	0.6- 2.6	18	4.2	1.7- 6.7
Less Than H.S.	223	45,551	170	81.7	75.4-88.0	37	11.4	6.9-15.9	16	6.9	2.2-11.6
H.S. or G.E.D.	533	124,047	492	89.5	85.0-94.0	13	1.2	0.4- 2.0	28	9.3	4.8-13.8
Some Post-H.S.	420	99,596	380	90.5	86.4-94.6	5	0.5	0.1- 0.9	35	9.0	4.9-13.1
College Graduate	610	103,396	575	91.6	87.7-95.5	6	2.0	0.0- 5.1	29	6.4	3.7- 9.1
Less than \$15,000	143	20,991	118	83.5	69.6-97.4	16	6.1	2.6- 9.6	9	10.4	0.0-24.7
\$15,000- 24,999	195	34,953	179	92.1	86.2-98.0	8	2.2	0.4- 4.0	8	5.7	0.0-11.4
\$25,000- 34,999	143	33,517	132	94.9	91.2-98.6	7	3.4	0.7- 6.1	4	1.7	0.0- 4.1
\$35,000- 49,999	166	30,521	161	97.5	95.1-99.9	1	0.3	0.0- 0.9	4	2.2	0.0- 4.6
\$50,000- 74,999	229	48,642	216	93.1	88.2-98.0	4	1.3	0.0- 2.9	9	5.6	0.9-10.3
\$75,000+	590	132,566	566	92.8	88.9-96.7	4	1.5	0.0- 3.9	20	5.7	2.4- 9.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	407,440	2096	93.3	91.7-94.9	38	1.4	0.4- 2.4	102	5.4	4.0- 6.8
White/Non-Hisp	1432	256,654	1369	95.3	93.9-96.7	5	0.3	0.0- 0.7	58	4.4	3.0- 5.8
Black or Afr. Am./Non-Hisp	347	87,033	328	94.9	91.8-98.0	6	1.0	0.0- 2.0	13	4.1	1.2- 7.0
Oth. Race/Non-Hisp.	70	14,120	61	82.2	69.1-95.3	1	0.4	0.0- 1.2	8	17.4	4.3-30.5
MultiRacial/Non-Hisp.	55	10,754	54	98.8	96.4- 100	1	1.2	0.0- 3.6			
Hispanic	290	31,265	252	83.5	72.7-94.3	24	11.3	0.7-21.9	14	5.1	1.2- 9.0
18-24	133	42,747	121	88.9	79.7-98.1	5	5.2	0.0-13.2	7	5.9	0.6-11.2
25-34	262	62,680	238	92.7	89.2-96.2	7	0.7	0.1- 1.3	17	6.6	3.1-10.1
35-44	315	59,474	295	93.7	89.4-98.0	5	0.7	0.0- 1.5	15	5.6	1.3- 9.9
45-54	353	61,009	330	93.6	90.5-96.7	5	1.1	0.0- 2.3	18	5.3	2.4- 8.2
55-64	452	72,729	423	91.3	87.4-95.2	5	0.6	0.0- 1.2	24	8.1	4.2-12.0
65+	721	108,801	689	96.2	94.4-98.0	11	1.3	0.3- 2.3	21	2.5	0.9- 4.1
Less Than H.S.	233	37,413	201	87.0	77.6-96.4	21	9.9	0.7-19.1	11	3.1	0.2- 6.0
H.S. or G.E.D.	624	121,647	593	94.4	91.9-96.9	8	0.8	0.2- 1.4	23	4.8	2.4- 7.2
Some Post-H.S.	595	122,209	564	94.3	91.8-96.8	5	0.4	0.0- 0.8	26	5.3	2.8- 7.8
College Graduate	773	124,816	732	93.4	90.9-95.9	4	0.4	0.0- 0.8	37	6.2	3.7- 8.7
Less than \$15,000	205	30,237	193	96.2	93.5-98.9	8	2.0	0.2- 3.8	4	1.8	0.0- 3.8
\$15,000- 24,999	339	55,631	326	96.4	93.9-98.9	6	1.7	0.0- 3.5	7	1.9	0.1- 3.7
\$25,000- 34,999	192	31,928	188	97.6	94.5- 100				4	2.4	0.0- 5.5
\$35,000- 49,999	225	44,851	221	97.2	94.5-99.9				4	2.8	0.1- 5.5
\$50,000- 74,999	264	50,114	252	95.6	92.7-98.5	2	0.5	0.0- 1.1	10	3.9	1.2- 6.6
\$75,000+	533	113,640	510	94.2	90.3-98.1	2	1.7	0.0- 4.8	21	4.2	1.7- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	827	92,389	279	24.1	20.0-28.2	548	75.9	71.8-80.0
Male	320	36,819	127	27.3	20.2-34.4	193	72.7	65.6-79.8
Female	507	55,570	152	22.1	17.2-27.0	355	77.9	73.0-82.8
White/Non-Hisp	665	66,881	229	25.1	20.6-29.6	436	74.9	70.4-79.4
Black or Afr. Am./Non-Hisp	90	17,199	31	23.7	11.7-35.7	59	76.3	64.3-88.3
45-54	70	7,916	23	27.3	14.8-39.8	47	72.7	60.2-85.2
55-64	155	17,664	56	24.0	15.0-33.0	99	76.0	67.0-85.0
65+	561	56,985	190	24.9	19.8-30.0	371	75.1	70.0-80.2
H.S. or G.E.D.	236	30,607	81	25.7	17.9-33.5	155	74.3	66.5-82.1
Some Post-H.S.	194	27,256	65	21.9	14.3-29.5	129	78.1	70.5-85.7
College Graduate	348	25,935	119	25.9	19.6-32.2	229	74.1	67.8-80.4
\$15,000- 24,999	97	11,383	26	18.0	9.0-27.0	71	82.0	73.0-91.0
\$25,000- 34,999	67	8,695	24	22.6	8.7-36.5	43	77.4	63.5-91.3
\$35,000- 49,999	87	8,171	27	24.0	10.7-37.3	60	76.0	62.7-89.3
\$50,000- 74,999	104	11,453	49	26.9	15.3-38.5	55	73.1	61.5-84.7
\$75,000+	239	22,677	91	30.9	22.5-39.3	148	69.1	60.7-77.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	320	36,819	127	27.3	20.2-34.4	193	72.7	65.6-79.8
White/Non-Hisp	273	28,353	108	26.6	19.5-33.7	165	73.4	66.3-80.5
55-64	59	7,183	23	22.3	9.0-35.6	36	77.7	64.4-91.0
65+	220	23,036	90	30.2	20.6-39.8	130	69.8	60.2-79.4
H.S. or G.E.D.	81	12,138	28	22.9	10.9-34.9	53	77.1	65.1-89.1
Some Post-H.S.	65	9,482	29	27.3	12.6-42.0	36	72.7	58.0-87.4
College Graduate	155	11,453	62	30.5	19.9-41.1	93	69.5	58.9-80.1
\$75,000+	111	10,564	42	30.4	16.7-44.1	69	69.6	55.9-83.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	507	55,570	152	22.1	17.2-27.0	355	77.9	73.0-82.8
White/Non-Hisp	392	38,528	121	24.0	18.3-29.7	271	76.0	70.3-81.7
Black or Afr. Am./Non-Hisp	70	11,526	20	18.0	7.0-29.0	50	82.0	71.0-93.0
55-64	96	10,481	33	25.1	12.8-37.4	63	74.9	62.6-87.2
65+	341	33,949	100	21.3	15.6-27.0	241	78.7	73.0-84.4
H.S. or G.E.D.	155	18,469	53	27.6	17.4-37.8	102	72.4	62.2-82.6
Some Post-H.S.	129	17,773	36	19.0	10.4-27.6	93	81.0	72.4-89.6
College Graduate	193	14,482	57	22.3	14.7-29.9	136	77.7	70.1-85.3
\$15,000- 24,999	63	6,659	15	15.5	6.1-24.9	48	84.5	75.1-93.9
\$35,000- 49,999	54	5,530	14	14.6	4.6-24.6	40	85.4	75.4-95.4
\$50,000- 74,999	57	5,870	20	21.8	8.5-35.1	37	78.2	64.9-91.5
\$75,000+	128	12,113	49	31.3	20.7-41.9	79	68.7	58.1-79.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	272	21,207	184	79.7	74.2-85.2	71	16.0	11.3-20.7	15	4.0	1.3- 6.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
Male	122	9,392	74	74.0	64.0-84.0	34	17.8	9.8-25.8	12	7.4	1.5-13.3	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5
Female	150	11,815	110	84.2	78.3-90.1	37	14.5	8.8-20.2	3	1.3	0.0- 2.9						
White/Non-Hisp	224	15,828	149	77.6	71.3-83.9	61	18.1	12.4-23.8	12	3.8	1.3- 6.3	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
55-64	55	3,889	44	82.7	70.4-95.0	7	13.5	1.9-25.1	3	3.3	0.0- 7.8	1	0.5	0.0- 1.7			
65+	185	13,520	114	76.7	69.6-83.8	61	20.0	13.5-26.5	9	2.9	0.4- 5.4				1	0.4	0.0- 1.2
H.S. or G.E.D.	81	7,867	58	82.5	74.3-90.7	20	14.7	7.3-22.1	3	2.8	0.0- 5.9						
Some Post-H.S.	63	5,741	44	80.0	68.8-91.2	16	15.9	6.1-25.7	2	3.2	0.0- 8.1				1	0.9	0.0- 2.7
College Graduate	115	6,081	75	78.2	69.2-87.2	30	17.7	9.3-26.1	9	3.7	1.0- 6.4	1	0.4	0.0- 1.2			
\$75,000+	88	6,757	59	83.8	76.4-91.2	23	14.2	7.1-21.3	5	1.7	0.0- 3.5	1	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	122	9,392	74	74.0	64.2-83.8	34	17.8	9.8-25.8	12	7.4	1.5-13.3	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5
White/Non-Hisp	105	7,015	62	70.9	60.3-81.5	32	21.6	12.2-31.0	9	6.5	1.2-11.8	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1
65+	85	6,289	49	76.6	65.8-87.4	28	18.2	8.8-27.6	7	4.4	0.0- 9.1				1	0.8	0.0- 2.4
College Graduate	60	3,291	34	72.3	58.6-86.0	18	22.2	8.9-35.5	7	4.9	0.6- 9.2	1	0.6	0.0- 2.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	150	11,815	110	84.2	78.3-90.1	37	14.5	8.8-20.2	3	1.3	0.0- 2.9
White/Non-Hisp	119	8,813	87	82.9	76.0-89.8	29	15.4	8.9-21.9	3	1.7	0.0- 3.9
65+	100	7,231	65	76.7	67.9-85.5	33	21.7	13.3-30.1	2	1.6	0.0- 4.0
H.S. or G.E.D.	53	5,093	38	84.1	74.5-93.7	14	14.3	5.3-23.3	1	1.6	0.0- 4.7
College Graduate	55	2,790	41	85.2	76.6-93.8	12	12.4	4.4-20.4	2	2.4	0.0- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3982	766,448	3402	85.6	84.0-87.2	383	8.5	7.5- 9.5	66	1.3	0.9- 1.7	23	0.7	0.1- 1.3	5	0.1	0.0- 0.3	6	0.5	0.0- 1.1	97	3.3	2.5- 4.1
Male	1767	364,776	1488	84.8	82.4-87.2	185	9.0	7.2-10.8	33	1.6	0.8- 2.4	14	0.9	0.0- 1.9	2	0.2	0.0- 0.4	5	1.0	0.0- 2.2	40	2.5	1.5- 3.5
Female	2215	401,672	1914	86.3	84.3-88.3	198	8.0	6.6- 9.4	33	1.0	0.6- 1.4	9	0.5	0.1- 0.9	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	57	4.1	2.9- 5.3
White/Non-Hisp	2596	482,095	2204	85.4	83.6-87.2	265	8.5	7.1- 9.9	34	1.1	0.7- 1.5	14	0.5	0.1- 0.9	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	76	4.4	3.2- 5.6
Black or Afr. Am./Non-Hisp	530	158,057	455	86.6	82.5-90.7	53	8.2	5.5-10.9	6	0.9	0.0- 1.9	3	1.2	0.0- 3.2	1	0.2	0.0- 0.6	1	1.1	0.0- 3.3	11	1.8	0.6- 3.0
Oth. Race/Non-Hisp.	134	29,835	108	79.2	68.8-89.6	16	10.8	3.7-17.9	4	3.7	0.0- 7.8	1	0.3	0.0- 0.9				2	4.8	0.0-12.6	3	1.2	0.0- 2.4
MultiRacial/Non-Hisp.	98	16,652	75	77.1	65.9-88.3	11	10.4	2.6-18.2	7	5.2	0.3-10.1	2	1.8	0.0- 4.3	1	1.6	0.0- 4.7				2	3.9	0.0-10.1
Hispanic	538	63,758	486	88.9	85.2-92.6	31	7.7	4.4-11.0	12	1.8	0.4- 3.2	3	0.7	0.0- 1.7	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	3	0.4	0.0- 1.0
18-24	274	85,864	259	92.0	86.5-97.5	9	3.1	0.7- 5.5	2	0.4	0.0- 1.2	3	2.5	0.0- 6.2				1	2.0	0.0- 5.7			
25-34	467	124,908	429	90.6	86.9-94.3	31	7.2	4.3-10.1	4	0.7	0.0- 1.7				1	0.3	0.0- 0.9	2	1.1	0.0- 3.1			
35-44	545	115,114	481	89.5	86.2-92.8	41	7.0	4.3- 9.7	13	2.1	0.7- 3.5	5	0.5	0.0- 1.1	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9	2	0.3	0.0- 0.9
45-54	625	117,050	541	88.0	84.9-91.1	60	8.8	6.1-11.5	11	1.4	0.2- 2.6	6	0.6	0.0- 1.2	1	0.0	0.0- 0.0				6	1.2	0.2- 2.2
55-64	802	132,303	689	85.4	82.1-88.7	84	10.2	7.7-12.7	10	0.8	0.0- 1.6	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3	17	3.3	1.1- 5.5
65+	1269	191,209	1003	75.7	72.4-79.0	158	11.2	9.0-13.4	26	2.0	1.0- 3.0	8	0.8	0.0- 1.8	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	72	10.2	7.5-12.9
Less Than H.S.	453	81,546	406	89.1	85.2-93.0	25	4.0	2.0- 6.0	2	0.3	0.0- 0.7	5	1.7	0.0- 3.9	2	0.5	0.0- 1.3	2	0.4	0.0- 1.0	11	4.0	1.3- 6.7
H.S. or G.E.D.	1147	242,157	971	84.9	82.2-87.6	115	8.7	6.7-10.7	23	2.0	1.0- 3.0	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	2	0.8	0.0- 2.2	33	3.5	1.9- 5.1
Some Post-H.S.	996	216,089	859	85.5	82.4-88.6	90	9.0	6.6-11.4	17	0.8	0.4- 1.2	8	0.5	0.1- 0.9	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8	20	3.5	1.5- 5.5
College Graduate	1374	225,174	1157	85.3	82.8-87.8	152	9.3	7.3-11.3	24	1.5	0.7- 2.3	8	1.1	0.0- 2.5	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	31	2.6	1.4- 3.8
Less than \$15,000	347	51,128	306	79.7	71.5-87.9	23	7.8	3.9-11.7	1	0.1	0.0- 0.3	3	1.9	0.0- 5.0				2	3.5	0.0- 9.8	12	7.0	2.1-11.9
\$15,000- 24,999	530	88,781	463	86.4	82.7-90.1	37	8.0	4.9-11.1	8	1.0	0.2- 1.8	4	0.6	0.0- 1.2							18	4.0	1.8- 6.2
\$25,000- 34,999	334	63,918	287	86.5	82.0-91.0	25	7.0	3.9-10.1	11	2.1	0.7- 3.5	1	0.1	0.0- 0.3							10	4.3	1.4- 7.1
\$35,000- 49,999	389	75,125	327	84.4	79.5-89.3	44	10.5	6.4-14.6	8	1.9	0.3- 3.5	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9				8	2.7	0.0- 5.4
\$50,000- 74,999	493	98,756	430	87.6	83.7-91.5	45	7.2	4.7- 9.7	9	1.4	0.2- 2.6	3	0.4	0.0- 1.0				1	0.4	0.0- 1.2	5	3.0	0.3- 5.7
\$75,000+	1120	244,942	941	85.2	82.3-88.1	130	9.3	7.3-11.3	21	1.7	0.7- 2.7	7	1.0	0.0- 2.4	1	0.2	0.0- 0.6	2	0.5	0.0- 1.5	18	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1767	364,776	1488	84.8	82.4-87.2	185	9.0	7.4-10.6	33	1.6	0.8- 2.4	14	0.9	0.0- 1.9	2	0.2	0.0- 0.4	5	1.0	0.0- 2.2	40	2.5	1.5- 3.5
White/Non-Hisp	1181	228,804	986	84.9	82.4-87.4	133	9.5	7.3-11.7	16	1.3	0.5- 2.1	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	35	3.7	2.1- 5.3
Black or Afr. Am./Non-Hisp	184	72,091	157	85.0	77.7-92.3	19	8.2	3.9-12.5	2	0.8	0.0- 2.4	1	2.3	0.0- 6.6	1	0.5	0.0- 1.5	1	2.3	0.0- 6.8	3	0.9	0.0- 2.1
Oth. Race/Non-Hisp.	65	16,092	49	68.9	51.7-86.1	10	15.0	3.2-26.8	3	6.2	0.0-13.6				2	8.9	0.0-23.0	1	1.0	0.0- 3.0			
Hispanic	248	32,493	226	91.0	86.7-95.3	13	5.2	2.1- 8.3	5	2.1	0.0- 4.3	3	1.3	0.0- 3.3				1	0.4	0.0- 1.2			
18-24	143	43,867	136	89.7	79.7-99.7	3	1.4	0.0- 3.2	1	0.7	0.0- 2.1	2	4.4	0.0-11.7				1	3.8	0.0-11.1			
25-34	206	62,604	183	86.8	80.5-93.1	18	9.6	4.5-14.7	2	0.7	0.0- 1.7				1	0.6	0.0- 1.8	2	2.3	0.0- 6.2			
35-44	233	56,000	205	89.0	84.1-93.9	18	6.9	2.8-11.0	4	2.0	0.0- 4.2	3	0.8	0.0- 1.8	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9
45-54	274	56,273	233	86.0	80.9-91.1	29	9.9	5.6-14.2	4	1.5	0.0- 3.5	4	0.9	0.0- 1.9							4	1.7	0.0- 3.4
55-64	356	62,751	302	84.3	79.2-89.4	39	11.1	7.0-15.2	4	0.5	0.0- 1.1							1	0.2	0.0- 0.6	10	3.9	0.8- 7.0
65+	555	83,280	429	77.3	72.6-82.0	78	11.9	8.6-15.2	18	3.6	1.4- 5.8	5	0.5	0.1- 0.9							25	6.8	3.3-10.3
Less Than H.S.	221	44,619	200	91.8	87.1-96.5	10	2.5	0.7- 4.3				4	1.3	0.0- 2.9				2	0.8	0.0- 1.8	5	3.7	0.0- 7.4
H.S. or G.E.D.	528	121,665	453	85.4	81.1-89.7	49	8.1	5.4-10.8	11	2.2	0.6- 3.8	2	0.2	0.0- 0.4				2	1.7	0.0- 4.4	11	2.6	0.4- 4.8
Some Post-H.S.	411	97,012	342	82.7	77.6-87.8	45	12.1	7.8-16.4	11	1.3	0.3- 2.3	4	0.5	0.0- 1.1	1	0.4	0.0- 1.2	1	1.3	0.0- 3.8	7	1.7	0.3- 3.1
College Graduate	605	101,230	491	82.9	78.6-87.2	81	10.1	7.4-12.8	11	2.0	0.4- 3.6	4	2.0	0.0- 5.1	1	0.2	0.0- 0.6				17	2.7	1.1- 4.4
Less than \$15,000	143	20,991	126	78.8	64.1-93.5	10	10.2	2.6-17.8				2	0.8	0.0- 2.0				2	8.6	0.0-23.1	3	1.6	0.0- 3.3
\$15,000- 24,999	192	33,527	169	88.7	82.6-94.8	11	7.1	1.4-12.8	3	1.2	0.0- 3.0	3	1.0	0.0- 2.2							6	2.0	0.2- 3.8
\$25,000- 34,999	142	31,990	118	86.6	80.3-92.9	13	6.8	2.7-10.9	6	1.8	0.0- 3.6	1	0.2	0.0- 0.6							4	4.6	0.1- 9.1
\$35,000- 49,999	164	30,274	134	79.6	70.8-88.4	23	16.2	7.8-24.6	4	2.8	0.0- 5.7				1	0.7	0.0- 2.1				2	0.6	0.0- 1.1
\$50,000- 74,999	229	48,642	195	86.9	81.4-92.4	26	8.5	4.4-12.6	3	1.3	0.0- 2.9	2	0.7	0.0- 1.9				1	0.7	0.0- 2.1	2	1.9	0.0- 5.1
\$75,000+	588	131,411	486	83.4	79.1-87.7	69	9.0	6.5-11.5	14	2.4	0.8- 4.0	4	1.5	0.0- 3.9	1	0.3	0.0- 0.9	1	0.9	0.0- 2.7	13	2.5	0.5- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2215	401,672	1914	86.3	84.3-88.3	198	8.0	6.6- 9.4	33	1.0	0.6- 1.4	9	0.5	0.1- 0.9	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	57	4.1	2.9- 5.5
White/Non-Hisp	1415	253,291	1218	85.8	83.4-88.2	132	7.6	6.0- 9.2	18	0.9	0.3- 1.5	5	0.6	0.0- 1.4				1	0.0	0.0- 0.0	41	5.0	3.2- 6.6
Black or Afr. Am./Non-Hisp	346	85,966	298	87.9	83.8-92.0	34	8.1	4.6-11.6	4	1.0	0.0- 2.2	2	0.3	0.0- 0.7							8	2.7	0.7- 4.7
Oth. Race/Non-Hisp.	69	13,743	59	91.2	84.1-98.3	6	5.9	0.0-12.4	1	0.8	0.0- 2.4	1	0.6	0.0- 1.8							2	1.5	0.0- 3.0
MultiRacial/Non-Hisp.	55	10,754	46	80.3	65.6-95.0	4	8.8	0.0-19.2	1	1.0	0.0- 3.0	1	1.4	0.0- 4.1	1	2.5	0.0- 7.4				2	6.0	0.0-15.0
Hispanic	290	31,265	260	86.8	80.7-92.9	18	10.3	4.6-16.0	7	1.5	0.1- 2.9				2	0.6	0.0- 1.6				3	0.9	0.0- 2.2
18-24	131	41,997	123	94.4	90.1-98.7	6	5.0	0.9- 9.1	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2									
25-34	261	62,303	246	94.3	91.0-97.6	13	4.9	1.8- 8.0	2	0.8	0.0- 2.2												
35-44	312	59,115	276	89.9	85.6-94.2	23	7.1	3.2-11.0	9	2.1	0.3- 3.9	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6				1	0.3	0.0- 0.6
45-54	351	60,777	308	89.9	86.4-93.4	31	7.8	4.5-11.1	7	1.2	0.0- 2.4	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3				2	0.6	0.0- 1.1
55-64	446	69,552	387	86.4	82.1-90.7	45	9.3	6.2-12.4	6	1.1	0.0- 2.5	1	0.4	0.0- 1.2							7	2.8	0.1- 5.5
65+	714	107,928	574	74.6	69.9-79.3	80	10.6	7.9-13.3	8	0.7	0.1- 1.3	3	1.0	0.0- 2.6	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	47	12.8	8.7-16.9
Less Than H.S.	232	36,927	206	85.8	79.1-92.5	15	5.8	2.1- 9.5	2	0.6	0.0- 1.6	1	2.2	0.0- 6.5	2	1.1	0.0- 2.7				6	4.4	0.9- 7.9
H.S. or G.E.D.	619	120,493	518	84.4	80.9-87.9	66	9.4	6.7-12.1	12	1.8	0.4- 3.2				1	0.0	0.0- 0.0				22	4.4	2.2- 6.6
Some Post-H.S.	585	119,077	517	87.7	84.0-91.4	45	6.4	4.2- 8.6	6	0.4	0.0- 0.8	4	0.4	0.0- 0.8							13	5.0	1.9- 8.1
College Graduate	769	123,944	666	87.3	84.2-90.4	71	8.7	6.2-11.2	13	1.1	0.5- 1.7	4	0.5	0.0- 1.1				1	0.0	0.0- 0.0	14	2.4	0.8- 4.0
Less than \$15,000	204	30,137	180	80.3	71.1-89.5	13	6.2	2.1-10.3	1	0.1	0.0- 0.5	1	2.8	0.0- 8.1							9	10.7	2.9-18.5
\$15,000- 24,999	338	55,254	294	85.1	80.4-89.8	26	8.5	5.0-12.0	5	0.8	0.0- 1.6	1	0.3	0.0- 0.9							12	5.3	2.2- 8.4
\$25,000- 34,999	192	31,928	169	86.3	80.0-92.6	12	7.3	2.6-12.0	5	2.4	0.0- 4.8										6	4.0	0.3- 7.7
\$35,000- 49,999	225	44,851	193	87.7	82.0-93.4	21	6.6	2.9-10.3	4	1.3	0.0- 2.9	1	0.3	0.0- 0.9							6	4.1	0.0- 8.2
\$50,000- 74,999	264	50,114	235	88.4	82.7-94.1	19	5.8	2.5- 9.1	6	1.6	0.0- 3.6	1	0.1	0.0- 0.3							3	4.1	0.0- 8.2
\$75,000+	532	113,531	455	87.3	83.8-90.8	61	9.7	6.6-12.8	7	1.0	0.0- 2.0	3	0.4	0.0- 1.0				1	0.0	0.0- 0.0	5	1.5	0.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	772,844	543	11.4	10.2-12.6	3457	88.6	87.4-89.8
Male	1777	367,799	472	21.0	18.6-23.4	1305	79.0	76.6-81.4
Female	2223	405,045	71	2.7	1.9- 3.5	2152	97.3	96.5-98.1
White/Non-Hisp	2612	485,980	405	12.3	10.7-13.9	2207	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	531	157,950	66	11.3	8.0-14.6	465	88.7	85.4-92.0
Oth. Race/Non-Hisp.	134	30,010	18	8.1	2.8-13.4	116	91.9	86.6-97.2
MultiRacial/Non-Hisp.	98	16,652	16	10.8	3.4-18.2	82	89.2	81.8-96.6
Hispanic	537	64,507	18	2.7	1.1- 4.3	519	97.3	95.7-98.9
18-24	276	85,148	11	3.2	0.8- 5.6	265	96.8	94.4-99.2
25-34	467	125,979	29	6.5	3.2- 9.8	438	93.5	90.2-96.8
35-44	546	115,543	32	5.4	3.2- 7.6	514	94.6	92.4-96.8
45-54	620	115,776	49	8.4	5.7-11.1	571	91.6	88.9-94.3
55-64	810	135,250	120	14.6	11.3-17.9	690	85.4	82.1-88.7
65+	1281	195,146	302	21.3	18.4-24.2	979	78.7	75.8-81.6
Less Than H.S.	455	82,916	14	2.7	0.7- 4.7	441	97.3	95.3-99.3
H.S. or G.E.D.	1149	244,139	150	11.2	8.8-13.6	999	88.8	86.4-91.2
Some Post-H.S.	1009	219,870	168	14.9	12.0-17.8	841	85.1	82.2-88.0
College Graduate	1374	224,202	210	11.4	9.4-13.4	1164	88.6	86.6-90.6
Less than \$15,000	348	51,228	14	3.5	1.3- 5.7	334	96.5	94.3-98.7
\$15,000- 24,999	534	90,584	54	8.9	5.8-12.0	480	91.1	88.0-94.2
\$25,000- 34,999	335	65,445	45	10.6	6.3-14.9	290	89.4	85.1-93.7
\$35,000- 49,999	391	75,372	62	12.3	8.8-15.8	329	87.7	84.2-91.2
\$50,000- 74,999	493	98,756	89	15.3	11.0-19.6	404	84.7	80.4-89.0
\$75,000+	1122	244,566	188	13.0	10.6-15.4	934	87.0	84.6-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1777	367,799	472	21.0	18.6-23.4	1305	79.0	76.6-81.4
White/Non-Hisp	1187	230,614	362	23.6	20.7-26.5	825	76.4	73.5-79.3
Black or Afr. Am./Non-Hisp	186	71,614	49	20.0	13.3-26.7	137	80.0	73.3-86.7
Oth. Race/Non-Hisp.	64	15,890	14	10.6	2.8-18.4	50	89.4	81.6-97.2
Hispanic	250	33,528	15	4.3	1.6- 7.0	235	95.7	93.0-98.4
18-24	143	42,401	9	5.8	1.3-10.3	134	94.2	89.7-98.7
25-34	206	63,348	21	11.0	4.7-17.3	185	89.0	82.7-95.3
35-44	234	56,629	20	6.9	3.4-10.4	214	93.1	89.6-96.6
45-54	270	55,031	34	12.5	7.6-17.4	236	87.5	82.6-92.4
55-64	360	63,208	95	25.9	19.6-32.2	265	74.1	67.8-80.4
65+	564	87,182	293	46.9	41.2-52.6	271	53.1	47.4-58.8
Less Than H.S.	223	45,551	14	5.0	1.5- 8.5	209	95.0	91.5-98.5
H.S. or G.E.D.	528	122,923	139	20.5	16.2-24.8	389	79.5	75.2-83.8
Some Post-H.S.	418	98,676	148	29.9	24.2-35.6	270	70.1	64.4-75.8
College Graduate	605	100,164	170	20.2	16.3-24.1	435	79.8	75.9-83.7
Less than \$15,000	143	20,991	13	7.9	2.8-13.0	130	92.1	87.0-97.2
\$15,000- 24,999	195	34,953	48	20.7	13.3-28.1	147	79.3	71.9-86.7
\$25,000- 34,999	143	33,517	37	18.3	10.3-26.3	106	81.7	73.7-89.7
\$35,000- 49,999	166	30,521	52	25.3	17.5-33.1	114	74.7	66.9-82.5
\$50,000- 74,999	229	48,642	79	28.2	20.4-36.0	150	71.8	64.0-79.6
\$75,000+	589	130,926	161	20.7	16.6-24.8	428	79.3	75.2-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	405,045	71	2.7	1.9- 3.5	2152	97.3	96.5-98.1
White/Non-Hisp	1425	255,366	43	2.2	1.4- 3.0	1382	97.8	97.0-98.6
Black or Afr. Am./Non-Hisp	345	86,336	17	4.1	1.9- 6.3	328	95.9	93.7-98.1
Oth. Race/Non-Hisp.	70	14,120	4	5.2	0.0-12.1	66	94.8	87.9- 100
MultiRacial/Non-Hisp.	55	10,754	3	2.6	0.0- 5.9	52	97.4	94.1- 100
Hispanic	287	30,979	3	1.0	0.0- 2.4	284	99.0	97.6- 100
18-24	133	42,747	2	0.6	0.0- 1.6	131	99.4	98.4- 100
25-34	261	62,631	8	2.0	0.4- 3.6	253	98.0	96.4-99.6
35-44	312	58,914	12	3.9	1.2- 6.6	300	96.1	93.4-98.8
45-54	350	60,745	15	4.6	1.9- 7.3	335	95.4	92.7-98.1
55-64	450	72,042	25	4.8	2.4- 7.2	425	95.2	92.8-97.6
65+	717	107,965	9	0.7	0.1- 1.3	708	99.3	98.7-99.9
Less Than H.S.	232	37,365				232	100.0	100.0- 100
H.S. or G.E.D.	621	121,216	11	1.9	0.7- 3.1	610	98.1	96.9-99.3
Some Post-H.S.	591	121,194	20	2.8	1.4- 4.2	571	97.2	95.8-98.6
College Graduate	769	124,038	40	4.2	2.4- 6.0	729	95.8	94.0-97.6
Less than \$15,000	205	30,237	1	0.4	0.0- 1.2	204	99.6	98.8- 100
\$15,000- 24,999	339	55,631	6	1.5	0.1- 2.9	333	98.5	97.1-99.9
\$25,000- 34,999	192	31,928	8	2.5	0.3- 4.7	184	97.5	95.3-99.7
\$35,000- 49,999	225	44,851	10	3.5	1.0- 6.0	215	96.5	94.0-99.0
\$50,000- 74,999	264	50,114	10	2.7	0.5- 4.9	254	97.3	95.1-99.5
\$75,000+	533	113,640	27	4.1	2.1- 6.1	506	95.9	93.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3940	762,875	2022	56.6	54.4-58.8	278	7.7	6.5- 8.9	181	4.0	3.0- 5.0	111	4.7	3.5- 5.9	1092	21.6	20.0-23.2	256	5.4	4.4- 6.4
Male	1751	365,245	994	62.8	59.7-65.9	118	7.3	5.5- 9.1	3	0.1	0.0- 0.3	39	4.0	2.4- 5.6	502	21.1	18.7-23.5	95	4.7	3.3- 6.1
Female	2189	397,629	1028	51.0	48.1-53.9	160	8.0	6.2- 9.8	178	7.6	6.0- 9.2	72	5.4	3.8- 7.0	590	22.1	19.9-24.3	161	6.0	4.8- 7.2
White/Non-Hisp	2588	481,668	1270	55.2	52.7-57.7	150	6.6	5.2- 8.0	89	3.7	2.7- 4.7	52	3.7	2.5- 4.9	895	26.5	24.3-28.7	132	4.3	3.3- 5.3
Black or Afr. Am./Non-Hisp	523	156,221	273	58.2	52.5-63.9	47	10.0	6.5-13.5	8	1.1	0.1- 2.1	24	5.9	3.2- 8.6	111	16.3	12.2-20.4	60	8.5	5.6-11.4
Oth. Race/Non-Hisp.	130	29,539	65	52.4	39.9-64.9	10	11.5	3.9-19.1	9	7.0	1.9-12.1	11	13.9	2.5-25.3	23	11.1	4.6-17.6	12	4.1	1.4- 6.8
MultiRacial/Non-Hisp.	97	16,633	48	46.8	31.9-61.7	12	9.8	2.0-17.6	2	0.6	0.0- 1.6	8	15.2	2.1-28.3	18	16.4	6.2-26.6	9	11.2	0.0-24.3
Hispanic	518	61,701	321	65.8	59.1-72.5	56	9.3	6.0-12.6	70	13.6	7.3-19.9	15	3.1	1.1- 5.1	18	2.5	0.9- 4.1	38	5.7	3.5- 7.9
18-24	268	85,421	141	49.7	41.3-58.1	21	7.4	3.9-10.9	8	2.7	0.0- 6.8	88	36.4	28.6-44.2	1	1.9	0.0- 5.6	9	1.9	0.5- 3.3
25-34	461	123,995	331	71.7	66.0-77.4	55	13.9	9.4-18.4	39	6.2	3.7- 8.7	14	3.3	0.9- 5.7	1	0.1	0.0- 0.3	21	4.9	1.8- 8.0
35-44	534	114,485	410	81.2	76.9-85.5	48	9.0	5.7-12.3	39	4.9	2.9- 6.9	4	0.3	0.0- 0.7	3	0.4	0.0- 0.8	30	4.2	1.8- 6.6
45-54	614	114,542	464	78.3	74.2-82.4	49	7.9	5.0-10.8	24	3.1	1.5- 4.7	2	0.1	0.0- 0.3	18	3.1	1.3- 4.9	57	7.5	5.1- 9.9
55-64	790	130,456	465	60.6	56.1-65.1	77	9.1	6.6-11.6	26	3.3	1.5- 5.1				125	16.6	13.1-20.1	97	10.4	7.9-12.9
65+	1273	193,975	211	20.2	16.9-23.5	28	1.9	0.9- 2.9	45	3.7	2.1- 5.3	3	0.2	0.0- 0.4	944	70.7	67.0-74.4	42	3.3	1.9- 4.7
Less Than H.S.	431	79,063	211	50.0	42.7-57.3	51	11.9	7.2-16.6	57	11.5	6.2-16.8	4	2.1	0.0- 4.8	57	14.9	10.2-19.6	51	9.7	6.4-13.0
H.S. or G.E.D.	1131	240,155	529	53.9	50.0-57.8	103	10.1	7.6-12.6	57	3.6	2.4- 4.8	33	4.5	2.5- 6.5	302	20.3	17.4-23.2	107	7.6	5.8- 9.4
Some Post-H.S.	1000	216,890	493	53.4	49.1-57.7	65	5.8	3.8- 7.8	39	3.7	2.1- 5.3	47	8.6	5.7-11.5	295	23.6	20.3-26.9	61	5.0	2.8- 7.2
College Graduate	1368	225,379	786	65.3	62.0-68.6	57	5.4	3.6- 7.2	27	2.0	1.0- 3.0	27	2.2	1.2- 3.2	434	23.2	20.3-26.1	37	1.8	1.0- 2.6
Less than \$15,000	341	49,714	132	38.6	30.4-46.8	55	18.1	11.4-24.8	25	6.1	3.0- 9.2	6	5.3	1.0- 9.6	51	14.8	9.7-19.9	72	17.2	12.1-22.3
\$15,000- 24,999	530	90,036	201	37.1	31.6-42.6	69	17.3	12.6-22.0	38	5.8	3.3- 8.3	21	6.9	3.6-10.2	138	20.3	16.2-24.4	63	12.7	8.6-16.8
\$25,000- 34,999	332	64,696	159	54.6	46.8-62.4	20	6.7	3.0-10.4	13	2.8	0.8- 4.8	9	2.2	0.4- 4.0	108	28.6	21.7-35.5	23	5.1	2.6- 7.6
\$35,000- 49,999	389	74,959	202	56.4	49.7-63.1	26	8.4	4.3-12.5	7	1.3	0.1- 2.5	10	4.2	0.9- 7.5	130	26.3	20.6-32.0	14	3.4	1.4- 5.4
\$50,000- 74,999	490	97,875	284	62.4	56.5-68.3	26	6.3	3.2- 9.4	15	3.9	1.4- 6.4	13	5.0	1.7- 8.3	139	19.4	15.1-23.7	13	3.0	0.5- 5.5
\$75,000+	1121	246,130	752	71.5	67.8-75.2	28	2.4	1.2- 3.6	28	2.9	1.1- 4.7	21	4.3	1.9- 6.7	271	16.9	14.2-19.6	21	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	365,245	994	62.8	59.7-65.9	118	7.3	5.5- 9.1	3	0.1	0.0- 0.3	39	4.0	2.4- 5.6	502	21.1	18.7-23.5	95	4.7	3.3- 6.1
White/Non-Hisp	1179	229,923	615	60.8	57.3-64.3	70	6.7	4.7- 8.7	1	0.1	0.0- 0.3	17	2.7	1.1- 4.3	420	25.7	22.8-28.6	56	4.0	2.6- 5.4
Black or Afr. Am./Non-Hisp	183	72,274	99	59.1	49.7-68.5	19	10.7	5.2-16.2				7	5.3	1.2- 9.4	38	16.3	9.2-23.4	20	8.6	3.5-13.7
Oth. Race/Non-Hisp.	62	15,829	37	64.4	45.6-83.2							7	20.5	1.5-39.5	15	12.8	3.6-22.0	3	2.3	0.0- 5.4
Hispanic	240	31,372	193	82.7	76.4-89.0	22	8.9	3.8-14.0	2	0.4	0.0- 1.0	7	2.7	0.2- 5.2	7	2.1	0.3- 3.9	9	3.1	0.7- 5.5
18-24	138	43,103	88	53.8	41.8-65.8	13	9.4	3.9-14.9				34	31.9	20.7-43.1	1	3.8	0.0-11.1	2	1.1	0.0- 2.9
25-34	205	62,487	172	81.5	73.9-89.1	22	11.8	5.7-17.9				3	0.8	0.0- 1.8				8	5.9	0.6-11.2
35-44	229	56,488	197	88.6	83.3-93.9	18	8.1	3.2-13.0	2	0.2	0.0- 0.6	1	0.3	0.0- 0.9	3	0.8	0.0- 1.8	8	2.0	0.4- 3.6
45-54	266	54,128	212	84.6	79.7-89.5	18	5.9	2.8- 9.0	1	0.3	0.0- 0.9				8	1.7	0.1- 3.3	27	7.5	4.0-11.0
55-64	350	61,446	224	64.0	57.3-70.7	35	9.6	5.9-13.3							53	16.5	11.2-21.8	38	9.9	5.8-14.0
65+	563	87,594	101	23.0	17.5-28.5	12	1.9	0.5- 3.3				1	0.1	0.0- 0.3	437	72.8	67.3-78.3	12	2.2	0.4- 4.0
Less Than H.S.	211	43,605	146	70.0	61.4-78.6	22	10.9	4.4-17.4	1	0.2	0.0- 0.6				28	11.9	6.4-17.4	14	6.9	2.6-11.2
H.S. or G.E.D.	520	121,510	295	63.0	57.3-68.7	44	8.2	5.3-11.1	1	0.1	0.0- 0.3	11	4.4	0.9- 7.9	128	18.5	14.2-22.8	41	5.7	3.3- 8.1
Some Post-H.S.	414	97,419	219	58.0	51.5-64.5	25	5.8	2.9- 8.7	1	0.0	0.0- 0.0	20	7.6	3.7-11.5	126	23.3	18.4-28.2	23	5.2	1.7- 8.7
College Graduate	603	102,227	333	64.3	59.0-69.6	26	6.1	3.2- 9.0				8	1.7	0.5- 2.9	219	25.6	20.9-30.3	17	2.3	0.9- 3.7
Less than \$15,000	140	20,789	76	56.5	43.2-69.8	19	16.0	5.0-27.0	1	0.1	0.0- 0.3	1	2.4	0.0- 7.1	17	12.3	5.2-19.4	26	12.7	6.0-19.4
\$15,000- 24,999	193	34,881	84	40.3	30.9-49.7	25	14.3	7.6-21.0	2	0.7	0.0- 1.7	6	6.4	1.3-11.5	54	21.6	14.3-28.9	22	16.6	8.2-25.0
\$25,000- 34,999	143	33,517	71	60.5	48.9-72.1	11	7.2	1.7-12.7				4	1.2	0.0- 2.6	48	25.9	15.5-36.3	9	5.2	1.3- 9.1
\$35,000- 49,999	166	30,521	90	63.0	53.6-72.4	13	8.1	2.8-13.4				4	3.7	0.0- 7.8	54	23.1	15.7-30.5	5	2.2	0.0- 4.4
\$50,000- 74,999	227	48,142	128	62.6	54.0-71.2	17	11.0	4.9-17.1				6	4.7	0.0- 9.4	70	20.1	13.8-26.4	6	1.6	0.0- 3.2
\$75,000+	589	132,536	406	74.4	69.3-79.5	9	1.5	0.3- 2.7				7	3.6	0.5- 6.7	163	18.8	14.7-22.9	4	1.6	0.0- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 8: DEMOGRAPHICS  
 TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	397,629	1028	51.0	48.1-53.9	160	8.0	6.2- 9.8	178	7.6	6.0- 9.2	72	5.4	3.8- 7.0	590	22.1	19.9-24.3	161	6.0	4.8- 7.2
White/Non-Hisp	1409	251,744	655	50.2	46.7-53.7	80	6.5	4.5- 8.5	88	7.0	5.2- 8.8	35	4.6	2.6- 6.6	475	27.1	24.2-30.0	76	4.6	3.2- 6.0
Black or Afr. Am./Non-Hisp	340	83,947	174	57.4	50.3-64.5	28	9.5	5.0-14.0	8	2.1	0.3- 3.9	17	6.5	3.0-10.0	73	16.2	11.5-20.9	40	8.4	5.3-11.5
Oth. Race/Non-Hisp.	68	13,709	28	38.6	23.3-53.9	10	24.8	10.1-39.5	9	15.0	4.4-25.6	4	6.3	0.0-14.7	8	9.2	0.0-18.4	9	6.1	1.4-10.8
MultiRacial/Non-Hisp.	55	10,754	24	39.9	21.3-58.5	7	8.8	0.0-18.8	2	0.9	0.0- 2.3	8	23.5	4.3-42.7	10	13.5	2.1-24.9	4	13.3	0.0-32.9
Hispanic	278	30,329	128	48.3	38.5-58.1	34	9.7	5.4-14.0	68	27.2	16.0-38.4	8	3.5	0.4- 6.6	11	2.9	0.5- 5.3	29	8.4	4.7-12.1
18-24	130	42,318	53	45.5	33.5-57.5	8	5.3	1.0- 9.6	8	5.5	0.0-13.5	54	41.0	29.6-52.4				7	2.7	0.5- 4.9
25-34	256	61,508	159	61.8	53.6-70.0	33	16.0	9.1-22.9	39	12.4	7.3-17.5	11	5.8	1.3-10.3	1	0.2	0.0- 0.6	13	3.8	1.1- 6.5
35-44	305	57,997	213	73.9	67.2-80.6	30	10.0	5.5-14.5	37	9.4	5.5-13.3	3	0.3	0.0- 0.7				22	6.4	2.1-10.7
45-54	348	60,415	252	72.6	66.3-78.9	31	9.7	5.0-14.4	23	5.6	2.5- 8.7	2	0.3	0.0- 0.7	10	4.4	1.3- 7.5	30	7.4	4.3-10.5
55-64	440	69,010	241	57.6	51.7-63.5	42	8.7	5.4-12.0	26	6.2	2.9- 9.5				72	16.7	12.0-21.4	59	10.9	7.6-14.2
65+	710	106,381	110	17.9	14.0-21.8	16	1.9	0.3- 3.5	45	6.7	4.0- 9.4	2	0.2	0.0- 0.6	507	69.0	64.3-73.7	30	4.2	2.2- 6.2
Less Than H.S.	220	35,458	65	25.3	17.5-33.1	29	13.0	5.9-20.1	56	25.3	14.7-35.9	4	4.6	0.0-10.5	29	18.6	10.6-26.6	37	13.1	7.8-18.4
H.S. or G.E.D.	611	118,645	234	44.5	39.0-50.0	59	12.0	8.1-15.9	56	7.2	4.7- 9.7	22	4.6	2.4- 6.8	174	22.1	18.0-26.2	66	9.6	6.9-12.3
Some Post-H.S.	586	119,471	274	49.6	44.1-55.1	40	5.7	3.2- 8.2	38	6.6	3.7- 9.5	27	9.3	5.2-13.4	169	23.8	19.5-28.1	38	4.9	2.4- 7.4
College Graduate	765	123,152	453	66.1	61.8-70.4	31	4.9	2.7- 7.1	27	3.6	1.8- 5.4	19	2.6	1.2- 4.0	215	21.3	17.8-24.8	20	1.5	0.7- 2.3
Less than \$15,000	201	28,925	56	25.7	17.1-34.3	36	19.6	11.4-27.8	24	10.3	5.2-15.4	5	7.5	0.8-14.2	34	16.6	9.7-23.5	46	20.3	13.2-27.4
\$15,000- 24,999	337	55,155	117	35.0	28.3-41.7	44	19.2	12.7-25.7	36	9.0	5.1-12.9	15	7.2	2.9-11.5	84	19.5	14.6-24.4	41	10.3	6.6-14.0
\$25,000- 34,999	189	31,179	88	48.2	38.6-57.8	9	6.2	1.3-11.1	13	5.8	1.7- 9.9	5	3.3	0.0- 6.8	60	31.5	22.7-40.3	14	5.0	1.7- 8.3
\$35,000- 49,999	223	44,438	112	51.9	42.7-61.1	13	8.6	2.7-14.5	7	2.3	0.3- 4.3	6	4.6	0.0- 9.3	76	28.4	20.4-36.4	9	4.3	1.2- 7.4
\$50,000- 74,999	263	49,733	156	62.1	53.9-70.3	9	1.8	0.4- 3.2	15	7.6	2.7-12.5	7	5.2	0.1-10.3	69	18.8	12.7-24.9	7	4.4	0.0- 9.3
\$75,000+	532	113,594	346	68.2	62.7-73.7	19	3.5	1.5- 5.5	28	6.3	2.4-10.2	14	5.1	1.8- 8.4	108	14.6	11.3-17.9	17	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3933	759,449	534	15.8	14.0-17.6	424	12.7	11.1-14.3	196	5.1	4.1- 6.1	72	1.9	1.3- 2.5	44	1.0	0.6- 1.4	2663	63.5	61.3-65.7
Male	1745	359,244	221	15.5	12.8-18.2	154	10.9	8.7-13.1	69	4.3	2.9- 5.7	25	1.4	0.8- 2.0	14	0.8	0.0- 1.6	1262	67.1	63.8-70.4
Female	2188	400,205	313	16.1	13.9-18.3	270	14.3	12.1-16.5	127	5.8	4.2- 7.4	47	2.3	1.5- 3.1	30	1.2	0.6- 1.8	1401	60.3	57.4-63.2
White/Non-Hisp	2576	479,514	302	14.0	12.0-16.0	208	10.3	8.7-11.9	78	3.9	2.7- 5.1	26	1.3	0.7- 1.9	11	0.5	0.1- 0.9	1951	69.9	67.5-72.3
Black or Afr. Am./Non-Hisp	520	155,782	94	19.4	14.5-24.3	60	15.3	10.8-19.8	29	4.9	2.7- 7.1	10	1.6	0.4- 2.8	9	1.2	0.2- 2.2	318	57.6	51.7-63.5
Oth. Race/Non-Hisp.	132	29,160	25	23.4	11.8-35.0	18	14.2	6.4-22.0	4	1.9	0.0- 4.1	2	2.1	0.0- 5.4	3	5.2	0.0-13.2	80	53.1	40.6-65.6
MultiRacial/Non-Hisp.	96	16,157	12	18.5	4.8-32.2	15	21.4	6.9-35.9	4	2.0	0.0- 4.2	3	3.6	0.0- 7.9	1	0.4	0.0- 1.2	61	54.1	38.4-69.8
Hispanic	528	62,764	92	17.0	12.5-21.5	117	22.6	17.1-28.1	76	16.2	9.9-22.5	31	6.6	3.3- 9.9	20	3.1	1.3- 4.9	192	34.5	28.4-40.6
18-24	274	86,202	59	30.0	21.6-38.4	30	7.1	3.8-10.4	13	4.5	0.2- 8.8	5	1.7	0.0- 3.5	2	0.2	0.0- 0.6	165	56.5	48.1-64.9
25-34	459	123,030	88	21.8	16.3-27.3	93	18.7	13.8-23.6	57	10.9	7.0-14.8	28	4.7	2.5- 6.9	14	2.2	0.0- 4.4	179	41.8	35.5-48.1
35-44	535	112,134	114	20.4	15.9-24.9	160	33.3	27.8-38.8	83	12.8	9.3-16.3	22	3.6	1.8- 5.4	20	2.9	1.5- 4.3	136	27.0	21.7-32.3
45-54	607	113,743	154	23.4	19.3-27.5	83	16.2	12.1-20.3	25	3.8	1.8- 5.8	13	1.9	0.5- 3.3	2	0.7	0.0- 1.9	330	53.9	48.8-59.0
55-64	788	131,960	72	7.7	5.5- 9.9	37	4.8	2.8- 6.8	11	1.1	0.3- 1.9	3	0.5	0.0- 1.1	5	0.6	0.0- 1.2	660	85.2	82.3-88.1
65+	1270	192,379	47	4.0	2.6- 5.4	21	2.7	0.9- 4.5	7	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1193	92.7	90.3-95.1
Less Than H.S.	445	81,721	66	15.8	10.5-21.1	82	17.7	11.8-23.6	58	12.4	7.1-17.7	28	4.6	2.4- 6.8	17	2.2	0.8- 3.6	194	47.2	40.1-54.3
H.S. or G.E.D.	1132	238,890	160	16.0	12.7-19.3	102	10.4	7.9-12.9	49	4.7	2.7- 6.7	23	2.4	1.2- 3.6	15	1.3	0.5- 2.1	783	65.3	61.4-69.2
Some Post-H.S.	992	216,519	133	16.2	12.7-19.7	99	12.0	9.1-14.9	39	3.5	2.3- 4.7	11	1.2	0.4- 2.0	8	1.1	0.0- 2.3	702	65.9	61.8-70.0
College Graduate	1353	220,779	175	15.3	12.6-18.0	140	14.0	11.3-16.7	50	4.4	2.8- 6.0	10	1.0	0.2- 1.8	4	0.2	0.0- 0.4	974	65.1	61.6-68.6
Less than \$15,000	346	50,548	49	14.4	8.5-20.3	50	12.1	7.6-16.6	39	9.1	5.2-13.0	15	5.5	1.8- 9.2	7	1.5	0.1- 2.9	186	57.4	49.6-65.2
\$15,000- 24,999	533	90,408	71	13.2	9.5-16.9	58	11.2	7.7-14.7	34	6.4	3.9- 8.9	13	2.2	0.8- 3.6	8	0.8	0.2- 1.4	349	66.2	60.9-71.5
\$25,000- 34,999	331	63,516	41	10.1	6.2-14.0	33	11.1	5.6-16.6	21	9.2	3.3-15.1	6	2.0	0.0- 4.4	7	2.5	0.1- 4.9	223	65.1	57.5-72.7
\$35,000- 49,999	390	75,229	54	19.1	12.8-25.4	32	9.1	5.4-12.8	18	4.8	2.3- 7.3	4	1.2	0.0- 2.4	4	1.4	0.0- 2.8	278	64.4	57.5-71.3
\$50,000- 74,999	491	98,651	67	16.2	11.5-20.9	48	13.3	8.6-18.0	24	4.4	2.4- 6.4	3	1.0	0.0- 2.2	1	0.4	0.0- 1.2	348	64.7	58.8-70.6
\$75,000+	1117	244,145	176	19.6	16.1-23.1	139	15.6	12.7-18.5	35	4.2	2.2- 6.2	15	1.7	0.7- 2.7	7	0.8	0.0- 1.8	745	58.2	54.1-62.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	359,244	221	15.5	12.8-18.2	154	10.9	8.7-13.1	69	4.3	2.9- 5.7	25	1.4	0.8- 2.0	14	0.8	0.0- 1.6	1262	67.1	63.8-70.4
White/Non-Hisp	1172	227,027	126	13.2	10.3-16.1	81	9.8	7.4-12.2	31	4.1	2.1- 6.1	10	1.2	0.4- 2.0	3	0.3	0.0- 0.7	921	71.5	67.8-75.2
Black or Afr. Am./Non-Hisp	181	70,211	25	17.4	9.4-25.4	17	12.1	5.2-19.0	4	1.4	0.0- 3.0	4	1.5	0.0- 3.1				131	67.7	58.3-77.1
Oth. Race/Non-Hisp.	63	15,859	15	31.7	12.9-50.5	7	10.2	0.0-20.6	1	1.8	0.0- 5.3	1	0.7	0.0- 2.1	2	9.0	0.0-23.3	37	46.6	28.2-65.0
Hispanic	246	31,969	44	19.7	12.3-27.1	41	16.7	9.3-24.1	31	14.5	8.0-21.0	9	2.6	0.2- 5.0	9	3.2	0.5- 5.9	112	43.3	34.1-52.5
18-24	143	43,889	26	28.6	16.6-40.6	14	5.9	2.0- 9.8	5	2.2	0.0- 4.7	2	1.0	0.0- 2.6				96	62.3	50.3-74.3
25-34	201	60,993	42	22.4	14.0-30.8	22	10.3	4.6-16.0	20	10.4	4.5-16.3	7	2.3	0.1- 4.5	4	2.6	0.0- 6.5	106	51.9	42.3-61.5
35-44	229	54,721	49	19.5	12.8-26.2	60	27.2	19.6-34.8	24	9.7	5.0-14.4	10	3.3	0.9- 5.7	8	2.3	0.3- 4.3	78	37.9	29.5-46.3
45-54	262	53,668	57	20.8	14.9-26.7	39	19.1	12.4-25.8	14	4.0	1.3- 6.7	5	2.1	0.0- 4.5				147	53.9	46.3-61.5
55-64	348	60,794	28	7.7	4.6-10.8	14	4.6	1.7- 7.5	4	0.7	0.0- 1.5				2	0.4	0.0- 1.0	300	86.6	82.3-90.9
65+	562	85,178	19	3.4	1.4- 5.4	5	2.5	0.0- 6.0	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3				535	93.7	89.8-97.6
Less Than H.S.	219	44,792	28	14.6	7.5-21.7	35	19.0	10.0-28.0	24	9.7	4.6-14.8	9	1.9	0.3- 3.5	10	2.8	0.6- 5.0	113	51.9	42.1-61.7
H.S. or G.E.D.	519	119,228	75	15.9	11.0-20.8	34	7.0	4.3- 9.7	21	5.0	2.1- 7.9	9	2.1	0.5- 3.7	2	0.3	0.0- 0.9	378	69.6	63.9-75.3
Some Post-H.S.	407	95,831	53	16.8	11.1-22.5	31	9.4	5.3-13.5	8	1.9	0.3- 3.5	2	0.7	0.0- 1.7	1	1.3	0.0- 3.8	312	69.9	63.2-76.6
College Graduate	597	98,909	65	14.1	9.6-18.6	54	13.3	9.4-17.2	16	3.4	1.2- 5.6	5	0.9	0.1- 1.7	1	0.2	0.0- 0.6	456	68.2	62.7-73.7
Less than \$15,000	142	20,412	20	17.5	5.7-29.3	16	7.9	3.2-12.6	13	9.4	2.0-16.8	3	0.8	0.0- 1.8	4	1.5	0.0- 3.3	86	62.9	49.8-76.0
\$15,000- 24,999	194	34,777	20	8.6	3.9-13.3	14	5.4	2.1- 8.7	9	4.0	1.1- 6.9	4	1.1	0.0- 2.5	2	0.3	0.0- 0.7	145	80.7	74.2-87.2
\$25,000- 34,999	141	31,838	17	8.5	3.6-13.4	11	12.2	2.8-21.6	9	8.4	0.0-17.2	3	1.0	0.0- 2.2	1	0.8	0.0- 2.4	100	69.1	57.1-81.1
\$35,000- 49,999	166	30,521	18	17.1	6.9-27.3	8	5.4	1.1- 9.7	10	7.7	2.0-13.4	2	1.6	0.0- 3.8				128	68.2	57.4-79.0
\$50,000- 74,999	228	48,562	31	15.1	8.8-21.4	16	9.3	4.0-14.6	7	3.0	0.3- 5.7	1	0.6	0.0- 1.8	1	0.7	0.0- 2.1	172	71.3	63.3-79.3
\$75,000+	586	130,601	87	20.9	15.4-26.4	66	13.3	9.8-16.8	14	3.1	1.1- 5.1	8	1.8	0.4- 3.2	2	1.1	0.0- 2.9	409	59.8	54.1-65.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2188	400,205	313	16.1	13.9-18.3	270	14.3	12.1-16.5	127	5.8	4.2- 7.4	47	2.3	1.5- 3.1	30	1.2	0.6- 1.8	1401	60.3	57.4-63.2
White/Non-Hisp	1404	252,488	176	14.7	12.2-17.2	127	10.8	8.6-13.0	47	3.8	2.4- 5.2	16	1.5	0.7- 2.3	8	0.7	0.1- 1.3	1030	68.4	65.1-71.7
Black or Afr. Am./Non-Hisp	339	85,571	69	21.1	14.8-27.4	43	17.9	12.0-23.8	25	7.7	4.2-11.2	6	1.7	0.1- 3.3	9	2.2	0.4- 4.0	187	49.3	42.0-56.6
Oth. Race/Non-Hisp.	69	13,301	10	13.6	4.4-22.8	11	19.0	7.6-30.4	3	2.1	0.0- 4.6	1	3.7	0.0-10.8	1	0.7	0.0- 2.1	43	60.9	46.4-75.4
MultiRacial/Non-Hisp.	55	10,754	7	23.5	4.1-42.9	10	26.6	6.2-47.0	4	3.0	0.0- 6.1	2	2.8	0.0- 6.7	1	0.6	0.0- 1.8	31	43.5	24.3-62.7
Hispanic	282	30,795	48	14.1	9.0-19.2	76	28.6	20.4-36.8	45	18.1	7.5-28.7	22	10.8	4.3-17.3	11	3.0	0.8- 5.2	80	25.3	18.0-32.6
18-24	131	42,313	33	31.4	19.8-43.0	16	8.3	3.0-13.6	8	6.9	0.0-15.1	3	2.5	0.0- 5.6	2	0.4	0.0- 1.0	69	50.5	38.5-62.5
25-34	258	62,037	46	21.1	14.2-28.0	71	26.9	19.5-34.3	37	11.4	6.5-16.3	21	7.0	3.3-10.7	10	1.8	0.4- 3.2	73	31.9	24.3-39.5
35-44	306	57,412	65	21.2	15.3-27.1	100	39.0	31.6-46.4	59	15.8	10.5-21.1	12	3.9	1.2- 6.6	12	3.4	1.2- 5.6	58	16.7	11.4-22.0
45-54	345	60,075	97	25.8	20.1-31.5	44	13.6	8.7-18.5	11	3.6	0.9- 6.3	8	1.8	0.4- 3.2	2	1.4	0.0- 3.4	183	54.0	47.1-60.9
55-64	440	71,166	44	7.7	5.0-10.4	23	5.0	2.5- 7.5	7	1.5	0.1- 2.9	3	0.9	0.0- 2.1	3	0.9	0.0- 1.9	360	84.0	79.9-88.1
65+	708	107,201	28	4.5	2.5- 6.5	16	2.8	1.0- 4.6	5	0.7	0.0- 1.5				1	0.1	0.0- 0.3	658	91.9	89.2-94.6
Less Than H.S.	226	36,929	38	17.3	9.5-25.1	47	16.2	9.3-23.1	34	15.6	6.0-25.2	19	7.8	3.3-12.3	7	1.6	0.2- 3.0	81	41.5	31.5-51.5
H.S. or G.E.D.	613	119,662	85	16.0	11.7-20.3	68	13.7	9.6-17.8	28	4.5	2.1- 6.9	14	2.6	0.8- 4.4	13	2.2	0.8- 3.6	405	61.0	55.7-66.3
Some Post-H.S.	585	120,689	80	15.8	11.7-19.9	68	14.1	10.0-18.2	31	4.7	2.7- 6.7	9	1.6	0.2- 3.0	7	1.0	0.2- 1.8	390	62.8	57.5-68.1
College Graduate	756	121,869	110	16.2	12.5-19.9	86	14.6	11.1-18.1	34	5.2	2.8- 7.6	5	1.2	0.0- 2.4	3	0.3	0.0- 0.7	518	62.6	57.9-67.3
Less than \$15,000	204	30,137	29	12.3	7.0-17.6	34	14.9	8.2-21.6	26	8.9	4.6-13.2	12	8.7	2.8-14.6	3	1.5	0.0- 3.5	100	53.7	44.1-63.3
\$15,000- 24,999	339	55,631	51	16.0	10.7-21.3	44	14.9	9.6-20.2	25	7.9	4.2-11.6	9	2.9	0.7- 5.1	6	1.2	0.2- 2.2	204	57.1	50.2-64.0
\$25,000- 34,999	190	31,678	24	11.8	5.5-18.1	22	10.1	5.0-15.2	12	9.9	2.3-17.5	3	3.0	0.0- 7.3	6	4.2	0.1- 8.3	123	61.0	51.2-70.8
\$35,000- 49,999	224	44,708	36	20.5	12.5-28.5	24	11.6	6.1-17.1	8	2.8	0.6- 5.0	2	0.9	0.0- 2.3	4	2.4	0.0- 4.8	150	61.8	53.0-70.6
\$50,000- 74,999	263	50,089	36	17.3	10.4-24.2	32	17.1	9.7-24.5	17	5.8	2.9- 8.7	2	1.3	0.0- 3.5				176	58.4	50.0-66.8
\$75,000+	531	113,543	89	18.0	13.7-22.3	73	18.2	13.5-22.9	21	5.4	1.7- 9.1	7	1.6	0.2- 3.0	5	0.6	0.0- 1.2	336	56.2	50.3-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3224	627,591	220	4.8	3.8- 5.8	128	3.4	2.6- 4.2	219	5.4	4.4- 6.4	315	9.0	7.8-10.2	335	10.4	8.8-12.0	2007	67.0	64.8-69.2
Male	1466	301,190	95	4.4	2.8- 6.0	48	2.5	1.3- 3.7	83	4.6	3.2- 6.0	112	7.0	5.2- 8.8	143	11.1	8.6-13.6	985	70.3	67.0-73.6
Female	1758	326,402	125	5.2	3.8- 6.6	80	4.1	2.9- 5.3	136	6.1	4.7- 7.5	203	10.9	8.9-12.9	192	9.8	8.0-11.6	1022	63.9	61.0-66.8
White/Non-Hisp	2139	404,710	60	2.5	1.5- 3.5	56	2.1	1.3- 2.9	110	4.2	3.2- 5.2	188	8.6	7.0-10.2	197	8.9	7.3-10.5	1528	73.7	71.3-76.1
Black or Afr. Am./Non-Hisp	427	124,605	32	6.0	2.9- 9.1	25	6.2	3.1- 9.3	35	6.9	4.2- 9.6	50	9.0	5.7-12.3	57	13.6	8.9-18.3	228	58.2	51.9-64.5
Oth. Race/Non-Hisp.	102	24,027	8	3.7	0.4- 7.0	1	2.5	0.0- 7.4	3	4.4	0.0-10.5	13	10.0	3.7-16.3	11	6.6	1.5-11.7	66	72.8	61.6-84.0
MultiRacial/Non-Hisp.	85	14,138	3	0.8	0.0- 2.0	4	2.8	0.0- 6.5	10	12.3	1.9-22.7	12	12.2	3.2-21.2	7	6.8	0.3-13.3	49	65.1	50.4-79.8
Hispanic	415	49,613	116	22.6	17.1-28.1	40	6.8	3.7- 9.9	58	10.6	7.1-14.1	45	11.2	7.1-15.3	58	18.1	11.4-24.8	98	30.7	22.9-38.5
18-24	197	66,828	18	5.9	0.6-11.2	10	3.9	1.0- 6.8	17	6.9	3.0-10.8	29	13.3	8.0-18.6	23	7.6	2.9-12.3	100	62.4	53.4-71.4
25-34	385	105,911	49	6.2	3.8- 8.6	15	2.2	0.6- 3.8	27	5.3	2.6- 8.0	42	9.2	5.7-12.7	41	13.1	7.8-18.4	211	64.0	57.5-70.5
35-44	475	100,616	41	3.5	1.9- 5.1	27	5.1	2.0- 8.2	32	4.1	2.3- 5.9	40	6.4	3.9- 8.9	48	9.3	6.0-12.6	287	71.6	66.5-76.7
45-54	514	95,601	34	4.0	2.4- 5.6	15	1.9	0.7- 3.1	42	5.8	3.6- 8.0	49	9.0	5.7-12.3	37	6.2	3.7- 8.7	337	73.1	68.4-77.8
55-64	667	108,480	44	6.1	3.7- 8.5	27	3.3	1.9- 4.7	34	5.6	3.1- 8.1	51	6.8	4.4- 9.2	53	8.0	5.3-10.7	458	70.2	65.7-74.7
65+	986	150,155	34	3.8	2.0- 5.6	34	3.7	1.9- 5.5	67	5.3	3.5- 7.1	104	10.5	8.0-13.0	133	15.0	11.7-18.3	614	61.8	57.5-66.1
Less Than H.S.	332	62,708	113	22.7	17.2-28.2	33	10.5	5.2-15.8	48	10.7	7.0-14.4	47	11.3	7.0-15.6	43	20.4	13.1-27.7	48	24.3	16.1-32.5
H.S. or G.E.D.	907	192,715	63	4.8	2.6- 7.0	58	4.8	3.0- 6.6	92	8.2	5.8-10.6	137	13.9	11.0-16.8	120	13.9	10.6-17.2	437	54.4	49.9-58.9
Some Post-H.S.	822	181,853	28	2.7	1.1- 4.3	28	2.0	0.8- 3.2	54	4.6	2.8- 6.4	83	8.7	6.3-11.1	97	9.1	6.7-11.5	532	72.8	68.9-76.7
College Graduate	1161	190,133	15	0.9	0.3- 1.5	9	0.8	0.2- 1.4	25	1.5	0.7- 2.3	47	3.6	2.2- 5.0	75	4.8	3.2- 6.4	990	88.3	85.9-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1466	301,190	95	4.4	2.8- 6.0	48	2.5	1.3- 3.7	83	4.6	3.2- 6.0	112	7.0	5.2- 8.8	143	11.1	8.6-13.6	985	70.3	67.0-73.6
White/Non-Hisp	1003	194,355	27	2.0	1.0- 3.0	18	1.2	0.6- 1.8	35	2.9	1.5- 4.3	73	7.7	5.3-10.1	80	8.4	5.9-10.9	770	77.8	74.3-81.3
Black or Afr. Am./Non-Hisp	142	55,020	6	4.6	0.0-10.7	8	6.0	0.7-11.3	13	9.2	3.7-14.7	12	4.9	1.4- 8.4	20	16.5	7.5-25.5	83	58.9	47.9-69.9
Hispanic	205	26,117	56	23.8	16.0-31.6	21	7.6	2.5-12.7	28	9.2	4.7-13.7	17	7.6	3.3-11.9	29	22.2	11.8-32.6	54	29.5	20.1-38.9
18-24	101	33,506	13	9.6	0.0-19.4	4	1.6	0.0- 3.4	4	1.6	0.0- 3.8	13	12.1	5.0-19.2	13	11.2	2.4-20.0	54	64.0	50.9-77.1
25-34	170	53,426	17	5.0	1.7- 8.3	11	3.5	0.6- 6.4	8	4.5	0.2- 8.8	12	6.2	1.5-10.9	19	15.0	6.6-23.4	103	65.7	55.7-75.7
35-44	205	48,462	18	3.1	1.3- 4.9	11	5.4	0.0-10.9	14	3.6	1.1- 6.1	12	4.0	1.3- 6.7	22	12.2	6.3-18.1	128	71.7	63.7-79.7
45-54	225	45,350	14	2.8	0.8- 4.8	5	1.7	0.0- 3.5	19	6.5	2.8-10.2	11	3.4	1.0- 5.8	16	5.0	2.1- 7.9	160	80.5	74.8-86.2
55-64	306	52,500	24	6.2	3.1- 9.3	9	1.9	0.3- 3.5	15	7.0	2.5-11.5	21	6.4	2.7-10.1	20	7.6	3.3-11.9	217	70.8	63.9-77.7
65+	459	67,946	9	2.1	0.5- 3.7	8	1.2	0.2- 2.2	23	3.7	1.9- 5.5	43	10.2	6.5-13.9	53	14.1	8.6-19.6	323	68.7	62.4-75.0
Less Than H.S.	170	34,668	50	18.2	11.7-24.7	15	8.9	1.6-16.2	25	8.4	4.3-12.5	23	11.8	5.3-18.3	30	29.5	18.3-40.7	27	23.2	13.8-32.6
H.S. or G.E.D.	427	99,089	31	5.2	1.5- 8.9	20	3.4	1.2- 5.6	33	6.6	3.5- 9.7	47	9.4	6.1-12.7	51	12.1	7.2-17.0	245	63.2	56.7-69.7
Some Post-H.S.	343	81,356	9	1.5	0.1- 2.9	10	0.9	0.3- 1.5	16	3.8	1.1- 6.5	24	6.2	2.9- 9.5	35	9.2	5.1-13.3	249	78.5	72.8-84.2
College Graduate	525	85,986	4	0.6	0.0- 1.4	3	0.6	0.0- 1.4	9	1.4	0.0- 2.8	18	3.1	1.3- 4.9	27	4.4	1.9- 6.9	464	89.8	86.5-93.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1758	326,402	125	5.2	3.8- 6.6	80	4.1	2.9- 5.3	136	6.1	4.7- 7.5	203	10.9	8.9-12.9	192	9.8	8.0-11.6	1022	63.9	61.0-66.8
White/Non-Hisp	1136	210,355	33	3.0	1.6- 4.4	38	3.0	1.6- 4.4	75	5.3	3.7- 6.9	115	9.5	7.3-11.7	117	9.3	7.1-11.5	758	69.8	66.5-73.1
Black or Afr. Am./Non-Hisp	285	69,585	26	7.0	3.7-10.3	17	6.4	2.9- 9.9	22	5.2	2.7- 7.7	38	12.3	7.2-17.4	37	11.4	7.1-15.7	145	57.7	50.3-65.1
Oth. Race/Non-Hisp.	53	10,647	5	4.9	0.0-10.2	1	5.6	0.0-16.2	2	8.0	0.0-20.9	10	16.3	5.1-27.5	4	7.1	0.0-15.1	31	58.2	41.0-75.4
Hispanic	210	23,496	60	21.4	14.0-28.8	19	6.0	2.5- 9.5	30	12.1	6.6-17.6	28	15.1	7.8-22.4	29	13.5	6.1-20.9	44	32.0	19.1-44.9
18-24	96	33,322	5	2.3	0.0- 5.4	6	6.2	0.7-11.7	13	12.2	4.9-19.5	16	14.5	6.5-22.5	10	4.1	1.0- 7.2	46	60.8	48.6-73.0
25-34	215	52,484	32	7.5	4.2-10.8	4	0.9	0.0- 2.3	19	6.1	2.8- 9.4	30	12.2	7.1-17.3	22	11.1	5.2-17.0	108	62.3	54.1-70.5
35-44	270	52,154	23	3.9	1.5- 6.3	16	4.8	1.5- 8.1	18	4.6	2.1- 7.1	28	8.7	4.8-12.6	26	6.6	3.7- 9.5	159	71.4	64.9-77.9
45-54	289	50,251	20	5.0	2.5- 7.5	10	2.2	0.6- 3.8	23	5.2	2.7- 7.7	38	14.0	8.3-19.7	21	7.2	3.3-11.1	177	66.3	59.2-73.4
55-64	361	55,980	20	6.0	2.5- 9.5	18	4.6	2.2- 7.0	19	4.3	1.8- 6.8	30	7.2	4.3-10.1	33	8.3	5.0-11.6	241	69.6	63.7-75.5
65+	527	82,209	25	5.1	2.0- 8.2	26	5.8	2.7- 8.9	44	6.6	3.9- 9.3	61	10.7	7.4-14.0	80	15.8	11.5-20.1	291	56.1	50.2-62.0
Less Than H.S.	162	28,040	63	28.4	19.0-37.8	18	12.4	4.6-20.2	23	13.6	6.9-20.3	24	10.7	5.0-16.4	13	9.2	2.9-15.5	21	25.7	11.8-39.6
H.S. or G.E.D.	480	93,627	32	4.3	2.3- 6.3	38	6.3	3.8- 8.8	59	9.9	6.6-13.2	90	18.7	14.2-23.2	69	15.8	11.3-20.3	192	45.0	39.1-50.9
Some Post-H.S.	479	100,497	19	3.7	1.2- 6.2	18	3.0	1.0- 5.0	38	5.2	3.0- 7.4	59	10.8	7.5-14.1	62	9.1	6.4-11.8	283	68.3	63.0-73.6
College Graduate	636	104,147	11	1.1	0.1- 2.1	6	1.0	0.0- 2.0	16	1.6	0.6- 2.6	29	4.0	2.2- 5.8	48	5.2	3.2- 7.2	526	87.1	84.0-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	829	184,717	16	1.7	0.5- 2.9	813	98.3	97.1-99.5
White/Non-Hisp	391	96,974	4	1.6	0.0- 3.6	387	98.4	96.4- 100
Black or Afr. Am./Non-Hisp	142	46,257	2	0.9	0.0- 2.3	140	99.1	97.7- 100
Hispanic	220	24,891	9	4.1	0.2- 8.0	211	95.9	92.0-99.8
18-24	130	42,244	5	1.4	0.0- 3.0	125	98.6	97.0- 100
25-34	253	60,712	7	3.8	0.3- 7.3	246	96.2	92.7-99.7
35-44	293	55,061	4	0.5	0.0- 1.1	289	99.5	98.9- 100
45-54	153	26,700				153	100.0	100.0- 100
Less Than H.S.	138	20,032	7	4.9	0.0- 9.8	131	95.1	90.2- 100
H.S. or G.E.D.	196	49,921	3	0.6	0.0- 1.4	193	99.4	98.6- 100
Some Post-H.S.	214	56,672	2	0.9	0.0- 2.3	212	99.1	97.7- 100
College Graduate	281	58,092	4	2.3	0.0- 5.4	277	97.7	94.6- 100
Less than \$15,000	99	13,290	5	1.5	0.0- 3.1	94	98.5	96.9- 100
\$15,000- 24,999	150	28,642	4	3.8	0.0- 7.7	146	96.2	92.3- 100
\$25,000- 34,999	64	11,941	1	0.5	0.0- 1.5	63	99.5	98.5- 100
\$35,000- 49,999	77	20,286	1	1.8	0.0- 5.3	76	98.2	94.7- 100
\$50,000- 74,999	106	24,686				106	100.0	100.0- 100
\$75,000+	209	59,919	2	1.7	0.0- 4.6	207	98.3	95.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3684	710,224	35	1.0	0.6- 1.4	1034	26.4	24.4-28.4	1628	44.0	41.6-46.4	690	19.4	17.6-21.2	264	8.3	6.9- 9.7	33	0.8	0.4- 1.2
Male	1689	350,669	3	0.1	0.0- 0.3	216	12.4	10.0-14.8	811	48.2	44.9-51.5	446	25.9	23.2-28.6	194	12.5	10.1-14.9	19	0.9	0.3- 1.5
Female	1995	359,556	32	1.8	1.0- 2.6	818	40.2	37.3-43.1	817	39.9	37.0-42.8	244	13.1	10.9-15.3	70	4.3	2.9- 5.7	14	0.7	0.3- 1.1
White/Non-Hisp	2411	447,685	24	1.1	0.5- 1.7	657	26.9	24.5-29.3	1064	44.1	41.6-46.6	486	20.1	17.9-22.3	175	7.7	6.3- 9.1	5	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	485	146,228	3	0.3	0.0- 0.7	97	19.9	15.0-24.8	206	42.2	36.1-48.3	115	23.3	18.4-28.2	60	14.0	9.7-18.3	4	0.3	0.1- 0.5
Oth. Race/Non-Hisp.	124	28,229				38	34.7	22.0-47.4	60	44.5	32.0-57.0	14	4.7	1.8- 7.6	3	4.6	0.0-12.8	9	11.5	3.1-19.9
MultiRacial/Non-Hisp.	92	15,607				23	26.9	12.4-41.4	40	40.9	26.0-55.8	20	25.8	10.5-41.1	9	6.4	0.3-12.5			
Hispanic	502	58,817	7	1.8	0.2- 3.4	205	36.7	30.0-43.4	224	46.7	39.8-53.6	39	9.7	5.8-13.6	12	2.5	0.3- 4.7	15	2.7	0.7- 4.7
18-24	256	81,094	6	2.1	0.1- 4.1	113	42.8	34.2-51.4	101	40.3	31.9-48.7	24	9.4	4.5-14.3	5	3.1	0.0- 7.2	7	2.3	0.3- 4.3
25-34	434	115,152	6	1.8	0.2- 3.4	151	26.3	20.8-31.8	186	47.8	41.3-54.3	51	13.1	8.8-17.4	34	10.3	6.0-14.6	6	0.8	0.0- 1.6
35-44	506	106,667	3	0.5	0.0- 1.1	134	23.0	18.1-27.9	223	40.9	35.2-46.6	104	25.3	20.0-30.6	34	8.2	4.9-11.5	8	2.0	0.0- 4.0
45-54	560	106,228	1	0.2	0.0- 0.6	135	22.9	18.6-27.2	243	41.4	36.1-46.7	119	22.5	18.0-27.0	57	12.7	8.8-16.6	5	0.3	0.1- 0.5
55-64	731	120,145	4	0.3	0.0- 0.7	166	22.2	18.3-26.1	320	43.1	38.4-47.8	169	24.4	20.5-28.3	67	9.7	7.0-12.4	5	0.3	0.1- 0.5
65+	1197	180,938	15	1.1	0.3- 1.9	335	26.2	22.9-29.5	555	47.2	43.3-51.1	223	19.3	16.2-22.4	67	6.0	4.0- 8.0	2	0.1	0.0- 0.3
Less Than H.S.	426	78,402	8	1.5	0.3- 2.7	163	31.8	24.9-38.7	184	45.2	37.9-52.5	42	13.0	8.3-17.7	20	7.2	3.5-10.9	9	1.4	0.0- 2.8
H.S. or G.E.D.	1048	222,768	10	1.0	0.2- 1.8	264	25.1	21.4-28.8	469	45.3	41.2-49.4	210	19.0	16.1-21.9	88	9.1	6.7-11.5	7	0.5	0.0- 1.1
Some Post-H.S.	920	198,368	10	1.2	0.2- 2.2	259	28.4	24.3-32.5	375	39.5	35.2-43.8	189	21.1	17.6-24.6	84	9.7	7.0-12.4	3	0.2	0.0- 0.4
College Graduate	1287	210,235	7	0.5	0.0- 1.1	346	23.9	21.0-26.8	600	46.6	42.9-50.3	248	20.7	17.6-23.8	72	6.7	4.3- 9.1	14	1.5	0.5- 2.5
Less than \$15,000	338	49,845	4	1.1	0.0- 2.5	126	34.6	27.2-42.0	140	44.0	35.8-52.2	36	11.5	6.6-16.4	21	5.9	2.6- 9.2	11	2.8	0.3- 5.3
\$15,000- 24,999	514	87,050	5	0.8	0.0- 1.6	147	29.8	24.5-35.1	231	41.9	36.2-47.6	91	19.0	14.3-23.7	34	7.6	4.1-11.1	6	0.9	0.1- 1.7
\$25,000- 34,999	322	63,130	6	1.2	0.2- 2.2	92	26.1	19.4-32.8	145	47.8	39.6-56.0	51	14.8	9.5-20.1	27	10.1	5.6-14.6	1	0.1	0.0- 0.3
\$35,000- 49,999	380	73,800	6	1.8	0.0- 3.6	105	28.1	21.6-34.6	164	43.6	36.7-50.5	72	18.6	13.1-24.1	31	7.6	4.5-10.7	2	0.1	0.0- 0.3
\$50,000- 74,999	472	93,637	1	0.3	0.0- 0.9	120	24.3	19.0-29.6	213	44.5	38.2-50.8	90	21.1	15.6-26.6	48	9.8	6.1-13.5			
\$75,000+	1081	236,959	6	0.7	0.1- 1.3	241	23.1	19.4-26.8	504	43.1	39.2-47.0	251	22.9	19.8-26.0	75	9.6	6.9-12.3	4	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	350,669	3	0.1	0.0- 0.3	216	12.4	10.0-14.8	811	48.2	44.9-51.5	446	25.9	23.2-28.6	194	12.5	10.1-14.9	19	0.9	0.3- 1.5
White/Non-Hisp	1136	221,354	1	0.1	0.0- 0.3	112	9.6	7.2-12.0	542	47.8	43.9-51.7	336	29.3	25.8-32.8	143	13.1	10.6-15.6	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	176	68,506				22	16.4	8.6-24.2	74	43.3	33.5-53.1	49	24.0	16.4-31.6	30	16.2	9.1-23.3	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	60	15,139				7	21.7	1.9-41.5	33	47.8	28.6-67.0	10	6.3	1.2-11.4	3	8.7	0.0-23.6	7	15.6	2.3-28.9
Hispanic	236	30,864	2	0.5	0.0- 1.3	68	21.4	14.9-27.9	121	57.7	48.7-66.7	27	14.2	7.7-20.7	9	4.0	0.1- 7.9	9	2.1	0.5- 3.7
18-24	133	40,832	2	0.4	0.0- 1.0	45	36.5	24.5-48.5	62	46.1	33.9-58.3	17	9.8	4.3-15.3	4	6.0	0.0-13.8	3	1.2	0.0- 2.8
25-34	191	58,848				40	15.0	7.9-22.1	97	53.7	43.9-63.5	30	16.4	9.3-23.5	21	14.3	6.9-21.7	3	0.8	0.0- 1.8
35-44	227	55,072	1	0.4	0.0- 1.2	22	6.3	1.8-10.8	113	46.7	38.1-55.3	64	33.5	25.3-41.7	21	9.5	4.8-14.2	6	3.5	0.0- 7.2
45-54	254	52,353				24	8.6	4.3-12.9	106	43.6	35.8-51.4	78	30.6	23.5-37.7	42	16.8	11.1-22.5	4	0.4	0.0- 0.8
55-64	341	60,115				26	8.2	4.1-12.3	147	42.0	34.9-49.1	115	33.9	27.6-40.2	50	15.7	10.6-20.8	3	0.3	0.0- 0.7
65+	543	83,449				59	8.2	5.5-10.9	286	53.8	47.9-59.7	142	26.9	21.8-32.0	56	11.2	7.5-14.9			
Less Than H.S.	212	43,941	2	0.4	0.0- 1.0	63	20.2	13.1-27.3	105	54.5	44.7-64.3	23	14.0	6.9-21.1	14	10.2	4.1-16.3	5	0.8	0.0- 1.6
H.S. or G.E.D.	508	117,810	1	0.2	0.0- 0.6	64	14.3	9.4-19.2	239	48.3	42.2-54.4	135	24.8	20.1-29.5	64	12.0	8.5-15.5	5	0.4	0.0- 0.8
Some Post-H.S.	390	92,226				53	13.5	8.4-18.6	157	40.6	33.9-47.3	118	29.3	23.4-35.2	62	16.6	11.5-21.7			
College Graduate	579	96,692				36	5.5	3.1- 7.9	310	52.5	46.8-58.2	170	29.4	24.3-34.5	54	10.1	6.0-14.2	9	2.6	0.4- 4.8
Less than \$15,000	141	20,844	1	0.4	0.0- 1.2	38	16.2	9.5-22.9	68	58.3	45.6-71.0	15	16.3	6.3-26.3	11	6.0	0.3-11.7	8	2.9	0.5- 5.3
\$15,000- 24,999	193	34,731				31	16.1	8.7-23.5	101	49.4	39.8-59.0	41	24.4	15.8-33.0	18	9.2	3.9-14.5	2	0.9	0.0- 2.5
\$25,000- 34,999	141	33,280				20	11.5	4.2-18.8	70	53.9	41.7-66.1	32	19.5	10.7-28.3	18	15.0	7.4-22.6	1	0.2	0.0- 0.6
\$35,000- 49,999	165	30,363				25	17.2	7.6-26.8	81	50.6	40.2-61.0	38	18.4	11.5-25.3	20	13.7	6.8-20.6	1	0.1	0.0- 0.3
\$50,000- 74,999	228	48,366				26	14.0	7.5-20.5	99	43.4	34.6-52.2	61	27.2	19.0-35.4	42	15.3	9.6-21.0			
\$75,000+	579	130,924	1	0.2	0.0- 0.6	35	8.4	4.3-12.5	276	44.0	38.5-49.5	200	32.2	27.3-37.1	63	14.1	9.6-18.6	4	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1995	359,556	32	1.8	1.0- 2.6	818	40.2	37.3-43.1	817	39.9	37.0-42.8	244	13.1	10.9-15.3	70	4.3	2.9- 5.7	14	0.7	0.3- 1.1
White/Non-Hisp	1275	226,331	23	2.1	0.9- 3.3	545	43.9	40.4-47.4	522	40.5	37.0-44.0	150	11.0	8.8-13.2	32	2.3	1.3- 3.3	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	309	77,722	3	0.6	0.0- 1.4	75	22.9	16.8-29.0	132	41.3	33.9-48.7	66	22.7	16.2-29.2	30	12.1	6.8-17.4	3	0.4	0.0- 1.0
Oth. Race/Non-Hisp.	64	13,090				31	49.8	33.5-66.1	27	40.8	24.9-56.7	4	2.8	0.0- 5.9				2	6.7	0.0-16.1
MultiRacial/Non-Hisp.	53	10,148				19	38.1	17.5-58.7	22	35.0	16.8-53.2	8	19.8	0.0-40.2	4	7.1	0.0-15.7			
Hispanic	266	27,953	5	3.3	0.0- 6.6	137	53.5	43.7-63.3	103	34.5	25.7-43.3	12	4.6	0.9- 8.3	3	0.8	0.0- 1.8	6	3.3	0.0- 6.8
18-24	123	40,262	4	3.8	0.0- 7.7	68	49.3	37.1-61.5	39	34.4	22.8-46.0	7	8.9	0.7-17.1	1	0.2	0.0- 0.6	4	3.3	0.0- 7.0
25-34	243	56,304	6	3.6	0.3- 6.9	111	38.1	30.1-46.1	89	41.7	33.3-50.1	21	9.7	4.4-15.0	13	6.1	1.8-10.4	3	0.8	0.0- 1.8
35-44	279	51,595	2	0.6	0.0- 1.4	112	40.8	33.2-48.4	110	34.8	27.7-41.9	40	16.6	10.3-22.9	13	6.8	2.1-11.5	2	0.4	0.0- 1.0
45-54	306	53,875	1	0.3	0.0- 0.9	111	36.9	30.0-43.8	137	39.2	32.3-46.1	41	14.7	9.4-20.0	15	8.8	3.3-14.3	1	0.2	0.0- 0.6
55-64	390	60,030	4	0.6	0.0- 1.2	140	36.3	30.2-42.4	173	44.2	37.9-50.5	54	15.0	10.5-19.5	17	3.7	1.7- 5.7	2	0.2	0.0- 0.6
65+	654	97,489	15	2.1	0.7- 3.5	276	41.6	36.3-46.9	269	41.7	36.4-47.0	81	12.8	9.3-16.3	11	1.7	0.3- 3.1	2	0.2	0.0- 0.4
Less Than H.S.	214	34,461	6	2.9	0.4- 5.4	100	46.5	35.7-57.3	79	33.3	23.7-42.9	19	11.7	5.8-17.6	6	3.3	0.4- 6.2	4	2.3	0.0- 5.0
H.S. or G.E.D.	540	104,958	9	1.9	0.3- 3.5	200	37.3	31.8-42.8	230	41.9	36.2-47.6	75	12.4	8.9-15.9	24	5.9	2.6- 9.2	2	0.6	0.0- 1.8
Some Post-H.S.	530	106,142	10	2.3	0.5- 4.1	206	41.3	35.6-47.0	218	38.5	32.8-44.2	71	13.9	9.8-18.0	22	3.6	1.8- 5.4	3	0.3	0.0- 0.7
College Graduate	708	113,543	7	1.0	0.0- 2.0	310	39.7	35.0-44.4	290	41.6	36.7-46.5	78	13.3	9.4-17.2	18	3.9	1.5- 6.3	5	0.6	0.0- 1.2
Less than \$15,000	197	29,000	3	1.7	0.0- 4.1	88	47.9	37.9-57.9	72	33.7	24.5-42.9	21	8.1	3.8-12.4	10	5.9	1.8-10.0	3	2.8	0.0- 6.9
\$15,000- 24,999	321	52,319	5	1.4	0.0- 2.8	116	38.8	31.7-45.9	130	36.9	30.0-43.8	50	15.4	10.3-20.5	16	6.5	1.8-11.2	4	0.9	0.0- 1.9
\$25,000- 34,999	181	29,850	6	2.5	0.3- 4.7	72	42.4	32.4-52.4	75	41.1	31.3-50.9	19	9.5	4.2-14.8	9	4.6	0.3- 8.9			
\$35,000- 49,999	215	43,438	6	3.1	0.2- 6.0	80	35.8	27.2-44.4	83	38.7	29.7-47.7	34	18.8	10.8-26.8	11	3.4	1.0- 5.8	1	0.1	0.0- 0.3
\$50,000- 74,999	244	45,272	1	0.7	0.0- 2.1	94	35.3	27.1-43.5	114	45.6	37.2-54.0	29	14.6	7.7-21.5	6	3.8	0.0- 8.3			
\$75,000+	502	106,035	5	1.3	0.0- 2.7	206	41.2	35.3-47.1	228	42.0	36.3-47.7	51	11.5	7.8-15.2	12	4.1	1.4- 6.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3670	719,592	208	5.1	4.1- 6.1	1547	40.9	38.7-43.1	1507	41.5	39.3-43.7	309	10.8	9.2-12.4	6	0.2	0.0- 0.4	93	1.5	1.1- 1.9
Male	1644	345,459	10	0.8	0.0- 1.6	191	11.6	9.2-14.0	1091	63.4	60.1-66.7	298	22.1	19.2-25.0	5	0.3	0.1- 0.5	49	1.8	1.2- 2.4
Female	2026	374,133	198	9.0	7.4-10.6	1356	68.0	65.3-70.7	416	21.3	18.8-23.8	11	0.4	0.2- 0.6	1	0.1	0.0- 0.3	44	1.1	0.5- 1.7
White/Non-Hisp	2491	464,118	108	4.3	3.3- 5.3	1028	40.2	37.7-42.7	1116	43.9	41.4-46.4	231	11.4	9.6-13.2	5	0.2	0.0- 0.4	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	498	150,716	29	4.8	2.6- 7.0	249	45.2	39.3-51.1	172	36.8	31.1-42.5	46	12.9	8.0-17.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	121	27,135	12	12.2	2.2-22.2	55	44.7	32.0-57.4	44	36.2	23.1-49.3	8	4.3	0.4- 8.2				2	2.6	0.0- 6.9
MultiRacial/Non-Hisp.	93	15,763	6	5.5	0.0-12.4	37	49.9	34.2-65.6	45	41.5	26.8-56.2	5	3.1	0.2- 6.0						
Hispanic	391	45,578	48	10.0	6.3-13.7	158	36.0	29.3-42.7	89	30.9	23.5-38.3	11	3.9	1.4- 6.4				85	19.3	14.0-24.6
18-24	234	78,088	6	1.4	0.0- 3.0	97	44.0	35.4-52.6	94	37.3	29.1-45.5	25	14.8	7.9-21.7	1	0.2	0.0- 0.6	11	2.3	0.5- 4.1
25-34	392	111,609	29	5.1	2.4- 7.8	148	38.4	31.9-44.9	152	41.5	34.8-48.2	31	11.3	6.6-16.0	1	0.3	0.0- 0.9	31	3.4	1.6- 5.2
35-44	487	106,857	30	5.6	3.1- 8.1	193	37.4	31.7-43.1	192	42.8	36.9-48.7	40	11.3	7.4-15.2				32	2.9	1.5- 4.3
45-54	570	108,874	27	4.3	2.3- 6.3	237	41.0	35.7-46.3	235	41.6	36.3-46.9	58	12.2	8.7-15.7				13	0.9	0.3- 1.5
55-64	755	126,269	31	3.8	2.2- 5.4	314	40.0	35.5-44.5	326	44.7	40.0-49.4	76	10.5	7.8-13.2	3	0.5	0.0- 1.1	5	0.5	0.0- 1.1
65+	1232	187,896	85	7.7	5.5- 9.9	558	43.7	39.8-47.6	508	40.3	36.6-44.0	79	8.0	5.3-10.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	330	65,807	41	9.6	5.7-13.5	125	33.9	26.6-41.2	76	31.2	23.6-38.8	20	12.4	6.1-18.7	1	0.4	0.0- 1.2	67	12.3	8.4-16.2
H.S. or G.E.D.	1073	230,114	66	5.6	3.8- 7.4	455	40.3	36.4-44.2	451	43.5	39.4-47.6	86	10.0	7.3-12.7				15	0.6	0.0- 1.2
Some Post-H.S.	949	208,738	50	4.7	2.9- 6.5	425	42.2	37.9-46.5	381	41.1	36.8-45.4	87	11.7	8.8-14.6	3	0.3	0.0- 0.7	3	0.1	0.0- 0.3
College Graduate	1313	214,184	49	3.4	2.0- 4.8	540	42.5	38.8-46.2	598	43.1	39.4-46.8	116	10.5	8.0-13.0	2	0.2	0.0- 0.4	8	0.4	0.0- 0.8
Less than \$15,000	294	46,041	30	8.7	3.8-13.6	130	45.4	36.8-54.0	71	23.0	15.9-30.1	19	10.3	2.7-17.9				44	12.5	7.4-17.6
\$15,000- 24,999	501	86,541	44	9.5	6.0-13.0	242	45.2	39.3-51.1	166	35.5	29.6-41.4	27	7.6	4.3-10.9	1	0.3	0.0- 0.9	21	1.9	0.9- 2.9
\$25,000- 34,999	314	61,313	24	7.5	3.8-11.2	153	46.6	38.6-54.6	111	35.2	27.4-43.0	20	9.5	3.6-15.4	1	0.4	0.0- 1.2	5	0.8	0.0- 1.6
\$35,000- 49,999	386	74,713	15	3.0	1.0- 5.0	170	48.0	41.1-54.9	172	41.1	34.4-47.8	26	7.4	4.1-10.7				3	0.5	0.0- 1.1
\$50,000- 74,999	486	97,521	23	3.2	1.2- 5.2	197	43.2	37.1-49.3	220	44.6	38.5-50.7	43	8.6	5.5-11.7	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3
\$75,000+	1099	238,915	35	3.5	1.9- 5.1	388	33.6	29.9-37.3	543	48.2	44.3-52.1	131	14.5	11.4-17.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1644	345,459	10	0.8	0.0- 1.6	191	11.6	9.2-14.0	1091	63.4	60.1-66.7	298	22.1	19.2-25.0	5	0.3	0.1- 0.5	49	1.8	1.2- 2.4
White/Non-Hisp	1140	221,946	2	0.4	0.0- 1.0	94	7.8	5.8- 9.8	815	68.1	64.4-71.8	223	23.3	20.0-26.6	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	178	69,607				34	21.2	13.2-29.2	99	51.2	41.4-61.0	44	27.2	17.8-36.6	1	0.4	0.0- 1.2			
Oth. Race/Non-Hisp.	55	13,849	3	11.2	0.0-27.5	8	19.3	4.0-34.6	36	61.1	40.9-81.3	8	8.4	0.6-16.2						
Hispanic	188	24,702	4	1.8	0.0- 4.2	51	18.3	12.0-24.6	77	50.4	39.8-61.0	11	7.1	2.2-12.0				45	22.3	14.3-30.3
18-24	117	39,590	1	0.2	0.0- 0.6	15	17.0	6.4-27.6	69	51.3	38.6-64.0	25	29.3	17.1-41.5	1	0.4	0.0- 1.2	6	1.8	0.2- 3.4
25-34	178	56,267	4	3.0	0.0- 7.3	21	9.0	3.7-14.3	105	60.8	51.0-70.6	31	22.4	13.8-31.0	1	0.5	0.0- 1.5	16	4.2	1.3- 7.1
35-44	211	52,834	3	0.8	0.0- 2.0	25	12.0	5.7-18.3	127	61.1	52.5-69.7	38	22.2	14.9-29.5				18	3.8	1.4- 6.2
45-54	250	51,717				33	14.4	8.1-20.7	154	59.3	51.5-67.1	57	25.3	18.4-32.2				6	1.0	0.0- 2.0
55-64	342	60,187				31	8.6	4.5-12.7	235	69.1	62.8-75.4	72	21.0	15.7-26.3	2	0.6	0.0- 1.4	2	0.7	0.0- 1.7
65+	546	84,865	2	0.9	0.0- 2.3	66	10.8	7.5-14.1	401	70.7	64.8-76.6	75	17.3	11.8-22.8	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6
Less Than H.S.	172	38,632	5	2.1	0.1- 4.1	41	16.8	9.5-24.1	67	46.1	35.3-56.9	19	20.3	10.5-30.1	1	0.8	0.0- 2.4	39	13.9	8.2-19.6
H.S. or G.E.D.	502	117,392	2	0.2	0.0- 0.4	66	14.3	9.6-19.0	346	66.0	59.9-72.1	82	19.1	14.0-24.2				6	0.4	0.0- 0.8
Some Post-H.S.	395	94,049	2	1.4	0.0- 3.9	40	9.3	5.0-13.6	264	63.2	56.5-69.9	84	25.4	19.3-31.5	3	0.6	0.0- 1.2	2	0.1	0.1- 0.1
College Graduate	575	95,386	1	0.6	0.0- 1.8	44	8.3	5.2-11.4	414	67.4	61.7-73.1	113	23.2	17.9-28.5	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7
Less than \$15,000	122	19,239	1	0.1	0.0- 0.3	26	17.4	7.8-27.0	51	40.7	26.6-54.8	18	24.2	8.3-40.1				26	17.5	8.3-26.7
\$15,000- 24,999	182	33,477	1	0.4	0.0- 1.2	32	13.7	7.4-20.0	115	63.8	54.4-73.2	25	18.8	10.8-26.8	1	0.9	0.0- 2.7	8	2.4	0.2- 4.6
\$25,000- 34,999	135	31,260	1	0.4	0.0- 1.2	29	25.1	13.5-36.7	80	54.0	41.1-66.9	19	18.1	7.3-28.9	1	0.8	0.0- 2.4	5	1.6	0.0- 3.2
\$35,000- 49,999	163	30,244	2	0.8	0.0- 2.0	21	14.5	5.5-23.5	115	67.5	57.1-77.9	24	16.7	9.1-24.3				1	0.5	0.0- 1.5
\$50,000- 74,999	228	48,531				22	13.7	7.0-20.4	161	68.4	60.2-76.6	42	17.1	10.8-23.4	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9
\$75,000+	579	130,694	1	0.9	0.0- 2.7	33	5.1	2.6- 7.6	416	67.7	62.2-73.2	128	26.2	21.1-31.3				1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2026	374,133	198	9.0	7.4-10.6	1356	68.0	65.3-70.7	416	21.3	18.8-23.8	11	0.4	0.2- 0.6	1	0.1	0.0- 0.3	44	1.1	0.5- 1.7
White/Non-Hisp	1351	242,172	106	7.9	5.9- 9.9	934	69.9	66.8-73.0	301	21.6	18.7-24.5	8	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	320	81,109	29	9.0	5.1-12.9	215	65.8	58.7-72.9	73	24.5	18.0-31.0	2	0.6	0.0- 1.6				1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	66	13,286	9	13.2	1.4-25.0	47	71.2	56.5-85.9	8	10.2	2.6-17.8							2	5.4	0.0-14.0
MultiRacial/Non-Hisp.	53	10,148	5	7.1	0.0-17.5	35	76.1	61.6-90.6	12	16.2	5.6-26.8	1	0.6	0.0- 1.8						
Hispanic	203	20,876	44	19.6	12.3-26.9	107	56.8	47.4-66.2	12	7.8	2.5-13.1							40	15.8	9.3-22.3
18-24	117	38,499	5	2.7	0.0- 5.8	82	71.8	61.6-82.0	25	22.8	13.2-32.4							5	2.7	0.0- 6.0
25-34	214	55,342	25	7.3	3.6-11.0	127	68.2	60.4-76.0	47	21.9	14.6-29.2							15	2.7	0.7- 4.7
35-44	276	54,023	27	10.2	5.3-15.1	168	62.3	54.9-69.7	65	24.9	18.4-31.4	2	0.6	0.0- 1.4				14	2.0	0.4- 3.6
45-54	320	57,157	27	8.1	4.4-11.8	204	65.1	58.2-72.0	81	25.6	19.1-32.1	1	0.3	0.0- 0.9				7	0.8	0.0- 1.6
55-64	413	66,082	31	7.2	4.3-10.1	283	68.5	62.6-74.4	91	22.5	17.0-28.0	4	0.9	0.0- 2.1	1	0.4	0.0- 1.2	3	0.4	0.0- 0.8
65+	686	103,031	83	13.4	9.7-17.1	492	70.9	66.2-75.6	107	15.3	11.6-19.0	4	0.4	0.0- 0.8						
Less Than H.S.	158	27,175	36	20.4	11.8-29.0	84	58.3	47.5-69.1	9	10.1	2.5-17.7	1	1.3	0.0- 3.7				28	10.0	4.9-15.1
H.S. or G.E.D.	571	112,722	64	11.4	7.9-14.9	389	67.3	62.0-72.6	105	20.0	15.5-24.5	4	0.4	0.0- 0.8				9	0.9	0.0- 1.9
Some Post-H.S.	554	114,689	48	7.4	4.9- 9.9	385	69.2	63.9-74.5	117	22.9	18.0-27.8	3	0.3	0.0- 0.7				1	0.1	0.0- 0.3
College Graduate	738	118,798	48	5.6	3.2- 8.0	496	69.9	65.6-74.2	184	23.5	19.6-27.4	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	6	0.4	0.0- 0.8
Less than \$15,000	172	26,802	29	14.8	7.0-22.6	104	65.5	55.5-75.5	20	10.3	4.8-15.8	1	0.4	0.0- 1.2				18	9.0	2.9-15.1
\$15,000- 24,999	319	53,064	43	15.2	9.7-20.7	210	65.1	58.0-72.2	51	17.6	11.7-23.5	2	0.5	0.0- 1.3				13	1.6	0.6- 2.6
\$25,000- 34,999	179	30,053	23	14.9	7.8-22.0	124	68.9	59.9-77.9	31	15.7	8.8-22.6	1	0.6	0.0- 1.8						
\$35,000- 49,999	223	44,469	13	4.5	1.4- 7.6	149	70.8	63.2-78.4	57	23.1	16.0-30.2	2	1.1	0.0- 2.7				2	0.5	0.0- 1.3
\$50,000- 74,999	258	48,990	23	6.4	2.7-10.1	175	72.5	65.4-79.6	59	21.1	14.8-27.4	1	0.1	0.0- 0.3						
\$75,000+	520	108,221	34	6.7	4.0- 9.4	355	68.1	62.8-73.4	127	24.7	19.8-29.6	3	0.3	0.0- 0.7	1	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 9: DISABILITY CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	143
2 MALES ONLY	144
3 FEMALES ONLY	145
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	146
5 MALES ONLY	147
6 FEMALES ONLY	148
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	149
8 MALES ONLY	150
9 FEMALES ONLY	151
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	152
11 MALES ONLY	153
12 FEMALES ONLY	154
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	155
14 MALES ONLY	156
15 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	158
17 MALES ONLY	159
18 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3844	742,953	279	5.9	4.9- 6.9	3565	94.1	93.1-95.1
Male	1707	352,122	155	7.0	5.6- 8.4	1552	93.0	91.6-94.4
Female	2137	390,831	124	5.0	3.8- 6.2	2013	95.0	93.8-96.2
White/Non-Hisp	2537	471,506	215	6.7	5.5- 7.9	2322	93.3	92.1-94.5
Black or Afr. Am./Non-Hisp	500	150,164	19	4.1	1.9- 6.3	481	95.9	93.7-98.1
Oth. Race/Non-Hisp.	124	28,185	7	2.5	0.0- 5.0	117	97.5	95.0- 100
MultiRacial/Non-Hisp.	94	16,125	4	1.3	0.0- 2.9	90	98.7	97.1- 100
Hispanic	510	60,285	23	4.4	1.9- 6.9	487	95.6	93.1-98.1
18-24	261	82,050	5	1.8	0.0- 4.0	256	98.2	96.0- 100
25-34	437	117,549	17	3.0	0.8- 5.2	420	97.0	94.8-99.2
35-44	522	111,310	16	2.9	1.1- 4.7	506	97.1	95.3-98.9
45-54	601	112,387	17	2.4	1.0- 3.8	584	97.6	96.2-99.0
55-64	778	130,414	52	6.5	4.3- 8.7	726	93.5	91.3-95.7
65+	1245	189,242	172	13.0	10.5-15.5	1073	87.0	84.5-89.5
Less Than H.S.	430	78,781	37	7.8	4.7-10.9	393	92.2	89.1-95.3
H.S. or G.E.D.	1095	231,648	85	6.1	4.3- 7.9	1010	93.9	92.1-95.7
Some Post-H.S.	973	212,181	71	6.2	4.2- 8.2	902	93.8	91.8-95.8
College Graduate	1338	219,235	85	4.9	3.5- 6.3	1253	95.1	93.7-96.5
Less than \$15,000	342	49,938	27	7.7	3.8-11.6	315	92.3	88.4-96.2
\$15,000- 24,999	523	88,618	41	7.4	4.7-10.1	482	92.6	89.9-95.3
\$25,000- 34,999	328	64,458	32	7.9	4.6-11.2	296	92.1	88.8-95.4
\$35,000- 49,999	388	74,636	30	5.9	3.2- 8.6	358	94.1	91.4-96.8
\$50,000- 74,999	487	97,294	23	3.0	1.4- 4.6	464	97.0	95.4-98.6
\$75,000+	1113	243,623	63	4.8	3.2- 6.4	1050	95.2	93.6-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	352,122	155	7.0	5.6- 8.4	1552	93.0	91.6-94.4
White/Non-Hisp	1151	223,220	117	7.4	5.6- 9.2	1034	92.6	90.8-94.4
Black or Afr. Am./Non-Hisp	176	67,905	11	6.0	1.9-10.1	165	94.0	89.9-98.1
Oth. Race/Non-Hisp.	57	14,611	4	2.4	0.0- 5.5	53	97.6	94.5- 100
Hispanic	239	31,080	12	5.7	1.4-10.0	227	94.3	90.0-98.6
18-24	137	41,485	4	3.0	0.0- 7.3	133	97.0	92.7- 100
25-34	189	57,743	8	4.3	0.4- 8.2	181	95.7	91.8-99.6
35-44	226	55,144	11	4.2	1.3- 7.1	215	95.8	92.9-98.7
45-54	258	52,385	7	2.1	0.1- 4.1	251	97.9	95.9-99.9
55-64	349	61,005	29	8.6	5.1-12.1	320	91.4	87.9-94.9
65+	548	84,361	96	14.6	11.1-18.1	452	85.4	81.9-88.9
Less Than H.S.	209	42,583	17	7.3	3.0-11.6	192	92.7	88.4-97.0
H.S. or G.E.D.	509	117,092	48	7.0	4.5- 9.5	461	93.0	90.5-95.5
Some Post-H.S.	403	94,908	45	8.5	5.2-11.8	358	91.5	88.2-94.8
College Graduate	584	97,289	45	5.4	3.2- 7.6	539	94.6	92.4-96.8
Less than \$15,000	142	20,918	15	7.5	2.6-12.4	127	92.5	87.6-97.4
\$15,000- 24,999	192	34,423	19	9.2	4.3-14.1	173	90.8	85.9-95.7
\$25,000- 34,999	141	33,320	24	10.3	5.2-15.4	117	89.7	84.6-94.8
\$35,000- 49,999	164	29,896	20	9.1	3.6-14.6	144	90.9	85.4-96.4
\$50,000- 74,999	227	48,055	13	3.9	1.2- 6.6	214	96.1	93.4-98.8
\$75,000+	584	131,024	37	5.3	2.9- 7.7	547	94.7	92.3-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2137	390,831	124	5.0	3.8- 6.2	2013	95.0	93.8-96.2
White/Non-Hisp	1386	248,286	98	6.1	4.5- 7.7	1288	93.9	92.3-95.5
Black or Afr. Am./Non-Hisp	324	82,259	8	2.6	0.4- 4.8	316	97.4	95.2-99.6
Oth. Race/Non-Hisp.	67	13,574	3	2.7	0.0- 6.8	64	97.3	93.2- 100
MultiRacial/Non-Hisp.	54	10,668	1	0.2	0.0- 0.6	53	99.8	99.4- 100
Hispanic	271	29,205	11	3.0	0.6- 5.4	260	97.0	94.6-99.4
18-24	124	40,565	1	0.5	0.0- 1.5	123	99.5	98.5- 100
25-34	248	59,806	9	1.8	0.4- 3.2	239	98.2	96.8-99.6
35-44	296	56,166	5	1.6	0.0- 3.4	291	98.4	96.6- 100
45-54	343	60,002	10	2.7	0.7- 4.7	333	97.3	95.3-99.3
55-64	429	69,410	23	4.7	2.5- 6.9	406	95.3	93.1-97.5
65+	697	104,882	76	11.8	8.3-15.3	621	88.2	84.7-91.7
Less Than H.S.	221	36,199	20	8.4	3.7-13.1	201	91.6	86.9-96.3
H.S. or G.E.D.	586	114,556	37	5.2	3.0- 7.4	549	94.8	92.6-97.0
Some Post-H.S.	570	117,273	26	4.3	2.1- 6.5	544	95.7	93.5-97.9
College Graduate	754	121,946	40	4.4	2.6- 6.2	714	95.6	93.8-97.4
Less than \$15,000	200	29,021	12	7.9	2.2-13.6	188	92.1	86.4-97.8
\$15,000- 24,999	331	54,195	22	6.3	3.2- 9.4	309	93.7	90.6-96.8
\$25,000- 34,999	187	31,138	8	5.4	1.1- 9.7	179	94.6	90.3-98.9
\$35,000- 49,999	224	44,740	10	3.7	0.8- 6.6	214	96.3	93.4-99.2
\$50,000- 74,999	260	49,239	10	2.1	0.3- 3.9	250	97.9	96.1-99.7
\$75,000+	529	112,598	26	4.2	2.0- 6.4	503	95.8	93.6-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3838	742,202	212	4.9	3.9- 5.9	3626	95.1	94.1-96.1
Male	1703	351,251	89	4.7	3.3- 6.1	1614	95.3	93.9-96.7
Female	2135	390,951	123	5.1	3.9- 6.3	2012	94.9	93.7-96.1
White/Non-Hisp	2530	470,772	116	4.7	3.5- 5.9	2414	95.3	94.1-96.5
Black or Afr. Am./Non-Hisp	499	149,899	33	5.9	3.2- 8.6	466	94.1	91.4-96.8
Oth. Race/Non-Hisp.	124	28,185	10	3.0	0.6- 5.4	114	97.0	94.6-99.4
MultiRacial/Non-Hisp.	94	16,125	9	4.7	1.2- 8.2	85	95.3	91.8-98.8
Hispanic	512	60,532	40	5.5	3.3- 7.7	472	94.5	92.3-96.7
18-24	262	82,288	13	2.9	0.9- 4.9	249	97.1	95.1-99.1
25-34	437	117,549	22	4.1	1.7- 6.5	415	95.9	93.5-98.3
35-44	520	110,296	21	3.7	1.0- 6.4	499	96.3	93.6-99.0
45-54	597	111,987	35	4.6	2.6- 6.6	562	95.4	93.4-97.4
55-64	776	130,117	44	5.3	3.1- 7.5	732	94.7	92.5-96.9
65+	1246	189,964	77	6.8	4.8- 8.8	1169	93.2	91.2-95.2
Less Than H.S.	431	78,951	50	9.1	5.6-12.6	381	90.9	87.4-94.4
H.S. or G.E.D.	1091	230,564	68	5.4	3.6- 7.2	1023	94.6	92.8-96.4
Some Post-H.S.	972	212,647	55	5.0	3.2- 6.8	917	95.0	93.2-96.8
College Graduate	1336	218,933	38	2.6	1.0- 4.2	1298	97.4	95.8-99.0
Less than \$15,000	341	49,518	37	8.8	4.9-12.7	304	91.2	87.3-95.1
\$15,000- 24,999	523	88,649	45	7.5	4.8-10.2	478	92.5	89.8-95.2
\$25,000- 34,999	327	64,238	28	8.4	4.3-12.5	299	91.6	87.5-95.7
\$35,000- 49,999	387	74,365	21	3.8	1.6- 6.0	366	96.2	94.0-98.4
\$50,000- 74,999	487	97,294	18	5.5	2.0- 9.0	469	94.5	91.0-98.0
\$75,000+	1112	243,987	18	1.8	0.8- 2.8	1094	98.2	97.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1703	351,251	89	4.7	3.3- 6.1	1614	95.3	93.9-96.7
White/Non-Hisp	1147	222,882	51	4.4	2.8- 6.0	1096	95.6	94.0-97.2
Black or Afr. Am./Non-Hisp	175	67,325	11	6.3	1.0-11.6	164	93.7	88.4-99.0
Oth. Race/Non-Hisp.	57	14,611	2	1.0	0.0- 2.4	55	99.0	97.6- 100
Hispanic	240	31,125	17	4.6	2.1- 7.1	223	95.4	92.9-97.9
18-24	137	41,485	6	1.9	0.0- 3.9	131	98.1	96.1- 100
25-34	189	57,743	13	4.9	1.0- 8.8	176	95.1	91.2-99.0
35-44	226	54,610	11	5.8	0.5-11.1	215	94.2	88.9-99.5
45-54	255	52,061	14	4.3	1.6- 7.0	241	95.7	93.0-98.4
55-64	349	61,005	18	5.9	2.4- 9.4	331	94.1	90.6-97.6
65+	547	84,347	27	4.5	2.3- 6.7	520	95.5	93.3-97.7
Less Than H.S.	210	42,628	23	9.3	4.2-14.4	187	90.7	85.6-95.8
H.S. or G.E.D.	507	116,499	24	3.6	1.8- 5.4	483	96.4	94.6-98.2
Some Post-H.S.	402	94,865	24	5.0	2.3- 7.7	378	95.0	92.3-97.7
College Graduate	582	97,009	18	3.7	0.6- 6.8	564	96.3	93.2-99.4
Less than \$15,000	140	20,296	16	8.5	2.8-14.2	124	91.5	85.8-97.2
\$15,000- 24,999	192	34,454	13	6.6	2.5-10.7	179	93.4	89.3-97.5
\$25,000- 34,999	141	33,320	14	6.3	2.2-10.4	127	93.7	89.6-97.8
\$35,000- 49,999	164	29,896	10	2.8	0.4- 5.2	154	97.2	94.8-99.6
\$50,000- 74,999	227	48,055	13	8.9	2.2-15.6	214	91.1	84.4-97.8
\$75,000+	583	130,953	5	0.8	0.0- 1.6	578	99.2	98.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2135	390,951	123	5.1	3.9- 6.3	2012	94.9	93.7-96.1
White/Non-Hisp	1383	247,890	65	4.9	3.3- 6.5	1318	95.1	93.5-96.7
Black or Afr. Am./Non-Hisp	324	82,574	22	5.6	2.7- 8.5	302	94.4	91.5-97.3
Oth. Race/Non-Hisp.	67	13,574	8	5.1	0.6- 9.6	59	94.9	90.4-99.4
MultiRacial/Non-Hisp.	54	10,668	4	3.2	0.0- 6.7	50	96.8	93.3- 100
Hispanic	272	29,406	23	6.5	3.0-10.0	249	93.5	90.0-97.0
18-24	125	40,804	7	3.8	0.5- 7.1	118	96.2	92.9-99.5
25-34	248	59,806	9	3.3	0.4- 6.2	239	96.7	93.8-99.6
35-44	294	55,686	10	1.7	0.3- 3.1	284	98.3	96.9-99.7
45-54	342	59,926	21	4.9	2.0- 7.8	321	95.1	92.2-98.0
55-64	427	69,113	26	4.9	2.4- 7.4	401	95.1	92.6-97.6
65+	699	105,618	50	8.6	5.5-11.7	649	91.4	88.3-94.5
Less Than H.S.	221	36,323	27	9.0	4.5-13.5	194	91.0	86.5-95.5
H.S. or G.E.D.	584	114,065	44	7.3	4.4-10.2	540	92.7	89.8-95.6
Some Post-H.S.	570	117,782	31	5.0	2.6- 7.4	539	95.0	92.6-97.4
College Graduate	754	121,924	20	1.8	0.8- 2.8	734	98.2	97.2-99.2
Less than \$15,000	201	29,222	21	8.9	3.4-14.4	180	91.1	85.6-96.6
\$15,000- 24,999	331	54,195	32	8.0	4.5-11.5	299	92.0	88.5-95.5
\$25,000- 34,999	186	30,918	14	10.7	3.8-17.6	172	89.3	82.4-96.2
\$35,000- 49,999	223	44,469	11	4.5	1.4- 7.6	212	95.5	92.4-98.6
\$50,000- 74,999	260	49,239	5	2.1	0.0- 4.6	255	97.9	95.4- 100
\$75,000+	529	113,034	13	3.0	0.8- 5.2	516	97.0	94.8-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3798	734,903	363	9.8	8.4-11.2	3435	90.2	88.8-91.6
Male	1689	348,394	143	9.3	7.1-11.5	1546	90.7	88.5-92.9
Female	2109	386,508	220	10.3	8.3-12.3	1889	89.7	87.7-91.7
White/Non-Hisp	2509	466,039	220	9.1	7.5-10.7	2289	90.9	89.3-92.5
Black or Afr. Am./Non-Hisp	492	148,117	59	12.3	8.2-16.4	433	87.7	83.6-91.8
Oth. Race/Non-Hisp.	125	28,385	13	9.5	0.7-18.3	112	90.5	81.7-99.3
MultiRacial/Non-Hisp.	92	15,905	14	17.4	2.9-31.9	78	82.6	68.1-97.1
Hispanic	502	59,779	50	8.4	5.5-11.3	452	91.6	88.7-94.5
18-24	256	80,970	26	10.4	5.1-15.7	230	89.6	84.3-94.9
25-34	433	116,698	55	14.5	9.4-19.6	378	85.5	80.4-90.6
35-44	514	109,482	58	12.4	8.3-16.5	456	87.6	83.5-91.7
45-54	588	109,719	68	9.3	6.8-11.8	520	90.7	88.2-93.2
55-64	770	128,930	62	6.6	4.4- 8.8	708	93.4	91.2-95.6
65+	1237	189,103	94	7.7	5.5- 9.9	1143	92.3	90.1-94.5
Less Than H.S.	423	77,694	62	12.5	8.2-16.8	361	87.5	83.2-91.8
H.S. or G.E.D.	1078	227,283	133	11.8	9.1-14.5	945	88.2	85.5-90.9
Some Post-H.S.	965	211,267	101	11.8	8.7-14.9	864	88.2	85.1-91.3
College Graduate	1324	217,552	66	4.9	3.3- 6.5	1258	95.1	93.5-96.7
Less than \$15,000	337	49,088	63	16.9	11.4-22.4	274	83.1	77.6-88.6
\$15,000- 24,999	517	87,612	80	14.6	10.5-18.7	437	85.4	81.3-89.5
\$25,000- 34,999	322	63,576	35	12.5	6.4-18.6	287	87.5	81.4-93.6
\$35,000- 49,999	386	74,201	37	10.8	6.9-14.7	349	89.2	85.3-93.1
\$50,000- 74,999	482	96,166	33	8.8	4.5-13.1	449	91.2	86.9-95.5
\$75,000+	1107	242,597	48	4.9	3.1- 6.7	1059	95.1	93.3-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	348,394	143	9.3	7.1-11.5	1546	90.7	88.5-92.9
White/Non-Hisp	1140	221,195	83	8.4	5.9-10.9	1057	91.6	89.1-94.1
Black or Afr. Am./Non-Hisp	174	66,463	22	12.7	6.4-19.0	152	87.3	81.0-93.6
Oth. Race/Non-Hisp.	58	14,811	6	14.4	0.0-30.5	52	85.6	69.5- 100
Hispanic	234	30,630	20	6.0	2.9- 9.1	214	94.0	90.9-97.1
18-24	136	41,406	10	6.3	1.4-11.2	126	93.7	88.8-98.6
25-34	188	57,866	27	19.2	10.4-28.0	161	80.8	72.0-89.6
35-44	225	54,508	24	11.6	5.7-17.5	201	88.4	82.5-94.3
45-54	252	50,379	29	10.3	5.8-14.8	223	89.7	85.2-94.2
55-64	344	60,239	24	5.8	3.1- 8.5	320	94.2	91.5-96.9
65+	544	83,996	29	4.4	2.2- 6.6	515	95.6	93.4-97.8
Less Than H.S.	205	41,582	28	10.1	4.4-15.8	177	89.9	84.2-95.6
H.S. or G.E.D.	503	115,347	54	10.1	6.4-13.8	449	89.9	86.2-93.6
Some Post-H.S.	400	94,601	36	11.9	6.8-17.0	364	88.1	83.0-93.2
College Graduate	579	96,614	25	5.5	2.6- 8.4	554	94.5	91.6-97.4
Less than \$15,000	139	20,119	26	14.4	7.0-21.8	113	85.6	78.2-93.0
\$15,000- 24,999	190	34,000	24	14.9	7.3-22.5	166	85.1	77.5-92.7
\$25,000- 34,999	139	33,180	16	15.7	5.1-26.3	123	84.3	73.7-94.9
\$35,000- 49,999	164	29,896	18	11.4	5.3-17.5	146	88.6	82.5-94.7
\$50,000- 74,999	226	47,528	15	6.1	1.4-10.8	211	93.9	89.2-98.6
\$75,000+	581	130,754	19	4.1	1.4- 6.8	562	95.9	93.2-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2109	386,508	220	10.3	8.3-12.3	1889	89.7	87.7-91.7
White/Non-Hisp	1369	244,844	137	9.7	7.7-11.7	1232	90.3	88.3-92.3
Black or Afr. Am./Non-Hisp	318	81,655	37	11.9	6.4-17.4	281	88.1	82.6-93.6
Oth. Race/Non-Hisp.	67	13,574	7	4.2	0.3- 8.1	60	95.8	91.9-99.7
MultiRacial/Non-Hisp.	52	10,448	6	20.4	0.0-41.4	46	79.6	58.6- 100
Hispanic	268	29,149	30	10.8	5.7-15.9	238	89.2	84.1-94.3
18-24	120	39,564	16	14.7	5.5-23.9	104	85.3	76.1-94.5
25-34	245	58,832	28	10.0	5.1-14.9	217	90.0	85.1-94.9
35-44	289	54,974	34	13.3	7.4-19.2	255	86.7	80.8-92.6
45-54	336	59,340	39	8.4	5.5-11.3	297	91.6	88.7-94.5
55-64	426	68,691	38	7.3	4.4-10.2	388	92.7	89.8-95.6
65+	693	105,108	65	10.2	6.9-13.5	628	89.8	86.5-93.1
Less Than H.S.	218	36,111	34	15.1	8.6-21.6	184	84.9	78.4-91.4
H.S. or G.E.D.	575	111,936	79	13.6	9.5-17.7	496	86.4	82.3-90.5
Some Post-H.S.	565	116,667	65	11.8	8.1-15.5	500	88.2	84.5-91.9
College Graduate	745	120,938	41	4.4	2.6- 6.2	704	95.6	93.8-97.4
Less than \$15,000	198	28,969	37	18.6	11.0-26.2	161	81.4	73.8-89.0
\$15,000- 24,999	327	53,612	56	14.5	10.0-19.0	271	85.5	81.0-90.0
\$25,000- 34,999	183	30,395	19	9.1	4.0-14.2	164	90.9	85.8-96.0
\$35,000- 49,999	222	44,305	19	10.4	5.3-15.5	203	89.6	84.5-94.7
\$50,000- 74,999	256	48,638	18	11.3	4.0-18.6	238	88.7	81.4-96.0
\$75,000+	526	111,843	29	5.8	3.3- 8.3	497	94.2	91.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3788	731,772	581	12.3	10.9-13.7	3207	87.7	86.3-89.1
Male	1683	347,480	231	10.3	8.3-12.3	1452	89.7	87.7-91.7
Female	2105	384,292	350	14.1	12.1-16.1	1755	85.9	83.9-87.9
White/Non-Hisp	2508	465,244	383	12.3	10.7-13.9	2125	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	492	147,929	90	14.4	10.5-18.3	402	85.6	81.7-89.5
Oth. Race/Non-Hisp.	123	28,097	17	6.7	2.0-11.4	106	93.3	88.6-98.0
MultiRacial/Non-Hisp.	91	15,839	24	22.3	8.2-36.4	67	77.7	63.6-91.8
Hispanic	498	59,443	55	7.4	5.0- 9.8	443	92.6	90.2-95.0
18-24	257	81,144	10	3.1	0.0- 7.0	247	96.9	93.0- 100
25-34	430	116,452	18	4.0	1.5- 6.5	412	96.0	93.5-98.5
35-44	513	109,169	38	6.1	3.2- 9.0	475	93.9	91.0-96.8
45-54	587	109,642	79	10.7	8.0-13.4	508	89.3	86.6-92.0
55-64	764	127,248	135	16.6	13.3-19.9	629	83.4	80.1-86.7
65+	1237	188,117	301	22.9	19.8-26.0	936	77.1	74.0-80.2
Less Than H.S.	421	76,997	85	19.3	14.2-24.4	336	80.7	75.6-85.8
H.S. or G.E.D.	1074	225,943	200	13.8	11.4-16.2	874	86.2	83.8-88.6
Some Post-H.S.	964	210,721	153	12.3	9.6-15.0	811	87.7	85.0-90.4
College Graduate	1321	217,004	141	8.2	6.0-10.4	1180	91.8	89.6-94.0
Less than \$15,000	335	49,066	94	28.4	21.3-35.5	241	71.6	64.5-78.7
\$15,000- 24,999	517	87,652	125	18.7	14.4-23.0	392	81.3	77.0-85.6
\$25,000- 34,999	322	63,668	67	16.2	11.3-21.1	255	83.8	78.9-88.7
\$35,000- 49,999	386	74,068	50	10.6	6.9-14.3	336	89.4	85.7-93.1
\$50,000- 74,999	481	95,681	62	11.9	7.6-16.2	419	88.1	83.8-92.4
\$75,000+	1104	242,383	78	5.6	3.6- 7.6	1026	94.4	92.4-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1683	347,480	231	10.3	8.3-12.3	1452	89.7	87.7-91.7
White/Non-Hisp	1138	220,731	160	10.6	8.4-12.8	978	89.4	87.2-91.6
Black or Afr. Am./Non-Hisp	174	66,463	25	12.1	5.4-18.8	149	87.9	81.2-94.6
Oth. Race/Non-Hisp.	57	14,593	6	3.4	0.0- 6.9	51	96.6	93.1- 100
Hispanic	232	30,465	22	6.0	3.3- 8.7	210	94.0	91.3-96.7
18-24	136	41,406	6	4.7	0.0-12.1	130	95.3	87.9- 100
25-34	186	57,655	7	5.4	0.5-10.3	179	94.6	89.7-99.5
35-44	226	54,610	16	4.9	2.2- 7.6	210	95.1	92.4-97.8
45-54	251	50,353	30	8.6	4.9-12.3	221	91.4	87.7-95.1
55-64	341	59,826	52	14.2	9.1-19.3	289	85.8	80.7-90.9
65+	543	83,631	120	18.0	13.9-22.1	423	82.0	77.9-86.1
Less Than H.S.	203	41,340	31	11.4	5.9-16.9	172	88.6	83.1-94.1
H.S. or G.E.D.	502	114,862	79	10.6	7.5-13.7	423	89.4	86.3-92.5
Some Post-H.S.	398	94,515	55	11.3	7.2-15.4	343	88.7	84.6-92.8
College Graduate	578	96,514	66	8.3	4.6-12.0	512	91.7	88.0-95.4
Less than \$15,000	137	19,982	32	16.6	8.8-24.4	105	83.4	75.6-91.2
\$15,000- 24,999	189	33,902	36	15.6	8.0-23.2	153	84.4	76.8-92.0
\$25,000- 34,999	139	33,226	31	15.7	8.6-22.8	108	84.3	77.2-91.4
\$35,000- 49,999	164	29,896	23	9.8	4.7-14.9	141	90.2	85.1-95.3
\$50,000- 74,999	226	47,528	36	12.2	6.7-17.7	190	87.8	82.3-93.3
\$75,000+	580	130,653	33	5.2	2.3- 8.1	547	94.8	91.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2105	384,292	350	14.1	12.1-16.1	1755	85.9	83.9-87.9
White/Non-Hisp	1370	244,513	223	13.8	11.4-16.2	1147	86.2	83.8-88.6
Black or Afr. Am./Non-Hisp	318	81,467	65	16.4	11.7-21.1	253	83.6	78.9-88.3
Oth. Race/Non-Hisp.	66	13,504	11	10.2	1.8-18.6	55	89.8	81.4-98.2
MultiRacial/Non-Hisp.	52	10,448	13	23.5	3.5-43.5	39	76.5	56.5-96.5
Hispanic	266	28,977	33	8.9	5.2-12.6	233	91.1	87.4-94.8
18-24	121	39,738	4	1.5	0.0- 3.1	117	98.5	96.9- 100
25-34	244	58,797	11	2.6	0.8- 4.4	233	97.4	95.6-99.2
35-44	287	54,559	22	7.3	2.4-12.2	265	92.7	87.8-97.6
45-54	336	59,290	49	12.5	8.4-16.6	287	87.5	83.4-91.6
55-64	423	67,422	83	18.8	14.1-23.5	340	81.2	76.5-85.9
65+	694	104,486	181	26.9	22.2-31.6	513	73.1	68.4-77.8
Less Than H.S.	218	35,658	54	28.5	19.7-37.3	164	71.5	62.7-80.3
H.S. or G.E.D.	572	111,081	121	17.1	13.4-20.8	451	82.9	79.2-86.6
Some Post-H.S.	566	116,206	98	13.0	9.3-16.7	468	87.0	83.3-90.7
College Graduate	743	120,491	75	8.1	5.7-10.5	668	91.9	89.5-94.3
Less than \$15,000	198	29,084	62	36.5	26.7-46.3	136	63.5	53.7-73.3
\$15,000- 24,999	328	53,750	89	20.7	15.8-25.6	239	79.3	74.4-84.2
\$25,000- 34,999	183	30,441	36	16.7	10.0-23.4	147	83.3	76.6-90.0
\$35,000- 49,999	222	44,172	27	11.2	6.1-16.3	195	88.8	83.7-93.9
\$50,000- 74,999	255	48,153	26	11.6	4.9-18.3	229	88.4	81.7-95.1
\$75,000+	524	111,730	45	6.0	3.8- 8.2	479	94.0	91.8-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3783	729,644	142	3.6	2.6- 4.6	3641	96.4	95.4-97.4
Male	1684	347,148	66	3.5	1.9- 5.1	1618	96.5	94.9-98.1
Female	2099	382,496	76	3.6	2.4- 4.8	2023	96.4	95.2-97.6
White/Non-Hisp	2502	463,690	82	2.7	1.9- 3.5	2420	97.3	96.5-98.1
Black or Afr. Am./Non-Hisp	490	147,113	24	4.5	1.8- 7.2	466	95.5	92.8-98.2
Oth. Race/Non-Hisp.	123	28,067	9	11.7	1.5-21.9	114	88.3	78.1-98.5
MultiRacial/Non-Hisp.	93	16,015	4	8.5	0.0-22.2	89	91.5	77.8- 100
Hispanic	499	59,538	21	3.2	1.6- 4.8	478	96.8	95.2-98.4
18-24	255	80,458	3	2.2	0.0- 6.1	252	97.8	93.9- 100
25-34	430	116,452	8	1.6	0.0- 3.8	422	98.4	96.2- 100
35-44	510	108,565	15	3.2	0.7- 5.7	495	96.8	94.3-99.3
45-54	587	109,666	25	3.5	1.7- 5.3	562	96.5	94.7-98.3
55-64	763	126,356	37	5.0	2.6- 7.4	726	95.0	92.6-97.4
65+	1238	188,147	54	4.7	2.9- 6.5	1184	95.3	93.5-97.1
Less Than H.S.	424	77,381	29	7.1	3.6-10.6	395	92.9	89.4-96.4
H.S. or G.E.D.	1070	224,939	50	3.8	2.2- 5.4	1020	96.2	94.6-97.8
Some Post-H.S.	962	209,371	32	3.6	1.6- 5.6	930	96.4	94.4-98.4
College Graduate	1319	216,847	31	2.0	0.4- 3.6	1288	98.0	96.4-99.6
Less than \$15,000	334	49,066	24	6.5	2.6-10.4	310	93.5	89.6-97.4
\$15,000- 24,999	518	87,325	33	5.5	2.6- 8.4	485	94.5	91.6-97.4
\$25,000- 34,999	322	63,691	13	3.8	1.3- 6.3	309	96.2	93.7-98.7
\$35,000- 49,999	385	73,760	14	3.4	1.0- 5.8	371	96.6	94.2-99.0
\$50,000- 74,999	481	95,681	12	3.6	0.5- 6.7	469	96.4	93.3-99.5
\$75,000+	1103	241,887	16	2.0	0.2- 3.8	1087	98.0	96.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	347,148	66	3.5	1.9- 5.1	1618	96.5	94.9-98.1
White/Non-Hisp	1136	220,059	47	3.1	1.9- 4.3	1089	96.9	95.7-98.1
Black or Afr. Am./Non-Hisp	174	66,463	3	3.8	0.0- 9.1	171	96.2	90.9- 100
Oth. Race/Non-Hisp.	58	14,811	4	12.1	0.0-28.0	54	87.9	72.0- 100
Hispanic	233	30,521	10	3.4	1.0- 5.8	223	96.6	94.2-99.0
18-24	135	40,910	3	4.4	0.0-12.0	132	95.6	88.0- 100
25-34	186	57,655	3	2.4	0.0- 6.5	183	97.6	93.5- 100
35-44	226	54,610	5	1.7	0.1- 3.3	221	98.3	96.7-99.9
45-54	251	50,377	10	3.7	0.6- 6.8	241	96.3	93.2-99.4
55-64	342	59,937	20	6.8	2.5-11.1	322	93.2	88.9-97.5
65+	544	83,660	25	2.6	1.2- 4.0	519	97.4	96.0-98.8
Less Than H.S.	205	41,613	10	4.1	0.0- 8.2	195	95.9	91.8- 100
H.S. or G.E.D.	501	114,699	25	3.9	1.7- 6.1	476	96.1	93.9-98.3
Some Post-H.S.	398	94,072	15	3.4	0.5- 6.3	383	96.6	93.7-99.5
College Graduate	578	96,514	16	3.0	0.0- 6.3	562	97.0	93.7- 100
Less than \$15,000	137	20,006	11	4.7	1.4- 8.0	126	95.3	92.0-98.6
\$15,000- 24,999	190	33,654	11	4.7	0.0- 9.8	179	95.3	90.2- 100
\$25,000- 34,999	140	33,282	8	4.5	0.8- 8.2	132	95.5	91.8-99.2
\$35,000- 49,999	164	29,896	10	4.8	0.7- 8.9	154	95.2	91.1-99.3
\$50,000- 74,999	226	47,528	8	2.9	0.0- 6.2	218	97.1	93.8- 100
\$75,000+	580	130,653	5	2.5	0.0- 5.6	575	97.5	94.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2099	382,496	76	3.6	2.4- 4.8	2023	96.4	95.2-97.6
White/Non-Hisp	1366	243,631	35	2.4	1.4- 3.4	1331	97.6	96.6-98.6
Black or Afr. Am./Non-Hisp	316	80,650	21	5.1	2.4- 7.8	295	94.9	92.2-97.6
Oth. Race/Non-Hisp.	65	13,256	5	11.2	0.0-23.7	60	88.8	76.3- 100
MultiRacial/Non-Hisp.	53	10,558	2	12.4	0.0-32.4	51	87.6	67.6- 100
Hispanic	266	29,018	11	3.1	0.9- 5.3	255	96.9	94.7-99.1
18-24	120	39,548				120	100.0	100.0- 100
25-34	244	58,797	5	0.8	0.0- 1.6	239	99.2	98.4- 100
35-44	284	53,956	10	4.7	0.0- 9.6	274	95.3	90.4- 100
45-54	336	59,290	15	3.3	1.5- 5.1	321	96.7	94.9-98.5
55-64	421	66,419	17	3.4	1.4- 5.4	404	96.6	94.6-98.6
65+	694	104,486	29	6.3	3.4- 9.2	665	93.7	90.8-96.6
Less Than H.S.	219	35,768	19	10.7	4.8-16.6	200	89.3	83.4-95.2
H.S. or G.E.D.	569	110,240	25	3.7	1.7- 5.7	544	96.3	94.3-98.3
Some Post-H.S.	564	115,298	17	3.8	1.1- 6.5	547	96.2	93.5-98.9
College Graduate	741	120,333	15	1.2	0.4- 2.0	726	98.8	98.0-99.6
Less than \$15,000	197	29,060	13	7.8	1.5-14.1	184	92.2	85.9-98.5
\$15,000- 24,999	328	53,671	22	5.9	2.6- 9.2	306	94.1	90.8-97.4
\$25,000- 34,999	182	30,409	5	3.1	0.0- 6.2	177	96.9	93.8- 100
\$35,000- 49,999	221	43,863	4	2.3	0.0- 4.8	217	97.7	95.2- 100
\$50,000- 74,999	255	48,153	4	4.3	0.0- 9.6	251	95.7	90.4- 100
\$75,000+	523	111,234	11	1.5	0.1- 2.9	512	98.5	97.1-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3756	723,789	238	6.2	5.0- 7.4	3518	93.8	92.6-95.0
Male	1670	343,450	89	4.7	3.3- 6.1	1581	95.3	93.9-96.7
Female	2086	380,339	149	7.5	5.7- 9.3	1937	92.5	90.7-94.3
White/Non-Hisp	2486	460,648	148	5.6	4.4- 6.8	2338	94.4	93.2-95.6
Black or Afr. Am./Non-Hisp	486	145,279	41	8.0	4.5-11.5	445	92.0	88.5-95.5
Oth. Race/Non-Hisp.	121	27,670	11	5.0	0.7- 9.3	110	95.0	90.7-99.3
MultiRacial/Non-Hisp.	91	15,764	8	11.9	0.0-25.6	83	88.1	74.4- 100
Hispanic	497	59,273	25	5.5	2.8- 8.2	472	94.5	91.8-97.2
18-24	250	78,863	19	7.7	2.8-12.6	231	92.3	87.4-97.2
25-34	429	116,340	19	4.5	1.6- 7.4	410	95.5	92.6-98.4
35-44	505	106,736	26	4.4	1.7- 7.1	479	95.6	92.9-98.3
45-54	582	108,368	41	5.9	3.7- 8.1	541	94.1	91.9-96.3
55-64	762	126,549	48	6.6	4.1- 9.1	714	93.4	90.9-95.9
65+	1228	186,931	85	7.4	5.2- 9.6	1143	92.6	90.4-94.8
Less Than H.S.	421	76,929	41	10.3	6.4-14.2	380	89.7	85.8-93.6
H.S. or G.E.D.	1060	222,236	96	8.8	6.3-11.3	964	91.2	88.7-93.7
Some Post-H.S.	956	208,327	54	5.7	3.5- 7.9	902	94.3	92.1-96.5
College Graduate	1311	215,190	46	2.4	1.4- 3.4	1265	97.6	96.6-98.6
Less than \$15,000	332	48,851	40	13.9	8.4-19.4	292	86.1	80.6-91.6
\$15,000- 24,999	516	86,633	66	11.7	7.8-15.6	450	88.3	84.4-92.2
\$25,000- 34,999	319	63,235	18	7.2	3.5-10.9	301	92.8	89.1-96.5
\$35,000- 49,999	384	73,594	22	5.7	2.8- 8.6	362	94.3	91.4-97.2
\$50,000- 74,999	476	94,202	23	6.1	2.0-10.2	453	93.9	89.8-98.0
\$75,000+	1099	241,342	14	1.3	0.3- 2.3	1085	98.7	97.7-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1670	343,450	89	4.7	3.3- 6.1	1581	95.3	93.9-96.7
White/Non-Hisp	1129	218,008	61	5.2	3.4- 7.0	1068	94.8	93.0-96.6
Black or Afr. Am./Non-Hisp	172	65,373	10	4.7	1.2- 8.2	162	95.3	91.8-98.8
Oth. Race/Non-Hisp.	57	14,770	4	2.6	0.0- 5.7	53	97.4	94.3- 100
Hispanic	231	30,256	11	3.4	1.0- 5.8	220	96.6	94.2-99.0
18-24	132	40,106	6	3.4	0.0- 7.1	126	96.6	92.9- 100
25-34	185	57,543	10	5.4	0.7-10.1	175	94.6	89.9-99.3
35-44	223	52,957	13	3.2	1.2- 5.2	210	96.8	94.8-98.8
45-54	250	50,246	17	6.3	2.6-10.0	233	93.7	90.0-97.4
55-64	342	59,960	17	6.6	2.3-10.9	325	93.4	89.1-97.7
65+	538	82,637	26	3.4	1.8- 5.0	512	96.6	95.0-98.2
Less Than H.S.	202	41,161	11	5.4	0.9- 9.9	191	94.6	90.1-99.1
H.S. or G.E.D.	494	112,791	32	5.3	2.9- 7.7	462	94.7	92.3-97.1
Some Post-H.S.	396	92,929	21	5.2	2.1- 8.3	375	94.8	91.7-97.9
College Graduate	576	96,318	25	3.2	1.4- 5.0	551	96.8	95.0-98.6
Less than \$15,000	136	19,819	10	5.9	0.8-11.0	126	94.1	89.0-99.2
\$15,000- 24,999	189	33,638	22	13.7	5.7-21.7	167	86.3	78.3-94.3
\$25,000- 34,999	137	32,826	9	5.6	1.3- 9.9	128	94.4	90.1-98.7
\$35,000- 49,999	164	29,896	10	4.6	0.7- 8.5	154	95.4	91.5-99.3
\$50,000- 74,999	225	46,989	15	4.7	1.0- 8.4	210	95.3	91.6-99.0
\$75,000+	578	130,204	8	1.7	0.1- 3.3	570	98.3	96.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2086	380,339	149	7.5	5.7- 9.3	1937	92.5	90.7-94.3
White/Non-Hisp	1357	242,640	87	6.1	4.5- 7.7	1270	93.9	92.3-95.5
Black or Afr. Am./Non-Hisp	314	79,906	31	10.7	5.2-16.2	283	89.3	83.8-94.8
Oth. Race/Non-Hisp.	64	12,900	7	7.7	0.0-16.1	57	92.3	83.9- 100
MultiRacial/Non-Hisp.	53	10,558	7	17.3	0.0-37.1	46	82.7	62.9- 100
Hispanic	266	29,018	14	7.6	2.7-12.5	252	92.4	87.5-97.3
18-24	118	38,758	13	12.1	3.1-21.1	105	87.9	78.9-96.9
25-34	244	58,797	9	3.7	0.0- 7.4	235	96.3	92.6- 100
35-44	282	53,779	13	5.6	0.7-10.5	269	94.4	89.5-99.3
45-54	332	58,122	24	5.6	3.2- 8.0	308	94.4	92.0-96.8
55-64	420	66,589	31	6.6	3.9- 9.3	389	93.4	90.7-96.1
65+	690	104,294	59	10.6	7.1-14.1	631	89.4	85.9-92.9
Less Than H.S.	219	35,768	30	15.9	9.0-22.8	189	84.1	77.2-91.0
H.S. or G.E.D.	566	109,445	64	12.4	8.1-16.7	502	87.6	83.3-91.9
Some Post-H.S.	560	115,397	33	6.1	3.0- 9.2	527	93.9	90.8-97.0
College Graduate	735	118,871	21	1.8	0.8- 2.8	714	98.2	97.2-99.2
Less than \$15,000	196	29,032	30	19.3	11.1-27.5	166	80.7	72.5-88.9
\$15,000- 24,999	327	52,994	44	10.4	6.9-13.9	283	89.6	86.1-93.1
\$25,000- 34,999	182	30,409	9	8.9	2.8-15.0	173	91.1	85.0-97.2
\$35,000- 49,999	220	43,698	12	6.4	2.3-10.5	208	93.6	89.5-97.7
\$50,000- 74,999	251	47,213	8	7.4	0.3-14.5	243	92.6	85.5-99.7
\$75,000+	521	111,139	6	0.8	0.0- 1.8	515	99.2	98.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 10: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	158
2	MALES ONLY	159
3	FEMALES ONLY	160
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	161
5	MALES ONLY	162
6	FEMALES ONLY	163
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	164
8	MALES ONLY	165
9	FEMALES ONLY	166
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	167
11	MALES ONLY	168
12	FEMALES ONLY	169
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	170
14	MALES ONLY	171
15	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3736	720,715	1579	41.3	39.1-43.5	2157	58.7	56.5-60.9
Male	1663	341,861	792	46.5	43.2-49.8	871	53.5	50.2-56.8
Female	2073	378,855	787	36.6	33.9-39.3	1286	63.4	60.7-66.1
White/Non-Hisp	2472	457,881	1173	46.2	43.7-48.7	1299	53.8	51.3-56.3
Black or Afr. Am./Non-Hisp	481	144,895	167	33.3	27.6-39.0	314	66.7	61.0-72.4
Oth. Race/Non-Hisp.	122	28,026	44	26.9	16.9-36.9	78	73.1	63.1-83.1
MultiRacial/Non-Hisp.	92	15,876	44	41.7	26.2-57.2	48	58.3	42.8-73.8
Hispanic	495	59,159	116	29.3	22.8-35.8	379	70.7	64.2-77.2
18-24	249	78,673	32	13.0	7.5-18.5	217	87.0	81.5-92.5
25-34	428	116,093	141	39.1	32.6-45.6	287	60.9	54.4-67.4
35-44	503	106,698	216	43.6	37.9-49.3	287	56.4	50.7-62.1
45-54	582	108,077	233	38.7	33.6-43.8	349	61.3	56.2-66.4
55-64	757	125,606	357	47.6	42.9-52.3	400	52.4	47.7-57.1
65+	1217	185,569	600	50.5	46.6-54.4	617	49.5	45.6-53.4
Less Than H.S.	415	75,270	158	49.8	42.4-57.2	257	50.2	42.8-57.6
H.S. or G.E.D.	1056	221,042	530	47.3	43.2-51.4	526	52.7	48.6-56.8
Some Post-H.S.	954	208,669	450	44.9	40.6-49.2	504	55.1	50.8-59.4
College Graduate	1303	214,627	440	28.8	25.7-31.9	863	71.2	68.1-74.3
Less than \$15,000	334	48,922	139	42.3	34.3-50.3	195	57.7	49.7-65.7
\$15,000- 24,999	513	85,989	250	49.3	43.4-55.2	263	50.7	44.8-56.6
\$25,000- 34,999	316	62,479	166	54.1	46.1-62.1	150	45.9	37.9-53.9
\$35,000- 49,999	380	73,306	168	42.6	35.7-49.5	212	57.4	50.5-64.3
\$50,000- 74,999	474	94,031	191	38.8	32.7-44.9	283	61.2	55.1-67.3
\$75,000+	1096	240,220	424	35.8	32.1-39.5	672	64.2	60.5-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1663	341,861	792	46.5	43.2-49.8	871	53.5	50.2-56.8
White/Non-Hisp	1126	216,465	578	50.9	47.0-54.8	548	49.1	45.2-53.0
Black or Afr. Am./Non-Hisp	169	65,575	67	36.0	26.4-45.6	102	64.0	54.4-73.6
Oth. Race/Non-Hisp.	57	14,770	23	29.1	13.8-44.4	34	70.9	55.6-86.2
Hispanic	230	30,171	82	46.5	36.7-56.3	148	53.5	43.7-63.3
18-24	131	39,915	22	16.7	8.3-25.1	109	83.3	74.9-91.7
25-34	184	57,296	79	50.5	40.5-60.5	105	49.5	39.5-59.5
35-44	222	52,948	111	46.6	38.0-55.2	111	53.4	44.8-62.0
45-54	249	49,521	112	42.2	34.6-49.8	137	57.8	50.2-65.4
55-64	341	59,519	178	52.4	45.3-59.5	163	47.6	40.5-54.7
65+	536	82,662	290	56.4	50.5-62.3	246	43.6	37.7-49.5
Less Than H.S.	199	40,355	103	63.5	53.9-73.1	96	36.5	26.9-46.1
H.S. or G.E.D.	491	111,901	279	51.8	45.5-58.1	212	48.2	41.9-54.5
Some Post-H.S.	397	93,501	199	49.1	42.2-56.0	198	50.9	44.0-57.8
College Graduate	574	95,854	211	30.7	25.8-35.6	363	69.3	64.4-74.2
Less than \$15,000	137	19,862	66	44.7	31.2-58.2	71	55.3	41.8-68.8
\$15,000- 24,999	188	33,172	105	60.1	50.5-69.7	83	39.9	30.3-49.5
\$25,000- 34,999	136	32,735	83	60.7	48.4-73.0	53	39.3	27.0-51.6
\$35,000- 49,999	162	29,615	79	45.7	35.3-56.1	83	54.3	43.9-64.7
\$50,000- 74,999	224	46,875	104	43.2	34.2-52.2	120	56.8	47.8-65.8
\$75,000+	576	129,137	243	40.1	34.6-45.6	333	59.9	54.4-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	378,855	787	36.6	33.9-39.3	1286	63.4	60.7-66.1
White/Non-Hisp	1346	241,416	595	42.0	38.5-45.5	751	58.0	54.5-61.5
Black or Afr. Am./Non-Hisp	312	79,320	100	31.0	24.3-37.7	212	69.0	62.3-75.7
Oth. Race/Non-Hisp.	65	13,256	21	24.4	11.5-37.3	44	75.6	62.7-88.5
MultiRacial/Non-Hisp.	53	10,558	23	37.1	16.7-57.5	30	62.9	42.5-83.3
Hispanic	265	28,988	34	11.3	5.8-16.8	231	88.7	83.2-94.2
18-24	118	38,758	10	9.3	2.4-16.2	108	90.7	83.8-97.6
25-34	244	58,797	62	28.1	20.7-35.5	182	71.9	64.5-79.3
35-44	281	53,749	105	40.7	32.9-48.5	176	59.3	51.5-67.1
45-54	333	58,557	121	35.7	29.0-42.4	212	64.3	57.6-71.0
55-64	416	66,087	179	43.2	37.1-49.3	237	56.8	50.7-62.9
65+	681	102,907	310	45.8	40.7-50.9	371	54.2	49.1-59.3
Less Than H.S.	216	34,916	55	33.9	24.1-43.7	161	66.1	56.3-75.9
H.S. or G.E.D.	565	109,141	251	42.8	37.3-48.3	314	57.2	51.7-62.7
Some Post-H.S.	557	115,168	251	41.4	35.9-46.9	306	58.6	53.1-64.1
College Graduate	729	118,773	229	27.2	23.1-31.3	500	72.8	68.7-76.9
Less than \$15,000	197	29,060	73	40.6	30.8-50.4	124	59.4	49.6-69.2
\$15,000- 24,999	325	52,816	145	42.5	35.4-49.6	180	57.5	50.4-64.6
\$25,000- 34,999	180	29,743	83	46.8	37.0-56.6	97	53.2	43.4-63.0
\$35,000- 49,999	218	43,691	89	40.5	31.7-49.3	129	59.5	50.7-68.3
\$50,000- 74,999	250	47,155	87	34.4	26.4-42.4	163	65.6	57.6-73.6
\$75,000+	520	111,082	181	30.9	25.8-36.0	339	69.1	64.0-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1573	296,512	381	25.7	22.8-28.6	153	11.0	8.6-13.4	1039	63.3	60.0-66.6
Male	789	158,411	189	26.4	21.9-30.9	79	12.4	8.7-16.1	521	61.2	56.3-66.1
Female	784	138,101	192	25.0	21.1-28.9	74	9.4	6.7-12.1	518	65.6	61.1-70.1
White/Non-Hisp	1169	211,010	268	24.3	21.0-27.6	93	9.2	6.7-11.7	808	66.5	62.8-70.2
Black or Afr. Am./Non-Hisp	166	47,923	49	31.6	21.6-41.6	24	17.7	9.7-25.7	93	50.7	40.3-61.1
Hispanic	116	17,310	33	33.5	20.2-46.8	21	14.5	6.3-22.7	62	52.0	38.5-65.5
25-34	141	45,418	53	39.8	29.2-50.4	29	20.3	11.7-28.9	59	39.8	29.4-50.2
35-44	214	46,179	70	33.7	25.7-41.7	21	8.0	3.7-12.3	123	58.3	49.9-66.7
45-54	233	41,795	86	35.2	27.6-42.8	23	8.5	4.0-13.0	124	56.3	48.3-64.3
55-64	355	59,483	90	22.7	17.4-28.0	39	11.4	6.3-16.5	226	65.9	59.4-72.4
65+	598	93,371	72	12.5	8.2-16.8	35	6.9	3.8-10.0	491	80.6	75.7-85.5
Less Than H.S.	158	37,452	54	42.6	31.8-53.4	26	13.5	6.6-20.4	78	43.9	33.1-54.7
H.S. or G.E.D.	528	104,103	157	30.0	24.7-35.3	49	11.5	7.4-15.6	322	58.5	52.8-64.2
Some Post-H.S.	448	93,455	120	25.2	19.7-30.7	41	9.7	5.8-13.6	287	65.1	59.0-71.2
College Graduate	438	61,395	50	9.1	5.6-12.6	37	10.5	5.8-15.2	351	80.4	74.9-85.9
Less than \$15,000	138	20,577	34	19.2	11.4-27.0	25	19.7	8.9-30.5	79	61.1	49.7-72.5
\$15,000- 24,999	250	42,416	87	35.5	27.9-43.1	37	21.7	14.1-29.3	126	42.9	34.9-50.9
\$25,000- 34,999	166	33,809	46	39.5	27.7-51.3	12	5.8	1.5-10.1	108	54.7	43.1-66.3
\$35,000- 49,999	168	31,225	57	40.4	30.4-50.4	10	4.8	1.3- 8.3	101	54.8	44.8-64.8
\$50,000- 74,999	191	36,495	41	22.0	14.2-29.8	13	11.6	3.4-19.8	137	66.4	56.6-76.2
\$75,000+	423	85,811	64	15.7	11.0-20.4	36	10.6	6.1-15.1	323	73.6	67.7-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	789	158,411	189	26.4	21.9-30.9	79	12.4	8.7-16.1	521	61.2	56.3-66.1
White/Non-Hisp	576	109,939	129	23.6	18.9-28.3	42	10.8	6.7-14.9	405	65.6	60.1-71.1
Black or Afr. Am./Non-Hisp	66	23,343	23	39.9	23.0-56.8	13	20.4	7.5-33.3	30	39.6	23.5-55.7
Hispanic	82	14,037	23	31.5	16.4-46.6	15	12.6	4.0-21.2	44	55.9	40.2-71.6
25-34	79	28,917	25	34.6	20.7-48.5	24	27.0	14.7-39.3	30	38.4	24.3-52.5
35-44	110	24,411	31	33.5	21.9-45.1	10	6.5	1.2-11.8	69	60.1	48.3-71.9
45-54	112	20,907	43	38.2	26.8-49.6	8	6.3	0.8-11.8	61	55.6	44.0-67.2
55-64	177	31,168	43	21.1	14.0-28.2	17	12.9	4.1-21.7	117	66.0	56.4-75.6
65+	289	46,348	42	17.2	9.8-24.6	14	4.1	1.0- 7.2	233	78.7	70.9-86.5
Less Than H.S.	103	25,631	34	43.8	30.1-57.5	15	9.4	2.1-16.7	54	46.8	33.1-60.5
H.S. or G.E.D.	278	57,670	83	29.5	22.2-36.8	29	14.6	7.9-21.3	166	56.0	48.0-64.0
Some Post-H.S.	198	45,896	55	25.3	16.9-33.7	17	10.6	4.3-16.9	126	64.1	54.7-73.5
College Graduate	210	29,214	17	6.9	2.2-11.6	18	13.2	5.0-21.4	175	79.8	71.0-88.6
Less than \$15,000	66	8,879	15	20.2	7.7-32.7	15	16.8	4.8-28.8	36	63.1	47.6-78.6
\$15,000- 24,999	105	19,949	30	28.6	17.6-39.6	20	30.0	16.9-43.1	55	41.5	29.0-54.0
\$25,000- 34,999	83	19,878	22	42.4	25.5-59.3	6	3.3	0.4- 6.2	55	54.3	37.8-70.8
\$35,000- 49,999	79	13,520	34	46.5	31.8-61.2	2	3.5	0.0- 9.0	43	50.0	35.5-64.5
\$50,000- 74,999	104	20,269	24	22.4	11.2-33.6	6	15.6	2.1-29.1	74	62.0	47.7-76.3
\$75,000+	242	51,529	38	16.4	10.1-22.7	16	12.1	5.2-19.0	188	71.4	63.2-79.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	784	138,101	192	25.0	21.1-28.9	74	9.4	6.7-12.1	518	65.6	61.1-70.1
White/Non-Hisp	593	101,071	139	24.9	20.4-29.4	51	7.6	4.9-10.3	403	67.5	62.6-72.4
Black or Afr. Am./Non-Hisp	100	24,580	26	23.7	13.3-34.1	11	15.2	6.0-24.4	63	61.2	49.0-73.4
25-34	62	16,501	28	49.0	33.5-64.5	5	8.7	0.0-17.5	29	42.3	27.4-57.2
35-44	104	21,768	39	34.0	22.6-45.4	11	9.7	2.6-16.8	54	56.3	44.1-68.5
45-54	121	20,888	43	32.2	21.8-42.6	15	10.7	3.6-17.8	63	57.1	45.7-68.5
55-64	178	28,315	47	24.5	16.7-32.3	22	9.7	5.0-14.4	109	65.9	57.3-74.5
65+	309	47,023	30	7.9	4.4-11.4	21	9.6	4.3-14.9	258	82.4	76.3-88.5
Less Than H.S.	55	11,821	20	40.0	23.5-56.5	11	22.5	8.4-36.6	24	37.5	20.6-54.4
H.S. or G.E.D.	250	46,432	74	30.7	23.3-38.1	20	7.8	3.7-11.9	156	61.6	53.8-69.4
Some Post-H.S.	250	47,559	65	25.2	18.3-32.1	24	8.8	3.9-13.7	161	66.0	58.2-73.8
College Graduate	228	32,182	33	11.1	6.0-16.2	19	8.1	3.4-12.8	176	80.9	74.4-87.4
Less than \$15,000	72	11,698	19	18.5	8.3-28.7	10	21.9	5.4-38.4	43	59.5	43.4-75.6
\$15,000- 24,999	145	22,467	57	41.6	31.4-51.8	17	14.3	6.5-22.1	71	44.1	33.7-54.5
\$25,000- 34,999	83	13,930	24	35.5	20.2-50.8	6	9.4	0.0-18.8	53	55.1	39.8-70.4
\$35,000- 49,999	89	17,705	23	35.7	22.2-49.2	8	5.8	1.1-10.5	58	58.5	45.0-72.0
\$50,000- 74,999	87	16,226	17	21.5	10.3-32.7	7	6.6	1.1-12.1	63	71.9	59.9-83.9
\$75,000+	181	34,282	26	14.7	7.8-21.6	20	8.4	4.1-12.7	135	77.0	69.4-84.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	532	108,696	308	59.2	53.3-65.1	224	40.8	34.9-46.7
Male	267	61,354	163	60.7	52.5-68.9	104	39.3	31.1-47.5
Female	265	47,342	145	57.2	49.6-64.8	120	42.8	35.2-50.4
White/Non-Hisp	360	70,618	190	52.7	45.8-59.6	170	47.3	40.4-54.2
Black or Afr. Am./Non-Hisp	72	23,434	51	74.1	60.0-88.2	21	25.9	11.8-40.0
Hispanic	54	8,302	39	77.5	63.2-91.8	15	22.5	8.2-36.8
25-34	81	27,136	52	62.6	49.3-75.9	29	37.4	24.1-50.7
35-44	90	19,187	49	52.6	39.3-65.9	41	47.4	34.1-60.7
45-54	109	18,251	62	57.4	45.4-69.4	47	42.6	30.6-54.6
55-64	129	20,274	67	57.6	46.4-68.8	62	42.4	31.2-53.6
65+	107	18,136	65	58.5	43.0-74.0	42	41.5	26.0-57.0
Less Than H.S.	80	21,026	53	66.4	53.7-79.1	27	33.6	20.9-46.3
H.S. or G.E.D.	205	43,169	110	55.7	46.3-65.1	95	44.3	34.9-53.7
Some Post-H.S.	160	32,460	88	52.9	42.1-63.7	72	47.1	36.3-57.9
College Graduate	87	12,040	57	76.3	65.7-86.9	30	23.7	13.1-34.3
Less than \$15,000	58	7,942	40	71.6	52.0-91.2	18	28.4	8.8-48.0
\$15,000- 24,999	124	24,229	67	56.9	45.9-67.9	57	43.1	32.1-54.1
\$25,000- 34,999	58	15,330	38	66.1	47.3-84.9	20	33.9	15.1-52.7
\$35,000- 49,999	66	13,914	37	52.0	36.1-67.9	29	48.0	32.1-63.9
\$50,000- 74,999	54	12,266	33	59.4	41.2-77.6	21	40.6	22.4-58.8
\$75,000+	100	22,615	58	62.0	49.5-74.5	42	38.0	25.5-50.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	267	61,354	163	60.7	52.5-68.9	104	39.3	31.1-47.5
White/Non-Hisp	170	37,787	93	54.7	44.7-64.7	77	45.3	35.3-55.3
45-54	51	9,292	30	53.7	36.1-71.3	21	46.3	28.7-63.9
55-64	60	10,607	31	57.2	42.9-71.5	29	42.8	28.5-57.1
65+	56	9,872	34	56.0	32.9-79.1	22	44.0	20.9-67.1
H.S. or G.E.D.	111	25,332	67	57.4	44.7-70.1	44	42.6	29.9-55.3
Some Post-H.S.	72	16,496	39	51.8	35.1-68.5	33	48.2	31.5-64.9
\$15,000- 24,999	50	11,674	29	64.0	47.9-80.1	21	36.0	19.9-52.1
\$75,000+	54	14,714	34	65.3	48.8-81.8	20	34.7	18.2-51.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	47,342	145	57.2	49.6-64.8	120	42.8	35.2-50.4
White/Non-Hisp	190	32,831	97	50.5	41.1-59.9	93	49.5	40.1-58.9
35-44	50	9,506	23	46.4	28.6-64.2	27	53.6	35.8-71.4
45-54	58	8,959	32	61.2	45.3-77.1	26	38.8	22.9-54.7
55-64	69	9,668	36	58.1	43.6-72.6	33	41.9	27.4-56.4
65+	51	8,264	31	61.6	42.2-81.0	20	38.4	19.0-57.8
H.S. or G.E.D.	94	17,837	43	53.4	40.7-66.1	51	46.6	33.9-59.3
Some Post-H.S.	88	15,964	49	54.0	40.1-67.9	39	46.0	32.1-59.9
College Graduate	52	6,153	32	67.5	51.4-83.6	20	32.5	16.4-48.6
\$15,000- 24,999	74	12,556	38	50.3	36.0-64.6	36	49.7	35.4-64.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1032	186,164	76	9.6	7.1-12.1	161	17.4	14.3-20.5	113	13.6	10.3-16.9	682	59.5	55.4-63.6
Male	519	96,561	38	10.1	6.4-13.8	83	17.4	13.1-21.7	58	15.1	9.8-20.4	340	57.4	51.3-63.5
Female	513	89,602	38	9.0	5.3-12.7	78	17.3	12.8-21.8	55	12.0	7.9-16.1	342	61.8	55.9-67.7
White/Non-Hisp	804	139,495	51	8.4	5.5-11.3	111	14.8	11.7-17.9	87	12.7	9.2-16.2	555	64.0	59.5-68.5
Black or Afr. Am./Non-Hisp	92	24,236	11	13.9	4.5-23.3	17	21.2	9.8-32.6	8	12.1	0.0-24.3	56	52.9	38.8-67.0
Hispanic	62	9,008	6	7.8	0.4-15.2	22	50.7	32.1-69.3	9	11.7	0.0-23.7	25	29.7	15.2-44.2
25-34	58	17,820	12	18.4	7.2-29.6	28	46.9	30.2-63.6	12	29.9	12.3-47.5	6	4.7	0.0-11.2
35-44	123	26,921	18	13.7	6.8-20.6	35	26.0	16.8-35.2	26	24.3	13.7-34.9	44	36.1	25.5-46.7
45-54	123	23,044	11	5.2	1.7- 8.7	24	18.2	10.0-26.4	18	13.0	5.6-20.4	70	63.7	53.3-74.1
55-64	225	39,101	13	8.1	2.8-13.4	44	21.5	13.9-29.1	30	12.0	7.1-16.9	138	58.4	49.8-67.0
65+	487	74,723	12	3.9	1.0- 6.8	25	4.6	2.2- 7.0	26	7.5	3.0-12.0	424	83.9	78.4-89.4
Less Than H.S.	77	16,393	8	9.9	0.7-19.1	15	21.8	9.6-34.0	11	20.7	3.6-37.8	43	47.6	31.3-63.9
H.S. or G.E.D.	320	60,307	25	8.0	4.5-11.5	61	23.4	17.3-29.5	37	12.2	7.7-16.7	197	56.4	49.3-63.5
Some Post-H.S.	286	60,533	24	13.4	7.5-19.3	44	14.3	8.6-20.0	33	16.2	9.1-23.3	185	56.1	47.9-64.3
College Graduate	349	48,930	19	6.7	2.8-10.6	41	12.2	8.1-16.3	32	9.7	5.6-13.8	257	71.4	65.1-77.7
Less than \$15,000	79	12,564	9	12.0	3.2-20.8	22	30.6	17.7-43.5	10	13.2	3.4-23.0	38	44.3	30.6-58.0
\$15,000- 24,999	125	18,132	9	8.0	1.5-14.5	19	16.3	7.7-24.9	12	13.7	3.1-24.3	85	62.0	49.8-74.2
\$25,000- 34,999	108	18,479	8	15.0	4.4-25.6	14	12.0	4.4-19.6	12	9.2	2.7-15.7	74	63.8	51.5-76.1
\$35,000- 49,999	101	17,112	9	9.9	2.1-17.7	16	17.1	7.5-26.7	12	11.7	4.1-19.3	64	61.3	49.0-73.6
\$50,000- 74,999	136	23,966	11	8.5	3.0-14.0	14	14.3	6.1-22.5	10	13.2	2.6-23.8	101	64.0	52.2-75.8
\$75,000+	320	62,271	21	8.3	3.8-12.8	48	16.1	10.8-21.4	44	17.3	11.0-23.6	207	58.2	50.8-65.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	519	96,561	38	10.1	6.4-13.8	83	17.4	13.1-21.7	58	15.1	9.8-20.4	340	57.4	51.3-63.5
White/Non-Hisp	404	72,051	25	8.2	4.5-11.9	53	13.8	9.7-17.9	46	14.9	9.2-20.6	280	63.1	56.4-69.8
35-44	69	14,659	7	10.7	2.9-18.5	20	28.5	15.6-41.4	15	22.7	10.5-34.9	27	38.1	24.2-52.0
45-54	61	11,615	5	5.5	0.0-11.0	12	19.4	7.1-31.7	7	7.1	0.0-14.2	37	68.0	54.1-81.9
55-64	117	20,561	7	9.9	1.7-18.1	23	17.9	9.5-26.3	13	12.8	5.5-20.1	74	59.4	48.0-70.8
65+	231	36,052	6	5.3	0.0-10.6	12	4.9	1.2- 8.6	14	9.3	1.1-17.5	199	80.4	71.0-89.8
Less Than H.S.	54	11,993	4	9.5	0.0-20.9	12	22.7	8.0-37.4	7	21.4	0.0-43.0	31	46.4	27.2-65.6
H.S. or G.E.D.	166	32,267	15	8.5	3.4-13.6	28	21.9	13.5-30.3	22	13.8	7.3-20.3	101	55.8	46.0-65.6
Some Post-H.S.	126	29,400	10	13.4	4.8-22.0	21	13.1	5.5-20.7	16	19.6	7.8-31.4	79	53.9	41.7-66.1
College Graduate	173	22,901	9	8.5	2.0-15.0	22	13.9	7.6-20.2	13	7.6	2.5-12.7	129	69.9	60.9-78.9
\$15,000- 24,999	55	8,275	3	3.8	0.0- 9.7	9	17.4	4.3-30.5	5	15.5	0.0-35.3	38	63.4	43.6-83.2
\$25,000- 34,999	55	10,798	7	23.3	6.6-40.0	8	13.7	3.3-24.1	4	7.9	0.0-16.5	36	55.1	37.5-72.7
\$50,000- 74,999	74	12,559	6	9.4	1.0-17.8	9	17.9	5.0-30.8	6	8.5	0.0-17.1	53	64.1	49.4-78.8
\$75,000+	186	36,390	9	4.4	1.3- 7.5	28	17.0	9.6-24.4	26	19.6	10.4-28.8	123	59.0	49.0-69.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	513	89,602	38	9.0	5.3-12.7	78	17.3	12.8-21.8	55	12.0	7.9-16.1	342	61.8	55.9-67.7
White/Non-Hisp	400	67,444	26	8.7	4.4-13.0	58	16.0	11.3-20.7	41	10.4	6.7-14.1	275	64.9	58.6-71.2
Black or Afr. Am./Non-Hisp	62	14,985	7	8.9	1.1-16.7	10	22.6	7.5-37.7	5	8.0	0.0-16.4	40	60.5	44.0-77.0
35-44	54	12,261	11	17.3	5.5-29.1	15	22.9	10.2-35.6	11	26.1	8.3-43.9	17	33.6	17.5-49.7
45-54	62	11,429	6	4.9	0.4- 9.4	12	16.9	5.9-27.9	11	18.9	6.0-31.8	33	59.3	44.0-74.6
55-64	108	18,540	6	6.2	0.0-12.5	21	25.4	12.7-38.1	17	11.2	4.5-17.9	64	57.2	44.5-69.9
65+	256	38,671	6	2.6	0.2- 5.0	13	4.4	1.5- 7.3	12	5.9	2.0- 9.8	225	87.2	81.9-92.5
H.S. or G.E.D.	154	28,040	10	7.3	2.2-12.4	33	25.1	16.3-33.9	15	10.4	4.3-16.5	96	57.1	47.1-67.1
Some Post-H.S.	160	31,133	14	13.4	5.2-21.6	23	15.5	7.3-23.7	17	12.9	4.3-21.5	106	58.3	47.1-69.5
College Graduate	176	26,029	10	5.2	0.7- 9.7	19	10.7	5.0-16.4	19	11.4	5.1-17.7	128	72.7	64.3-81.1
\$15,000- 24,999	70	9,856	6	11.6	0.8-22.4	10	15.4	4.2-26.6	7	12.1	2.1-22.1	47	60.9	45.6-76.2
\$25,000- 34,999	53	7,681	1	3.2	0.0- 9.5	6	9.6	0.0-20.8	8	11.0	1.0-21.0	38	76.1	61.2-91.0
\$35,000- 49,999	58	10,352	7	8.8	0.6-17.0	9	18.4	5.1-31.7	7	12.5	1.7-23.3	35	60.3	44.0-76.6
\$50,000- 74,999	62	11,407	5	7.6	0.5-14.7	5	10.2	0.8-19.6	4	18.4	0.0-37.8	48	63.8	45.4-82.2
\$75,000+	134	25,882	12	13.8	4.2-23.4	20	15.0	7.7-22.3	18	14.1	6.7-21.5	84	57.1	46.1-68.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3742	722,030	39	1.1	0.7- 1.5	36	1.3	0.7- 1.9	3667	97.6	96.8-98.4
Male	1665	343,158	27	1.5	0.9- 2.1	27	1.9	0.9- 2.9	1611	96.6	95.4-97.8
Female	2077	378,872	12	0.7	0.1- 1.3	9	0.8	0.0- 1.8	2056	98.5	97.5-99.5
White/Non-Hisp	2476	459,187	32	1.3	0.7- 1.9	23	1.3	0.5- 2.1	2421	97.4	96.4-98.4
Black or Afr. Am./Non-Hisp	482	144,630	2	0.2	0.0- 0.6	3	1.4	0.0- 3.6	477	98.4	96.0- 100
Oth. Race/Non-Hisp.	121	28,018				1	0.3	0.0- 0.9	120	99.7	99.1- 100
MultiRacial/Non-Hisp.	92	15,876	1	0.7	0.0- 2.1	2	1.9	0.0- 4.8	89	97.4	94.1- 100
Hispanic	497	59,273	3	1.4	0.0- 3.2	7	1.6	0.2- 3.0	487	97.1	94.9-99.3
18-24	250	78,863	2	0.8	0.0- 2.0	4	2.5	0.0- 6.6	244	96.7	92.6- 100
25-34	428	116,088	6	1.6	0.0- 3.2	7	2.5	0.1- 4.9	415	95.8	93.1-98.5
35-44	503	107,021	8	1.4	0.2- 2.6	6	1.5	0.0- 3.1	489	97.1	95.1-99.1
45-54	578	107,561	7	0.9	0.1- 1.7	7	0.9	0.1- 1.7	564	98.2	97.0-99.4
55-64	756	126,058	7	0.8	0.2- 1.4	5	0.5	0.0- 1.1	744	98.7	97.9-99.5
65+	1227	186,438	9	0.9	0.1- 1.7	7	0.7	0.1- 1.3	1211	98.4	97.4-99.4
Less Than H.S.	420	76,289	6	1.6	0.2- 3.0	3	1.0	0.0- 2.2	411	97.4	95.4-99.4
H.S. or G.E.D.	1055	221,062	15	1.6	0.6- 2.6	14	2.1	0.3- 3.9	1026	96.3	94.3-98.3
Some Post-H.S.	954	208,760	11	1.0	0.2- 1.8	9	1.4	0.2- 2.6	934	97.6	96.2-99.0
College Graduate	1306	214,920	7	0.4	0.0- 0.8	10	0.5	0.1- 0.9	1289	99.0	98.4-99.6
Less than \$15,000	330	48,699	2	0.7	0.0- 1.7	4	1.1	0.0- 2.5	324	98.1	96.3-99.9
\$15,000- 24,999	512	86,286	6	1.2	0.0- 2.4	5	0.7	0.0- 1.7	501	98.1	96.5-99.7
\$25,000- 34,999	318	62,594	5	1.3	0.1- 2.5	4	1.3	0.0- 2.9	309	97.4	95.4-99.4
\$35,000- 49,999	383	73,500	6	2.0	0.0- 4.0	5	1.0	0.0- 2.0	372	97.0	94.8-99.2
\$50,000- 74,999	476	94,202	6	0.9	0.1- 1.7	1	0.3	0.0- 0.9	469	98.9	97.9-99.9
\$75,000+	1093	240,102	9	0.9	0.3- 1.5	12	1.5	0.3- 2.7	1072	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	343,158	27	1.5	0.9- 2.1	27	1.9	0.9- 2.9	1611	96.6	95.4-97.8
White/Non-Hisp	1124	217,329	25	2.1	1.1- 3.1	18	2.4	0.8- 4.0	1081	95.6	93.8-97.4
Black or Afr. Am./Non-Hisp	171	65,648	1	0.2	0.0- 0.6	2	0.6	0.0- 1.4	168	99.2	98.2- 100
Oth. Race/Non-Hisp.	57	14,770				1	0.6	0.0- 1.8	56	99.4	98.2- 100
Hispanic	231	30,256				4	1.7	0.0- 3.7	227	98.3	96.3- 100
18-24	132	40,106	1	0.4	0.0- 1.2	3	0.9	0.0- 2.1	128	98.7	97.3- 100
25-34	186	57,655	5	2.1	0.0- 4.3	7	5.1	0.4- 9.8	174	92.7	87.6-97.8
35-44	222	53,343	6	2.4	0.2- 4.6	3	2.2	0.0- 5.3	213	95.4	91.7-99.1
45-54	247	49,475	6	2.0	0.2- 3.8	4	1.0	0.0- 2.2	237	97.0	94.8-99.2
55-64	340	59,762	5	1.3	0.0- 2.7	4	0.9	0.0- 2.1	331	97.7	95.9-99.5
65+	538	82,817	4	0.8	0.0- 2.0	6	1.1	0.1- 2.1	528	98.1	96.5-99.7
Less Than H.S.	202	41,161	2	0.7	0.0- 1.7	2	0.9	0.0- 2.3	198	98.4	96.6- 100
H.S. or G.E.D.	490	111,830	12	2.2	0.8- 3.6	10	2.3	0.3- 4.3	468	95.5	93.1-97.9
Some Post-H.S.	397	93,654	8	1.9	0.3- 3.5	9	3.1	0.4- 5.8	380	95.0	91.9-98.1
College Graduate	574	96,263	5	0.5	0.0- 1.1	6	0.6	0.0- 1.4	563	98.8	97.8-99.8
Less than \$15,000	135	19,748	1	0.8	0.0- 2.4	4	2.8	0.0- 6.1	130	96.3	92.6- 100
\$15,000- 24,999	187	33,440	3	1.7	0.0- 4.4	1	0.2	0.0- 0.6	183	98.1	95.4- 100
\$25,000- 34,999	137	32,826	2	0.9	0.0- 2.3	4	2.4	0.0- 5.3	131	96.6	93.5-99.7
\$35,000- 49,999	164	29,896	4	2.7	0.0- 5.4	4	2.1	0.0- 4.3	156	95.2	91.9-98.5
\$50,000- 74,999	225	46,989	5	1.6	0.0- 3.2	1	0.5	0.0- 1.5	219	97.8	95.8-99.8
\$75,000+	574	129,193	8	1.4	0.4- 2.4	10	2.4	0.2- 4.6	556	96.3	93.9-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 10: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2077	378,872	12	0.7	0.1- 1.3	9	0.8	0.0- 1.8	2056	98.5	97.5-99.5
White/Non-Hisp	1352	241,857	7	0.6	0.0- 1.2	5	0.4	0.0- 0.8	1340	99.0	98.2-99.8
Black or Afr. Am./Non-Hisp	311	78,981	1	0.2	0.0- 0.6	1	2.1	0.0- 6.2	309	97.7	93.6- 100
Oth. Race/Non-Hisp.	64	13,248							64	100.0	100.0- 100
MultiRacial/Non-Hisp.	53	10,558	1	1.0	0.0- 3.2				52	99.0	96.8- 100
Hispanic	266	29,018	3	2.8	0.0- 6.3	3	1.4	0.0- 3.4	260	95.9	92.0-99.8
18-24	118	38,758	1	1.2	0.0- 3.6	1	4.3	0.0-12.3	116	94.6	86.4- 100
25-34	242	58,433	1	1.1	0.0- 3.3				241	98.9	96.7- 100
35-44	281	53,678	2	0.5	0.0- 1.1	3	0.8	0.0- 1.8	276	98.7	97.5-99.9
45-54	331	58,086	1	0.0	0.0- 0.0	3	0.8	0.0- 1.8	327	99.2	98.2- 100
55-64	416	66,297	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	413	99.6	99.0- 100
65+	689	103,621	5	1.0	0.0- 2.0	1	0.4	0.0- 1.2	683	98.6	97.2- 100
Less Than H.S.	218	35,127	4	2.6	0.0- 5.5	1	1.1	0.0- 3.3	213	96.2	92.5-99.9
H.S. or G.E.D.	565	109,232	3	0.9	0.0- 2.1	4	1.9	0.0- 4.8	558	97.2	94.1- 100
Some Post-H.S.	557	115,105	3	0.3	0.0- 0.7				554	99.7	99.3- 100
College Graduate	732	118,657	2	0.4	0.0- 1.0	4	0.5	0.0- 1.1	726	99.2	98.4- 100
Less than \$15,000	195	28,951	1	0.7	0.0- 2.1				194	99.3	97.9- 100
\$15,000- 24,999	325	52,845	3	0.8	0.0- 1.8	4	1.1	0.0- 2.7	318	98.1	96.3-99.9
\$25,000- 34,999	181	29,769	3	1.6	0.0- 3.8				178	98.4	96.2- 100
\$35,000- 49,999	219	43,604	2	1.5	0.0- 4.2	1	0.2	0.0- 0.6	216	98.3	95.4- 100
\$50,000- 74,999	251	47,213	1	0.1	0.0- 0.3				250	99.9	99.7- 100
\$75,000+	519	110,909	1	0.4	0.0- 1.2	2	0.4	0.0- 1.0	516	99.2	98.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4	MALES AND FEMALES	177
5	MALES ONLY	178
6	FEMALES ONLY	179
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	180
8	MALES ONLY	181
9	FEMALES ONLY	182
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	183
11	MALES ONLY	184
12	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	714,595	449	13.3	11.7-14.9	61	1.3	0.9- 1.7	1016	28.5	26.5-30.5	289	8.1	6.7- 9.5	1887	48.9	46.5-51.3
Male	1647	339,037	212	13.7	11.3-16.1	39	1.8	1.0- 2.6	461	29.1	26.0-32.2	199	12.5	10.1-14.9	736	42.9	39.6-46.2
Female	2055	375,558	237	13.0	10.8-15.2	22	0.9	0.5- 1.3	555	27.9	25.2-30.6	90	4.1	2.9- 5.3	1151	54.2	51.3-57.1
White/Non-Hisp	2450	453,897	330	14.2	12.4-16.0	53	1.8	1.2- 2.4	687	28.9	26.5-31.3	243	9.7	8.1-11.3	1137	45.4	42.9-47.9
Black or Afr. Am./Non-Hisp	478	143,815	52	13.1	8.4-17.8	1	0.4	0.0- 1.2	130	29.1	23.4-34.8	18	5.8	2.3- 9.3	277	51.7	45.4-58.0
Oth. Race/Non-Hisp.	119	27,746	16	11.6	4.3-18.9	2	0.3	0.0- 0.9	17	14.0	4.2-23.8	9	7.2	1.5-12.9	75	66.9	54.9-78.9
MultiRacial/Non-Hisp.	91	15,805	10	6.0	1.5-10.5	1	0.9	0.0- 2.7	37	42.7	26.4-59.0	6	7.0	0.0-15.8	37	43.3	28.0-58.6
Hispanic	491	58,532	35	10.7	5.4-16.0	4	0.8	0.0- 2.0	119	23.8	18.5-29.1	9	2.5	0.3- 4.7	324	62.2	55.5-68.9
18-24	248	78,510	33	17.1	9.7-24.5	1	0.1	0.0- 0.3	72	25.4	18.5-32.3	9	7.7	1.8-13.6	133	49.8	41.0-58.6
25-34	423	114,658	52	12.7	8.8-16.6	1	0.4	0.0- 1.2	132	33.1	26.6-39.6	24	8.0	4.3-11.7	214	45.9	39.4-52.4
35-44	497	105,444	62	13.4	9.5-17.3	5	1.1	0.0- 2.3	163	33.7	28.0-39.4	39	9.3	6.0-12.6	228	42.6	36.7-48.5
45-54	574	107,170	81	13.0	9.7-16.3	11	2.4	0.8- 4.0	170	32.3	27.4-37.2	33	5.8	3.4- 8.2	279	46.5	41.2-51.8
55-64	745	123,949	98	13.5	10.4-16.6	9	0.8	0.2- 1.4	211	28.6	24.5-32.7	66	9.6	6.5-12.7	361	47.5	42.8-52.2
65+	1215	184,865	123	12.1	9.6-14.6	34	2.2	1.2- 3.2	268	21.7	18.6-24.8	118	7.9	5.9- 9.9	672	56.1	52.2-60.0
Less Than H.S.	415	75,525	17	6.9	2.6-11.2	4	1.4	0.0- 3.0	62	16.4	10.9-21.9	11	3.7	1.2- 6.2	321	71.7	64.8-78.6
H.S. or G.E.D.	1044	219,162	110	12.8	9.7-15.9	10	0.6	0.2- 1.0	244	24.3	20.6-28.0	60	6.4	4.2- 8.6	620	56.0	51.9-60.1
Some Post-H.S.	941	206,837	134	14.9	12.0-17.8	12	1.1	0.3- 1.9	271	31.3	27.0-35.6	77	9.2	6.5-11.9	447	43.5	39.2-47.8
College Graduate	1295	212,071	188	14.6	12.1-17.1	35	2.1	1.1- 3.1	439	34.5	31.0-38.0	141	10.4	8.0-12.8	492	38.3	34.6-42.0
Less than \$15,000	327	48,191	13	9.0	1.4-16.6	1	0.1	0.0- 0.3	59	16.3	10.2-22.4	11	4.4	1.3- 7.5	243	70.3	61.7-78.9
\$15,000- 24,999	511	86,227	36	8.9	5.6-12.2	7	0.9	0.1- 1.7	117	22.6	17.9-27.3	24	5.6	2.5- 8.7	327	62.1	56.4-67.8
\$25,000- 34,999	316	62,308	33	13.5	7.2-19.8	5	1.6	0.0- 3.2	87	27.1	19.5-34.7	16	5.8	1.3-10.3	175	51.9	43.7-60.1
\$35,000- 49,999	378	72,778	49	14.8	9.3-20.3	7	1.5	0.0- 3.1	110	29.9	23.6-36.2	29	5.8	3.3- 8.3	183	48.0	40.9-55.1
\$50,000- 74,999	470	93,391	60	12.2	8.7-15.7	8	0.7	0.1- 1.3	142	33.1	27.0-39.2	37	8.3	4.6-12.0	223	45.7	39.4-52.0
\$75,000+	1086	238,053	194	16.2	13.5-18.9	26	2.1	1.1- 3.1	364	33.4	29.7-37.1	140	12.2	9.5-14.9	362	36.1	32.0-40.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1647	339,037	212	13.7	11.3-16.1	39	1.8	1.0- 2.6	461	29.1	26.0-32.2	199	12.5	10.1-14.9	736	42.9	39.6-46.2
White/Non-Hisp	1112	214,340	145	13.3	10.8-15.8	31	2.2	1.2- 3.2	314	30.1	26.6-33.6	161	14.0	11.3-16.7	461	40.4	36.5-44.3
Black or Afr. Am./Non-Hisp	169	65,310	33	18.3	10.5-26.1	1	0.8	0.0- 2.4	44	26.3	17.5-35.1	13	11.3	3.9-18.7	78	43.3	33.3-53.3
Oth. Race/Non-Hisp.	56	14,524	6	4.0	0.0- 9.1	2	0.6	0.0- 1.6	9	17.2	0.7-33.7	9	13.7	2.7-24.7	30	64.5	45.9-83.1
Hispanic	229	29,778	22	14.9	5.9-23.9	4	1.6	0.0- 4.0	64	28.8	20.8-36.8	7	4.2	0.1- 8.3	132	50.5	40.9-60.1
18-24	131	39,906	16	14.6	4.8-24.4	1	0.1	0.0- 0.3	40	23.3	14.9-31.7	6	11.2	1.2-21.2	68	50.8	38.5-63.1
25-34	182	56,569	22	11.4	5.5-17.3	1	0.9	0.0- 2.7	61	34.8	25.0-44.6	18	13.1	6.4-19.8	80	39.8	29.8-49.8
35-44	219	52,449	27	14.8	8.1-21.5	3	1.7	0.0- 4.1	76	35.6	27.2-44.0	25	13.2	7.5-18.9	88	34.6	26.4-42.8
45-54	247	49,537	44	16.8	11.1-22.5	6	3.0	0.3- 5.7	73	31.7	24.4-39.0	21	9.0	4.5-13.5	103	39.6	31.8-47.4
55-64	336	58,734	51	14.7	9.8-19.6	8	1.4	0.2- 2.6	81	23.6	17.7-29.5	41	14.6	9.1-20.1	155	45.6	38.7-52.5
65+	532	81,842	52	11.5	7.8-15.2	20	2.7	1.1- 4.3	130	26.3	20.8-31.8	88	13.0	9.5-16.5	242	46.6	40.5-52.7
Less Than H.S.	199	40,565	15	11.4	4.0-18.8	4	2.6	0.0- 5.7	34	17.4	9.8-25.0	8	5.3	1.0- 9.6	138	63.3	53.1-73.5
H.S. or G.E.D.	485	110,912	62	14.9	10.2-19.6	8	1.0	0.2- 1.8	129	25.6	20.1-31.1	42	10.3	6.4-14.2	244	48.3	42.0-54.6
Some Post-H.S.	394	93,204	59	14.6	10.1-19.1	7	1.5	0.1- 2.9	110	32.3	25.8-38.8	54	14.6	9.5-19.7	164	37.0	30.5-43.5
College Graduate	567	94,107	76	12.4	9.1-15.7	20	2.6	0.8- 4.4	188	35.3	30.0-40.6	95	16.3	11.6-21.0	188	33.4	27.9-38.9
Less than \$15,000	134	19,314	8	12.7	0.0-28.2	1	0.2	0.0- 0.6	32	25.0	12.5-37.5	5	6.5	0.0-13.0	88	55.6	40.5-70.7
\$15,000- 24,999	187	33,469	13	10.4	4.3-16.5	3	0.9	0.0- 2.1	45	25.1	16.7-33.5	17	11.7	4.3-19.1	109	52.0	42.2-61.8
\$25,000- 34,999	136	32,723	17	16.4	6.2-26.6	3	2.4	0.0- 5.3	34	23.4	11.6-35.2	12	9.5	1.3-17.7	70	48.3	35.8-60.8
\$35,000- 49,999	161	29,330	26	17.2	9.6-24.8	5	2.7	0.0- 6.4	39	25.5	16.9-34.1	18	9.0	3.7-14.3	73	45.6	34.8-56.4
\$50,000- 74,999	224	46,920	21	10.7	5.4-16.0	6	1.0	0.0- 2.2	64	27.4	19.6-35.2	27	13.6	6.7-20.5	106	47.2	38.2-56.2
\$75,000+	568	127,499	100	15.6	11.9-19.3	18	2.5	0.9- 4.1	193	35.5	30.0-41.0	98	15.5	11.4-19.6	159	30.9	25.2-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	375,558	237	13.0	10.8-15.2	22	0.9	0.5- 1.3	555	27.9	25.2-30.6	90	4.1	2.9- 5.3	1151	54.2	51.3-57.1
White/Non-Hisp	1338	239,557	185	15.1	12.6-17.6	22	1.4	0.8- 2.0	373	27.9	24.8-31.0	82	5.9	4.1- 7.7	676	49.8	46.3-53.3
Black or Afr. Am./Non-Hisp	309	78,505	19	8.7	2.8-14.6				86	31.4	24.3-38.5	5	1.1	0.0- 2.3	199	58.8	51.2-66.4
Oth. Race/Non-Hisp.	63	13,222	10	20.0	6.7-33.3				8	10.6	1.4-19.8				45	69.4	54.5-84.3
MultiRacial/Non-Hisp.	53	10,558	7	7.1	0.6-13.6				22	44.2	22.8-65.6	1	1.0	0.0- 3.2	23	47.7	27.3-68.1
Hispanic	262	28,753	13	6.3	1.8-10.8				55	18.6	12.1-25.1	2	0.8	0.0- 2.0	192	74.3	66.7-81.9
18-24	117	38,604	17	19.6	8.2-31.0				32	27.5	16.5-38.5	3	4.1	0.0- 9.8	65	48.8	36.3-61.3
25-34	241	58,089	30	13.9	8.4-19.4				71	31.4	23.2-39.6	6	2.9	0.2- 5.6	134	51.7	43.3-60.1
35-44	278	52,995	35	11.9	7.4-16.4	2	0.4	0.0- 1.0	87	31.8	24.2-39.4	14	5.5	2.4- 8.6	140	50.4	42.4-58.4
45-54	327	57,632	37	9.8	5.9-13.7	5	1.9	0.0- 3.9	97	32.8	26.1-39.5	12	3.0	1.0- 5.0	176	52.5	45.4-59.6
55-64	409	65,215	47	12.5	8.4-16.6	1	0.1	0.0- 0.3	130	33.0	27.1-38.9	25	5.2	2.5- 7.9	206	49.2	42.9-55.5
65+	683	103,024	71	12.5	8.8-16.2	14	1.8	0.6- 3.0	138	18.1	14.4-21.8	30	3.9	2.1- 5.7	430	63.7	58.8-68.6
Less Than H.S.	216	34,961	2	1.6	0.0- 4.0				28	15.2	7.2-23.2	3	1.8	0.0- 4.0	183	81.4	73.0-89.8
H.S. or G.E.D.	559	108,250	48	10.6	6.5-14.7	2	0.2	0.0- 0.4	115	22.9	18.0-27.8	18	2.4	1.0- 3.8	376	63.8	58.3-69.3
Some Post-H.S.	547	113,634	75	15.2	11.3-19.1	5	0.9	0.0- 1.9	161	30.4	24.9-35.9	23	4.7	2.2- 7.2	283	48.8	43.1-54.5
College Graduate	728	117,965	112	16.4	12.5-20.3	15	1.7	0.7- 2.7	251	33.9	29.4-38.4	46	5.7	3.7- 7.7	304	42.2	37.3-47.1
Less than \$15,000	193	28,877	5	6.5	0.0-13.8				27	10.4	5.5-15.3	6	3.0	0.1- 5.9	155	80.1	71.7-88.5
\$15,000- 24,999	324	52,758	23	7.9	4.0-11.8	4	0.9	0.0- 1.9	72	21.0	15.5-26.5	7	1.7	0.1- 3.3	218	68.5	62.0-75.0
\$25,000- 34,999	180	29,585	16	10.2	3.9-16.5	2	0.8	0.0- 2.0	53	31.3	21.9-40.7	4	1.7	0.0- 3.7	105	56.0	46.0-66.0
\$35,000- 49,999	217	43,447	23	13.1	5.5-20.7	2	0.8	0.0- 2.0	71	33.0	24.4-41.6	11	3.6	1.1- 6.1	110	49.6	40.4-58.8
\$50,000- 74,999	246	46,471	39	13.6	8.7-18.5	2	0.5	0.0- 1.1	78	38.8	30.0-47.6	10	3.0	0.6- 5.4	117	44.2	35.8-52.6
\$75,000+	518	110,554	94	16.9	13.0-20.8	8	1.6	0.4- 2.8	171	31.1	25.8-36.4	42	8.4	5.3-11.5	203	42.1	36.2-48.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRnk3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1774	358,219	821	42.3	39.2-45.4	510	30.0	27.1-32.9	190	11.8	9.6-14.0	95	6.0	4.4- 7.6	149	9.5	7.5-11.5	9	0.5	0.1- 0.9
Male	890	189,332	339	36.3	31.8-40.8	250	27.5	23.4-31.6	118	13.7	10.8-16.6	61	7.8	5.3-10.3	119	14.3	11.2-17.4	3	0.4	0.0- 0.8
Female	884	168,887	482	49.0	44.5-53.5	260	32.8	28.5-37.1	72	9.6	6.7-12.5	34	3.9	2.3- 5.5	30	4.1	1.9- 6.3	6	0.6	0.0- 1.4
White/Non-Hisp	1283	242,759	608	42.3	38.8-45.8	373	31.0	27.7-34.3	143	12.4	10.0-14.8	63	5.4	3.6- 7.2	89	8.5	6.3-10.7	7	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	198	68,223	100	48.8	39.0-58.6	59	26.2	18.0-34.4	15	9.9	3.6-16.2	12	7.6	2.7-12.5	11	6.7	2.0-11.4	1	0.8	0.0- 2.4
MultiRacial/Non-Hisp.	53	8,843	20	27.8	9.8-45.8	18	34.6	12.8-56.4	4	2.7	0.0- 7.0	5	12.9	0.0-26.4	6	22.0	0.0-45.3			
Hispanic	163	21,763	55	27.8	18.0-37.6	40	26.7	17.3-36.1	17	10.1	3.6-16.6	12	5.8	1.3-10.3	39	29.6	18.6-40.6			
18-24	114	39,305	28	28.7	16.4-41.0	33	32.5	20.2-44.8	20	16.5	6.7-26.3	11	6.6	1.9-11.3	22	15.6	7.4-23.8			
25-34	206	61,358	74	35.2	26.0-44.4	67	30.2	22.0-38.4	23	11.6	6.1-17.1	14	8.1	2.8-13.4	27	14.5	8.0-21.0	1	0.4	0.0- 1.2
35-44	258	57,726	87	34.4	26.6-42.2	76	29.7	22.6-36.8	41	14.8	9.7-19.9	17	7.8	2.9-12.7	36	13.1	7.4-18.8	1	0.2	0.0- 0.6
45-54	289	56,287	110	35.1	28.4-41.8	95	34.8	27.7-41.9	40	14.1	9.2-19.0	11	4.6	1.1- 8.1	31	10.4	6.3-14.5	2	1.1	0.0- 3.1
55-64	375	64,242	180	48.1	41.4-54.8	111	28.6	22.7-34.5	32	9.1	4.6-13.6	27	7.1	3.8-10.4	23	6.6	3.3- 9.9	2	0.5	0.0- 1.3
65+	532	79,302	342	60.8	55.1-66.5	128	26.5	21.4-31.6	34	7.8	4.5-11.1	15	2.8	1.2- 4.4	10	1.5	0.3- 2.7	3	0.6	0.0- 1.4
Less Than H.S.	89	20,691	31	30.4	16.7-44.1	17	17.4	6.2-28.6	7	10.7	1.1-20.3	6	9.3	0.0-19.7	26	30.4	17.3-43.5	2	1.8	0.0- 4.5
H.S. or G.E.D.	410	93,456	165	41.3	34.4-48.2	112	25.2	19.9-30.5	48	12.1	7.8-16.4	31	7.2	4.1-10.3	52	13.8	9.3-18.3	2	0.4	0.0- 1.0
Some Post-H.S.	481	114,704	205	37.9	32.0-43.8	139	32.3	26.4-38.2	64	13.1	9.2-17.0	27	6.2	3.1- 9.3	42	9.6	5.7-13.5	4	0.9	0.0- 1.9
College Graduate	794	129,368	420	48.9	44.2-53.6	242	33.4	28.9-37.9	71	10.5	7.2-13.8	31	4.4	2.6- 6.2	29	2.8	1.4- 4.2	1	0.0	0.0- 0.0
Less than \$15,000	82	14,136	33	43.8	24.2-63.4	22	31.2	14.9-47.5	9	9.1	0.7-17.5	6	6.7	0.2-13.2	12	9.2	2.7-15.7			
\$15,000- 24,999	175	31,088	72	34.2	25.6-42.8	39	22.9	15.1-30.7	16	10.2	3.7-16.7	18	15.0	6.4-23.6	27	16.8	9.4-24.2	3	0.8	0.0- 1.8
\$25,000- 34,999	139	29,292	69	52.7	39.8-65.6	30	18.5	10.5-26.5	19	7.4	2.9-11.9	7	7.7	0.1-15.3	13	13.0	3.0-23.0	1	0.6	0.0- 1.8
\$35,000- 49,999	188	36,030	81	39.2	29.8-48.6	59	27.7	19.3-36.1	19	16.5	7.3-25.7	13	6.8	2.3-11.3	14	8.4	2.7-14.1	2	1.4	0.0- 3.4
\$50,000- 74,999	244	50,404	102	30.8	23.7-37.9	76	30.8	23.2-38.4	29	16.4	9.1-23.7	16	9.8	4.3-15.3	20	11.1	4.6-17.6	1	1.1	0.0- 3.3
\$75,000+	717	151,358	330	41.8	37.1-46.5	233	36.1	31.2-41.0	75	11.0	8.1-13.9	27	3.2	1.6- 4.8	50	7.7	5.2-10.2	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	890	189,332	339	36.3	31.8-40.8	250	27.5	23.4-31.6	118	13.7	10.6-16.8	61	7.8	5.3-10.3	119	14.3	11.2-17.4	3	0.4	0.0-0.8
White/Non-Hisp	638	125,002	260	36.3	31.4-41.2	178	28.7	24.2-33.2	86	14.1	10.6-17.6	42	7.5	4.6-10.4	70	13.0	9.5-16.5	2	0.4	0.0-1.0
Black or Afr. Am./Non-Hisp	89	36,261	35	44.4	30.3-58.5	26	21.7	10.9-32.5	9	10.3	2.1-18.5	9	11.4	3.0-19.8	10	12.3	3.7-20.9			
Hispanic	94	14,462	23	25.2	11.9-38.5	24	22.6	11.4-33.8	9	10.7	1.7-19.7	7	5.2	0.3-10.1	31	36.4	21.9-50.9			
18-24	62	19,554	13	27.5	10.4-44.6	18	30.3	13.1-47.5	6	7.3	0.0-14.6	6	7.8	0.0-15.6	19	27.0	12.1-41.9			
25-34	100	33,641	23	27.8	14.5-41.1	29	23.6	13.2-34.0	16	15.4	6.8-24.0	9	11.0	2.4-19.6	23	22.1	11.5-32.7			
35-44	123	31,753	25	25.6	14.6-36.6	34	27.1	17.3-36.9	24	18.4	10.4-26.4	12	10.7	3.1-18.3	28	18.3	10.5-26.1			
45-54	141	29,151	42	28.4	19.4-37.4	42	32.5	22.7-42.3	26	15.4	9.1-21.7	8	8.0	1.3-14.7	23	15.6	8.5-22.7			
55-64	179	31,847	65	39.4	30.0-48.8	54	26.6	18.6-34.6	22	13.5	5.3-21.7	18	9.7	4.0-15.4	19	9.9	4.4-15.4	1	0.8	0.0-2.4
65+	285	43,386	171	57.8	50.0-65.6	73	26.7	19.6-33.8	24	10.7	5.2-16.2	8	1.8	0.4-3.2	7	1.9	0.1-3.7	2	1.1	0.0-2.7
Less Than H.S.	57	14,309	16	26.0	9.7-42.3	9	11.4	2.0-20.8	4	11.4	0.0-23.9	4	11.0	0.0-25.1	23	38.4	21.3-55.5	1	1.8	0.0-5.3
H.S. or G.E.D.	235	55,708	71	33.1	23.7-42.5	62	23.7	16.8-30.6	35	16.2	9.7-22.7	23	8.0	3.7-12.3	43	18.4	11.9-24.9	1	0.5	0.0-1.5
Some Post-H.S.	224	57,725	76	33.2	24.8-41.6	62	27.6	20.0-35.2	37	14.5	9.0-20.0	16	9.9	4.0-15.8	32	14.4	8.1-20.7	1	0.3	0.0-0.9
College Graduate	374	61,590	176	44.6	37.7-51.5	117	34.5	27.4-41.6	42	11.2	7.1-15.3	18	5.0	2.3-7.7	21	4.8	2.3-7.3			
\$15,000- 24,999	73	14,770	25	22.8	12.0-33.6	10	15.9	5.3-26.5	7	9.0	0.0-19.2	12	24.0	8.5-39.5	19	28.3	14.6-42.0			
\$25,000- 34,999	65	16,831	21	41.0	20.8-61.2	17	17.9	6.5-29.3	12	9.6	2.2-17.0	4	9.8	0.0-22.1	10	20.6	3.9-37.3	1	1.1	0.0-3.3
\$35,000- 49,999	84	14,912	28	33.5	21.0-46.0	25	24.7	13.3-36.1	10	18.9	6.9-30.9	9	9.3	1.3-17.3	11	11.9	4.1-19.7	1	1.7	0.0-5.0
\$50,000- 74,999	118	24,761	46	27.7	18.3-37.1	31	24.2	14.6-33.8	14	18.0	7.0-29.0	11	14.2	4.6-23.8	16	15.9	6.3-25.5			
\$75,000+	405	87,648	155	36.0	29.7-42.3	134	35.3	28.8-41.8	54	12.6	8.7-16.5	19	4.4	1.9-6.9	42	11.3	7.4-15.2	1	0.3	0.0-0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	884	168,887	482	49.0	44.5-53.5	260	32.8	28.5-37.1	72	9.6	6.7-12.5	34	3.9	2.3- 5.5	30	4.1	1.9- 6.3	6	0.6	0.0- 1.4
White/Non-Hisp	645	117,757	348	48.7	43.6-53.8	195	33.5	28.6-38.4	57	10.5	7.2-13.8	21	3.2	1.6- 4.8	19	3.6	1.6- 5.6	5	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	109	31,962	65	53.8	40.5-67.1	33	31.3	19.1-43.5	6	9.5	0.0-19.1	3	3.3	0.0- 7.0	1	0.4	0.0- 1.2	1	1.7	0.0- 5.0
Hispanic	69	7,301	32	33.0	19.7-46.3	16	34.9	19.0-50.8	8	8.9	1.5-16.3	5	6.9	0.0-15.7	8	16.2	2.7-29.7			
18-24	52	19,751	15	29.9	12.3-47.5	15	34.7	17.1-52.3	14	25.6	8.7-42.5	5	5.3	0.2-10.4	3	4.4	0.0- 9.9			
25-34	106	27,717	51	44.2	31.5-56.9	38	38.3	25.8-50.8	7	6.9	0.8-13.0	5	4.4	0.0- 8.9	4	5.2	0.0-11.5	1	0.9	0.0- 2.7
35-44	135	25,973	62	45.1	33.9-56.3	42	32.9	22.9-42.9	17	10.4	4.7-16.1	5	4.2	0.0- 9.1	8	6.9	0.0-15.5	1	0.5	0.0- 1.5
45-54	148	27,136	68	42.2	32.4-52.0	53	37.2	27.2-47.2	14	12.6	5.2-20.0	3	1.1	0.0- 2.5	8	4.8	1.3- 8.3	2	2.2	0.0- 6.1
55-64	196	32,395	115	56.7	47.7-65.7	57	30.5	21.9-39.1	10	4.8	1.5- 8.1	9	4.5	0.8- 8.2	4	3.4	0.0- 7.1	1	0.2	0.0- 0.6
65+	247	35,916	171	64.4	56.2-72.6	55	26.2	18.6-33.8	10	4.3	1.2- 7.4	7	4.0	0.9- 7.1	3	1.0	0.0- 2.4	1	0.1	0.0- 0.3
H.S. or G.E.D.	175	37,748	94	53.4	43.2-63.6	50	27.3	18.7-35.9	13	6.2	2.3-10.1	8	5.9	1.6-10.2	9	7.0	1.5-12.5	1	0.2	0.0- 0.6
Some Post-H.S.	257	56,979	129	42.6	34.6-50.6	77	37.1	28.5-45.7	27	11.6	6.1-17.1	11	2.5	0.7- 4.3	10	4.7	0.2- 9.2	3	1.5	0.0- 3.5
College Graduate	420	67,777	244	52.8	46.3-59.3	125	32.5	26.6-38.4	29	9.8	4.7-14.9	13	3.8	1.3- 6.3	8	1.1	0.1- 2.1	1	0.0	0.0- 0.0
\$15,000- 24,999	102	16,318	47	44.6	32.4-56.8	29	29.2	18.2-40.2	9	11.3	3.3-19.3	6	6.9	0.0-14.3	8	6.4	1.1-11.7	3	1.5	0.0- 3.3
\$25,000- 34,999	74	12,460	48	68.4	55.3-81.5	13	19.4	8.4-30.4	7	4.4	0.5- 8.3	3	4.9	0.0-11.2	3	2.8	0.0- 6.1			
\$35,000- 49,999	104	21,118	53	43.2	29.9-56.5	34	29.8	17.6-42.0	9	14.8	1.7-27.9	4	5.1	0.0-10.2	3	5.9	0.0-13.7	1	1.2	0.0- 3.6
\$50,000- 74,999	126	25,643	56	33.7	23.3-44.1	45	37.2	25.4-49.0	15	14.9	5.5-24.3	5	5.6	0.1-11.1	4	6.5	0.0-15.5	1	2.1	0.0- 6.2
\$75,000+	312	63,710	175	49.8	42.5-57.1	99	37.2	29.9-44.5	21	8.7	4.4-13.0	8	1.6	0.4- 2.8	8	2.8	0.6- 5.0	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1752	355,042	148	9.7	7.7-11.7	96	6.2	4.6- 7.8	38	2.7	1.5- 3.9	40	2.1	1.3- 2.9	110	7.7	5.7- 9.7	1320	71.6	68.7-74.5
Male	880	187,267	85	10.8	7.7-13.9	63	8.8	6.1-11.5	21	2.4	1.2- 3.6	21	2.2	1.0- 3.4	80	10.2	7.5-12.9	610	65.6	61.3-69.9
Female	872	167,776	63	8.4	6.0-10.8	33	3.4	1.8- 5.0	17	3.0	1.0- 5.0	19	2.0	0.8- 3.2	30	4.9	2.4- 7.4	710	78.3	74.4-82.2
White/Non-Hisp	1269	241,562	102	10.4	8.0-12.8	70	6.5	4.5- 8.5	25	2.6	1.4- 3.8	29	2.2	1.2- 3.2	82	8.0	5.8-10.2	961	70.4	67.1-73.7
Black or Afr. Am./Non-Hisp	196	66,844	11	7.6	1.7-13.5	13	6.9	2.4-11.4	4	1.4	0.0- 2.8	2	0.5	0.0- 1.3	9	8.1	2.0-14.2	157	75.5	66.9-84.1
MultiRacial/Non-Hisp.	52	8,786	3	4.7	0.0-11.2	2	6.7	0.0-18.3	2	17.6	0.0-41.3				5	7.0	0.3-13.7	40	64.1	40.6-87.6
Hispanic	161	21,484	27	15.4	8.5-22.3	9	4.7	1.2- 8.2	5	2.1	0.0- 4.3	8	6.1	0.6-11.6	10	4.9	1.6- 8.2	102	66.8	57.2-76.4
18-24	114	39,337	27	20.7	10.5-30.9	7	4.6	0.7- 8.5	4	3.0	0.1- 5.9	7	4.9	0.8- 9.0	13	16.3	5.5-27.1	56	50.5	37.6-63.4
25-34	202	60,932	20	11.1	5.6-16.6	22	10.6	5.3-15.9	8	3.5	0.4- 6.6	2	1.1	0.0- 2.7	19	8.1	3.4-12.8	131	65.6	57.0-74.2
35-44	259	58,467	31	11.8	7.1-16.5	20	9.1	4.0-14.2	7	5.0	0.5- 9.5	7	1.4	0.2- 2.6	30	10.9	6.4-15.4	164	61.7	53.9-69.5
45-54	284	55,619	29	10.5	5.8-15.2	9	3.1	0.6- 5.6	8	2.5	0.3- 4.7	10	2.9	0.5- 5.3	16	5.7	2.4- 9.0	212	75.3	69.0-81.6
55-64	370	63,530	23	5.7	3.2- 8.2	24	6.3	3.2- 9.4	4	1.7	0.1- 3.3	10	2.2	0.4- 4.0	24	8.0	4.1-11.9	285	76.1	70.4-81.8
65+	523	77,156	18	4.1	1.7- 6.5	14	3.6	1.2- 6.0	7	1.1	0.1- 2.1	4	1.2	0.0- 2.6	8	1.7	0.3- 3.1	472	88.2	84.5-91.9
Less Than H.S.	89	20,417	8	8.7	0.7-16.7	8	10.2	0.0-20.6	1	0.9	0.0- 2.7	4	5.2	0.0-11.1	11	13.7	4.3-23.1	57	61.4	46.9-75.9
H.S. or G.E.D.	404	92,104	47	11.0	7.3-14.7	23	6.8	3.3-10.3	12	2.9	0.7- 5.1	13	2.7	0.9- 4.5	41	10.2	6.7-13.7	268	66.4	60.3-72.5
Some Post-H.S.	478	114,447	46	10.7	7.0-14.4	34	7.2	4.5- 9.9	10	2.8	0.4- 5.2	12	2.0	0.6- 3.4	27	8.0	4.1-11.9	349	69.2	63.5-74.9
College Graduate	781	128,074	47	8.0	4.7-11.3	31	4.4	2.4- 6.4	15	2.7	1.3- 4.1	11	1.3	0.3- 2.3	31	4.6	2.1- 7.1	646	79.1	74.8-83.4
Less than \$15,000	81	13,839	11	11.6	3.2-20.0	7	5.6	0.9-10.3	2	0.6	0.0- 1.6	3	2.1	0.0- 4.6	4	4.5	0.0- 9.4	54	75.6	63.4-87.8
\$15,000- 24,999	176	31,647	21	15.6	8.0-23.2	13	10.1	3.6-16.6	4	2.8	0.0- 5.7	5	2.3	0.0- 4.8	21	16.9	8.3-25.5	112	52.3	42.5-62.1
\$25,000- 34,999	137	28,212	9	5.9	0.8-11.0	5	5.5	0.0-12.9	2	1.5	0.0- 3.7	4	1.7	0.0- 3.5	12	11.8	2.6-21.0	105	73.6	61.8-85.4
\$35,000- 49,999	188	36,508	12	6.6	1.9-11.3	4	0.9	0.0- 1.9	6	5.1	0.2-10.0	2	0.5	0.0- 1.3	13	10.9	2.5-19.3	151	76.2	66.6-85.8
\$50,000- 74,999	242	50,236	28	14.1	8.0-20.2	14	7.8	2.7-12.9	7	5.0	0.0-10.1	9	3.6	0.9- 6.3	9	4.4	0.7- 8.1	175	65.1	56.7-73.5
\$75,000+	702	149,067	57	9.7	6.4-13.0	43	7.2	4.7- 9.7	13	2.1	0.9- 3.3	11	1.6	0.4- 2.8	43	7.1	4.6- 9.6	535	72.4	67.9-76.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	880	187,267	85	10.8	7.7-13.9	63	8.8	6.1-11.5	21	2.4	1.2- 3.6	21	2.2	1.0- 3.4	80	10.2	7.5-12.9	610	65.6	61.1-70.1
White/Non-Hisp	634	124,797	60	11.9	8.4-15.4	44	8.9	5.8-12.0	12	2.3	0.9- 3.7	14	2.4	0.8- 4.0	58	10.6	7.3-13.9	446	63.8	58.9-68.7
Black or Afr. Am./Non-Hisp	88	34,888	6	10.0	0.0-20.0	10	11.9	3.5-20.3	3	1.9	0.0- 4.3	1	0.7	0.0- 2.1	7	10.2	1.6-18.8	61	65.4	51.9-78.9
Hispanic	92	14,183	16	13.1	5.5-20.7	7	6.4	0.9-11.9	4	2.3	0.0- 5.0	6	6.0	0.3-11.7	8	6.4	1.5-11.3	51	65.7	53.4-78.0
18-24	62	19,587	15	22.3	6.0-38.6	3	4.4	0.0-10.3	2	3.5	0.0- 8.4	5	6.8	0.0-13.7	9	17.6	3.9-31.3	28	45.4	27.6-63.2
25-34	98	33,612	9	10.0	2.2-17.8	15	13.8	5.4-22.2	5	3.0	0.0- 6.1	1	0.9	0.0- 2.7	14	12.8	4.6-21.0	54	59.5	46.8-72.2
35-44	123	32,384	13	12.6	5.3-19.9	15	13.4	5.2-21.6	1	1.1	0.0- 3.1	5	1.8	0.0- 3.6	19	14.3	7.2-21.4	70	56.9	45.7-68.1
45-54	140	29,264	21	14.8	7.4-22.2	4	2.9	0.0- 6.2	6	3.9	0.0- 7.8	8	5.2	0.9- 9.5	13	8.7	3.4-14.0	88	64.5	54.7-74.3
55-64	175	31,082	15	7.8	3.3-12.3	15	9.9	4.0-15.8	3	2.7	0.0- 5.8	2	1.0	0.0- 2.8	18	10.3	4.2-16.4	122	68.2	59.0-77.4
65+	282	41,338	12	4.1	1.2- 7.0	11	6.3	1.8-10.8	4	1.2	0.0- 2.4				7	2.4	0.4- 4.4	248	86.0	80.5-91.5
Less Than H.S.	57	14,253	5	9.9	0.0-20.9	7	13.6	0.0-27.9	1	1.2	0.0- 3.6	2	1.5	0.0- 3.7	10	18.9	6.0-31.8	32	54.9	36.9-72.9
H.S. or G.E.D.	229	54,162	34	13.0	7.7-18.3	16	8.7	3.4-14.0	9	2.9	0.7- 5.1	10	3.8	0.9- 6.7	33	14.5	8.8-20.2	127	57.0	48.4-65.6
Some Post-H.S.	224	57,695	22	10.0	4.7-15.3	20	9.2	4.9-13.5	4	1.7	0.0- 3.9	4	1.7	0.0- 3.7	17	10.0	3.7-16.3	157	67.4	59.0-75.8
College Graduate	370	61,157	24	9.9	4.0-15.8	20	7.2	3.5-10.9	7	2.9	0.7- 5.1	5	1.3	0.1- 2.5	20	4.5	2.1- 6.9	294	74.2	67.3-81.1
\$15,000- 24,999	75	15,591	11	14.9	3.7-26.1	6	12.5	1.5-23.5	2	3.7	0.0- 8.8	1	0.4	0.0- 1.2	16	29.4	14.1-44.7	39	39.1	25.2-53.0
\$25,000- 34,999	63	15,259	3	5.1	0.0-12.5	3	8.8	0.0-22.1	1	1.2	0.0- 3.6	1	0.9	0.0- 2.7	10	18.9	3.0-34.8	45	65.1	46.1-84.1
\$35,000- 49,999	84	15,161	6	8.0	0.0-16.2	3	1.8	0.0- 4.2	3	2.7	0.0- 6.0	2	1.1	0.0- 2.9	7	8.6	1.3-15.9	63	77.7	66.7-88.7
\$50,000- 74,999	117	24,619	17	17.4	7.8-27.0	9	12.7	3.3-22.1	4	3.2	0.0- 6.7	4	4.6	0.0- 9.7	8	8.5	1.2-15.8	75	53.6	41.3-65.9
\$75,000+	397	86,391	35	10.9	6.0-15.8	30	8.8	5.3-12.3	8	2.4	0.4- 4.4	9	2.2	0.6- 3.8	30	7.7	4.6-10.8	285	68.0	61.7-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	872	167,776	63	8.4	6.0-10.8	33	3.4	1.8- 5.0	17	3.0	1.0- 5.0	19	2.0	0.8- 3.2	30	4.9	2.4- 7.4	710	78.3	74.4-82.2
White/Non-Hisp	635	116,765	42	8.8	5.9-11.7	26	3.9	1.9- 5.9	13	2.8	0.8- 4.8	15	2.1	0.9- 3.3	24	5.2	2.7- 7.7	515	77.3	73.0-81.6
Black or Afr. Am./Non-Hisp	108	31,956	5	5.0	0.0-10.1	3	1.5	0.0- 3.3	1	0.8	0.0- 2.4	1	0.4	0.0- 1.2	2	5.8	0.0-14.8	96	86.6	76.6-96.6
Hispanic	69	7,301	11	19.7	6.8-32.6	2	1.3	0.0- 3.3	1	1.7	0.0- 5.0	2	6.3	0.0-17.9	2	2.0	0.0- 4.9	51	69.0	53.5-84.5
18-24	52	19,751	12	19.1	6.9-31.3	4	4.8	0.0- 9.9	2	2.5	0.0- 6.2	2	3.0	0.0- 7.7	4	15.0	0.0-31.5	28	55.7	37.3-74.1
25-34	104	27,320	11	12.3	4.5-20.1	7	6.7	0.6-12.8	3	4.1	0.0-10.0	1	1.4	0.0- 4.1	5	2.4	0.0- 4.8	77	73.1	62.1-84.1
35-44	136	26,083	18	10.9	5.2-16.6	5	3.8	0.0- 8.1	6	10.0	0.6-19.4	2	0.9	0.0- 2.3	11	6.7	2.2-11.2	94	67.7	56.9-78.5
45-54	144	26,356	8	5.7	0.8-10.6	5	3.4	0.0- 7.1	2	0.9	0.0- 2.3	2	0.5	0.0- 1.3	3	2.4	0.0- 5.7	124	87.3	80.4-94.2
55-64	195	32,448	8	3.6	0.9- 6.3	9	2.9	0.5- 5.3	1	0.6	0.0- 1.8	8	3.4	0.5- 6.3	6	5.9	1.0-10.8	163	83.6	77.1-90.1
65+	241	35,818	6	4.2	0.5- 7.9	3	0.4	0.0- 0.8	3	1.1	0.0- 2.7	4	2.7	0.0- 5.4	1	0.8	0.0- 2.4	224	90.8	85.7-95.9
H.S. or G.E.D.	175	37,942	13	8.3	3.4-13.2	7	4.0	0.3- 7.7	3	2.9	0.0- 7.2	3	1.0	0.0- 2.2	8	4.1	0.8- 7.4	141	79.8	72.0-87.6
Some Post-H.S.	254	56,753	24	11.4	6.3-16.5	14	5.1	1.6- 8.6	6	4.0	0.0- 8.3	8	2.4	0.4- 4.4	10	6.1	1.6-10.6	192	71.0	63.2-78.8
College Graduate	411	66,918	23	6.2	3.3- 9.1	11	1.7	0.5- 2.9	8	2.5	0.5- 4.5	6	1.2	0.0- 2.6	11	4.6	0.1- 9.1	352	83.7	78.2-89.2
\$15,000- 24,999	101	16,056	10	16.3	5.9-26.7	7	7.7	0.4-15.0	2	1.8	0.0- 4.5	4	4.2	0.0- 9.3	5	4.7	0.0- 9.4	73	65.2	53.0-77.4
\$25,000- 34,999	74	12,952	6	6.8	0.0-13.7	2	1.6	0.0- 4.0	1	1.9	0.0- 5.6	3	2.6	0.0- 5.7	2	3.5	0.0- 9.0	60	83.6	73.6-93.6
\$35,000- 49,999	104	21,348	6	5.5	0.2-10.8	1	0.2	0.0- 0.6	3	6.7	0.0-14.7				6	12.5	0.0-25.8	88	75.1	60.8-89.4
\$50,000- 74,999	125	25,617	11	11.0	3.6-18.4	5	3.1	0.0- 6.2	3	6.7	0.0-15.9	5	2.7	0.2- 5.2	1	0.4	0.0- 1.2	100	76.1	64.9-87.3
\$75,000+	305	62,676	22	8.0	4.3-11.7	13	4.9	1.6- 8.2	5	1.7	0.1- 3.3	2	0.8	0.0- 2.2	13	6.2	2.1-10.3	250	78.5	72.2-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1696	340,114	510	27.5	24.6-30.4	489	27.3	24.4-30.2	226	13.7	11.5-15.9	143	8.7	6.9-10.5	328	22.9	20.0-25.8
Male	853	177,812	188	21.2	17.5-24.9	226	24.2	20.1-28.3	130	14.9	11.8-18.0	54	6.2	3.8- 8.6	255	33.6	29.1-38.1
Female	843	162,303	322	34.4	29.9-38.9	263	30.6	26.3-34.9	96	12.4	9.3-15.5	89	11.4	8.7-14.1	73	11.1	7.8-14.4
White/Non-Hisp	1240	234,330	372	26.7	23.6-29.8	366	26.9	23.8-30.0	170	15.1	12.4-17.8	104	8.3	6.3-10.3	228	23.0	19.9-26.1
Black or Afr. Am./Non-Hisp	179	60,357	63	35.8	26.0-45.6	56	26.3	17.9-34.7	21	9.2	4.3-14.1	14	9.0	3.3-14.7	25	19.6	10.8-28.4
MultiRacial/Non-Hisp.	53	8,918	14	13.5	4.3-22.7	17	36.1	13.6-58.6	6	11.1	0.0-22.9	5	8.0	0.0-17.0	11	31.3	7.8-54.8
Hispanic	155	21,232	34	15.0	8.5-21.5	34	26.4	15.4-37.4	22	15.7	7.3-24.1	11	6.6	1.5-11.7	54	36.4	25.4-47.4
18-24	108	36,309	21	22.4	10.1-34.7	14	11.9	4.3-19.5	16	17.1	6.9-27.3	13	10.8	4.3-17.3	44	37.7	25.0-50.4
25-34	193	57,782	42	19.2	11.8-26.6	57	29.7	20.5-38.9	19	10.7	5.2-16.2	20	10.7	5.4-16.0	55	29.7	21.1-38.3
35-44	248	55,024	46	18.6	11.7-25.5	66	27.7	20.4-35.0	36	12.2	7.7-16.7	25	8.0	4.5-11.5	75	33.4	25.6-41.2
45-54	271	52,852	63	24.2	17.7-30.7	76	27.4	20.7-34.1	49	18.9	13.2-24.6	22	7.7	3.6-11.8	61	21.8	15.7-27.9
55-64	362	62,840	111	32.2	25.9-38.5	101	25.3	19.6-31.0	50	13.6	9.3-17.9	43	11.3	6.6-16.0	57	17.6	12.3-22.9
65+	514	75,309	227	41.2	35.5-46.9	175	34.0	28.5-39.5	56	11.9	8.2-15.6	20	5.0	2.1- 7.9	36	7.9	4.8-11.0
Less Than H.S.	85	20,381	21	24.2	10.5-37.9	19	23.8	11.3-36.3	9	7.9	2.0-13.8	4	4.7	0.0- 9.8	32	39.4	24.5-54.3
H.S. or G.E.D.	379	87,251	100	28.1	21.2-35.0	97	21.9	16.4-27.4	46	13.2	8.7-17.7	25	6.5	3.0-10.0	111	30.3	24.2-36.4
Some Post-H.S.	457	105,743	127	24.2	19.3-29.1	124	27.6	21.7-33.5	61	14.1	9.6-18.6	56	12.1	8.2-16.0	89	21.9	16.8-27.0
College Graduate	775	126,740	262	30.3	26.0-34.6	249	31.3	27.0-35.6	110	14.6	11.5-17.7	58	7.9	5.4-10.4	96	15.9	11.6-20.2
Less than \$15,000	75	13,305	16	30.7	8.2-53.2	22	33.8	16.0-51.6	8	9.3	0.1-18.5	5	5.6	0.0-11.9	24	20.6	9.6-31.6
\$15,000- 24,999	157	28,019	43	20.2	13.1-27.3	32	15.4	8.9-21.9	19	13.3	6.4-20.2	19	12.0	5.7-18.3	44	39.2	28.4-50.0
\$25,000- 34,999	131	26,319	45	33.9	21.9-45.9	36	25.4	13.8-37.0	15	7.0	2.7-11.3	12	8.6	3.1-14.1	23	25.1	13.3-36.9
\$35,000- 49,999	181	34,824	57	29.2	20.6-37.8	59	30.2	21.2-39.2	24	13.0	6.9-19.1	13	8.7	3.2-14.2	28	18.9	9.1-28.7
\$50,000- 74,999	239	49,150	62	21.4	14.9-27.9	76	26.2	18.9-33.5	28	12.6	6.9-18.3	20	9.8	3.7-15.9	53	30.0	21.6-38.4
\$75,000+	698	145,789	193	24.8	20.7-28.9	202	29.0	24.3-33.7	111	16.9	13.2-20.6	59	8.1	5.6-10.6	133	21.3	17.2-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	853	177,812	188	21.2	17.5-24.9	226	24.2	20.1-28.3	130	14.9	11.8-18.0	54	6.2	3.8- 8.6	255	33.6	29.1-38.1
White/Non-Hisp	617	120,953	148	21.4	17.5-25.3	164	22.9	18.6-27.2	96	16.6	12.7-20.5	37	4.9	2.9- 6.9	172	34.1	29.2-39.0
Black or Afr. Am./Non-Hisp	79	29,865	18	28.1	14.0-42.2	19	19.2	8.0-30.4	13	9.3	3.4-15.2	6	9.5	0.3-18.7	23	33.9	19.6-48.2
Hispanic	92	14,392	10	10.7	3.1-18.3	25	32.4	17.5-47.3	11	12.2	2.2-22.2	3	2.9	0.0- 6.8	43	41.8	27.5-56.1
18-24	60	18,308	8	18.8	1.7-35.9	8	10.8	2.4-19.2	7	12.4	0.6-24.2	5	6.3	0.0-12.8	32	51.6	33.6-69.6
25-34	92	30,716	13	11.2	3.4-19.0	22	27.0	13.3-40.7	9	10.8	2.8-18.8	6	6.7	0.4-13.0	42	44.4	30.9-57.9
35-44	121	30,737	13	12.3	3.5-21.1	29	26.1	15.7-36.5	17	13.0	6.1-19.9	10	6.4	2.1-10.7	52	42.3	31.1-53.5
45-54	134	27,447	21	18.1	9.9-26.3	28	22.5	13.3-31.7	24	17.8	10.0-25.6	11	6.0	2.1- 9.9	50	35.7	25.7-45.7
55-64	171	30,806	36	27.4	18.0-36.8	40	16.6	10.5-22.7	32	17.1	10.6-23.6	15	8.7	1.1-16.3	48	30.1	20.9-39.3
65+	275	39,796	97	34.0	26.9-41.1	99	33.8	26.5-41.1	41	17.0	11.1-22.9	7	3.8	0.0- 7.9	31	11.4	6.5-16.3
Less Than H.S.	56	14,230	10	18.6	2.7-34.5	13	21.4	8.3-34.5	5	8.6	1.0-16.2	1	0.6	0.0- 1.8	27	50.7	32.5-68.9
H.S. or G.E.D.	215	51,056	34	17.7	9.5-25.9	49	20.6	13.2-28.0	30	14.7	8.4-21.0	10	5.6	0.7-10.5	92	41.4	32.6-50.2
Some Post-H.S.	214	51,795	39	17.6	11.5-23.7	52	24.8	16.4-33.2	36	16.5	10.2-22.8	23	10.1	5.0-15.2	64	31.0	22.8-39.2
College Graduate	368	60,731	105	27.6	21.5-33.7	112	27.3	21.2-33.4	59	15.2	10.7-19.7	20	4.7	2.0- 7.4	72	25.1	18.2-32.0
\$15,000- 24,999	65	13,281	12	13.9	4.7-23.1	12	9.8	2.2-17.4	7	11.9	2.3-21.5	5	7.1	0.2-14.0	29	57.3	41.6-73.0
\$25,000- 34,999	61	13,907	11	17.5	3.6-31.4	16	24.1	5.7-42.5	11	9.2	2.3-16.1	5	7.8	0.2-15.4	18	41.4	22.2-60.6
\$35,000- 49,999	79	13,928	15	16.4	7.4-25.4	26	33.9	20.4-47.4	13	19.3	7.9-30.7	5	5.9	0.0-13.0	20	24.4	12.2-36.6
\$50,000- 74,999	115	24,152	23	15.5	8.1-22.9	34	21.4	12.4-30.4	12	8.0	2.9-13.1	5	9.1	0.0-19.3	41	45.9	33.6-58.2
\$75,000+	395	84,680	92	22.1	16.8-27.4	97	24.9	18.6-31.2	70	17.8	12.9-22.7	29	5.4	3.0- 7.8	107	29.8	23.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	843	162,303	322	34.4	29.9-38.9	263	30.6	26.3-34.9	96	12.4	9.3-15.5	89	11.4	8.7-14.1	73	11.1	7.8-14.4
White/Non-Hisp	623	113,377	224	32.3	27.4-37.2	202	31.0	26.3-35.7	74	13.5	9.8-17.2	67	11.9	8.6-15.2	56	11.2	7.9-14.5
Black or Afr. Am./Non-Hisp	100	30,492	45	43.3	30.0-56.6	37	33.3	21.0-45.6	8	9.2	1.2-17.2	8	8.6	1.7-15.5	2	5.7	0.0-14.9
Hispanic	63	6,839	24	24.0	12.2-35.8	9	13.6	3.8-23.4	11	23.1	8.6-37.6	8	14.3	1.4-27.2	11	25.1	9.0-41.2
25-34	101	27,066	29	28.3	16.0-40.6	35	32.7	20.4-45.0	10	10.7	3.3-18.1	14	15.3	6.7-23.9	13	13.1	4.7-21.5
35-44	127	24,287	33	26.6	15.8-37.4	37	29.9	19.7-40.1	19	11.2	5.7-16.7	15	10.1	4.2-16.0	23	22.2	11.2-33.2
45-54	137	25,405	42	30.7	20.9-40.5	48	32.7	22.9-42.5	25	20.1	11.7-28.5	11	9.6	2.3-16.9	11	6.9	2.2-11.6
55-64	191	32,033	75	36.8	28.2-45.4	61	33.7	24.9-42.5	18	10.2	4.7-15.7	28	13.8	7.9-19.7	9	5.5	1.2- 9.8
65+	239	35,512	130	49.2	40.6-57.8	76	34.2	26.0-42.4	15	6.2	2.5- 9.9	13	6.4	2.5-10.3	5	4.0	0.5- 7.5
H.S. or G.E.D.	164	36,194	66	42.8	32.0-53.6	48	23.6	15.4-31.8	16	11.2	5.1-17.3	15	7.8	2.9-12.7	19	14.6	7.3-21.9
Some Post-H.S.	243	53,949	88	30.5	22.9-38.1	72	30.3	22.1-38.5	25	11.9	5.6-18.2	33	14.1	8.4-19.8	25	13.2	7.1-19.3
College Graduate	407	66,008	157	32.8	26.9-38.7	137	34.9	28.8-41.0	51	14.0	9.7-18.3	38	10.9	7.0-14.8	24	7.4	2.7-12.1
\$15,000- 24,999	92	14,738	31	25.8	15.8-35.8	20	20.3	10.7-29.9	12	14.6	4.6-24.6	14	16.4	6.6-26.2	15	22.8	10.6-35.0
\$25,000- 34,999	70	12,412	34	52.2	36.1-68.3	20	26.9	13.6-40.2	4	4.5	0.0- 9.6	7	9.5	1.5-17.5	5	6.9	0.0-14.0
\$35,000- 49,999	102	20,896	42	37.7	24.8-50.6	33	27.7	15.7-39.7	11	8.8	2.7-14.9	8	10.5	2.9-18.1	8	15.3	1.0-29.6
\$50,000- 74,999	124	24,998	39	27.1	16.9-37.3	42	30.8	19.8-41.8	16	17.1	7.1-27.1	15	10.4	3.5-17.3	12	14.5	4.3-24.7
\$75,000+	303	61,109	101	28.5	22.0-35.0	105	34.6	27.7-41.5	41	15.6	9.9-21.3	30	11.8	6.9-16.7	26	9.4	5.5-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 12: IMMUNIZATION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	187
2 MALES ONLY	188
3 FEMALES ONLY	189
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	190
5 MALES ONLY	191
6 FEMALES ONLY	192
HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
7 MALES AND FEMALES	193
8 MALES ONLY	194
9 FEMALES ONLY	195
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	196
11 MALES ONLY	197
12 FEMALES ONLY	198

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3674	711,247	1907	48.7	46.3-51.1	1767	51.3	48.9-53.7
Male	1642	339,274	800	45.2	41.9-48.5	842	54.8	51.5-58.1
Female	2032	371,973	1107	51.8	48.9-54.7	925	48.2	45.3-51.1
White/Non-Hisp	2431	451,964	1425	54.2	51.5-56.9	1006	45.8	43.1-48.5
Black or Afr. Am./Non-Hisp	473	142,114	208	41.1	35.0-47.2	265	58.9	52.8-65.0
Oth. Race/Non-Hisp.	119	27,746	45	31.3	20.1-42.5	74	68.7	57.5-79.9
MultiRacial/Non-Hisp.	90	15,730	37	35.3	21.0-49.6	53	64.7	50.4-79.0
Hispanic	487	58,631	160	36.8	29.9-43.7	327	63.2	56.3-70.1
18-24	248	78,418	75	27.4	20.1-34.7	173	72.6	65.3-79.9
25-34	417	113,901	143	36.9	30.4-43.4	274	63.1	56.6-69.6
35-44	485	103,781	171	37.2	31.3-43.1	314	62.8	56.9-68.7
45-54	570	106,175	244	44.3	39.0-49.6	326	55.7	50.4-61.0
55-64	742	124,355	428	57.7	53.2-62.2	314	42.3	37.8-46.8
65+	1212	184,617	846	67.8	63.9-71.7	366	32.2	28.3-36.1
Less Than H.S.	412	75,372	134	31.6	25.1-38.1	278	68.4	61.9-74.9
H.S. or G.E.D.	1030	216,346	465	41.5	37.4-45.6	565	58.5	54.4-62.6
Some Post-H.S.	938	206,363	502	51.8	47.3-56.3	436	48.2	43.7-52.7
College Graduate	1286	212,058	804	59.1	55.4-62.8	482	40.9	37.2-44.6
Less than \$15,000	323	48,182	122	40.5	32.5-48.5	201	59.5	51.5-67.5
\$15,000- 24,999	504	84,956	228	43.1	37.2-49.0	276	56.9	51.0-62.8
\$25,000- 34,999	314	61,920	172	51.2	43.0-59.4	142	48.8	40.6-57.0
\$35,000- 49,999	375	72,210	185	45.3	38.4-52.2	190	54.7	47.8-61.6
\$50,000- 74,999	465	92,710	255	48.7	42.4-55.0	210	51.3	45.0-57.6
\$75,000+	1076	237,404	636	53.2	49.1-57.3	440	46.8	42.7-50.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1642	339,274	800	45.2	41.9-48.5	842	54.8	51.5-58.1
White/Non-Hisp	1108	214,585	613	49.9	46.0-53.8	495	50.1	46.2-54.0
Black or Afr. Am./Non-Hisp	168	64,869	61	36.8	27.2-46.4	107	63.2	53.6-72.8
Oth. Race/Non-Hisp.	56	14,524	22	34.2	17.0-51.4	34	65.8	48.6-83.0
Hispanic	229	30,175	64	33.2	23.8-42.6	165	66.8	57.4-76.2
18-24	130	39,661	31	26.1	15.7-36.5	99	73.9	63.5-84.3
25-34	180	56,944	52	31.0	21.4-40.6	128	69.0	59.4-78.6
35-44	217	52,036	59	32.9	24.3-41.5	158	67.1	58.5-75.7
45-54	246	49,223	97	41.3	33.5-49.1	149	58.7	50.9-66.5
55-64	335	58,943	183	56.8	49.9-63.7	152	43.2	36.3-50.1
65+	534	82,467	378	66.1	59.8-72.4	156	33.9	27.6-40.2
Less Than H.S.	200	41,008	56	26.0	17.4-34.6	144	74.0	65.4-82.6
H.S. or G.E.D.	477	109,421	189	36.3	30.4-42.2	288	63.7	57.8-69.6
Some Post-H.S.	395	93,500	200	49.1	42.2-56.0	195	50.9	44.0-57.8
College Graduate	568	95,096	354	59.9	54.2-65.6	214	40.1	34.4-45.8
Less than \$15,000	134	19,637	42	35.4	22.9-47.9	92	64.6	52.1-77.1
\$15,000- 24,999	184	32,717	81	40.6	30.8-50.4	103	59.4	49.6-69.2
\$25,000- 34,999	136	32,796	62	42.5	30.0-55.0	74	57.5	45.0-70.0
\$35,000- 49,999	159	29,053	65	35.8	26.0-45.6	94	64.2	54.4-74.0
\$50,000- 74,999	223	46,764	118	48.4	39.2-57.6	105	51.6	42.4-60.8
\$75,000+	567	128,010	316	49.5	43.8-55.2	251	50.5	44.8-56.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2032	371,973	1107	51.8	48.9-54.7	925	48.2	45.3-51.1
White/Non-Hisp	1323	237,379	812	58.1	54.6-61.6	511	41.9	38.4-45.4
Black or Afr. Am./Non-Hisp	305	77,244	147	44.8	37.2-52.4	158	55.2	47.6-62.8
Oth. Race/Non-Hisp.	63	13,222	23	28.2	14.1-42.3	40	71.8	57.7-85.9
MultiRacial/Non-Hisp.	52	10,448	19	31.1	13.5-48.7	33	68.9	51.3-86.5
Hispanic	258	28,456	96	40.6	30.6-50.6	162	59.4	49.4-69.4
18-24	118	38,758	44	28.8	18.8-38.8	74	71.2	61.2-81.2
25-34	237	56,957	91	42.8	34.2-51.4	146	57.2	48.6-65.8
35-44	268	51,745	112	41.5	33.7-49.3	156	58.5	50.7-66.3
45-54	324	56,951	147	46.9	39.8-54.0	177	53.1	46.0-60.2
55-64	407	65,412	245	58.5	52.2-64.8	162	41.5	35.2-47.8
65+	678	102,150	468	69.1	64.2-74.0	210	30.9	26.0-35.8
Less Than H.S.	212	34,364	78	38.3	28.5-48.1	134	61.7	51.9-71.5
H.S. or G.E.D.	553	106,925	276	46.8	41.1-52.5	277	53.2	47.5-58.9
Some Post-H.S.	543	112,864	302	54.0	48.3-59.7	241	46.0	40.3-51.7
College Graduate	718	116,962	450	58.5	53.6-63.4	268	41.5	36.6-46.4
Less than \$15,000	189	28,545	80	43.9	33.9-53.9	109	56.1	46.1-66.1
\$15,000- 24,999	320	52,240	147	44.7	37.4-52.0	173	55.3	48.0-62.6
\$25,000- 34,999	178	29,124	110	61.0	51.0-71.0	68	39.0	29.0-49.0
\$35,000- 49,999	216	43,157	120	51.7	42.3-61.1	96	48.3	38.9-57.7
\$50,000- 74,999	242	45,946	137	48.9	40.3-57.5	105	51.1	42.5-59.7
\$75,000+	509	109,394	320	57.6	51.7-63.5	189	42.4	36.5-48.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1107	202,961	9	0.6	0.2- 1.0	40	3.5	2.1- 4.9	1058	95.9	94.3-97.5
Male	467	88,559	5	0.8	0.0- 1.8	20	4.2	1.8- 6.6	442	95.0	92.5-97.5
Female	640	114,402	4	0.4	0.0- 0.8	20	3.0	1.2- 4.8	616	96.6	94.8-98.4
White/Non-Hisp	862	149,419	5	0.3	0.0- 0.7	25	2.6	1.4- 3.8	832	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	108	30,395	2	2.0	0.0- 4.7	7	6.9	0.4-13.4	99	91.2	84.1-98.3
Hispanic	74	9,782	1	0.3	0.0- 0.9	3	1.4	0.0- 3.2	70	98.2	96.2- 100
25-34	72	23,595				4	3.3	0.0- 6.8	68	96.7	93.2- 100
35-44	98	22,638	1	0.1	0.0- 0.3	5	4.2	0.0- 8.5	92	95.6	91.3-99.9
45-54	143	28,350				2	0.3	0.0- 0.7	141	99.7	99.3- 100
55-64	264	46,038	4	1.2	0.0- 2.8	6	3.9	0.2- 7.6	254	94.9	91.0-98.8
65+	493	72,483	4	0.8	0.0- 1.8	20	3.5	1.5- 5.5	469	95.7	93.5-97.9
Less Than H.S.	62	11,328	1	0.3	0.0- 0.9	5	4.7	0.0-10.4	56	95.0	89.3- 100
H.S. or G.E.D.	269	49,760	6	2.1	0.1- 4.1	12	4.0	0.9- 7.1	251	93.9	90.2-97.6
Some Post-H.S.	292	63,447				8	3.2	0.5- 5.9	284	96.8	94.1-99.5
College Graduate	484	78,426	2	0.2	0.0- 0.4	15	3.4	1.4- 5.4	467	96.5	94.5-98.5
Less than \$15,000	52	6,729	2	3.7	0.0-10.0	1	3.0	0.0- 8.7	49	93.3	84.9- 100
\$15,000- 24,999	125	20,099	3	2.2	0.0- 5.3	6	5.7	0.0-12.8	116	92.1	84.7-99.5
\$25,000- 34,999	101	18,889	1	0.2	0.0- 0.6	5	4.7	0.0- 9.6	95	95.1	90.2- 100
\$35,000- 49,999	99	18,339	1	0.2	0.0- 0.6	3	4.1	0.0- 9.0	95	95.7	90.8- 100
\$50,000- 74,999	160	29,320	1	0.3	0.0- 0.9	5	2.0	0.0- 4.4	154	97.7	95.3- 100
\$75,000+	406	83,303	1	0.4	0.0- 1.2	10	2.0	0.4- 3.6	395	97.6	96.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	467	88,559	5	0.8	0.0- 1.8	20	4.2	1.8- 6.6	442	95.0	92.5-97.5
White/Non-Hisp	372	64,698	2	0.1	0.0- 0.3	13	3.1	1.1- 5.1	357	96.8	94.8-98.8
45-54	57	12,742							57	100.0	100.0- 100
55-64	111	20,804	2	1.7	0.0- 4.6	3	6.4	0.0-13.8	106	91.9	83.9-99.9
65+	231	32,982	3	1.1	0.0- 2.9	11	4.1	1.2- 7.0	217	94.8	91.5-98.1
H.S. or G.E.D.	115	22,709	4	3.0	0.0- 6.7	4	2.6	0.0- 5.5	107	94.3	89.6-99.0
Some Post-H.S.	118	26,873				5	5.8	0.0-11.7	113	94.2	88.3- 100
College Graduate	212	34,360	1	0.1	0.0- 0.3	9	4.2	0.9- 7.5	202	95.7	92.4-99.0
\$50,000- 74,999	76	14,512				2	2.3	0.0- 6.6	74	97.7	93.4- 100
\$75,000+	201	41,852	1	0.8	0.0- 2.2	6	2.3	0.1- 4.5	194	97.0	94.3-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	640	114,402	4	0.4	0.0- 0.8	20	3.0	1.2- 4.8	616	96.6	94.8-98.4
White/Non-Hisp	490	84,721	3	0.5	0.0- 1.1	12	2.3	0.7- 3.9	475	97.2	95.4-99.0
Black or Afr. Am./Non-Hisp	78	19,007				6	7.2	0.0-14.8	72	92.8	85.2- 100
35-44	67	13,837	1	0.2	0.0- 0.6	3	4.8	0.0-10.7	63	95.0	89.1- 100
45-54	86	15,608				2	0.5	0.0- 1.1	84	99.5	98.9- 100
55-64	153	25,233	2	0.9	0.0- 2.1	3	1.8	0.0- 3.8	148	97.3	94.9-99.7
65+	262	39,501	1	0.6	0.0- 1.8	9	3.1	0.6- 5.6	252	96.4	93.7-99.1
H.S. or G.E.D.	154	27,051	2	1.3	0.0- 3.1	8	5.1	0.0-10.4	144	93.6	88.1-99.1
Some Post-H.S.	174	36,573				3	1.2	0.0- 3.2	171	98.8	96.8- 100
College Graduate	272	44,066	1	0.2	0.0- 0.6	6	2.7	0.3- 5.1	265	97.1	94.7-99.5
\$15,000- 24,999	79	12,917	1	1.0	0.0- 3.0	2	1.2	0.0- 3.0	76	97.8	95.1- 100
\$25,000- 34,999	66	10,278				4	5.8	0.0-12.7	62	94.2	87.3- 100
\$35,000- 49,999	66	13,012				2	4.9	0.0-11.6	64	95.1	88.4- 100
\$50,000- 74,999	84	14,809	1	0.6	0.0- 1.8	3	1.7	0.0- 3.7	80	97.7	95.3- 100
\$75,000+	205	41,451				4	1.8	0.0- 3.8	201	98.2	96.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 7. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2234	361,500	677	28.3	25.9-30.7	1557	71.7	69.3-74.1
Male	991	165,863	296	27.2	23.7-30.7	695	72.8	69.3-76.3
Female	1243	195,637	381	29.3	26.0-32.6	862	70.7	67.4-74.0
White/Non-Hisp	1722	263,079	577	31.4	28.7-34.1	1145	68.6	65.9-71.3
Black or Afr. Am./Non-Hisp	276	66,659	40	17.1	10.8-23.4	236	82.9	76.6-89.2
Oth. Race/Non-Hisp.	55	9,513	17	19.3	6.6-32.0	38	80.7	68.0-93.4
Hispanic	94	9,312	9	9.4	2.3-16.5	85	90.6	83.5-97.7
45-54	306	57,189	24	7.9	4.0-11.8	282	92.1	88.2-96.0
55-64	732	122,166	131	17.2	13.7-20.7	601	82.8	79.3-86.3
65+	1190	180,805	522	42.5	38.6-46.4	668	57.5	53.6-61.4
Less Than H.S.	153	30,139	18	11.9	5.4-18.4	135	88.1	81.6-94.6
H.S. or G.E.D.	647	112,954	157	23.8	19.5-28.1	490	76.2	71.9-80.5
Some Post-H.S.	587	104,029	193	32.5	27.6-37.4	394	67.5	62.6-72.4
College Graduate	841	113,470	307	33.4	29.3-37.5	534	66.6	62.5-70.7
Less than \$15,000	154	23,362	18	11.4	4.9-17.9	136	88.6	82.1-95.1
\$15,000- 24,999	291	44,338	75	24.3	18.0-30.6	216	75.7	69.4-82.0
\$25,000- 34,999	198	32,822	55	29.7	21.1-38.3	143	70.3	61.7-78.9
\$35,000- 49,999	240	35,886	66	25.9	18.6-33.2	174	74.1	66.8-81.4
\$50,000- 74,999	290	47,462	109	34.2	26.9-41.5	181	65.8	58.5-73.1
\$75,000+	664	112,029	217	29.1	24.8-33.4	447	70.9	66.6-75.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 8: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	991	165,863	296	27.2	23.7-30.7	695	72.8	69.3-76.3
White/Non-Hisp	770	117,447	247	29.8	25.9-33.7	523	70.2	66.3-74.1
Black or Afr. Am./Non-Hisp	102	32,684	16	16.1	7.5-24.7	86	83.9	75.3-92.5
45-54	133	27,010	10	6.8	1.5-12.1	123	93.2	87.9-98.5
55-64	330	57,908	59	18.0	12.7-23.3	271	82.0	76.7-87.3
65+	526	80,658	227	40.7	35.0-46.4	299	59.3	53.6-65.0
Less Than H.S.	75	15,322	8	9.6	1.6-17.6	67	90.4	82.4-98.4
H.S. or G.E.D.	278	51,448	57	18.3	12.6-24.0	221	81.7	76.0-87.4
Some Post-H.S.	245	45,370	75	32.9	25.5-40.3	170	67.1	59.7-74.5
College Graduate	392	53,564	156	36.0	29.9-42.1	236	64.0	57.9-70.1
Less than \$15,000	58	7,513	8	16.9	4.6-29.2	50	83.1	70.8-95.4
\$15,000- 24,999	114	18,579	30	23.6	13.8-33.4	84	76.4	66.6-86.2
\$25,000- 34,999	77	14,646	18	23.2	10.7-35.7	59	76.8	64.3-89.3
\$35,000- 49,999	100	12,787	30	32.8	20.8-44.8	70	67.2	55.2-79.2
\$50,000- 74,999	141	23,697	45	25.5	16.9-34.1	96	74.5	65.9-83.1
\$75,000+	360	61,719	121	30.3	24.4-36.2	239	69.7	63.8-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 9: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1243	195,637	381	29.3	26.0-32.6	862	70.7	67.4-74.0
White/Non-Hisp	952	145,632	330	32.7	28.8-36.6	622	67.3	63.4-71.2
Black or Afr. Am./Non-Hisp	174	33,975	24	18.0	9.2-26.8	150	82.0	73.2-90.8
45-54	173	30,178	14	8.9	3.2-14.6	159	91.1	85.4-96.8
55-64	402	64,258	72	16.4	11.5-21.3	330	83.6	78.7-88.5
65+	664	100,146	295	44.0	38.7-49.3	369	56.0	50.7-61.3
Less Than H.S.	78	14,817	10	14.4	4.0-24.8	68	85.6	75.2-96.0
H.S. or G.E.D.	369	61,505	100	28.5	22.4-34.6	269	71.5	65.4-77.6
Some Post-H.S.	342	58,659	118	32.1	25.4-38.8	224	67.9	61.2-74.6
College Graduate	449	59,906	151	31.1	25.6-36.6	298	68.9	63.4-74.4
Less than \$15,000	96	15,849	10	8.8	1.4-16.2	86	91.2	83.8-98.6
\$15,000- 24,999	177	25,759	45	24.7	16.5-32.9	132	75.3	67.1-83.5
\$25,000- 34,999	121	18,176	37	35.0	23.6-46.4	84	65.0	53.6-76.4
\$35,000- 49,999	140	23,099	36	22.1	13.3-30.9	104	77.9	69.1-86.7
\$50,000- 74,999	149	23,765	64	42.8	32.0-53.6	85	57.2	46.4-68.0
\$75,000+	304	50,310	96	27.7	21.4-34.0	208	72.3	66.0-78.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3430	655,362	1370	34.6	32.4-36.8	2060	65.4	63.2-67.6
Male	1519	309,287	573	32.0	28.9-35.1	946	68.0	64.9-71.1
Female	1911	346,075	797	37.0	34.1-39.9	1114	63.0	60.1-65.9
White/Non-Hisp	2286	420,014	1049	39.7	37.2-42.2	1237	60.3	57.8-62.8
Black or Afr. Am./Non-Hisp	443	133,234	153	28.6	23.1-34.1	290	71.4	65.9-76.9
Oth. Race/Non-Hisp.	101	21,837	30	19.8	10.0-29.6	71	80.2	70.4-90.0
MultiRacial/Non-Hisp.	80	13,369	31	30.7	16.6-44.8	49	69.3	55.2-83.4
Hispanic	448	52,287	80	15.9	11.6-20.2	368	84.1	79.8-88.4
18-24	205	65,093	50	21.8	14.7-28.9	155	78.2	71.1-85.3
25-34	348	95,014	58	18.0	12.1-23.9	290	82.0	76.1-87.9
35-44	443	95,425	69	13.5	9.6-17.4	374	86.5	82.6-90.4
45-54	542	100,682	100	18.0	13.9-22.1	442	82.0	77.9-86.1
55-64	718	118,825	224	30.3	26.0-34.6	494	69.7	65.4-74.0
65+	1174	180,322	869	71.4	67.7-75.1	305	28.6	24.9-32.3
Less Than H.S.	388	70,120	91	22.8	16.7-28.9	297	77.2	71.1-83.3
H.S. or G.E.D.	968	199,416	379	34.9	31.0-38.8	589	65.1	61.2-69.0
Some Post-H.S.	875	189,710	388	39.2	34.9-43.5	487	60.8	56.5-65.1
College Graduate	1192	195,169	512	34.4	30.9-37.9	680	65.6	62.1-69.1
Less than \$15,000	313	46,579	88	28.3	21.0-35.6	225	71.7	64.4-79.0
\$15,000- 24,999	479	81,466	193	40.6	34.7-46.5	286	59.4	53.5-65.3
\$25,000- 34,999	294	57,310	145	45.4	37.4-53.4	149	54.6	46.6-62.6
\$35,000- 49,999	354	66,087	147	35.6	28.9-42.3	207	64.4	57.7-71.1
\$50,000- 74,999	430	82,934	189	34.9	29.0-40.8	241	65.1	59.2-71.0
\$75,000+	1005	218,492	368	29.0	25.5-32.5	637	71.0	67.5-74.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1519	309,287	573	32.0	28.9-35.1	946	68.0	64.9-71.1
White/Non-Hisp	1032	196,908	446	36.3	32.6-40.0	586	63.7	60.0-67.4
Black or Afr. Am./Non-Hisp	156	60,865	46	27.3	18.1-36.5	110	72.7	63.5-81.9
Hispanic	212	26,723	36	15.3	9.4-21.2	176	84.7	78.8-90.6
18-24	106	31,954	27	24.7	13.9-35.5	79	75.3	64.5-86.1
25-34	147	46,178	25	17.8	9.0-26.6	122	82.2	73.4-91.0
35-44	198	48,852	24	11.2	5.9-16.5	174	88.8	83.5-94.1
45-54	231	46,531	38	13.8	8.5-19.1	193	86.2	80.9-91.5
55-64	320	55,152	86	28.9	22.2-35.6	234	71.1	64.4-77.8
65+	517	80,621	373	68.3	62.4-74.2	144	31.7	25.8-37.6
Less Than H.S.	192	38,834	38	19.3	10.5-28.1	154	80.7	71.9-89.5
H.S. or G.E.D.	438	97,459	133	27.4	21.9-32.9	305	72.6	67.1-78.1
Some Post-H.S.	361	84,209	154	38.4	31.7-45.1	207	61.6	54.9-68.3
College Graduate	527	88,695	248	36.7	31.4-42.0	279	63.3	58.0-68.6
Less than \$15,000	128	19,095	25	18.6	9.6-27.6	103	81.4	72.4-90.4
\$15,000- 24,999	175	31,346	68	44.4	34.0-54.8	107	55.6	45.2-66.0
\$25,000- 34,999	127	30,119	51	34.4	23.2-45.6	76	65.6	54.4-76.8
\$35,000- 49,999	149	25,863	62	33.6	23.8-43.4	87	66.4	56.6-76.2
\$50,000- 74,999	203	40,058	88	31.2	23.0-39.4	115	68.8	60.6-77.0
\$75,000+	528	117,635	197	28.3	23.4-33.2	331	71.7	66.8-76.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 12: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1911	346,075	797	37.0	34.1-39.9	1114	63.0	60.1-65.9
White/Non-Hisp	1254	223,106	603	42.7	39.2-46.2	651	57.3	53.8-60.8
Black or Afr. Am./Non-Hisp	287	72,369	107	29.8	23.1-36.5	180	70.2	63.5-76.9
Oth. Race/Non-Hisp.	55	10,935	16	25.3	9.6-41.0	39	74.7	59.0-90.4
MultiRacial/Non-Hisp.	50	9,317	17	25.3	9.2-41.4	33	74.7	58.6-90.8
Hispanic	236	25,564	44	16.5	10.0-23.0	192	83.5	77.0-90.0
18-24	99	33,139	23	19.0	10.0-28.0	76	81.0	72.0-90.0
25-34	201	48,836	33	18.2	10.4-26.0	168	81.8	74.0-89.6
35-44	245	46,573	45	15.8	10.1-21.5	200	84.2	78.5-89.9
45-54	311	54,151	62	21.6	15.3-27.9	249	78.4	72.1-84.7
55-64	398	63,673	138	31.5	26.0-37.0	260	68.5	63.0-74.0
65+	657	99,702	496	73.9	69.2-78.6	161	26.1	21.4-30.8
Less Than H.S.	196	31,286	53	27.3	18.9-35.7	143	72.7	64.3-81.1
H.S. or G.E.D.	530	101,956	246	42.1	36.4-47.8	284	57.9	52.2-63.6
Some Post-H.S.	514	105,501	234	39.9	34.2-45.6	280	60.1	54.4-65.8
College Graduate	665	106,474	264	32.4	27.9-36.9	401	67.6	63.1-72.1
Less than \$15,000	185	27,484	63	35.1	25.3-44.9	122	64.9	55.1-74.7
\$15,000- 24,999	304	50,121	125	38.3	31.0-45.6	179	61.7	54.4-69.0
\$25,000- 34,999	167	27,191	94	57.5	47.3-67.7	73	42.5	32.3-52.7
\$35,000- 49,999	205	40,224	85	36.9	28.1-45.7	120	63.1	54.3-71.9
\$50,000- 74,999	227	42,876	101	38.3	29.9-46.7	126	61.7	53.3-70.1
\$75,000+	477	100,857	171	29.9	24.8-35.0	306	70.1	65.0-75.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 13: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	200
2	MALES ONLY	201
3	FEMALES ONLY	202
	HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)	
4	MALES AND FEMALES	203
5	MALES ONLY	204
6	FEMALES ONLY	205



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2495	409,171	289	9.9	8.5-11.3	148	5.4	4.2-6.6	55	1.7	1.1-2.3	23	0.7	0.3-1.1	83	3.2	2.2-4.2	1897	79.0	77.0-81.0
Male	1098	185,091	110	8.3	6.3-10.3	64	5.1	3.5-6.7	26	1.5	0.7-2.3	7	0.2	0.0-0.4	37	3.2	1.6-4.8	854	81.7	78.8-84.6
Female	1397	224,080	179	11.3	9.1-13.5	84	5.7	4.1-7.3	29	1.8	1.0-2.6	16	1.1	0.5-1.7	46	3.3	2.1-4.5	1043	76.8	74.1-79.5
White/Non-Hisp	1862	290,152	216	10.4	8.6-12.2	116	5.8	4.4-7.2	43	1.8	1.0-2.6	18	0.7	0.3-1.1	65	3.8	2.4-5.2	1404	77.5	75.1-79.9
Black or Afr. Am./Non-Hisp	324	78,026	39	8.4	5.1-11.7	13	3.8	1.3-6.3	7	1.3	0.3-2.3	2	0.7	0.0-1.7	6	1.2	0.2-2.2	257	84.6	80.1-89.1
Oth. Race/Non-Hisp.	65	12,220	6	8.2	0.0-16.6	4	7.2	0.0-15.8				1	0.1	0.0-0.3	3	4.8	0.0-12.2	51	79.7	66.4-93.0
Hispanic	142	13,184	20	12.7	5.8-19.6	10	7.7	1.2-14.2	3	2.3	0.0-5.6	1	0.4	0.0-1.2	5	4.8	0.5-9.1	103	71.9	62.3-81.5
45-54	563	105,058	52	7.2	4.8-9.6	25	4.7	2.5-6.9	11	2.0	0.6-3.4	4	0.5	0.0-1.1	21	3.4	1.6-5.2	450	82.4	78.7-86.1
55-64	732	121,879	69	8.5	6.1-10.9	37	4.2	2.6-5.8	15	1.5	0.7-2.3	10	1.0	0.2-1.8	23	2.1	1.1-3.1	578	82.8	79.7-85.9
65+	1192	180,324	168	12.7	10.3-15.1	85	6.7	4.7-8.7	29	1.6	0.8-2.4	9	0.6	0.0-1.2	39	4.0	2.2-5.8	862	74.4	71.1-77.7
Less Than H.S.	184	32,383	21	9.3	4.2-14.4	19	9.7	4.2-15.2	3	0.5	0.0-1.1	2	0.6	0.0-1.6	2	0.9	0.0-2.3	137	79.0	71.6-86.4
H.S. or G.E.D.	723	130,208	78	9.7	7.2-12.2	32	3.4	2.0-4.8	19	1.9	0.9-2.9	8	0.8	0.0-1.6	32	5.2	2.8-7.6	554	78.9	75.2-82.6
Some Post-H.S.	655	118,918	85	9.7	7.2-12.2	29	5.7	3.3-8.1	13	1.7	0.5-2.9	6	0.3	0.0-0.7	25	2.9	1.1-4.7	497	79.6	75.7-83.5
College Graduate	926	126,645	105	10.7	8.2-13.2	66	5.9	4.1-7.7	20	1.7	0.7-2.7	7	0.9	0.1-1.7	23	2.1	0.9-3.3	705	78.7	75.4-82.0
Less than \$15,000	179	25,723	28	15.1	8.2-22.0	13	7.7	1.8-13.6	9	3.4	1.0-5.8	1	0.3	0.0-0.9	13	5.6	1.9-9.3	115	67.9	58.7-77.1
\$15,000- 24,999	330	49,726	35	9.5	5.6-13.4	23	5.9	3.0-8.8	9	1.8	0.4-3.2	3	0.7	0.0-1.5	15	3.3	1.3-5.3	245	78.8	73.5-84.1
\$25,000- 34,999	210	33,726	29	11.9	6.4-17.4	8	4.0	0.3-7.7	8	4.3	0.8-7.8	2	0.2	0.0-0.6	10	5.0	1.3-8.7	153	74.6	67.0-82.2
\$35,000- 49,999	257	39,304	30	9.2	4.9-13.5	19	7.1	3.2-11.0	5	1.8	0.0-4.2	8	2.7	0.5-4.9	7	4.1	0.4-7.8	188	75.2	68.3-82.1
\$50,000- 74,999	319	53,957	41	11.7	7.4-16.0	17	5.7	2.4-9.0	4	0.5	0.0-1.1	5	1.6	0.0-3.4	11	3.2	0.0-6.5	241	77.3	71.2-83.4
\$75,000+	768	134,900	81	9.7	7.2-12.2	47	5.2	3.4-7.0	13	1.4	0.4-2.4	2	0.2	0.0-0.6	15	2.2	0.4-4.0	610	81.3	77.8-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1098	185,091	110	8.3	6.3-10.3	64	5.1	3.5- 6.7	26	1.5	0.7- 2.3	7	0.2	0.0- 0.4	37	3.2	1.6- 4.8	854	81.7	78.8-84.6
White/Non-Hisp	839	131,017	86	8.9	6.7-11.1	52	5.8	3.8- 7.8	21	1.8	0.8- 2.8	5	0.2	0.0- 0.4	28	3.5	1.5- 5.5	647	79.7	76.2-83.2
Black or Afr. Am./Non-Hisp	116	35,231	11	7.2	2.1-12.3	3	1.8	0.0- 4.3	1	0.2	0.0- 0.6				2	1.2	0.0- 3.0	99	89.6	83.7-95.5
Hispanic	65	6,215	6	5.2	0.1-10.3	4	11.1	0.0-23.4	3	5.0	0.0-12.1	1	0.9	0.0- 2.7	2	4.0	0.0- 9.5	49	73.9	59.6-88.2
45-54	241	47,873	22	7.6	3.9-11.3	9	4.4	0.9- 7.9	4	1.5	0.0- 3.5	1	0.3	0.0- 0.9	9	3.8	0.9- 6.7	196	82.5	76.6-88.4
55-64	328	57,017	19	5.4	2.7- 8.1	14	3.2	1.2- 5.2	8	1.6	0.2- 3.0	4	0.4	0.0- 0.8	12	2.5	0.9- 4.1	271	87.0	83.1-90.9
65+	526	79,836	69	10.8	7.5-14.1	40	6.8	4.3- 9.3	14	1.5	0.5- 2.5	2	0.0	0.0- 0.0	16	3.3	0.6- 6.0	385	77.6	72.9-82.3
Less Than H.S.	84	15,806	4	4.9	0.0-11.2	9	8.3	1.6-15.0	2	0.6	0.0- 1.6	2	1.2	0.0- 3.2	1	0.6	0.0- 1.8	66	84.4	75.2-93.6
H.S. or G.E.D.	316	60,014	32	8.6	5.1-12.1	11	2.2	0.6- 3.8	9	2.2	0.4- 4.0	3	0.3	0.0- 0.7	15	5.8	1.7- 9.9	246	80.9	75.4-86.4
Some Post-H.S.	277	52,532	27	7.6	4.1-11.1	12	5.6	2.1- 9.1	6	0.8	0.0- 1.6	2	0.1	0.1- 0.1	10	2.3	0.7- 3.9	220	83.5	78.4-88.6
College Graduate	420	56,580	47	9.5	6.2-12.8	32	6.6	3.7- 9.5	9	1.8	0.2- 3.4				11	1.9	0.5- 3.3	321	80.2	75.5-84.9
Less than \$15,000	66	7,967	6	9.8	1.4-18.2	5	5.8	0.1-11.5	7	7.5	1.4-13.6	1	1.0	0.0- 3.0	4	2.5	0.0- 5.2	43	73.3	61.5-85.1
\$15,000- 24,999	126	20,088	10	6.8	1.7-11.9	8	4.7	1.0- 8.4	3	0.8	0.0- 1.8				3	1.2	0.0- 2.8	102	86.5	80.0-93.0
\$25,000- 34,999	81	13,658	9	8.0	1.3-14.7	5	6.2	0.0-12.9	3	4.9	0.0-11.4	2	0.5	0.0- 1.3	6	5.3	0.2-10.4	56	75.1	63.5-86.7
\$35,000- 49,999	109	14,810	11	7.8	0.9-14.7	11	10.4	2.6-18.2	2	0.6	0.0- 1.6	2	0.6	0.0- 1.6	3	5.1	0.0-12.0	80	75.5	64.3-86.7
\$50,000- 74,999	154	26,743	19	9.9	4.6-15.2	5	3.9	0.0- 7.8	3	0.8	0.0- 1.8				7	1.6	0.2- 3.0	120	83.8	76.9-90.7
\$75,000+	409	73,067	39	8.8	5.5-12.1	24	5.3	2.6- 8.0	6	1.0	0.0- 2.0				7	2.8	0.0- 5.7	333	82.2	77.3-87.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1397	224,080	179	11.3	9.1-13.5	84	5.7	4.1- 7.3	29	1.8	1.0- 2.6	16	1.1	0.5- 1.7	46	3.3	2.1- 4.5	1043	76.8	74.1-79.5
White/Non-Hisp	1023	159,135	130	11.7	9.2-14.2	64	5.7	3.9- 7.5	22	1.9	0.9- 2.9	13	1.1	0.3- 1.9	37	4.0	2.2- 5.8	757	75.6	72.3-78.9
Black or Afr. Am./Non-Hisp	208	42,795	28	9.4	4.9-13.9	10	5.4	1.1- 9.7	6	2.2	0.2- 4.2	2	1.2	0.0- 3.0	4	1.2	0.0- 2.4	158	80.5	73.8-87.2
Hispanic	77	6,968	14	19.5	7.9-31.1	6	4.7	0.0- 9.4							3	5.6	0.0-12.3	54	70.2	57.3-83.1
45-54	322	57,185	30	6.8	3.9- 9.7	16	4.9	2.0- 7.8	7	2.4	0.2- 4.6	3	0.6	0.0- 1.4	12	3.0	1.2- 4.8	254	82.3	77.4-87.2
55-64	404	64,863	50	11.2	7.7-14.7	23	5.0	2.6- 7.4	7	1.4	0.2- 2.6	6	1.5	0.1- 2.9	11	1.7	0.5- 2.9	307	79.1	74.4-83.8
65+	666	100,488	99	14.1	10.6-17.6	45	6.7	4.2- 9.2	15	1.7	0.5- 2.9	7	1.1	0.1- 2.1	23	4.5	2.0- 7.0	477	71.9	67.2-76.6
Less Than H.S.	100	16,578	17	13.4	5.6-21.2	10	11.0	2.4-19.6	1	0.5	0.0- 1.5				1	1.2	0.0- 3.6	71	73.9	62.7-85.1
H.S. or G.E.D.	407	70,195	46	10.6	6.7-14.5	21	4.4	2.0- 6.8	10	1.7	0.5- 2.9	5	1.2	0.0- 2.4	17	4.8	2.3- 7.3	308	77.3	72.2-82.4
Some Post-H.S.	378	66,386	58	11.4	7.7-15.1	17	5.8	2.5- 9.1	7	2.4	0.2- 4.6	4	0.6	0.0- 1.2	15	3.3	0.6- 6.0	277	76.5	70.8-82.2
College Graduate	506	70,065	58	11.6	8.1-15.1	34	5.3	2.9- 7.7	11	1.5	0.5- 2.5	7	1.7	0.3- 3.1	12	2.2	0.6- 3.8	384	77.6	73.1-82.1
Less than \$15,000	113	17,756	22	17.5	8.1-26.9	8	8.6	0.6-16.6	2	1.6	0.0- 3.8				9	7.0	1.9-12.1	72	65.4	53.4-77.4
\$15,000- 24,999	204	29,638	25	11.3	5.6-17.0	15	6.8	2.5-11.1	6	2.4	0.2- 4.6	3	1.1	0.0- 2.5	12	4.8	1.9- 7.7	143	73.6	66.0-81.2
\$25,000- 34,999	129	20,068	20	14.5	6.5-22.5	3	2.5	0.0- 6.8	5	3.8	0.1- 7.5				4	4.8	0.0-10.3	97	74.3	64.3-84.3
\$35,000- 49,999	148	24,494	19	10.1	4.8-15.4	8	5.1	1.0- 9.2	3	2.5	0.0- 6.2	6	3.9	0.6- 7.2	4	3.5	0.0- 7.6	108	74.9	66.3-83.5
\$50,000- 74,999	165	27,214	22	13.5	6.8-20.2	12	7.6	2.5-12.7	1	0.1	0.0- 0.3	5	3.2	0.0- 6.7	4	4.7	0.0-11.0	121	70.9	61.3-80.5
\$75,000+	359	61,833	42	10.7	6.8-14.6	23	5.1	2.6- 7.6	7	2.0	0.2- 3.8	2	0.4	0.0- 1.0	8	1.5	0.1- 2.9	277	80.3	75.4-85.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	589	84,707	149	25.8	21.1-30.5	44	7.3	4.2-10.4	14	3.9	1.2- 6.6	5	0.3	0.0- 0.7	14	2.0	0.8- 3.2	363	60.7	55.4-66.0
Male	242	33,652	54	22.5	15.6-29.4	17	8.2	1.7-14.7	3	0.5	0.0- 1.1	3	0.2	0.0- 0.4	6	2.4	0.0- 4.8	159	66.2	57.8-74.6
Female	347	51,055	95	28.0	21.7-34.3	27	6.7	3.6- 9.8	11	6.2	1.9-10.5	2	0.4	0.0- 1.0	8	1.8	0.4- 3.2	204	57.0	50.1-63.9
White/Non-Hisp	452	64,888	118	26.5	21.2-31.8	29	6.7	3.0-10.4	11	4.5	1.2- 7.8	3	0.2	0.0- 0.6	10	1.9	0.5- 3.3	281	60.1	54.0-66.2
Black or Afr. Am./Non-Hisp	66	11,747	12	21.3	8.0-34.6	8	9.9	2.1-17.7	2	2.4	0.0- 5.7				2	1.7	0.0- 4.1	42	64.7	50.0-79.4
45-54	110	18,259	29	22.3	13.7-30.9	9	7.4	1.9-12.9	3	3.3	0.0- 7.2	2	0.6	0.0- 1.6	4	3.7	0.0- 7.8	63	62.7	51.9-73.5
55-64	153	20,718	30	18.8	11.5-26.1	16	8.2	3.3-13.1	2	0.9	0.0- 2.3	2	0.6	0.0- 1.6	4	2.0	0.0- 4.0	99	69.5	61.1-77.9
65+	325	45,651	90	30.4	23.3-37.5	19	6.9	2.0-11.8	9	5.5	1.0-10.0	1	0.0	0.0- 0.0	6	1.4	0.2- 2.6	200	55.8	48.2-63.4
H.S. or G.E.D.	167	27,098	40	23.8	15.6-32.0	14	9.8	1.8-17.8	7	6.0	1.1-10.9	1	0.3	0.0- 0.9	5	2.6	0.0- 5.3	100	57.6	47.6-67.6
Some Post-H.S.	156	24,134	40	27.2	18.0-36.4	8	4.3	1.0- 7.6	2	4.0	0.0-10.7	2	0.1	0.0- 0.3	3	1.5	0.0- 3.3	101	62.8	52.4-73.2
College Graduate	219	26,862	57	26.3	18.9-33.7	15	6.4	2.3-10.5	5	2.7	0.0- 5.4	2	0.5	0.0- 1.3	3	1.0	0.0- 2.2	137	63.1	54.9-71.3
Less than \$15,000	63	7,986	14	32.7	15.8-49.6	7	9.5	1.5-17.5							2	3.7	0.0- 9.2	40	54.2	37.1-71.3
\$15,000- 24,999	84	10,322	23	25.9	13.7-38.1	8	10.4	2.4-18.4	6	8.7	1.4-16.0	2	1.0	0.0- 2.6	3	3.4	0.0- 7.3	42	50.5	37.0-64.0
\$25,000- 34,999	57	8,561	15	23.9	9.2-38.6	1	1.4	0.0- 4.1	2	7.1	0.0-18.1				3	3.2	0.0- 6.9	36	64.5	47.8-81.2
\$35,000- 49,999	67	9,653	15	26.7	11.8-41.6	8	10.7	2.3-19.1	3	6.4	0.0-14.6	2	1.2	0.0- 3.4				39	55.0	39.3-70.7
\$50,000- 74,999	77	12,212	19	18.3	8.9-27.7	3	3.7	0.0- 9.6	3	9.8	0.0-22.9				1	1.1	0.0- 3.3	51	67.0	52.3-81.7
\$75,000+	157	25,153	41	27.0	18.0-36.0	9	7.7	0.0-15.9							3	1.0	0.0- 2.2	104	64.3	53.9-74.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 12 months

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	242	33,652	54	22.5	15.6-29.4	17	8.2	1.7-14.7	3	0.5	0.0- 1.1	3	0.2	0.0- 0.4	6	2.4	0.0- 4.8	159	66.2	57.8-74.6
White/Non-Hisp	190	26,375	44	22.1	14.7-29.5	10	7.9	0.0-15.9	3	0.6	0.0- 1.4	2	0.2	0.0- 0.4	5	2.8	0.0- 5.7	126	66.4	57.0-75.8
55-64	57	7,439	11	17.4	6.0-28.8	7	9.1	1.5-16.7	1	0.9	0.0- 2.7	1	0.2	0.0- 0.6	2	2.9	0.0- 7.0	35	69.5	56.0-83.0
65+	140	17,879	31	22.9	12.9-32.9	9	11.2	0.0-22.6	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	3	1.5	0.0- 3.3	94	63.7	51.4-76.0
H.S. or G.E.D.	70	11,472	17	18.0	7.6-28.4	8	14.1	0.0-30.6	1	0.7	0.0- 2.1				2	3.6	0.0- 9.3	42	63.6	47.1-80.1
Some Post-H.S.	57	8,656	11	26.0	10.5-41.5	3	6.2	0.0-13.6				2	0.3	0.0- 0.7	2	2.5	0.0- 6.0	39	65.0	48.7-81.3
College Graduate	98	11,197	22	22.1	11.7-32.5	2	1.6	0.0- 4.5	2	0.8	0.0- 2.2	1	0.2	0.0- 0.6	1	0.9	0.0- 2.7	70	74.3	63.7-84.9
\$75,000+	76	13,033	17	22.8	10.8-34.8	2	8.9	0.0-23.8							1	0.8	0.0- 2.4	56	67.5	51.6-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 13: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 12 months

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	347	51,055	95	28.0	21.7-34.3	27	6.7	3.6-9.8	11	6.2	1.9-10.5	2	0.4	0.0- 1.0	8	1.8	0.4- 3.2	204	57.0	50.1-63.9
White/Non-Hisp	262	38,513	74	29.6	22.3-36.9	19	5.9	2.6-9.2	8	7.1	1.6-12.6	1	0.3	0.0- 0.9	5	1.3	0.1- 2.5	155	55.8	48.0-63.6
45-54	66	10,004	17	19.0	9.4-28.6	8	12.6	3.0-22.2	3	6.1	0.0-13.2	1	0.8	0.0- 2.4	3	3.4	0.0- 7.3	34	58.2	44.1-72.3
55-64	96	13,279	19	19.7	10.3-29.1	9	7.7	1.2-14.2	1	0.9	0.0- 2.7	1	0.8	0.0- 2.4	2	1.5	0.0- 3.7	64	69.5	58.7-80.3
65+	185	27,772	59	35.2	25.6-44.8	10	4.1	1.0- 7.2	7	8.7	1.4-16.0				3	1.3	0.0- 3.1	106	50.6	40.8-60.4
H.S. or G.E.D.	97	15,625	23	28.0	16.2-39.8	6	6.6	0.7-12.5	6	9.9	1.5-18.3	1	0.5	0.0- 1.5	3	1.9	0.0- 4.1	58	53.1	40.4-65.8
Some Post-H.S.	99	15,478	29	27.9	16.3-39.5	5	3.2	0.0- 6.5	2	6.2	0.0-16.4				1	1.0	0.0- 3.0	62	61.6	48.3-74.9
College Graduate	121	15,665	35	29.4	19.0-39.8	13	9.8	2.9-16.7	3	4.1	0.0- 8.8	1	0.6	0.0- 1.8	2	1.1	0.0- 2.7	67	55.0	44.0-66.0
\$15,000- 24,999	60	7,601	17	29.6	14.1-45.1	6	10.2	0.8-19.6	5	10.8	1.4-20.2	1	1.0	0.0- 3.2	3	4.7	0.0-10.0	28	43.8	27.3-60.3
\$75,000+	81	12,120	24	31.5	18.4-44.6	7	6.4	0.3-12.5							2	1.1	0.0- 2.7	48	60.9	47.4-74.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	207
2	MALES ONLY	208
3	FEMALES ONLY	209
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	210
5	MALES ONLY	211
6	FEMALES ONLY	212

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**DELAWARE CORE QUESTIONS DATA REPORT, 2020**  
**SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3651	704,972	3386	91.5	90.1-92.9	130	3.8	2.8- 4.8	53	1.9	1.1- 2.7	22	0.9	0.3- 1.5	55	1.7	1.1- 2.3	5	0.2	0.0- 0.4
Male	1629	335,019	1466	88.1	85.7-90.5	79	5.2	3.6- 6.8	34	3.0	1.4- 4.6	15	1.3	0.3- 2.3	33	2.2	1.2- 3.2	2	0.1	0.0- 0.3
Female	2022	369,953	1920	94.6	93.2-96.0	51	2.5	1.5- 3.5	19	0.8	0.4- 1.2	7	0.6	0.0- 1.2	22	1.3	0.7- 1.9	3	0.2	0.0- 0.4
White/Non-Hisp	2423	450,077	2264	93.0	91.6-94.4	85	3.6	2.6- 4.6	31	1.4	0.8- 2.0	14	0.7	0.3- 1.1	29	1.4	0.8- 2.0			
Black or Afr. Am./Non-Hisp	468	140,988	426	88.8	84.3-93.3	21	4.6	2.1- 7.1	7	2.6	0.0- 5.5	3	1.8	0.0- 4.0	9	1.8	0.4- 3.2	2	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	118	26,122	104	82.1	71.1-93.1	3	4.8	0.0-10.7	6	7.4	0.0-16.4				4	3.7	0.0- 7.4	1	2.0	0.0- 5.9
MultiRacial/Non-Hisp.	89	15,105	74	75.1	59.4-90.8	7	11.1	0.0-24.0				2	3.8	0.0-10.7	5	9.4	0.0-19.2	1	0.6	0.0- 1.8
Hispanic	481	57,988	449	94.5	92.0-97.0	13	1.8	0.4- 3.2	8	1.9	0.1- 3.7	3	0.7	0.0- 1.7	7	1.0	0.2- 1.8	1	0.1	0.0- 0.3
18-24	244	76,334	220	87.0	80.1-93.9	13	6.6	1.9-11.3	6	5.3	0.0-10.6	1	0.5	0.0- 1.5	2	0.4	0.0- 1.0	2	0.2	0.0- 0.6
25-34	414	113,346	381	91.3	87.2-95.4	14	2.2	0.6- 3.8	8	3.0	0.3- 5.7	6	2.4	0.0- 5.1	5	1.1	0.0- 2.3			
35-44	486	103,373	439	89.1	85.2-93.0	21	4.5	1.8- 7.2	10	1.7	0.5- 2.9	4	1.0	0.0- 2.2	12	3.7	1.3- 6.1			
45-54	565	105,783	531	92.6	89.9-95.3	20	4.4	2.2- 6.6	4	0.8	0.0- 1.8	4	1.2	0.0- 2.6	6	1.0	0.0- 2.0			
55-64	738	122,842	687	93.6	91.2-96.0	26	3.5	1.5- 5.5	11	1.0	0.2- 1.8	2	0.3	0.0- 0.7	11	1.2	0.4- 2.0	1	0.3	0.0- 0.9
65+	1204	183,295	1128	92.9	90.9-94.9	36	3.1	1.9- 4.3	14	1.1	0.5- 1.7	5	0.4	0.0- 0.8	19	2.3	1.1- 3.5	2	0.3	0.0- 0.9
Less Than H.S.	410	74,414	373	88.4	83.3-93.5	15	6.0	1.7-10.3	7	1.3	0.1- 2.5	2	0.4	0.0- 1.2	11	3.0	0.8- 5.2	2	0.8	0.0- 2.2
H.S. or G.E.D.	1023	213,473	934	89.4	86.5-92.3	37	4.0	2.2- 5.8	21	2.8	0.8- 4.8	13	1.5	0.3- 2.7	16	2.1	0.9- 3.3	2	0.2	0.0- 0.6
Some Post-H.S.	934	205,589	862	91.0	88.3-93.7	39	4.1	2.5- 5.7	15	2.4	0.6- 4.2	6	1.4	0.0- 2.8	11	1.0	0.4- 1.6	1	0.0	0.0- 0.0
College Graduate	1276	210,389	1210	95.2	93.8-96.6	39	2.5	1.5- 3.5	10	0.7	0.3- 1.1	1	0.0	0.0- 0.0	16	1.6	0.6- 2.6			
Less than \$15,000	322	47,808	287	87.8	80.5-95.1	17	3.4	1.4- 5.4	9	5.3	0.0-12.0	3	0.9	0.0- 2.1	6	2.7	0.0- 5.4			
\$15,000- 24,999	498	83,756	460	91.1	87.8-94.4	12	3.2	1.0- 5.4	8	1.5	0.1- 2.9	6	1.5	0.0- 3.1	10	2.6	0.8- 4.4	2	0.2	0.0- 0.4
\$25,000- 34,999	310	61,249	291	88.9	82.6-95.2	10	5.6	0.9-10.3	4	3.4	0.0- 7.5				5	2.2	0.0- 4.6			
\$35,000- 49,999	371	71,408	337	89.4	85.1-93.7	14	5.2	1.7- 8.7	5	0.6	0.0- 1.2	4	1.0	0.0- 2.2	11	3.7	1.2- 6.2			
\$50,000- 74,999	465	92,069	441	94.5	91.8-97.2	14	2.4	1.0- 3.8	5	1.9	0.0- 4.1	2	0.6	0.0- 1.4	3	0.5	0.0- 1.3			
\$75,000+	1068	234,891	989	91.2	88.7-93.7	51	4.9	3.1- 6.7	15	1.8	0.6- 3.0	4	1.0	0.0- 2.2	9	1.0	0.2- 1.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	335,019	1466	88.1	85.7-90.5	79	5.2	3.6- 6.8	34	3.0	1.4- 4.6	15	1.3	0.3- 2.3	33	2.2	1.2- 3.2	2	0.1	0.0- 0.3
White/Non-Hisp	1103	213,408	995	89.3	86.9-91.7	57	5.5	3.7- 7.3	21	2.2	1.0- 3.4	12	1.2	0.4- 2.0	18	1.7	0.7- 2.7			
Black or Afr. Am./Non-Hisp	165	63,859	145	85.0	76.6-93.4	7	5.0	0.5- 9.5	4	4.8	0.0-10.9	1	2.0	0.0- 5.9	7	2.5	0.1- 4.9	1	0.6	0.0- 1.8
Oth. Race/Non-Hisp.	55	12,900	46	74.4	55.4-93.4	2	6.9	0.0-17.7	5	14.6	0.0-31.8				2	4.1	0.0- 9.8			
Hispanic	226	29,849	210	94.1	90.4-97.8	9	2.9	0.4- 5.4	3	1.2	0.0- 2.6	1	0.9	0.0- 2.7	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9
18-24	129	38,389	115	82.3	70.9-93.7	7	6.8	0.0-13.7	5	9.6	0.0-19.6	1	1.0	0.0- 3.0				1	0.2	0.0- 0.6
25-34	179	56,783	158	87.7	80.4-95.0	10	2.9	0.5- 5.3	6	5.3	0.0-10.6	2	2.5	0.0- 6.8	3	1.6	0.0- 3.8			
35-44	216	51,642	186	84.5	77.8-91.2	14	7.1	2.0-12.2	7	3.1	0.7- 5.5	3	1.0	0.0- 2.4	6	4.2	0.3- 8.1			
45-54	243	48,609	224	90.8	86.3-95.3	12	5.3	2.0- 8.6	1	0.7	0.0- 2.1	3	2.3	0.0- 5.0	3	0.9	0.0- 1.9			
55-64	332	57,733	299	89.4	84.9-93.9	16	6.2	2.3-10.1	6	1.0	0.0- 2.2	2	0.6	0.0- 1.6	8	2.1	0.5- 3.7	1	0.7	0.0- 2.1
65+	530	81,863	484	90.9	88.0-93.8	20	4.2	2.0- 6.4	9	1.2	0.4- 2.0	4	0.5	0.0- 1.1	13	3.2	1.2- 5.2			
Less Than H.S.	197	39,907	175	86.8	79.9-93.7	10	8.3	1.8-14.8	3	1.3	0.0- 2.9	2	0.8	0.0- 2.2	6	2.6	0.4- 4.8	1	0.2	0.0- 0.6
H.S. or G.E.D.	475	107,696	417	85.5	80.6-90.4	22	5.6	2.5- 8.7	17	4.7	1.2- 8.2	8	1.3	0.1- 2.5	10	2.5	0.5- 4.5	1	0.4	0.0- 1.2
Some Post-H.S.	392	92,834	350	86.4	81.1-91.7	23	5.7	2.8- 8.6	9	4.2	0.5- 7.9	4	2.6	0.0- 5.5	6	1.1	0.1- 2.1			
College Graduate	563	94,332	522	93.3	90.9-95.7	24	3.1	1.7- 4.5	5	0.8	0.0- 1.6	1	0.1	0.0- 0.3	11	2.7	0.7- 4.7			
Less than \$15,000	132	19,450	118	84.0	68.7-99.3	6	2.5	0.0- 5.0	4	10.1	0.0-25.6	2	1.7	0.0- 4.4	2	1.7	0.0- 4.1			
\$15,000- 24,999	183	32,608	162	89.3	84.0-94.6	6	3.0	0.1- 5.9	6	1.8	0.0- 3.6	4	2.0	0.0- 4.5	5	3.8	0.3- 7.3			
\$25,000- 34,999	133	32,219	118	81.0	69.8-92.2	7	8.5	0.3-16.7	4	6.4	0.0-14.2				4	4.0	0.0- 8.3			
\$35,000- 49,999	157	28,680	137	86.3	79.4-93.2	7	5.7	1.2-10.2	3	1.1	0.0- 2.5	2	0.7	0.0- 1.7	8	6.2	1.1-11.3			
\$50,000- 74,999	222	45,996	204	91.3	86.2-96.4	11	3.7	1.2- 6.2	4	3.7	0.0- 8.0	2	1.2	0.0- 3.0	1	0.2	0.0- 0.6			
\$75,000+	563	126,007	504	86.7	82.4-91.0	37	7.3	4.4-10.2	10	2.6	0.4- 4.8	4	1.9	0.0- 4.1	8	1.5	0.1- 2.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	369,953	1920	94.6	93.2-96.0	51	2.5	1.5- 3.5	19	0.8	0.4- 1.2	7	0.6	0.0- 1.2	22	1.3	0.7- 1.9	3	0.2	0.0- 0.4
White/Non-Hisp	1320	236,668	1269	96.3	95.1-97.5	28	1.8	1.0- 2.6	10	0.7	0.3- 1.1	2	0.1	0.0- 0.3	11	1.1	0.3- 1.9			
Black or Afr. Am./Non-Hisp	303	77,129	281	92.0	87.9-96.1	14	4.3	1.6- 7.0	3	0.8	0.0- 1.8	2	1.6	0.0- 4.1	2	1.2	0.0- 3.0	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	63	13,222	58	89.6	79.6-99.6	1	2.7	0.0- 8.0	1	0.4	0.0- 1.2				2	3.3	0.0- 8.0	1	3.9	0.0-11.3
MultiRacial/Non-Hisp.	51	9,823	43	76.9	56.7-97.1	4	12.1	0.0-30.7				1	5.5	0.0-15.9	2	4.7	0.0-11.4	1	0.9	0.0- 2.7
Hispanic	255	28,139	239	95.0	91.5-98.5	4	0.5	0.0- 1.1	5	2.6	0.0- 5.7	2	0.4	0.0- 1.0	5	1.5	0.1- 2.9			
18-24	115	37,945	105	91.7	85.0-98.4	6	6.4	0.0-12.9	1	0.9	0.0- 2.7				2	0.8	0.0- 2.0	1	0.2	0.0- 0.6
25-34	235	56,563	223	94.8	90.7-98.9	4	1.5	0.0- 3.5	2	0.8	0.0- 2.0	4	2.4	0.0- 5.9	2	0.5	0.0- 1.3			
35-44	270	51,731	253	93.6	89.7-97.5	7	1.8	0.0- 3.6	3	0.3	0.0- 0.7	1	1.0	0.0- 3.0	6	3.2	0.3- 6.1			
45-54	322	57,174	307	94.0	90.5-97.5	8	3.7	0.8- 6.6	3	0.9	0.0- 2.1	1	0.2	0.0- 0.6	3	1.2	0.0- 2.6			
55-64	406	65,109	388	97.4	95.8-99.0	10	1.1	0.1- 2.1	5	0.9	0.0- 1.9				3	0.5	0.0- 1.3			
65+	674	101,433	644	94.5	92.1-96.9	16	2.2	0.8- 3.6	5	1.0	0.2- 1.8	1	0.2	0.0- 0.6	6	1.6	0.0- 3.2	2	0.6	0.0- 1.6
Less Than H.S.	213	34,507	198	90.4	83.1-97.7	5	3.4	0.0- 9.1	4	1.3	0.0- 3.1				5	3.4	0.0- 7.3	1	1.5	0.0- 4.4
H.S. or G.E.D.	548	105,777	517	93.3	90.4-96.2	15	2.4	1.0- 3.8	4	0.8	0.0- 1.8	5	1.6	0.0- 3.6	6	1.8	0.2- 3.4	1	0.0	0.0- 0.0
Some Post-H.S.	542	112,755	512	94.8	92.6-97.0	16	2.9	1.1- 4.7	6	0.9	0.1- 1.7	2	0.5	0.0- 1.1	5	0.8	0.0- 1.6	1	0.1	0.0- 0.3
College Graduate	713	116,057	688	96.8	95.2-98.4	15	2.1	0.7- 3.5	5	0.6	0.0- 1.2				5	0.6	0.0- 1.4			
Less than \$15,000	190	28,358	169	90.3	84.6-96.0	11	3.9	1.0- 6.8	5	2.1	0.0- 4.6	1	0.3	0.0- 0.9	4	3.3	0.0- 7.6			
\$15,000- 24,999	315	51,147	298	92.2	87.7-96.7	6	3.3	0.2- 6.4	2	1.3	0.0- 3.1	2	1.2	0.0- 3.2	5	1.8	0.0- 3.6	2	0.2	0.0- 0.6
\$25,000- 34,999	177	29,030	173	97.6	94.7- 100	3	2.3	0.0- 5.2							1	0.1	0.0- 0.3			
\$35,000- 49,999	214	42,728	200	91.5	85.8-97.2	7	4.8	0.0- 9.7	2	0.3	0.0- 0.7	2	1.3	0.0- 3.1	3	2.1	0.0- 4.6			
\$50,000- 74,999	243	46,072	237	97.8	95.6- 100	3	1.2	0.0- 2.6	1	0.2	0.0- 0.6				2	0.9	0.0- 2.5			
\$75,000+	505	108,884	485	96.5	94.5-98.5	14	2.1	0.5- 3.7	5	0.9	0.1- 1.7				1	0.5	0.0- 1.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1760	356,351	12	0.9	0.3- 1.5	10	0.5	0.1- 0.9	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	7	0.4	0.0- 0.8	1728	97.9	96.9-98.9
Male	883	188,612	9	1.0	0.2- 1.8	6	0.4	0.0- 0.8	2	0.3	0.0- 0.9	1	0.3	0.0- 0.9	7	0.7	0.1- 1.3	858	97.3	95.9-98.7
Female	877	167,739	3	0.7	0.0- 1.5	4	0.7	0.0- 1.5										870	98.6	97.4-99.8
White/Non-Hisp	1276	243,209	8	0.8	0.0- 1.6	5	0.3	0.1- 0.5	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6	6	0.5	0.0- 1.1	1254	98.0	96.8-99.2
Black or Afr. Am./Non-Hisp	192	65,514	2	0.8	0.0- 2.0	3	1.7	0.0- 3.9										187	97.5	95.0- 100
MultiRacial/Non-Hisp.	51	8,634	1	4.1	0.0-11.9										1	1.7	0.0- 5.0	49	94.2	85.6- 100
Hispanic	164	22,262	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2										162	99.2	98.0- 100
18-24	113	39,422	1	0.3	0.0- 0.9	2	1.8	0.0- 4.9										110	98.0	94.9- 100
25-34	201	61,081	4	2.8	0.0- 5.7	2	0.4	0.0- 1.0							1	0.2	0.0- 0.6	194	96.6	93.7-99.5
35-44	258	58,815	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9				1	0.9	0.0- 2.7	3	1.3	0.0- 3.1	251	96.9	94.2-99.6
45-54	289	56,075	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	1	0.9	0.0- 2.7				1	0.1	0.0- 0.3	285	98.0	95.8- 100
55-64	373	63,636	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3				2	0.6	0.0- 1.6	366	98.9	97.7- 100
65+	526	77,322	1	0.5	0.0- 1.5	3	0.5	0.0- 1.3										522	99.0	97.8- 100
Less Than H.S.	94	21,431				1	0.4	0.0- 1.2							1	0.7	0.0- 2.1	92	98.9	97.3- 100
H.S. or G.E.D.	406	91,399	7	1.6	0.2- 3.0	4	0.6	0.0- 1.4	1	0.0	0.0- 0.0	1	0.6	0.0- 1.8	3	0.2	0.0- 0.4	390	96.9	94.9-98.9
Some Post-H.S.	479	114,234	3	1.2	0.0- 2.6	2	0.7	0.0- 1.9	1	0.4	0.0- 1.2							473	97.7	95.7-99.7
College Graduate	780	129,180	2	0.1	0.0- 0.3	3	0.4	0.0- 1.0							3	0.7	0.0- 1.7	772	98.8	97.6- 100
Less than \$15,000	82	14,496	1	1.2	0.0- 3.6	2	1.5	0.0- 3.7										79	97.3	94.2- 100
\$15,000- 24,999	173	30,691	2	1.2	0.0- 3.0	4	3.8	0.0- 8.3							1	0.5	0.0- 1.5	166	94.5	89.6-99.4
\$25,000- 34,999	135	27,566	2	0.7	0.0- 2.1													133	99.3	97.9- 100
\$35,000- 49,999	183	35,528				2	0.9	0.0- 2.5	1	0.1	0.0- 0.3				2	0.4	0.0- 1.0	178	98.6	96.8- 100
\$50,000- 74,999	241	50,173	3	1.6	0.0- 3.6										1	1.1	0.0- 3.1	237	97.4	94.7- 100
\$75,000+	705	150,064	4	1.0	0.0- 2.2	2	0.1	0.0- 0.3	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	3	0.3	0.0- 0.7	694	97.9	96.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	883	188,612	9	1.0	0.2- 1.8	6	0.4	0.0- 0.8	2	0.3	0.0- 0.9	1	0.3	0.0- 0.9	7	0.7	0.1- 1.3	858	97.3	95.9-98.7
White/Non-Hisp	634	125,848	5	0.7	0.0- 1.5	3	0.2	0.0- 0.4	2	0.4	0.0- 1.2	1	0.4	0.0- 1.2	6	0.9	0.0- 1.9	617	97.3	95.5-99.1
Black or Afr. Am./Non-Hisp	86	34,189	2	1.6	0.0- 4.0	1	1.0	0.0- 3.0										83	97.4	94.3- 100
Hispanic	94	14,841	1	0.7	0.0- 2.1	1	0.5	0.0- 1.5										92	98.7	96.9- 100
18-24	62	19,740	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2										60	99.0	97.6- 100
25-34	99	34,292	2	2.3	0.0- 5.4										1	0.3	0.0- 0.9	96	97.4	94.1- 100
35-44	128	33,791	2	1.2	0.0- 3.0	1	0.5	0.0- 1.5				1	1.6	0.0- 4.7	3	2.2	0.0- 5.3	121	94.6	89.9-99.3
45-54	140	28,965				1	1.2	0.0- 3.6	1	1.8	0.0- 5.1				1	0.2	0.0- 0.6	137	96.8	92.7- 100
55-64	173	30,428	3	0.9	0.0- 2.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3				2	1.3	0.0- 3.5	166	97.6	95.2- 100
65+	281	41,395	1	0.9	0.0- 2.7	2	0.2	0.0- 0.6										278	98.9	97.1- 100
Less Than H.S.	61	15,127				1	0.5	0.0- 1.5							1	1.0	0.0- 3.0	59	98.5	96.3- 100
H.S. or G.E.D.	228	53,571	5	2.0	0.0- 4.0	3	0.8	0.0- 2.2	1	0.1	0.0- 0.3	1	1.0	0.0- 3.0	3	0.4	0.0- 0.8	215	95.7	92.6-98.8
Some Post-H.S.	221	57,056	2	1.3	0.0- 3.1				1	0.9	0.0- 2.7							218	97.9	95.5- 100
College Graduate	373	62,857	2	0.3	0.0- 0.7	2	0.3	0.0- 0.7							3	1.5	0.0- 3.5	366	98.0	96.0- 100
\$15,000- 24,999	73	14,903	1	0.7	0.0- 2.1	2	2.8	0.0- 7.5							1	1.0	0.0- 3.0	69	95.4	90.1- 100
\$25,000- 34,999	61	14,973	1	0.1	0.0- 0.3													60	99.9	99.7- 100
\$35,000- 49,999	81	14,530				1	0.2	0.0- 0.6	1	0.3	0.0- 0.9				2	1.0	0.0- 2.4	77	98.6	97.0- 100
\$50,000- 74,999	116	24,498	3	3.3	0.0- 7.4										1	2.2	0.0- 6.3	112	94.6	88.9- 100
\$75,000+	402	87,697	3	1.0	0.0- 2.2	2	0.2	0.0- 0.6	1	0.6	0.0- 1.8	1	0.6	0.0- 1.8	3	0.5	0.0- 1.3	392	97.1	94.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	877	167,739	3	0.7	0.0- 1.5	4	0.7	0.0- 1.5	870	98.6	97.4-99.8
White/Non-Hisp	642	117,361	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0	637	98.7	97.3- 100
Black or Afr. Am./Non-Hisp	106	31,325				2	2.4	0.0- 6.3	104	97.6	93.7- 100
Hispanic	70	7,421							70	100.0	100.0- 100
18-24	51	19,682				1	3.1	0.0- 9.2	50	96.9	90.8- 100
25-34	102	26,789	2	3.5	0.0- 8.6	2	1.0	0.0- 2.4	98	95.5	90.2- 100
35-44	130	25,025							130	100.0	100.0- 100
45-54	149	27,109	1	0.7	0.0- 2.1				148	99.3	97.9- 100
55-64	200	33,207							200	100.0	100.0- 100
65+	245	35,927				1	0.8	0.0- 2.4	244	99.2	97.6- 100
H.S. or G.E.D.	178	37,827	2	1.1	0.0- 2.7	1	0.4	0.0- 1.2	175	98.5	96.7- 100
Some Post-H.S.	258	57,178	1	1.2	0.0- 3.6	2	1.3	0.0- 3.5	255	97.5	94.4- 100
College Graduate	407	66,322				1	0.4	0.0- 1.2	406	99.6	98.8- 100
\$15,000- 24,999	100	15,788	1	1.6	0.0- 4.7	2	4.8	0.0-12.4	97	93.6	85.6- 100
\$25,000- 34,999	74	12,593	1	1.4	0.0- 4.1				73	98.6	95.9- 100
\$35,000- 49,999	102	20,997				1	1.4	0.0- 4.1	101	98.6	95.9- 100
\$50,000- 74,999	125	25,675							125	100.0	100.0- 100
\$75,000+	303	62,366	1	1.1	0.0- 3.3				302	98.9	96.7- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	214
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	215
HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
3 FEMALES ONLY	216
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
4 FEMALES ONLY	217
AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)	
5 FEMALES ONLY	218
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)	
6 FEMALES ONLY	219
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2003	367,095	1528	70.1	67.2-73.0	475	29.9	27.0-32.8
White/Non-Hisp	1306	234,717	1081	74.3	70.8-77.8	225	25.7	22.2-29.2
Black or Afr. Am./Non-Hisp	301	76,954	231	69.1	61.7-76.5	70	30.9	23.5-38.3
Oth. Race/Non-Hisp.	62	12,933	39	59.2	43.1-75.3	23	40.8	24.7-56.9
MultiRacial/Non-Hisp.	51	9,823	30	56.0	35.0-77.0	21	44.0	23.0-65.0
Hispanic	254	27,804	119	43.4	33.4-53.4	135	56.6	46.6-66.6
18-24	114	37,610	5	8.3	0.0-17.3	109	91.7	82.7- 100
25-34	233	56,040	48	22.4	14.8-30.0	185	77.6	70.0-85.2
35-44	268	51,301	136	52.6	44.6-60.6	132	47.4	39.4-55.4
45-54	315	56,294	289	91.0	86.9-95.1	26	9.0	4.9-13.1
55-64	399	64,519	386	97.9	96.7-99.1	13	2.1	0.9- 3.3
65+	674	101,331	664	99.0	98.2-99.8	10	1.0	0.2- 1.8
Less Than H.S.	211	34,207	121	56.4	45.4-67.4	90	43.6	32.6-54.6
H.S. or G.E.D.	539	104,388	441	78.5	73.6-83.4	98	21.5	16.6-26.4
Some Post-H.S.	539	112,267	403	65.2	59.5-70.9	136	34.8	29.1-40.5
College Graduate	709	115,483	559	71.3	66.4-76.2	150	28.7	23.8-33.6
Less than \$15,000	186	27,817	125	71.4	62.4-80.4	61	28.6	19.6-37.6
\$15,000- 24,999	309	50,021	232	67.5	60.2-74.8	77	32.5	25.2-39.8
\$25,000- 34,999	176	28,966	138	77.6	68.6-86.6	38	22.4	13.4-31.4
\$35,000- 49,999	212	42,459	157	61.6	51.8-71.4	55	38.4	28.6-48.2
\$50,000- 74,999	242	45,991	191	73.7	65.7-81.7	51	26.3	18.3-34.3
\$75,000+	504	108,580	399	67.7	61.6-73.8	105	32.3	26.2-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1509	255,146	850	56.7	53.2-60.2	315	20.2	17.5-22.9	119	8.5	6.5-10.5	93	5.8	4.2- 7.4	132	8.7	6.7-10.7
White/Non-Hisp	1073	173,563	623	57.5	53.6-61.4	207	18.5	15.6-21.4	80	8.6	6.2-11.0	66	6.2	4.2- 8.2	97	9.3	6.8-11.8
Black or Afr. Am./Non-Hisp	228	52,581	140	61.8	53.0-70.6	45	21.6	13.8-29.4	21	7.5	3.4-11.6	9	3.3	0.8- 5.8	13	5.9	1.8-10.0
Hispanic	116	11,807	43	40.0	27.7-52.3	39	32.2	19.5-44.9	12	10.1	3.6-16.6	9	7.4	1.5-13.3	13	10.3	2.9-17.7
35-44	134	26,776	65	49.7	37.9-61.5	26	19.3	9.1-29.5	14	11.9	3.5-20.3	11	8.1	2.6-13.6	18	11.0	4.7-17.3
45-54	288	50,976	157	56.9	49.5-64.3	76	24.9	18.0-31.8	22	7.1	3.6-10.6	17	5.6	2.3- 8.9	16	5.4	2.1- 8.7
55-64	380	62,336	237	61.8	55.5-68.1	82	21.0	15.9-26.1	31	8.6	5.1-12.1	17	5.0	2.1- 7.9	13	3.6	0.7- 6.5
65+	655	99,426	371	57.3	52.0-62.6	120	16.8	13.1-20.5	46	8.1	5.2-11.0	40	5.2	2.8- 7.6	78	12.6	8.7-16.5
Less Than H.S.	118	18,999	44	34.0	22.2-45.8	37	24.8	15.0-34.6	17	15.7	7.3-24.1	6	9.9	0.5-19.3	14	15.5	5.3-25.7
H.S. or G.E.D.	433	81,038	234	55.3	48.8-61.8	86	20.7	15.0-26.4	35	8.4	5.1-11.7	25	5.5	3.0- 8.0	53	10.1	6.4-13.8
Some Post-H.S.	399	72,798	228	58.3	51.6-65.0	79	20.5	15.0-26.0	37	9.5	5.6-13.4	22	3.9	1.9- 5.9	33	7.7	4.0-11.4
College Graduate	555	81,712	342	61.9	56.4-67.4	113	18.4	14.5-22.3	30	6.1	3.4- 8.8	38	6.7	3.8- 9.6	32	6.9	3.6-10.2
Less than \$15,000	122	19,487	54	44.9	32.6-57.2	30	19.1	10.9-27.3	17	11.9	5.2-18.6	4	4.9	0.0-12.9	17	19.2	7.6-30.8
\$15,000- 24,999	230	33,455	111	47.4	39.0-55.8	52	21.9	14.1-29.7	23	11.0	5.5-16.5	18	8.6	4.1-13.1	26	11.1	5.8-16.4
\$25,000- 34,999	138	22,475	64	50.0	39.0-61.0	33	22.7	13.5-31.9	18	12.3	5.8-18.8	7	4.4	0.5- 8.3	16	10.7	3.6-17.8
\$35,000- 49,999	156	26,033	88	60.9	50.9-70.9	32	19.7	11.5-27.9	13	8.6	3.1-14.1	12	6.1	1.8-10.4	11	4.7	1.2- 8.2
\$50,000- 74,999	189	33,802	112	49.2	39.4-59.0	37	23.6	14.0-33.2	11	7.7	2.0-13.4	13	6.3	1.8-10.8	16	13.1	5.7-20.5
\$75,000+	395	72,952	260	65.2	59.1-71.3	75	17.2	12.5-21.9	23	7.8	4.1-11.5	20	4.8	2.3- 7.3	17	4.9	2.2- 7.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1989	364,033	1833	91.0	89.2-92.8	156	9.0	7.2-10.8
White/Non-Hisp	1300	233,051	1239	94.3	92.5-96.1	61	5.7	3.9- 7.5
Black or Afr. Am./Non-Hisp	296	76,064	262	86.4	81.1-91.7	34	13.6	8.3-18.9
Oth. Race/Non-Hisp.	61	12,656	50	81.1	68.2-94.0	11	18.9	6.0-31.8
MultiRacial/Non-Hisp.	51	9,823	44	77.5	57.9-97.1	7	22.5	2.9-42.1
Hispanic	254	27,804	212	84.5	78.2-90.8	42	15.5	9.2-21.8
18-24	112	36,413	45	47.7	34.6-60.8	67	52.3	39.2-65.4
25-34	229	55,482	199	90.1	85.6-94.6	30	9.9	5.4-14.4
35-44	266	50,844	253	97.1	94.9-99.3	13	2.9	0.7- 5.1
45-54	314	55,990	306	98.2	96.2- 100	8	1.8	0.0- 3.8
55-64	396	64,390	387	97.0	94.6-99.4	9	3.0	0.6- 5.4
65+	672	100,914	643	96.3	94.7-97.9	29	3.7	2.1- 5.3
Less Than H.S.	212	34,441	180	84.5	76.7-92.3	32	15.5	7.7-23.3
H.S. or G.E.D.	535	103,426	482	90.9	88.0-93.8	53	9.1	6.2-12.0
Some Post-H.S.	534	110,834	491	88.1	83.8-92.4	43	11.9	7.6-16.2
College Graduate	703	114,582	675	95.9	93.9-97.9	28	4.1	2.1- 6.1
Less than \$15,000	186	27,940	163	87.4	80.7-94.1	23	12.6	5.9-19.3
\$15,000- 24,999	307	49,516	282	90.1	85.8-94.4	25	9.9	5.6-14.2
\$25,000- 34,999	175	28,837	163	96.1	93.6-98.6	12	3.9	1.4- 6.4
\$35,000- 49,999	211	42,240	191	85.7	78.6-92.8	20	14.3	7.2-21.4
\$50,000- 74,999	240	45,753	226	90.0	83.5-96.5	14	10.0	3.5-16.5
\$75,000+	500	107,225	479	94.0	90.7-97.3	21	6.0	2.7- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1791	325,863	673	41.3	38.2-44.4	347	19.7	17.2-22.2	226	12.0	10.0-14.0	169	8.6	6.8-10.4	376	18.4	15.9-20.9
White/Non-Hisp	1209	215,635	416	38.7	35.0-42.4	224	18.8	16.1-21.5	147	12.2	9.8-14.6	120	9.4	7.0-11.8	302	20.9	18.0-23.8
Black or Afr. Am./Non-Hisp	257	64,832	124	49.7	41.3-58.1	54	24.2	16.6-31.8	34	11.1	6.8-15.4	12	3.5	1.1- 5.9	33	11.5	6.2-16.8
Hispanic	209	23,419	85	41.2	30.0-52.4	46	16.4	9.0-23.8	33	13.6	7.5-19.7	24	12.5	6.4-18.6	21	16.3	2.6-30.0
25-34	197	49,581	98	51.5	41.9-61.1	51	24.8	16.4-33.2	24	8.1	4.2-12.0	14	11.7	4.4-19.0	10	4.0	0.5- 7.5
35-44	251	49,202	124	53.3	45.1-61.5	55	18.7	12.8-24.6	27	11.3	6.2-16.4	26	8.5	4.8-12.2	19	8.1	3.8-12.4
45-54	304	54,223	149	48.1	40.8-55.4	53	17.7	12.0-23.4	36	12.5	7.6-17.4	27	7.9	4.2-11.6	39	13.9	8.2-19.6
55-64	383	61,840	172	44.1	37.8-50.4	81	21.5	16.0-27.0	52	13.9	9.6-18.2	27	7.2	3.9-10.5	51	13.3	8.8-17.8
65+	612	93,707	103	19.3	14.6-24.0	99	18.6	14.3-22.9	81	13.6	10.1-17.1	74	9.7	7.0-12.4	255	38.9	33.6-44.2
Less Than H.S.	174	28,557	63	35.9	24.9-46.9	32	12.5	7.0-18.0	40	18.7	11.1-26.3	17	10.8	4.5-17.1	22	22.1	9.4-34.8
H.S. or G.E.D.	472	93,206	162	36.2	30.1-42.3	86	20.1	14.8-25.4	54	10.6	7.3-13.9	57	12.2	8.1-16.3	113	20.9	16.0-25.8
Some Post-H.S.	478	95,712	172	41.7	35.6-47.8	89	20.8	15.9-25.7	50	10.4	7.1-13.7	43	7.0	4.1- 9.9	124	20.2	15.7-24.7
College Graduate	663	107,789	275	46.7	41.4-52.0	140	20.5	16.6-24.4	81	12.8	9.5-16.1	52	6.4	4.2- 8.6	115	13.7	10.4-17.0
Less than \$15,000	158	24,194	57	34.9	24.5-45.3	34	19.5	11.1-27.9	22	14.5	7.4-21.6	10	5.6	1.3- 9.9	35	25.5	14.5-36.5
\$15,000- 24,999	280	44,523	91	34.7	27.4-42.0	66	24.5	17.6-31.4	38	12.8	7.9-17.7	24	6.3	3.2- 9.4	61	21.7	14.6-28.8
\$25,000- 34,999	160	26,797	54	33.7	23.9-43.5	33	22.0	13.2-30.8	13	7.0	2.3-11.7	21	16.4	7.4-25.4	39	20.9	13.3-28.5
\$35,000- 49,999	189	35,527	74	47.7	37.5-57.9	34	15.8	9.5-22.1	16	9.4	4.1-14.7	24	13.3	6.6-20.0	41	13.8	8.1-19.5
\$50,000- 74,999	220	40,430	83	41.9	32.9-50.9	45	18.7	11.6-25.8	25	12.1	7.0-17.2	23	7.4	3.5-11.3	44	19.9	12.6-27.2
\$75,000+	474	99,957	211	46.8	40.7-52.9	87	19.4	14.7-24.1	68	13.2	9.5-16.9	37	6.1	3.7- 8.5	71	14.5	9.8-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1556	284,582	761	52.8	49.3-56.3	795	47.2	43.7-50.7
White/Non-Hisp	977	175,019	454	51.6	47.5-55.7	523	48.4	44.3-52.5
Black or Afr. Am./Non-Hisp	252	62,908	134	56.9	48.9-64.9	118	43.1	35.1-51.1
Oth. Race/Non-Hisp.	53	11,317	28	49.2	31.6-66.8	25	50.8	33.2-68.4
Hispanic	218	24,432	110	49.6	38.0-61.2	108	50.4	38.8-62.0
18-24	103	33,898	30	32.6	20.1-45.1	73	67.4	54.9-79.9
25-34	205	50,959	138	73.9	65.7-82.1	67	26.1	17.9-34.3
35-44	224	40,953	156	71.7	63.3-80.1	68	28.3	19.9-36.7
45-54	240	41,349	153	63.3	55.5-71.1	87	36.7	28.9-44.5
55-64	291	45,984	157	55.4	48.0-62.8	134	44.6	37.2-52.0
65+	493	71,440	127	28.7	23.2-34.2	366	71.3	65.8-76.8
Less Than H.S.	185	30,177	73	34.1	23.9-44.3	112	65.9	55.7-76.1
H.S. or G.E.D.	415	79,171	183	52.9	46.4-59.4	232	47.1	40.6-53.6
Some Post-H.S.	410	87,772	206	51.6	44.9-58.3	204	48.4	41.7-55.1
College Graduate	542	86,997	299	60.7	55.2-66.2	243	39.3	33.8-44.8
Less than \$15,000	155	23,333	69	38.6	27.8-49.4	86	61.4	50.6-72.2
\$15,000- 24,999	256	42,719	134	57.4	49.6-65.2	122	42.6	34.8-50.4
\$25,000- 34,999	144	24,417	69	52.7	41.7-63.7	75	47.3	36.3-58.3
\$35,000- 49,999	161	32,548	77	55.0	44.4-65.6	84	45.0	34.4-55.6
\$50,000- 74,999	186	36,060	99	59.9	50.1-69.7	87	40.1	30.3-49.9
\$75,000+	379	80,082	217	57.0	49.9-64.1	162	43.0	35.9-50.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	702	139,680	279	40.8	35.9-45.7	137	19.5	15.4-23.6	81	10.9	8.2-13.6	70	11.1	7.8-14.4	135	17.7	14.0-21.4
White/Non-Hisp	415	83,747	154	38.5	32.4-44.6	76	18.4	13.9-22.9	46	11.3	7.6-15.0	43	12.4	7.7-17.1	96	19.5	15.0-24.0
Black or Afr. Am./Non-Hisp	122	32,859	57	44.3	32.5-56.1	27	25.1	14.1-36.1	11	8.0	3.1-12.9	10	7.9	2.2-13.6	17	14.8	6.2-23.4
Hispanic	105	11,683	42	43.8	29.1-58.5	24	19.9	7.9-31.9	16	13.1	5.3-20.9	10	7.6	0.9-14.3	13	15.5	1.6-29.4
25-34	134	36,902	59	45.9	35.1-56.7	29	21.3	11.9-30.7	18	8.8	3.7-13.9	10	12.7	4.1-21.3	18	11.2	4.3-18.1
35-44	145	27,666	61	42.5	31.3-53.7	27	12.8	6.9-18.7	17	13.3	6.2-20.4	16	12.7	5.3-20.1	24	18.6	10.0-27.2
45-54	144	24,860	61	38.2	28.2-48.2	23	19.5	10.5-28.5	18	12.7	6.0-19.4	18	8.1	3.6-12.6	24	21.5	11.3-31.7
55-64	138	22,319	59	40.4	30.2-50.6	29	23.2	12.6-33.8	15	11.5	4.8-18.2	15	12.0	4.9-19.1	20	12.9	6.2-19.6
65+	112	17,945	22	16.8	7.8-25.8	22	20.3	11.1-29.5	9	8.8	2.9-14.7	11	14.7	5.5-23.9	48	39.4	28.0-50.8
Less Than H.S.	69	9,984	25	29.6	15.5-43.7	14	16.1	5.5-26.7	10	10.0	2.9-17.1	10	25.6	9.1-42.1	10	18.7	2.6-34.8
H.S. or G.E.D.	173	40,678	67	36.5	27.5-45.5	35	19.3	11.3-27.3	19	9.6	4.7-14.5	18	14.1	6.3-21.9	34	20.6	12.4-28.8
Some Post-H.S.	189	40,572	79	44.6	35.2-54.0	35	21.4	13.2-29.6	23	12.3	6.8-17.8	17	7.1	3.2-11.0	35	14.6	8.5-20.7
College Graduate	271	48,446	108	43.5	35.3-51.7	53	18.7	12.6-24.8	29	11.1	6.2-16.0	25	9.0	4.5-13.5	56	17.6	12.1-23.1
Less than \$15,000	66	7,759	28	41.5	26.2-56.8	17	25.8	12.1-39.5	8	12.9	2.7-23.1	3	7.4	0.0-16.8	10	12.5	3.1-21.9
\$15,000- 24,999	127	24,076	44	33.9	23.5-44.3	29	22.8	13.4-32.2	15	10.5	4.2-16.8	12	9.0	2.5-15.5	27	23.9	13.3-34.5
\$25,000- 34,999	68	12,692	25	42.1	26.0-58.2	15	19.2	6.7-31.7	7	8.1	1.4-14.8	10	17.8	1.9-33.7	11	12.9	3.1-22.7
\$35,000- 49,999	72	16,920	31	51.9	35.6-68.2	12	11.5	3.3-19.7	6	7.0	0.5-13.5	8	17.6	4.5-30.7	15	12.0	4.6-19.4
\$50,000- 74,999	87	20,263	34	40.5	26.6-54.4	19	24.5	11.6-37.4	11	12.0	4.0-20.0	9	9.1	2.6-15.6	14	14.0	5.6-22.4
\$75,000+	201	41,951	83	44.2	35.4-53.0	32	16.6	9.9-23.3	23	11.5	6.0-17.0	21	8.8	4.1-13.5	42	18.9	12.2-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING  
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1955	359,372	431	18.8	16.4-21.2	1524	81.2	78.8-83.6
White/Non-Hisp	1284	230,761	309	20.2	17.5-22.9	975	79.8	77.1-82.5
Black or Afr. Am./Non-Hisp	292	75,018	72	19.6	13.7-25.5	220	80.4	74.5-86.3
Oth. Race/Non-Hisp.	61	12,669	13	15.4	3.2-27.6	48	84.6	72.4-96.8
MultiRacial/Non-Hisp.	50	9,738	7	6.3	0.8-11.8	43	93.7	88.2-99.2
Hispanic	241	26,550	22	10.2	4.9-15.5	219	89.8	84.5-95.1
18-24	111	37,479				111	100.0	100.0- 100
25-34	223	53,594				223	100.0	100.0- 100
35-44	256	49,603	16	4.6	2.1- 7.1	240	95.4	92.9-97.9
45-54	314	56,116	62	19.5	14.0-25.0	252	80.5	75.0-86.0
55-64	391	63,872	87	21.5	16.0-27.0	304	78.5	73.0-84.0
65+	660	98,708	266	41.2	35.9-46.5	394	58.8	53.5-64.1
Less Than H.S.	200	32,574	30	16.3	9.0-23.6	170	83.7	76.4-91.0
H.S. or G.E.D.	528	102,932	152	25.8	20.9-30.7	376	74.2	69.3-79.1
Some Post-H.S.	526	110,266	122	18.7	14.4-23.0	404	81.3	77.0-85.6
College Graduate	696	112,850	125	13.1	10.2-16.0	571	86.9	84.0-89.8
Less than \$15,000	178	27,436	28	19.1	10.5-27.7	150	80.9	72.3-89.5
\$15,000- 24,999	305	49,347	87	25.8	19.5-32.1	218	74.2	67.9-80.5
\$25,000- 34,999	172	28,609	36	20.4	12.4-28.4	136	79.6	71.6-87.6
\$35,000- 49,999	207	40,894	51	21.9	14.3-29.5	156	78.1	70.5-85.7
\$50,000- 74,999	237	45,458	46	17.9	11.0-24.8	191	82.1	75.2-89.0
\$75,000+	495	106,355	85	12.7	9.4-16.0	410	87.3	84.0-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 16: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
1	222
2	223
3	224
4	225
5	226
6	227

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?  
(PCPSAAD3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1173	210,258	585	46.1	42.4-49.8	588	53.9	50.2-57.6
White/Non-Hisp	873	145,729	464	48.5	44.4-52.6	409	51.5	47.4-55.6
Black or Afr. Am./Non-Hisp	120	38,683	53	42.6	31.2-54.0	67	57.4	46.0-68.8
Hispanic	91	10,236	22	20.9	10.9-30.9	69	79.1	69.1-89.1
35-44	109	27,739	11	7.4	2.9-11.9	98	92.6	88.1-97.1
45-54	234	47,302	63	29.7	22.1-37.3	171	70.3	62.7-77.9
55-64	321	56,378	181	56.5	49.4-63.6	140	43.5	36.4-50.6
65+	509	78,839	330	62.2	55.9-68.5	179	37.8	31.5-44.1
Less Than H.S.	97	18,160	22	23.3	12.3-34.3	75	76.7	65.7-87.7
H.S. or G.E.D.	331	65,839	134	39.1	32.0-46.2	197	60.9	53.8-68.0
Some Post-H.S.	292	58,555	149	48.5	41.2-55.8	143	51.5	44.2-58.8
College Graduate	452	67,545	280	57.1	51.0-63.2	172	42.9	36.8-49.0
Less than \$15,000	71	9,185	20	22.0	10.8-33.2	51	78.0	66.8-89.2
\$15,000- 24,999	135	21,800	47	38.5	27.1-49.9	88	61.5	50.1-72.9
\$25,000- 34,999	85	16,381	32	32.9	20.0-45.8	53	67.1	54.2-80.0
\$35,000- 49,999	118	17,189	59	40.1	28.9-51.3	59	59.9	48.7-71.1
\$50,000- 74,999	157	27,319	88	57.5	47.1-67.9	69	42.5	32.1-52.9
\$75,000+	447	85,218	257	51.5	45.6-57.4	190	48.5	42.6-54.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1169	210,282	249	20.5	17.6-23.4	920	79.5	76.6-82.4
White/Non-Hisp	871	145,562	189	20.5	17.2-23.8	682	79.5	76.2-82.8
Black or Afr. Am./Non-Hisp	120	38,645	26	21.1	12.1-30.1	94	78.9	69.9-87.9
Hispanic	90	10,186	10	10.7	2.7-18.7	80	89.3	81.3-97.3
35-44	107	27,144	4	3.2	0.0- 6.5	103	96.8	93.5- 100
45-54	231	46,879	30	13.3	7.4-19.2	201	86.7	80.8-92.6
55-64	319	55,995	80	28.3	21.6-35.0	239	71.7	65.0-78.4
65+	512	80,264	135	25.1	20.2-30.0	377	74.9	70.0-79.8
Less Than H.S.	97	18,918	10	13.2	3.8-22.6	87	86.8	77.4-96.2
H.S. or G.E.D.	328	65,103	53	17.3	11.8-22.8	275	82.7	77.2-88.2
Some Post-H.S.	292	58,416	62	20.7	14.8-26.6	230	79.3	73.4-85.2
College Graduate	451	67,685	124	25.5	20.4-30.6	327	74.5	69.4-79.6
Less than \$15,000	69	8,842	8	11.2	2.2-20.2	61	88.8	79.8-97.8
\$15,000- 24,999	135	21,986	27	25.0	14.2-35.8	108	75.0	64.2-85.8
\$25,000- 34,999	88	16,561	11	9.9	2.5-17.3	77	90.1	82.7-97.5
\$35,000- 49,999	115	16,471	27	17.0	9.0-25.0	88	83.0	75.0-91.0
\$50,000- 74,999	157	27,149	30	18.5	10.3-26.7	127	81.5	73.3-89.7
\$75,000+	449	86,471	108	22.2	17.5-26.9	341	77.8	73.1-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1153	205,761	543	43.7	40.0-47.4	610	56.3	52.6-60.0
White/Non-Hisp	860	142,706	435	46.2	42.1-50.3	425	53.8	49.7-57.9
Black or Afr. Am./Non-Hisp	117	37,970	51	42.9	31.3-54.5	66	57.1	45.5-68.7
Hispanic	91	10,065	19	16.1	8.1-24.1	72	83.9	75.9-91.9
35-44	104	26,344	3	1.9	0.0- 4.1	101	98.1	95.9- 100
45-54	236	47,478	57	27.2	19.8-34.6	179	72.8	65.4-80.2
55-64	313	54,697	169	55.9	48.8-63.0	144	44.1	37.0-51.2
65+	500	77,242	314	59.4	53.1-65.7	186	40.6	34.3-46.9
Less Than H.S.	94	17,752	16	19.9	9.1-30.7	78	80.1	69.3-90.9
H.S. or G.E.D.	322	64,087	127	38.8	31.5-46.1	195	61.2	53.9-68.5
Some Post-H.S.	292	57,646	138	45.0	37.7-52.3	154	55.0	47.7-62.3
College Graduate	444	66,117	262	53.7	47.6-59.8	182	46.3	40.2-52.4
Less than \$15,000	68	8,807	17	18.1	8.1-28.1	51	81.9	71.9-91.9
\$15,000- 24,999	133	21,413	44	39.0	27.2-50.8	89	61.0	49.2-72.8
\$25,000- 34,999	85	15,879	23	23.8	12.6-35.0	62	76.2	65.0-87.4
\$35,000- 49,999	116	16,378	59	43.3	31.7-54.9	57	56.7	45.1-68.3
\$50,000- 74,999	156	27,020	84	54.5	43.9-65.1	72	45.5	34.9-56.1
\$75,000+	441	83,718	247	49.1	43.2-55.0	194	50.9	45.0-56.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	538	89,090	494	89.3	85.4-93.2	44	10.7	6.8-14.6
White/Non-Hisp	431	65,373	401	91.2	87.5-94.9	30	8.8	5.1-12.5
Black or Afr. Am./Non-Hisp	51	16,286	47	85.9	72.0-99.8	4	14.1	0.2-28.0
45-54	56	12,649	44	67.5	50.6-84.4	12	32.5	15.6-49.4
55-64	167	30,257	146	87.5	80.4-94.6	21	12.5	5.4-19.6
65+	312	45,676	302	96.8	94.3-99.3	10	3.2	0.7- 5.7
H.S. or G.E.D.	127	24,883	107	80.8	70.4-91.2	20	19.2	8.8-29.6
Some Post-H.S.	136	25,654	127	94.6	89.5-99.7	9	5.4	0.3-10.5
College Graduate	260	35,134	248	92.9	88.4-97.4	12	7.1	2.6-11.6
\$35,000- 49,999	59	7,090	57	96.7	92.2- 100	2	3.3	0.0- 7.8
\$50,000- 74,999	83	14,459	79	91.5	80.1- 100	4	8.5	0.0-19.9
\$75,000+	246	40,985	231	92.3	87.6-97.0	15	7.7	3.0-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.  
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	571	92,095	319	55.0	49.5-60.5	102	18.3	14.2-22.4	46	9.2	5.5-12.9	51	10.1	6.4-13.8	53	7.4	4.9-9.9
White/Non-Hisp	462	68,192	261	56.6	50.7-62.5	80	18.6	13.9-23.3	40	8.2	5.1-11.3	38	8.7	4.8-12.6	43	7.9	5.0-10.8
Black or Afr. Am./Non-Hisp	54	15,446	30	52.8	35.9-69.7	7	9.5	0.5-18.5	5	18.4	2.5-34.3	9	16.7	4.0-29.4	3	2.6	0.0-5.9
55-64	168	29,842	90	51.4	41.6-61.2	32	18.0	10.7-25.3	12	8.1	0.5-15.7	17	14.3	6.7-21.9	17	8.1	3.8-12.4
65+	350	51,470	201	57.7	50.8-64.6	55	16.3	11.2-21.4	31	9.7	5.4-14.0	30	8.4	3.7-13.1	33	7.9	4.4-11.4
H.S. or G.E.D.	127	22,821	71	52.1	39.8-64.4	19	17.3	8.7-25.9	11	10.1	0.3-19.9	11	11.1	0.5-21.7	15	9.4	3.9-14.9
Some Post-H.S.	150	27,645	91	62.7	53.3-72.1	21	15.8	8.4-23.2	10	7.4	2.3-12.5	15	8.7	3.6-13.8	13	5.4	1.5-9.3
College Graduate	273	36,509	148	52.5	44.7-60.3	57	19.9	13.8-26.0	23	10.1	4.6-15.6	24	11.0	5.7-16.3	21	6.4	2.9-9.9
\$35,000- 49,999	64	8,258	36	64.2	49.3-79.1	11	14.7	3.5-25.9	7	8.6	0.8-16.4	6	8.2	0.8-15.6	4	4.3	0.0-8.8
\$50,000- 74,999	88	13,861	46	52.8	37.9-67.7	17	19.8	9.0-30.6	9	15.0	0.0-30.1	12	11.8	3.4-20.2	4	0.7	0.0-1.5
\$75,000+	254	41,895	144	57.2	49.2-65.2	53	20.2	14.1-26.3	18	7.5	3.2-11.8	17	8.3	2.6-14.0	22	6.8	3.1-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.  
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	575	91,846	389	69.4	64.7-74.1	38	5.2	3.2- 7.2	41	8.0	5.1-10.9	45	7.4	4.9- 9.9	62	10.0	7.1-12.9
White/Non-Hisp	465	68,043	317	69.1	63.8-74.4	32	5.3	3.1- 7.5	30	6.9	4.2- 9.6	33	7.8	4.7-10.9	53	10.8	7.3-14.3
Black or Afr. Am./Non-Hisp	54	15,472	34	69.4	55.1-83.7	2	2.7	0.0- 6.6	8	14.8	3.4-26.2	5	6.5	0.0-13.6	5	6.6	0.3-12.9
55-64	167	29,450	116	74.4	66.6-82.2	8	2.6	0.6- 4.6	14	9.1	3.2-15.0	7	3.1	0.4- 5.8	22	10.8	5.7-15.9
65+	357	51,944	243	68.0	61.7-74.3	28	7.4	4.1-10.7	18	5.2	2.3- 8.1	38	11.3	7.0-15.6	30	8.1	4.6-11.6
H.S. or G.E.D.	128	23,010	97	75.3	65.7-84.9	3	1.4	0.0- 3.2	11	10.6	3.3-17.9	4	3.0	0.1- 5.9	13	9.7	3.6-15.8
Some Post-H.S.	147	27,217	91	65.8	56.8-74.8	18	10.9	5.0-16.8	9	6.3	1.4-11.2	11	7.0	2.3-11.7	18	9.9	4.6-15.2
College Graduate	279	36,786	189	70.6	63.7-77.5	16	3.4	1.6- 5.2	20	7.6	3.7-11.5	27	9.0	4.9-13.1	27	9.4	4.9-13.9
\$35,000- 49,999	66	8,351	38	55.7	39.4-72.0	6	5.8	0.5-11.1	5	6.2	0.0-13.3	9	23.1	7.4-38.8	8	9.2	1.8-16.6
\$50,000- 74,999	89	13,908	71	82.1	72.1-92.1	2	1.4	0.0- 3.8	5	6.3	0.0-13.4	2	0.9	0.0- 2.5	9	9.2	2.1-16.3
\$75,000+	256	41,781	177	71.8	65.1-78.5	19	5.9	2.8- 9.0	19	9.1	4.6-13.6	21	6.1	3.0- 9.2	20	7.2	3.7-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)	
1	MALES AND FEMALES	230
2	MALES ONLY	231
3	FEMALES ONLY	232
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)	
4	MALES AND FEMALES	233
5	MALES ONLY	234
6	FEMALES ONLY	235
	A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)	
7	MALES AND FEMALES	236
8	MALES ONLY	237
9	FEMALES ONLY	238
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)	
10	MALES AND FEMALES	239
11	MALES ONLY	240
12	FEMALES ONLY	241
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)	
13	MALES AND FEMALES	242
14	MALES ONLY	243
15	FEMALES ONLY	244
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)	
16	MALES AND FEMALES	245
17	MALES ONLY	246
18	FEMALES ONLY	247
	ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)	
19	MALES AND FEMALES	248
20	MALES ONLY	249
21	FEMALES ONLY	250
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	251
23 MALES ONLY	252
24 FEMALES ONLY	253
FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)	
25 MALES AND FEMALES	254
26 MALES ONLY	255
27 FEMALES ONLY	256
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)	
28 MALES AND FEMALES	257
29 MALES ONLY	258
30 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2148	347,424	1701	78.1	75.7-80.5	447	21.9	19.5-24.3
Male	938	156,561	737	77.1	73.4-80.8	201	22.9	19.2-26.6
Female	1210	190,863	964	79.0	75.9-82.1	246	21.0	17.9-24.1
White/Non-Hisp	1669	256,247	1342	79.3	76.8-81.8	327	20.7	18.2-23.2
Black or Afr. Am./Non-Hisp	260	62,269	207	78.6	71.5-85.7	53	21.4	14.3-28.5
Oth. Race/Non-Hisp.	53	8,672	39	70.6	53.7-87.5	14	29.4	12.5-46.3
Hispanic	88	8,608	52	55.4	42.1-68.7	36	44.6	31.3-57.9
45-54	278	50,742	145	53.6	46.2-61.0	133	46.4	39.0-53.8
55-64	702	118,512	541	76.0	71.9-80.1	161	24.0	19.9-28.1
65+	1168	178,170	1015	86.5	83.6-89.4	153	13.5	10.6-16.4
Less Than H.S.	144	28,518	93	68.2	58.4-78.0	51	31.8	22.0-41.6
H.S. or G.E.D.	618	108,860	476	76.8	72.1-81.5	142	23.2	18.5-27.9
Some Post-H.S.	566	100,507	448	78.8	74.3-83.3	118	21.2	16.7-25.7
College Graduate	815	108,790	681	81.5	78.0-85.0	134	18.5	15.0-22.0
Less than \$15,000	145	22,359	100	65.9	54.5-77.3	45	34.1	22.7-45.5
\$15,000- 24,999	281	43,106	205	73.2	66.3-80.1	76	26.8	19.9-33.7
\$25,000- 34,999	187	31,708	143	71.3	61.1-81.5	44	28.7	18.5-38.9
\$35,000- 49,999	228	33,347	175	80.6	74.1-87.1	53	19.4	12.9-25.9
\$50,000- 74,999	279	44,925	236	83.9	78.6-89.2	43	16.1	10.8-21.4
\$75,000+	653	110,872	537	80.7	76.8-84.6	116	19.3	15.4-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	938	156,561	737	77.1	73.4-80.8	201	22.9	19.2-26.6
White/Non-Hisp	736	112,771	595	78.9	75.2-82.6	141	21.1	17.4-24.8
Black or Afr. Am./Non-Hisp	96	30,188	75	76.4	64.2-88.6	21	23.6	11.4-35.8
45-54	114	21,895	54	47.8	36.6-59.0	60	52.2	41.0-63.4
55-64	314	55,090	244	77.2	71.1-83.3	70	22.8	16.7-28.9
65+	510	79,576	439	85.1	80.2-90.0	71	14.9	10.0-19.8
Less Than H.S.	69	14,370	36	60.6	45.5-75.7	33	39.4	24.3-54.5
H.S. or G.E.D.	264	49,414	197	73.8	66.0-81.6	67	26.2	18.4-34.0
Some Post-H.S.	232	42,577	181	78.0	70.9-85.1	51	22.0	14.9-29.1
College Graduate	373	50,201	323	84.2	79.1-89.3	50	15.8	10.7-20.9
Less than \$15,000	53	7,029	32	49.3	32.6-66.0	21	50.7	34.0-67.4
\$15,000- 24,999	109	17,908	75	73.1	61.9-84.3	34	26.9	15.7-38.1
\$25,000- 34,999	72	13,980	50	60.5	42.5-78.5	22	39.5	21.5-57.5
\$35,000- 49,999	93	11,681	71	79.3	69.5-89.1	22	20.7	10.9-30.5
\$50,000- 74,999	135	21,648	117	86.6	79.9-93.3	18	13.4	6.7-20.1
\$75,000+	352	60,485	293	80.6	75.1-86.1	59	19.4	13.9-24.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1210	190,863	964	79.0	75.9-82.1	246	21.0	17.9-24.1
White/Non-Hisp	933	143,475	747	79.5	76.0-83.0	186	20.5	17.0-24.0
Black or Afr. Am./Non-Hisp	164	32,081	132	80.7	73.1-88.3	32	19.3	11.7-26.9
45-54	164	28,847	91	58.0	48.4-67.6	73	42.0	32.4-51.6
55-64	388	63,422	297	75.1	69.4-80.8	91	24.9	19.2-30.6
65+	658	98,594	576	87.7	84.4-91.0	82	12.3	9.0-15.6
Less Than H.S.	75	14,148	57	75.9	62.6-89.2	18	24.1	10.8-37.4
H.S. or G.E.D.	354	59,446	279	79.3	73.8-84.8	75	20.7	15.2-26.2
Some Post-H.S.	334	57,930	267	79.4	73.7-85.1	67	20.6	14.9-26.3
College Graduate	442	58,589	358	79.2	74.1-84.3	84	20.8	15.7-25.9
Less than \$15,000	92	15,330	68	73.6	59.5-87.7	24	26.4	12.3-40.5
\$15,000- 24,999	172	25,198	130	73.2	64.6-81.8	42	26.8	18.2-35.4
\$25,000- 34,999	115	17,729	93	79.9	70.7-89.1	22	20.1	10.9-29.3
\$35,000- 49,999	135	21,666	104	81.4	73.0-89.8	31	18.6	10.2-27.0
\$50,000- 74,999	144	23,277	119	81.5	73.5-89.5	25	18.5	10.5-26.5
\$75,000+	301	50,387	244	80.8	75.3-86.3	57	19.2	13.7-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1681	268,834	287	16.5	14.1-18.9	253	16.3	13.9-18.7	609	36.3	33.2-39.4	370	22.7	20.0-25.4	162	8.2	6.4-10.0
Male	729	119,447	130	16.5	13.2-19.8	97	15.0	11.7-18.3	266	37.3	32.4-42.2	166	23.3	19.2-27.4	70	7.9	5.4-10.4
Female	952	149,387	157	16.5	13.2-19.8	156	17.3	14.0-20.6	343	35.4	31.3-39.5	204	22.3	18.8-25.8	92	8.5	6.3-10.7
White/Non-Hisp	1327	201,289	222	16.1	13.6-18.6	196	16.2	13.5-18.9	476	35.9	32.6-39.2	306	23.6	20.7-26.5	127	8.2	6.4-10.0
Black or Afr. Am./Non-Hisp	203	48,185	40	19.8	12.4-27.2	33	15.9	9.6-22.2	79	39.5	29.9-49.1	35	17.4	10.9-23.9	16	7.3	2.4-12.2
Hispanic	51	4,713	8	13.3	2.1-24.5	8	15.6	3.1-28.1	14	25.0	10.7-39.3	8	19.4	5.1-33.7	13	26.6	10.7-42.5
45-54	144	26,840	29	23.9	13.9-33.9	29	18.7	11.1-26.3	51	31.1	21.9-40.3	25	16.4	9.1-23.7	10	9.9	2.8-17.0
55-64	536	89,610	89	15.2	11.7-18.7	83	15.4	11.3-19.5	196	36.5	31.0-42.0	128	25.0	20.3-29.7	40	7.8	4.7-10.9
65+	1001	152,384	169	16.0	13.1-18.9	141	16.4	13.1-19.7	362	37.0	32.9-41.1	217	22.5	18.8-26.2	112	8.1	6.1-10.1
Less Than H.S.	90	18,853	11	8.9	2.6-15.2	9	11.9	1.9-21.9	37	44.1	28.6-59.6	19	24.0	12.0-36.0	14	11.0	4.3-17.7
H.S. or G.E.D.	470	82,871	80	16.8	12.3-21.3	65	12.1	8.6-15.6	172	36.8	30.9-42.7	111	26.4	20.9-31.9	42	7.8	4.5-11.1
Some Post-H.S.	447	79,065	82	17.7	13.2-22.2	70	20.4	14.9-25.9	154	34.3	28.4-40.2	96	20.2	15.7-24.7	45	7.5	4.8-10.2
College Graduate	671	87,532	114	16.9	13.2-20.6	109	17.5	13.8-21.2	246	36.1	31.4-40.8	143	21.3	17.2-25.4	59	8.2	5.3-11.1
Less than \$15,000	99	14,433	16	14.3	6.7-21.9	18	27.5	13.6-41.4	33	34.8	22.1-47.5	18	13.2	5.6-20.8	14	10.2	4.5-15.9
\$15,000- 24,999	205	31,547	32	14.6	7.3-21.9	31	15.7	9.0-22.4	81	42.0	32.8-51.2	43	21.4	13.8-29.0	18	6.3	2.8-9.8
\$25,000- 34,999	143	22,616	16	8.9	3.4-14.4	16	9.6	3.7-15.5	54	31.2	21.8-40.6	42	42.6	31.4-53.8	15	7.7	0.0-15.5
\$35,000- 49,999	173	26,742	24	16.4	7.8-25.0	29	20.7	12.5-28.9	58	34.5	24.5-44.5	46	21.2	14.3-28.1	16	7.2	2.7-11.7
\$50,000- 74,999	232	37,088	53	22.6	15.5-29.7	34	13.8	7.9-19.7	77	35.6	26.8-44.4	52	21.8	14.5-29.1	16	6.3	2.0-10.6
\$75,000+	534	89,167	92	16.9	13.0-20.8	78	15.9	11.8-20.0	194	34.7	29.6-39.8	115	22.2	17.5-26.9	55	10.2	6.9-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	729	119,447	130	16.5	13.2-19.8	97	15.0	11.7-18.3	266	37.3	32.4-42.2	166	23.3	19.2-27.4	70	7.9	5.4-10.4
White/Non-Hisp	589	88,201	104	16.3	12.8-19.8	74	14.5	10.8-18.2	214	36.6	31.5-41.7	134	23.5	18.8-28.2	63	9.2	6.5-11.9
Black or Afr. Am./Non-Hisp	73	22,636	14	17.0	7.2-26.8	12	15.3	5.9-24.7	28	41.3	26.0-56.6	17	22.1	11.1-33.1	2	4.4	0.0-12.0
45-54	53	10,119	15	30.4	15.3-45.5	9	14.3	4.1-24.5	20	38.4	22.1-54.7	9	16.9	4.4-29.4			
55-64	242	42,443	32	12.4	7.7-17.1	38	14.7	9.2-20.2	94	38.4	30.2-46.6	61	26.8	19.5-34.1	17	7.7	2.6-12.8
65+	434	66,885	83	17.0	12.5-21.5	50	15.3	10.6-20.0	152	36.5	30.0-43.0	96	22.0	16.5-27.5	53	9.2	6.1-12.3
H.S. or G.E.D.	195	35,886	29	13.8	8.1-19.5	24	11.3	6.2-16.4	74	40.2	30.8-49.6	48	25.2	16.8-33.6	20	9.5	3.6-15.4
Some Post-H.S.	180	33,078	38	19.6	12.5-26.7	24	16.7	9.3-24.1	65	36.3	27.5-45.1	37	20.4	13.1-27.7	16	7.1	3.0-11.2
College Graduate	318	41,773	60	18.3	12.8-23.8	44	17.6	11.9-23.3	115	34.7	28.0-41.4	70	22.3	16.0-28.6	29	7.1	3.6-10.6
\$15,000- 24,999	75	13,095	8	7.3	1.2-13.4	13	17.5	5.3-29.7	33	53.0	38.3-67.7	14	17.2	6.0-28.4	7	5.1	0.8- 9.4
\$25,000- 34,999	50	8,459	9	11.6	2.6-20.6	4	12.3	0.0-25.4	17	19.8	8.2-31.4	15	42.4	23.4-61.4	5	13.8	0.0-32.6
\$35,000- 49,999	70	9,219	12	15.9	4.1-27.7	9	20.4	6.1-34.7	19	25.8	12.9-38.7	23	27.2	15.4-39.0	7	10.7	0.0-21.5
\$50,000- 74,999	115	18,350	25	18.1	9.7-26.5	17	13.9	6.8-21.0	37	39.0	25.9-52.1	24	21.2	11.0-31.4	12	7.8	2.3-13.3
\$75,000+	291	48,585	54	19.5	13.6-25.4	38	14.0	9.1-18.9	115	38.4	31.1-45.7	59	21.0	14.3-27.7	25	7.2	3.7-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	952	149,387	157	16.5	13.2-19.8	156	17.3	14.0-20.6	343	35.4	31.3-39.5	204	22.3	18.8-25.8	92	8.5	6.3-10.7
White/Non-Hisp	738	113,088	118	15.9	12.4-19.4	122	17.5	13.6-21.4	262	35.4	30.9-39.9	172	23.7	19.8-27.6	64	7.5	5.1- 9.9
Black or Afr. Am./Non-Hisp	130	25,548	26	22.3	11.7-32.9	21	16.6	8.2-25.0	51	37.9	26.1-49.7	18	13.4	6.0-20.8	14	9.8	3.1-16.5
45-54	91	16,720	14	19.9	6.4-33.4	20	21.4	11.0-31.8	31	26.6	16.0-37.2	16	16.1	7.1-25.1	10	15.9	4.9-26.9
55-64	294	47,167	57	17.8	12.5-23.1	45	16.0	10.3-21.7	102	34.8	27.7-41.9	67	23.4	17.3-29.5	23	7.9	4.2-11.6
65+	567	85,499	86	15.2	11.1-19.3	91	17.2	12.7-21.7	210	37.5	32.0-43.0	121	22.8	17.9-27.7	59	7.3	4.8- 9.8
Less Than H.S.	54	10,143	8	10.3	2.3-18.3	4	12.0	0.0-27.1	25	46.2	27.8-64.6	8	17.9	3.8-32.0	9	13.6	3.8-23.4
H.S. or G.E.D.	275	46,985	51	19.2	12.7-25.7	41	12.8	8.1-17.5	98	34.2	26.8-41.6	63	27.4	20.1-34.7	22	6.5	2.8-10.2
Some Post-H.S.	267	45,987	44	16.3	10.2-22.4	46	23.1	15.5-30.7	89	32.8	25.0-40.6	59	20.1	14.2-26.0	29	7.8	4.3-11.3
College Graduate	353	45,759	54	15.7	10.6-20.8	65	17.5	12.6-22.4	131	37.3	30.8-43.8	73	20.3	14.6-26.0	30	9.2	4.7-13.7
Less than \$15,000	67	10,965	12	15.7	6.1-25.3	15	31.6	14.5-48.7	21	36.4	20.5-52.3	9	6.9	0.4-13.4	10	9.4	2.9-15.9
\$15,000- 24,999	130	18,453	24	19.8	8.6-31.0	18	14.5	6.9-22.1	48	34.2	23.0-45.4	29	24.4	14.0-34.8	11	7.2	1.9-12.5
\$25,000- 34,999	93	14,157	7	7.2	0.3-14.1	12	7.9	2.8-13.0	37	38.0	25.5-50.5	27	42.7	29.0-56.4	10	4.1	0.8- 7.4
\$35,000- 49,999	103	17,523	12	16.7	5.1-28.3	20	20.9	10.7-31.1	39	39.1	25.8-52.4	23	18.0	9.8-26.2	9	5.4	1.7- 9.1
\$50,000- 74,999	117	18,738	28	27.0	16.0-38.0	17	13.8	4.4-23.2	40	32.2	21.0-43.4	28	22.3	11.9-32.7	4	4.8	0.0-11.9
\$75,000+	243	40,582	38	13.9	8.8-19.0	40	18.2	11.3-25.1	79	30.4	23.1-37.7	56	23.7	17.0-30.4	30	13.8	8.1-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2034	329,770	360	17.7	15.3-20.1	1674	82.3	79.9-84.7
Male	897	150,360	181	19.9	16.2-23.6	716	80.1	76.4-83.8
Female	1137	179,411	179	15.9	13.0-18.8	958	84.1	81.2-87.0
White/Non-Hisp	1586	245,501	304	17.7	15.3-20.1	1282	82.3	79.9-84.7
Black or Afr. Am./Non-Hisp	241	57,516	29	18.4	10.4-26.4	212	81.6	73.6-89.6
Oth. Race/Non-Hisp.	50	7,846	6	9.0	0.0-18.6	44	91.0	81.4- 100
Hispanic	83	7,935	6	7.4	0.5-14.3	77	92.6	85.7-99.5
45-54	271	49,153	13	5.4	1.9- 8.9	258	94.6	91.1-98.1
55-64	675	113,380	65	11.9	8.4-15.4	610	88.1	84.6-91.6
65+	1088	167,237	282	25.3	21.6-29.0	806	74.7	71.0-78.4
Less Than H.S.	128	25,678	13	15.5	3.3-27.7	115	84.5	72.3-96.7
H.S. or G.E.D.	580	103,923	62	11.8	7.7-15.9	518	88.2	84.1-92.3
Some Post-H.S.	537	94,938	111	19.0	14.9-23.1	426	81.0	76.9-85.1
College Graduate	785	104,767	174	23.1	19.2-27.0	611	76.9	73.0-80.8
Less than \$15,000	135	19,970	14	10.1	1.7-18.5	121	89.9	81.5-98.3
\$15,000- 24,999	262	39,622	34	11.6	6.9-16.3	228	88.4	83.7-93.1
\$25,000- 34,999	177	30,208	37	18.8	10.6-27.0	140	81.2	73.0-89.4
\$35,000- 49,999	214	31,993	39	17.0	10.9-23.1	175	83.0	76.9-89.1
\$50,000- 74,999	264	43,304	56	21.6	13.8-29.4	208	78.4	70.6-86.2
\$75,000+	637	108,416	118	18.8	14.9-22.7	519	81.2	77.3-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	897	150,360	181	19.9	16.2-23.6	716	80.1	76.4-83.8
White/Non-Hisp	703	108,450	150	18.5	15.2-21.8	553	81.5	78.2-84.8
Black or Afr. Am./Non-Hisp	93	29,275	12	23.0	9.7-36.3	81	77.0	63.7-90.3
45-54	111	21,277	8	8.1	1.8-14.4	103	91.9	85.6-98.2
55-64	301	52,255	33	15.4	8.9-21.9	268	84.6	78.1-91.1
65+	485	76,828	140	26.2	20.7-31.7	345	73.8	68.3-79.3
Less Than H.S.	64	13,397	8	19.5	0.1-38.9	56	80.5	61.1-99.9
H.S. or G.E.D.	251	47,748	27	12.0	5.5-18.5	224	88.0	81.5-94.5
Some Post-H.S.	221	40,541	52	21.4	14.7-28.1	169	78.6	71.9-85.3
College Graduate	361	48,674	94	26.6	20.5-32.7	267	73.4	67.3-79.5
Less than \$15,000	52	6,776	7	7.8	0.7-14.9	45	92.2	85.1-99.3
\$15,000- 24,999	102	16,294	14	13.9	5.7-22.1	88	86.1	77.9-94.3
\$25,000- 34,999	67	13,273	14	16.6	2.7-30.5	53	83.4	69.5-97.3
\$35,000- 49,999	85	10,803	17	21.9	10.3-33.5	68	78.1	66.5-89.7
\$50,000- 74,999	128	20,773	25	16.9	5.7-28.1	103	83.1	71.9-94.3
\$75,000+	345	59,549	79	23.2	17.5-28.9	266	76.8	71.1-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1137	179,411	179	15.9	13.0-18.8	958	84.1	81.2-87.0
White/Non-Hisp	883	137,051	154	17.1	13.8-20.4	729	82.9	79.6-86.2
Black or Afr. Am./Non-Hisp	148	28,241	17	13.6	5.4-21.8	131	86.4	78.2-94.6
45-54	160	27,877	5	3.3	0.0- 7.2	155	96.7	92.8- 100
55-64	374	61,125	32	8.9	5.6-12.2	342	91.1	87.8-94.4
65+	603	90,408	142	24.5	19.6-29.4	461	75.5	70.6-80.4
Less Than H.S.	64	12,281	5	11.2	0.0-24.3	59	88.8	75.7- 100
H.S. or G.E.D.	329	56,175	35	11.6	6.5-16.7	294	88.4	83.3-93.5
Some Post-H.S.	316	54,397	59	17.2	11.9-22.5	257	82.8	77.5-88.1
College Graduate	424	56,093	80	20.0	15.1-24.9	344	80.0	75.1-84.9
Less than \$15,000	83	13,194	7	11.3	0.0-23.5	76	88.7	76.5- 100
\$15,000- 24,999	160	23,328	20	10.0	4.7-15.3	140	90.0	84.7-95.3
\$25,000- 34,999	110	16,934	23	20.5	10.7-30.3	87	79.5	69.7-89.3
\$35,000- 49,999	129	21,190	22	14.4	7.3-21.5	107	85.6	78.5-92.7
\$50,000- 74,999	136	22,531	31	26.0	15.0-37.0	105	74.0	63.0-85.0
\$75,000+	292	48,867	39	13.5	8.6-18.4	253	86.5	81.6-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	346	55,621	25	9.1	4.4-13.8	24	5.8	3.3- 8.3	41	14.7	7.6-21.8	48	11.3	7.4-15.2	208	59.1	51.5-66.7
Male	175	29,083	14	10.8	3.2-18.4	7	3.9	0.8- 7.0	30	22.7	10.7-34.7	28	13.1	7.2-19.0	96	49.5	38.3-60.7
Female	171	26,538	11	7.2	2.1-12.3	17	7.9	3.8-12.0	11	5.9	1.6-10.2	20	9.4	4.5-14.3	112	69.6	61.2-78.0
White/Non-Hisp	294	42,397	18	5.9	2.6- 9.2	18	5.8	2.9- 8.7	32	9.5	5.6-13.4	35	9.8	6.1-13.5	191	68.9	62.6-75.2
55-64	64	13,344	8	18.1	3.4-32.8	5	5.3	0.0-10.8	11	22.3	6.0-38.6	11	14.0	5.0-23.0	29	40.3	25.4-55.2
65+	271	40,120	14	5.5	2.0- 9.0	18	5.9	3.0- 8.8	29	12.1	4.3-19.9	33	9.8	5.5-14.1	177	66.7	58.1-75.3
H.S. or G.E.D.	58	10,988	6	13.4	0.0-28.9	5	6.4	0.3-12.5	10	25.8	6.4-45.2	10	12.4	2.4-22.4	27	42.0	23.4-60.6
Some Post-H.S.	107	17,330	8	4.1	0.8- 7.4	8	7.1	1.8-12.4	13	11.8	3.6-20.0	18	15.4	7.0-23.8	60	61.5	49.9-73.1
College Graduate	168	23,314	11	12.3	4.9-19.7	7	2.8	0.3- 5.3	17	7.7	3.0-12.4	17	7.2	3.3-11.1	116	70.1	61.1-79.1
\$50,000- 74,999	53	9,049	2	3.1	0.0- 8.6	1	0.7	0.0- 2.1	7	22.0	0.0-44.5	10	9.2	2.1-16.3	33	65.0	43.0-87.0
\$75,000+	112	19,038	7	8.2	1.1-15.3	2	2.3	0.0- 5.4	13	9.7	3.2-16.2	9	9.0	2.3-15.7	81	70.8	60.4-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	175	29,083	14	10.8	3.2-18.4	7	3.9	0.8- 7.0	30	22.7	10.5-34.9	28	13.1	7.2-19.0	96	49.5	38.1-60.9
White/Non-Hisp	146	19,794	11	7.5	2.4-12.6	5	3.6	0.0- 7.3	22	12.7	6.4-19.0	20	12.7	6.6-18.8	88	63.6	54.8-72.4
65+	135	19,337	9	6.3	1.4-11.2	4	2.7	0.0- 5.8	20	19.5	5.2-33.8	19	11.6	4.5-18.7	83	59.9	46.6-73.2
College Graduate	92	12,804	6	12.2	1.8-22.6	1	0.2	0.0- 0.6	13	9.4	2.7-16.1	13	10.2	3.9-16.5	59	68.1	55.9-80.3
\$75,000+	75	13,148	6	11.3	1.3-21.3	1	2.0	0.0- 5.9	10	11.5	2.9-20.1	9	13.0	3.6-22.4	49	62.2	48.5-75.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	171	26,538	11	7.2	2.1-12.3	17	7.9	4.0-11.8	11	5.9	1.6-10.2	20	9.4	4.7-14.1	112	69.6	61.4-77.8
White/Non-Hisp	148	22,604	7	4.6	0.3- 8.9	13	7.8	3.3-12.3	10	6.7	1.8-11.6	15	7.3	3.0-11.6	103	73.6	65.2-82.0
65+	136	20,783	5	4.7	0.0- 9.8	14	8.9	4.0-13.8	9	5.2	0.9- 9.5	14	8.2	2.9-13.5	94	73.1	63.9-82.3
Some Post-H.S.	58	9,219	5	5.5	0.0-11.2	5	8.2	0.9-15.5	4	5.3	0.0-11.6	9	11.9	3.1-20.7	35	69.1	55.4-82.8
College Graduate	76	10,510	5	12.4	1.2-23.6	6	5.9	0.2-11.6	4	5.6	0.0-12.7	4	3.6	0.0- 7.3	57	72.5	59.2-85.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	358	58,166	138	38.4	31.1-45.7	220	61.6	54.3-68.9
Male	180	29,786	76	40.8	30.2-51.4	104	59.2	48.6-69.8
Female	178	28,381	62	36.0	25.8-46.2	116	64.0	53.8-74.2
White/Non-Hisp	303	43,334	116	37.8	30.4-45.2	187	62.2	54.8-69.6
55-64	64	13,332	12	25.1	8.6-41.6	52	74.9	58.4-91.4
65+	282	42,262	125	44.5	36.1-52.9	157	55.5	47.1-63.9
H.S. or G.E.D.	61	12,157	24	47.4	28.2-66.6	37	52.6	33.4-71.8
Some Post-H.S.	111	18,009	46	38.1	26.1-50.1	65	61.9	49.9-73.9
College Graduate	173	24,012	63	35.3	25.9-44.7	110	64.7	55.3-74.1
\$50,000- 74,999	56	9,362	22	47.5	25.5-69.5	34	52.5	30.5-74.5
\$75,000+	117	20,321	40	38.0	26.6-49.4	77	62.0	50.6-73.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 14: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	180	29,786	76	40.8	30.2-51.4	104	59.2	48.6-69.8
White/Non-Hisp	149	19,880	64	42.9	32.7-53.1	85	57.1	46.9-67.3
65+	140	20,150	67	47.1	34.6-59.6	73	52.9	40.4-65.4
Some Post-H.S.	52	8,665	18	32.9	15.8-50.0	34	67.1	50.0-84.2
College Graduate	93	12,789	41	42.4	29.1-55.7	52	57.6	44.3-70.9
\$75,000+	79	13,797	27	39.8	25.7-53.9	52	60.2	46.1-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	178	28,381	62	36.0	25.8-46.2	116	64.0	53.8-74.2
White/Non-Hisp	154	23,455	52	33.6	23.0-44.2	102	66.4	55.8-77.0
65+	142	22,112	58	42.2	30.2-54.2	84	57.8	45.8-69.8
Some Post-H.S.	59	9,344	28	42.9	25.8-60.0	31	57.1	40.0-74.2
College Graduate	80	11,223	22	27.2	14.7-39.7	58	72.8	60.3-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TESTING? (LSTBLDS4)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	557	83,560	124	23.6	18.5-28.7	80	11.9	8.6-15.2	57	11.7	7.2-16.2	69	13.1	8.8-17.4	227	39.6	33.7-45.5
Male	249	38,366	56	23.6	15.6-31.6	34	13.6	7.9-19.3	27	13.7	6.3-21.1	33	14.6	7.9-21.3	99	34.4	26.2-42.6
Female	308	45,194	68	23.6	16.9-30.3	46	10.5	7.0-14.0	30	10.0	4.7-15.3	36	11.8	6.5-17.1	128	44.0	36.0-52.0
White/Non-Hisp	431	60,745	89	23.3	17.6-29.0	61	11.8	8.3-15.3	41	9.8	5.5-14.1	50	11.9	7.4-16.4	190	43.2	36.5-49.9
Black or Afr. Am./Non-Hisp	65	16,574	16	22.1	9.0-35.2	13	14.4	4.8-24.0	6	12.4	0.0-25.7	7	17.8	4.7-30.9	23	33.4	18.7-48.1
55-64	137	22,527	43	29.1	18.9-39.3	16	9.6	3.3-15.9	17	18.2	6.6-29.8	16	12.5	3.1-21.9	45	30.5	20.1-40.9
65+	387	56,123	65	18.9	12.8-25.0	62	13.1	9.0-17.2	37	9.7	5.0-14.4	52	14.3	9.2-19.4	171	44.0	36.7-51.3
H.S. or G.E.D.	137	24,474	31	22.2	11.2-33.2	17	12.3	5.0-19.6	17	15.5	5.1-25.9	13	6.0	1.9-10.1	59	44.0	32.0-56.0
Some Post-H.S.	170	27,670	39	25.6	16.4-34.8	22	9.0	4.7-13.3	19	11.6	4.9-18.3	20	16.6	7.0-26.2	70	37.3	27.5-47.1
College Graduate	213	23,461	42	22.1	14.8-29.4	36	14.4	8.5-20.3	17	5.6	2.3- 8.9	31	17.6	10.2-25.0	87	40.2	31.6-48.8
\$15,000- 24,999	73	10,214	16	27.9	11.0-44.8	11	15.8	3.8-27.8	11	16.4	4.2-28.6	7	12.7	2.1-23.3	28	27.3	15.0-39.6
\$25,000- 34,999	50	7,284	6	9.6	1.0-18.2	5	11.6	0.0-23.2	5	7.7	0.4-15.0	9	10.6	1.0-20.2	25	60.5	43.8-77.2
\$35,000- 49,999	65	8,324	15	23.9	8.0-39.8	17	19.1	7.5-30.7	9	23.1	3.1-43.1	7	13.0	0.8-25.2	17	21.0	9.0-33.0
\$50,000- 74,999	77	10,349	11	9.8	2.9-16.7	9	12.4	3.4-21.4	7	14.5	0.0-34.1	8	6.0	1.1-10.9	42	57.2	38.4-76.0
\$75,000+	157	26,866	43	32.1	21.9-42.3	20	7.6	3.5-11.7	12	8.4	2.7-14.1	22	16.0	7.0-25.0	60	35.9	25.9-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 17: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	249	38,366	56	23.6	15.6-31.6	34	13.6	7.9-19.3	27	13.7	6.1-21.3	33	14.6	7.9-21.3	99	34.4	26.0-42.8
White/Non-Hisp	199	28,164	44	25.4	16.2-34.6	26	12.3	6.6-18.0	21	11.5	5.2-17.8	24	11.7	5.8-17.6	84	39.0	30.0-48.0
55-64	60	10,044	18	28.3	11.4-45.2	8	12.2	0.0-24.4	8	24.4	3.8-45.0	5	5.5	0.0-12.2	21	29.7	14.0-45.4
65+	177	26,496	32	20.0	10.8-29.2	25	14.1	7.4-20.8	18	10.2	3.9-16.5	28	19.1	10.1-28.1	74	36.6	27.0-46.2
H.S. or G.E.D.	53	10,086	16	24.7	5.7-43.7	6	18.1	3.0-33.2	6	20.2	0.0-40.6	5	2.3	0.0- 4.7	20	34.7	16.7-52.7
Some Post-H.S.	72	13,662	15	24.7	10.6-38.8	6	5.9	1.2-10.6	12	18.3	6.0-30.6	9	19.8	5.3-34.3	30	31.2	17.9-44.5
College Graduate	112	12,356	21	20.0	11.2-28.8	19	14.6	6.0-23.2	9	5.8	0.7-10.9	17	17.8	7.4-28.2	46	41.8	29.6-54.0
\$75,000+	92	16,229	25	31.0	16.9-45.1	10	7.6	1.9-13.3	7	11.0	2.2-19.8	15	16.5	6.3-26.7	35	34.0	21.7-46.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	308	45,194	68	23.6	16.9-30.3	46	10.5	7.0-14.0	30	10.0	4.7-15.3	36	11.8	7.7-15.9	128	44.0	36.2-51.8
White/Non-Hisp	232	32,581	45	21.5	14.4-28.6	35	11.3	6.8-15.8	20	8.3	2.2-14.4	26	12.1	7.6-16.6	106	46.8	37.8-55.8
55-64	77	12,483	25	29.8	17.3-42.3	8	7.6	2.1-13.1	9	13.2	3.4-23.0	11	18.1	9.7-26.5	24	31.2	17.1-45.3
65+	210	29,627	33	17.9	10.1-25.7	37	12.2	7.5-16.9	19	9.2	2.3-16.1	24	10.0	4.9-15.1	97	50.7	40.7-60.7
H.S. or G.E.D.	84	14,387	15	20.5	7.6-33.4	11	8.3	2.8-13.8	11	12.1	2.3-21.9	8	8.6	1.9-15.3	39	50.4	35.5-65.3
Some Post-H.S.	98	14,008	24	26.4	14.6-38.2	16	12.1	5.2-19.0	7	5.0	0.7-9.3	11	13.4	7.5-19.3	40	43.2	30.3-56.1
College Graduate	101	11,105	21	24.6	13.4-35.8	17	14.2	6.2-22.2	8	5.3	1.0-9.6	14	17.5	6.5-28.5	41	38.4	26.2-50.6
\$75,000+	65	10,636	18	33.7	19.4-48.0	10	7.8	2.1-13.5	5	4.4	0.1-8.7	7	15.2	7.6-22.8	25	38.9	24.2-53.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 19: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2101	340,068	202	8.2	6.6- 9.8	1899	91.8	90.2-93.4
Male	916	153,470	80	6.6	4.8- 8.4	836	93.4	91.6-95.2
Female	1185	186,599	122	9.5	7.3-11.7	1063	90.5	88.3-92.7
White/Non-Hisp	1634	251,127	142	7.2	5.6- 8.8	1492	92.8	91.2-94.4
Black or Afr. Am./Non-Hisp	254	61,207	30	9.4	5.3-13.5	224	90.6	86.5-94.7
Oth. Race/Non-Hisp.	52	8,454	5	8.6	0.0-18.2	47	91.4	81.8- 100
Hispanic	87	8,237	10	12.3	3.5-21.1	77	87.7	78.9-96.5
45-54	274	49,866	20	6.6	3.1-10.1	254	93.4	89.9-96.9
55-64	689	116,263	52	6.7	4.3- 9.1	637	93.3	90.9-95.7
65+	1138	173,939	130	9.6	7.4-11.8	1008	90.4	88.2-92.6
Less Than H.S.	140	27,664	23	15.5	6.9-24.1	117	84.5	75.9-93.1
H.S. or G.E.D.	597	105,623	61	8.1	5.6-10.6	536	91.9	89.4-94.4
Some Post-H.S.	554	98,201	56	8.2	5.5-10.9	498	91.8	89.1-94.5
College Graduate	806	108,116	61	6.3	4.3- 8.3	745	93.7	91.7-95.7
Less than \$15,000	139	21,404	17	15.9	5.7-26.1	122	84.1	73.9-94.3
\$15,000- 24,999	277	42,359	32	8.4	4.5-12.3	245	91.6	87.7-95.5
\$25,000- 34,999	180	30,385	19	9.4	4.5-14.3	161	90.6	85.7-95.5
\$35,000- 49,999	225	32,579	24	8.3	4.2-12.4	201	91.7	87.6-95.8
\$50,000- 74,999	276	44,675	33	9.4	4.7-14.1	243	90.6	85.9-95.3
\$75,000+	643	109,446	36	5.2	3.0- 7.4	607	94.8	92.6-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 20: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	916	153,470	80	6.6	4.8- 8.4	836	93.4	91.6-95.2
White/Non-Hisp	720	110,919	59	6.2	4.2- 8.2	661	93.8	91.8-95.8
Black or Afr. Am./Non-Hisp	94	30,066	8	6.2	1.5-10.9	86	93.8	89.1-98.5
45-54	113	21,585	3	1.3	0.0- 2.9	110	98.7	97.1- 100
55-64	310	54,353	18	4.7	2.2- 7.2	292	95.3	92.8-97.8
65+	493	77,532	59	9.4	6.3-12.5	434	90.6	87.5-93.7
Less Than H.S.	66	13,747	7	7.2	0.9-13.5	59	92.8	86.5-99.1
H.S. or G.E.D.	254	48,077	23	5.3	2.6- 8.0	231	94.7	92.0-97.4
Some Post-H.S.	227	41,676	26	10.4	5.5-15.3	201	89.6	84.7-94.5
College Graduate	369	49,970	24	4.5	2.1- 6.9	345	95.5	93.1-97.9
Less than \$15,000	51	6,928	5	7.6	0.0-16.2	46	92.4	83.8- 100
\$15,000- 24,999	108	17,868	16	11.3	3.9-18.7	92	88.7	81.3-96.1
\$25,000- 34,999	67	12,992	5	3.3	0.0- 7.4	62	96.7	92.6- 100
\$35,000- 49,999	91	11,246	9	10.4	3.0-17.8	82	89.6	82.2-97.0
\$50,000- 74,999	134	21,622	12	6.0	1.9-10.1	122	94.0	89.9-98.1
\$75,000+	348	59,690	22	5.7	2.8- 8.6	326	94.3	91.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 21: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1185	186,599	122	9.5	7.3-11.7	1063	90.5	88.3-92.7
White/Non-Hisp	914	140,208	83	8.1	5.7-10.5	831	91.9	89.5-94.3
Black or Afr. Am./Non-Hisp	160	31,140	22	12.5	6.0-19.0	138	87.5	81.0-94.0
45-54	161	28,281	17	10.7	4.8-16.6	144	89.3	83.4-95.2
55-64	379	61,910	34	8.5	4.8-12.2	345	91.5	87.8-95.2
65+	645	96,407	71	9.8	6.7-12.9	574	90.2	87.1-93.3
Less Than H.S.	74	13,916	16	23.6	8.7-38.5	58	76.4	61.5-91.3
H.S. or G.E.D.	343	57,547	38	10.4	6.3-14.5	305	89.6	85.5-93.7
Some Post-H.S.	327	56,525	30	6.6	3.7- 9.5	297	93.4	90.5-96.3
College Graduate	437	58,146	37	7.9	4.8-11.0	400	92.1	89.0-95.2
Less than \$15,000	88	14,476	12	19.8	5.7-33.9	76	80.2	66.1-94.3
\$15,000- 24,999	169	24,490	16	6.3	2.6-10.0	153	93.7	90.0-97.4
\$25,000- 34,999	113	17,393	14	13.9	6.3-21.5	99	86.1	78.5-93.7
\$35,000- 49,999	134	21,333	15	7.2	2.1-12.3	119	92.8	87.7-97.9
\$50,000- 74,999	142	23,053	21	12.7	4.9-20.5	121	87.3	79.5-95.1
\$75,000+	295	49,756	14	4.7	2.0- 7.4	281	95.3	92.6-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING  
 TABLE 22: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)  
 Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	195	26,530	65	33.8	25.2-42.4	38	14.5	9.2-19.8	26	14.9	8.0-21.8	14	6.6	1.9-11.3	52	30.2	20.4-40.0
Male	75	9,431	21	27.6	14.7-40.5	17	18.9	8.7-29.1	13	25.2	10.3-40.1	6	4.7	0.6- 8.8	18	23.5	11.7-35.3
Female	120	17,100	44	37.1	25.5-48.7	21	12.1	6.0-18.2	13	9.3	3.4-15.2	8	7.6	0.5-14.7	34	33.9	20.8-47.0
White/Non-Hisp	138	17,766	44	35.9	25.3-46.5	30	16.8	9.7-23.9	21	15.9	7.9-23.9	9	4.0	1.1- 6.9	34	27.4	15.4-39.4
55-64	50	7,507	19	38.1	20.7-55.5	12	12.7	4.1-21.3	6	10.6	1.0-20.2	2	4.3	0.0-11.7	11	34.2	15.0-53.4
65+	126	16,265	35	26.7	16.5-36.9	23	15.2	7.9-22.5	20	19.5	9.3-29.7	11	8.0	1.1-14.9	37	30.6	18.3-42.9
H.S. or G.E.D.	57	7,867	19	34.3	18.2-50.4	7	5.3	0.0-10.6	7	13.9	2.9-24.9	5	10.0	0.0-22.3	19	36.4	19.0-53.8
Some Post-H.S.	55	7,484	18	34.0	18.7-49.3	14	19.5	8.3-30.7	8	20.0	2.9-37.1	3	5.1	0.0-10.4	12	21.4	8.3-34.5
College Graduate	60	6,805	20	42.0	25.1-58.9	14	23.3	9.8-36.8	10	17.1	5.3-28.9	3	2.6	0.0- 6.1	13	15.0	4.6-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 23: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	75	9,431	21	27.6	15.1-40.1	17	18.9	8.5-29.3	13	25.2	10.1-40.3	6	4.7	0.8- 8.6	18	23.5	12.3-34.7
White/Non-Hisp	55	6,421	14	25.4	11.9-38.9	14	21.9	9.2-34.6	11	25.1	8.8-41.4	5	5.5	0.0-11.2	11	22.2	8.9-35.5
65+	55	6,817	14	26.7	11.6-41.8	11	16.3	4.5-28.1	12	31.4	12.6-50.2	5	6.0	0.5-11.5	13	19.6	7.4-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 24: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	120	17,100	44	37.1	25.3-48.9	21	12.1	6.0-18.2	13	9.3	3.4-15.2	8	7.6	0.5-14.7	34	33.9	20.8-47.0
White/Non-Hisp	83	11,346	30	41.8	27.1-56.5	16	14.0	5.6-22.4	10	10.8	3.2-18.4	4	3.1	0.0- 6.4	23	30.3	13.8-46.8
65+	71	9,448	21	26.8	13.3-40.3	12	14.4	4.8-24.0	8	10.9	2.1-19.7	6	9.5	0.0-20.3	24	38.5	21.1-55.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 25: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2069	335,668	150	6.9	5.5- 8.3	1919	93.1	91.7-94.5
Male	899	149,971	72	7.7	5.3-10.1	827	92.3	89.9-94.7
Female	1170	185,696	78	6.2	4.4- 8.0	1092	93.8	92.0-95.6
White/Non-Hisp	1611	248,713	97	5.2	3.8- 6.6	1514	94.8	93.4-96.2
Black or Afr. Am./Non-Hisp	247	59,697	32	12.1	7.0-17.2	215	87.9	82.8-93.0
Oth. Race/Non-Hisp.	51	8,411	4	2.5	0.0- 5.8	47	97.5	94.2- 100
Hispanic	85	7,897	7	6.7	1.2-12.2	78	93.3	87.8-98.8
45-54	273	49,587	14	4.6	1.7- 7.5	259	95.4	92.5-98.3
55-64	677	114,144	31	4.4	2.4- 6.4	646	95.6	93.6-97.6
65+	1119	171,937	105	9.2	6.8-11.6	1014	90.8	88.4-93.2
Less Than H.S.	134	26,490	22	12.9	6.6-19.2	112	87.1	80.8-93.4
H.S. or G.E.D.	585	103,796	48	6.8	4.3- 9.3	537	93.2	90.7-95.7
Some Post-H.S.	548	97,668	47	8.1	5.0-11.2	501	91.9	88.8-95.0
College Graduate	797	106,964	33	4.4	2.2- 6.6	764	95.6	93.4-97.8
Less than \$15,000	141	22,105	18	9.7	4.2-15.2	123	90.3	84.8-95.8
\$15,000- 24,999	265	40,567	27	9.1	5.0-13.2	238	90.9	86.8-95.0
\$25,000- 34,999	176	29,279	20	10.7	4.4-17.0	156	89.3	83.0-95.6
\$35,000- 49,999	220	32,175	12	3.9	1.2- 6.6	208	96.1	93.4-98.8
\$50,000- 74,999	271	44,008	17	8.6	3.3-13.9	254	91.4	86.1-96.7
\$75,000+	642	109,226	26	3.4	1.6- 5.2	616	96.6	94.8-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 26: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	899	149,971	72	7.7	5.3-10.1	827	92.3	89.9-94.7
White/Non-Hisp	706	108,663	50	5.1	3.3- 6.9	656	94.9	93.1-96.7
Black or Afr. Am./Non-Hisp	91	28,751	15	17.8	8.0-27.6	76	82.2	72.4-92.0
45-54	113	21,403	4	3.0	0.0- 6.5	109	97.0	93.5- 100
55-64	302	52,821	15	5.4	1.9- 8.9	287	94.6	91.1-98.1
65+	484	75,748	53	10.7	6.8-14.6	431	89.3	85.4-93.2
Less Than H.S.	63	13,052	9	12.5	3.1-21.9	54	87.5	78.1-96.9
H.S. or G.E.D.	248	46,082	24	6.4	3.1- 9.7	224	93.6	90.3-96.9
Some Post-H.S.	225	41,317	21	11.1	5.2-17.0	204	88.9	83.0-94.8
College Graduate	363	49,520	18	4.9	1.4- 8.4	345	95.1	91.6-98.6
Less than \$15,000	51	6,922	5	6.5	0.4-12.6	46	93.5	87.4-99.6
\$15,000- 24,999	102	16,518	12	12.1	4.5-19.7	90	87.9	80.3-95.5
\$25,000- 34,999	67	12,603	8	5.0	0.0-10.1	59	95.0	89.9- 100
\$35,000- 49,999	88	10,573	10	10.3	2.9-17.7	78	89.7	82.3-97.1
\$50,000- 74,999	128	20,798	10	10.8	3.0-18.6	118	89.2	81.4-97.0
\$75,000+	346	59,482	14	3.8	1.1- 6.5	332	96.2	93.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 27: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1170	185,696	78	6.2	4.4- 8.0	1092	93.8	92.0-95.6
White/Non-Hisp	905	140,051	47	5.2	3.2- 7.2	858	94.8	92.8-96.8
Black or Afr. Am./Non-Hisp	156	30,946	17	6.9	3.0-10.8	139	93.1	89.2-97.0
45-54	160	28,184	10	5.9	1.4-10.4	150	94.1	89.6-98.6
55-64	375	61,324	16	3.5	1.5- 5.5	359	96.5	94.5-98.5
65+	635	96,189	52	8.0	5.1-10.9	583	92.0	89.1-94.9
Less Than H.S.	71	13,437	13	13.3	4.7-21.9	58	86.7	78.1-95.3
H.S. or G.E.D.	337	57,714	24	7.1	3.4-10.8	313	92.9	89.2-96.6
Some Post-H.S.	323	56,351	26	5.9	2.4- 9.4	297	94.1	90.6-97.6
College Graduate	434	57,444	15	4.0	1.5- 6.5	419	96.0	93.5-98.5
Less than \$15,000	90	15,183	13	11.2	3.8-18.6	77	88.8	81.4-96.2
\$15,000- 24,999	163	24,048	15	7.1	2.8-11.4	148	92.9	88.6-97.2
\$25,000- 34,999	109	16,677	12	15.0	5.2-24.8	97	85.0	75.2-94.8
\$35,000- 49,999	132	21,603	2	0.7	0.0- 2.1	130	99.3	97.9- 100
\$50,000- 74,999	143	23,209	7	6.6	0.0-14.0	136	93.4	86.0- 100
\$75,000+	296	49,744	12	3.1	0.7- 5.5	284	96.9	94.5-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING  
 TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)  
 Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	141	21,384	20	11.8	4.5-19.1	21	11.5	5.8-17.2	13	7.3	1.8-12.8	24	25.7	14.5-36.9	63	43.6	32.2-55.0
Male	69	10,973	9	14.4	2.1-26.7	8	8.8	1.9-15.7	7	10.3	0.3-20.3	11	23.3	8.2-38.4	34	43.2	27.1-59.3
Female	72	10,411	11	9.1	2.0-16.2	13	14.4	5.4-23.4	6	4.1	0.4- 7.8	13	28.3	11.6-45.0	29	44.1	28.0-60.2
White/Non-Hisp	93	12,487	11	7.4	1.9-12.9	16	14.6	6.4-22.8	7	6.4	0.5-12.3	12	21.0	6.9-35.1	47	50.6	36.7-64.5
65+	99	14,653	12	11.0	2.2-19.8	17	11.9	5.6-18.2	8	5.8	0.0-12.3	17	23.9	10.0-37.8	45	47.4	33.1-61.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	69	10,973	9	14.4	1.9-26.9	8	8.8	1.9-15.7	7	10.3	0.1-20.5	11	23.3	8.0-38.6	34	43.2	26.9-59.5
65+	51	7,486	7	14.9	0.0-30.4	7	9.7	1.9-17.5	4	8.8	0.0-21.1	7	16.6	0.9-32.3	26	50.0	29.8-70.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2020  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	72	10,411	11	9.1	2.0-16.2	13	14.4	5.4-23.4	6	4.1	0.4- 7.8	13	28.3	11.8-44.8	29	44.1	28.0-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

**SECTION 18: HIV/AIDS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V.? (HIVTST7)	
1 MALES AND FEMALES	261
2 MALES ONLY	262
3 FEMALES ONLY	263
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4 MALES AND FEMALES	264
5 MALES ONLY	265
6 FEMALES ONLY	266
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7 MALES AND FEMALES	267
8 MALES ONLY	268
9 FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3351	655,187	1385	43.4	41.0-45.8	1966	56.6	54.2-59.0
Male	1495	313,699	591	42.3	38.8-45.8	904	57.7	54.2-61.2
Female	1856	341,488	794	44.4	41.3-47.5	1062	55.6	52.5-58.7
White/Non-Hisp	2213	417,014	821	36.9	34.2-39.6	1392	63.1	60.4-65.8
Black or Afr. Am./Non-Hisp	429	132,659	257	60.3	53.8-66.8	172	39.7	33.2-46.2
Oth. Race/Non-Hisp.	107	23,992	46	44.4	31.3-57.5	61	55.6	42.5-68.7
MultiRacial/Non-Hisp.	80	13,559	44	57.7	41.0-74.4	36	42.3	25.6-59.0
Hispanic	460	55,447	187	46.3	38.9-53.7	273	53.7	46.3-61.1
18-24	236	74,500	63	30.5	21.7-39.3	173	69.5	60.7-78.3
25-34	397	109,733	213	56.8	50.1-63.5	184	43.2	36.5-49.9
35-44	459	96,447	266	57.9	51.8-64.0	193	42.1	36.0-48.2
45-54	518	97,277	292	55.3	49.8-60.8	226	44.7	39.2-50.2
55-64	666	112,127	289	44.7	39.8-49.6	377	55.3	50.4-60.2
65+	1075	165,103	262	23.9	20.2-27.6	813	76.1	72.4-79.8
Less Than H.S.	379	69,208	147	46.4	38.4-54.4	232	53.6	45.6-61.6
H.S. or G.E.D.	938	197,786	373	41.8	37.5-46.1	565	58.2	53.9-62.5
Some Post-H.S.	855	191,502	374	43.8	39.1-48.5	481	56.2	51.5-60.9
College Graduate	1172	195,692	490	43.6	39.7-47.5	682	56.4	52.5-60.3
Less than \$15,000	298	44,617	124	39.6	31.4-47.8	174	60.4	52.2-68.6
\$15,000- 24,999	463	78,766	226	50.5	44.4-56.6	237	49.5	43.4-55.6
\$25,000- 34,999	287	58,183	120	48.1	39.5-56.7	167	51.9	43.3-60.5
\$35,000- 49,999	339	65,231	143	39.5	32.4-46.6	196	60.5	53.4-67.6
\$50,000- 74,999	423	86,284	169	45.4	38.7-52.1	254	54.6	47.9-61.3
\$75,000+	999	221,613	431	45.4	41.1-49.7	568	54.6	50.3-58.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1495	313,699	591	42.3	38.8-45.8	904	57.7	54.2-61.2
White/Non-Hisp	1002	198,516	369	36.3	32.4-40.2	633	63.7	59.8-67.6
Black or Afr. Am./Non-Hisp	156	61,386	88	57.6	47.2-68.0	68	42.4	32.0-52.8
Oth. Race/Non-Hisp.	50	11,869	24	53.9	33.9-73.9	26	46.1	26.1-66.1
Hispanic	214	28,166	75	42.8	32.4-53.2	139	57.2	46.8-67.6
18-24	127	37,934	27	24.8	13.4-36.2	100	75.2	63.8-86.6
25-34	174	55,684	88	55.1	44.9-65.3	86	44.9	34.7-55.1
35-44	207	48,422	107	50.0	41.0-59.0	100	50.0	41.0-59.0
45-54	224	45,877	126	56.4	48.2-64.6	98	43.6	35.4-51.8
55-64	298	52,636	116	43.8	36.2-51.4	182	56.2	48.6-63.8
65+	465	73,147	127	26.6	20.5-32.7	338	73.4	67.3-79.5
Less Than H.S.	180	36,833	64	44.5	33.3-55.7	116	55.5	44.3-66.7
H.S. or G.E.D.	439	102,635	177	42.5	36.0-49.0	262	57.5	51.0-64.0
Some Post-H.S.	363	86,371	159	45.4	38.1-52.7	204	54.6	47.3-61.9
College Graduate	511	87,610	191	38.1	32.0-44.2	320	61.9	55.8-68.0
Less than \$15,000	125	18,903	43	33.3	20.8-45.8	82	66.7	54.2-79.2
\$15,000- 24,999	169	30,863	74	48.7	38.3-59.1	95	51.3	40.9-61.7
\$25,000- 34,999	123	30,642	57	53.6	40.5-66.7	66	46.4	33.3-59.5
\$35,000- 49,999	142	25,853	52	32.2	22.4-42.0	90	67.8	58.0-77.6
\$50,000- 74,999	203	43,502	76	44.3	34.7-53.9	127	55.7	46.1-65.3
\$75,000+	524	118,621	220	45.5	39.6-51.4	304	54.5	48.6-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1856	341,488	794	44.4	41.3-47.5	1062	55.6	52.5-58.7
White/Non-Hisp	1211	218,498	452	37.6	34.1-41.1	759	62.4	58.9-65.9
Black or Afr. Am./Non-Hisp	273	71,273	169	62.7	54.7-70.7	104	37.3	29.3-45.3
Oth. Race/Non-Hisp.	57	12,123	22	35.2	19.5-50.9	35	64.8	49.1-80.5
Hispanic	246	27,281	112	49.9	39.3-60.5	134	50.1	39.5-60.7
18-24	109	36,566	36	36.4	23.3-49.5	73	63.6	50.5-76.7
25-34	223	54,050	125	58.5	49.7-67.3	98	41.5	32.7-50.3
35-44	252	48,026	159	65.9	58.1-73.7	93	34.1	26.3-41.9
45-54	294	51,400	166	54.3	46.9-61.7	128	45.7	38.3-53.1
55-64	368	59,491	173	45.4	38.9-51.9	195	54.6	48.1-61.1
65+	610	91,956	135	21.7	17.4-26.0	475	78.3	74.0-82.6
Less Than H.S.	199	32,375	83	48.5	37.3-59.7	116	51.5	40.3-62.7
H.S. or G.E.D.	499	95,151	196	41.1	35.0-47.2	303	58.9	52.8-65.0
Some Post-H.S.	492	105,131	215	42.4	36.5-48.3	277	57.6	51.7-63.5
College Graduate	661	108,082	299	48.0	42.7-53.3	362	52.0	46.7-57.3
Less than \$15,000	173	25,714	81	44.2	33.6-54.8	92	55.8	45.2-66.4
\$15,000- 24,999	294	47,903	152	51.6	44.2-59.0	142	48.4	41.0-55.8
\$25,000- 34,999	164	27,541	63	42.0	31.6-52.4	101	58.0	47.6-68.4
\$35,000- 49,999	197	39,378	91	44.4	34.8-54.0	106	55.6	46.0-65.2
\$50,000- 74,999	220	42,782	93	46.6	37.4-55.8	127	53.4	44.2-62.6
\$75,000+	475	102,992	211	45.3	39.2-51.4	264	54.7	48.6-60.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	916	192,451	37	3.1	1.9- 4.3	72	7.2	5.0- 9.4	139	14.5	11.4-17.6	55	6.0	4.0- 8.0	383	42.0	37.5-46.5	230	27.2	23.1-31.3
Male	385	90,825	13	3.0	1.0- 5.0	23	6.1	2.8- 9.4	60	14.3	9.6-19.0	27	6.6	3.7- 9.5	155	40.0	32.9-47.1	107	30.0	23.1-36.9
Female	531	101,626	24	3.1	1.7- 4.5	49	8.2	5.7-10.7	79	14.7	10.8-18.6	28	5.4	2.9- 7.9	228	43.8	38.1-49.5	123	24.8	19.9-29.7
White/Non-Hisp	558	109,470	33	4.6	2.6- 6.6	59	10.0	6.9-13.1	103	17.3	13.4-21.2	36	7.7	4.8-10.6	211	39.9	34.4-45.4	116	20.5	16.0-25.0
Black or Afr. Am./Non-Hisp	160	51,028	2	0.9	0.0- 2.3	7	2.3	0.3- 4.3	17	11.5	5.0-18.0	8	3.1	0.4- 5.8	68	41.9	31.7-52.1	58	40.3	29.9-50.7
Hispanic	126	16,705	2	0.8	0.0- 2.4	12	11.5	0.0-23.7	5	1.3	0.1- 2.5	74	54.3	39.8-68.8	33	32.1	18.8-45.4			
25-34	161	48,094							9	7.0	0.9-13.1	12	7.4	2.9-11.9	84	49.4	38.8-60.0	56	36.2	25.8-46.6
35-44	200	44,346				3	2.0	0.0- 5.1	29	17.7	10.3-25.1	11	6.8	2.1-11.5	105	52.4	43.2-61.6	52	21.1	14.2-28.0
45-54	194	36,133	7	5.0	0.9- 9.1	26	13.7	7.8-19.6	41	19.9	12.6-27.2	10	3.6	0.9- 6.3	71	36.6	27.8-45.4	39	21.2	13.6-28.8
55-64	191	32,335	13	6.6	2.5-10.7	23	10.8	5.7-15.9	35	16.7	10.4-23.0	15	7.2	2.5-11.9	63	31.1	22.5-39.7	42	27.5	18.1-36.9
65+	131	20,399	17	9.3	4.0-14.6	20	22.2	10.4-34.0	25	20.3	10.9-29.7	7	6.5	0.6-12.4	39	22.5	13.9-31.1	23	19.2	5.9-32.5
Less Than H.S.	92	20,420				2	0.8	0.0- 2.0	10	11.1	0.3-21.9	5	4.3	0.0- 9.6	50	45.7	30.2-61.2	25	38.1	22.2-54.0
H.S. or G.E.D.	235	53,803	8	2.0	0.4- 3.6	10	5.6	0.7-10.5	31	12.9	7.2-18.6	12	6.6	2.5-10.7	106	42.3	33.7-50.9	68	30.6	22.4-38.8
Some Post-H.S.	256	59,400	10	3.5	1.0- 6.0	21	7.5	3.8-11.2	45	16.0	10.5-21.5	11	3.2	1.0- 5.4	101	40.3	31.9-48.7	68	29.5	21.5-37.5
College Graduate	333	58,828	19	4.6	2.2- 7.0	39	10.5	6.8-14.2	53	15.7	10.2-21.2	27	8.8	4.7-12.9	126	42.2	34.9-49.5	69	18.2	12.9-23.5
Less than \$15,000	78	10,604	1	0.4	0.0- 1.2	2	1.9	0.0- 4.8	11	13.8	5.0-22.6	4	9.0	0.0-19.0	42	41.5	27.6-55.4	18	33.5	18.0-49.0
\$15,000- 24,999	157	28,244	5	2.7	0.0- 5.6	7	2.9	0.2- 5.6	18	7.7	3.4-12.0	8	6.4	1.1-11.7	77	50.3	39.7-60.9	42	29.9	20.3-39.5
\$25,000- 34,999	87	22,512	5	3.2	0.1- 6.3	5	4.4	0.0- 8.9	10	12.6	2.4-22.8	2	2.1	0.0- 5.6	36	44.6	29.1-60.1	29	33.1	18.6-47.6
\$35,000- 49,999	97	19,534	4	1.5	0.0- 3.1	8	6.7	1.6-11.8	16	16.2	7.0-25.4	5	3.7	0.2- 7.2	34	39.9	27.4-52.4	30	32.1	20.7-43.5
\$50,000- 74,999	114	26,037	7	5.2	0.9- 9.5	7	4.4	0.9- 7.9	14	7.3	2.8-11.8	6	5.3	0.0-10.6	44	46.9	34.0-59.8	36	30.9	19.5-42.3
\$75,000+	294	68,638	14	3.5	1.1- 5.9	32	10.4	5.7-15.1	59	21.3	14.8-27.8	25	7.7	4.2-11.2	113	38.1	30.7-45.5	51	19.0	12.3-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	385	90,825	13	3.0	1.0- 5.0	23	6.1	2.6- 9.6	60	14.3	9.6-19.0	27	6.6	3.7- 9.5	155	40.0	33.1-46.9	107	30.0	22.9-37.1
White/Non-Hisp	243	50,795	11	4.4	1.3- 7.5	19	8.2	3.1-13.3	47	19.1	12.6-25.6	20	9.1	4.6-13.6	86	34.2	26.0-42.4	60	24.9	17.3-32.5
Black or Afr. Am./Non-Hisp	54	23,161	1	1.5	0.0- 4.4				5	6.3	0.0-13.4	3	4.3	0.0- 9.8	25	44.9	27.3-62.5	20	43.1	25.1-61.1
Hispanic	53	9,619				1	1.3	0.0- 3.8	6	16.1	0.0-36.1	2	0.8	0.0- 2.0	30	56.0	35.0-77.0	14	25.7	9.6-41.8
25-34	66	24,578							5	10.5	0.0-21.9	4	4.4	0.0- 9.1	26	38.9	22.8-55.0	31	46.1	29.4-62.8
35-44	82	19,244				2	3.9	0.0-11.0	14	16.6	6.6-26.6	6	8.7	0.7-16.7	44	53.8	39.3-68.3	16	17.1	7.5-26.7
45-54	79	15,631	2	5.5	0.0-12.9	10	11.8	3.2-20.4	13	20.4	8.4-32.4	2	1.0	0.0- 2.6	35	43.4	30.1-56.7	17	18.0	8.0-28.0
55-64	77	15,130	5	7.3	0.4-14.2	6	4.3	0.8- 7.8	15	14.6	5.8-23.4	11	13.0	3.6-22.4	23	30.2	16.5-43.9	17	30.6	14.5-46.7
65+	63	11,073	6	6.5	0.2-12.8	5	20.6	1.4-39.8	13	16.8	5.2-28.4	4	10.5	0.0-21.1	17	15.4	5.6-25.2	18	30.2	8.4-52.0
H.S. or G.E.D.	109	27,733	4	1.9	0.0- 4.1	6	8.9	0.1-17.7	17	15.9	6.5-25.3	4	4.1	0.0- 8.4	48	38.6	26.4-50.8	30	30.6	17.7-43.5
Some Post-H.S.	107	27,476	5	5.0	0.1- 9.9	10	8.5	2.2-14.8	19	12.6	5.7-19.5	5	4.0	0.0- 8.1	35	37.2	23.5-50.9	33	32.7	19.4-46.0
College Graduate	126	22,985	4	3.4	0.0- 7.3	7	3.1	0.4- 5.8	19	15.5	6.9-24.1	15	14.1	5.9-22.3	50	44.8	32.6-57.0	31	19.1	10.9-27.3
\$15,000- 24,999	54	10,850				2	3.2	0.0- 7.7	7	8.6	1.7-15.5	4	5.4	0.0-12.1	28	56.7	39.8-73.6	13	26.1	10.6-41.6
\$75,000+	144	35,856	6	3.9	0.2- 7.6	15	10.6	3.0-18.2	21	16.6	8.0-25.2	17	9.3	4.0-14.6	53	35.5	24.7-46.3	32	24.0	13.4-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	531	101,626	24	3.1	1.7- 4.5	49	8.2	5.7-10.7	79	14.7	10.8-18.6	28	5.4	2.9- 7.9	228	43.8	38.1-49.5	123	24.8	19.9-29.7
White/Non-Hisp	315	58,675	22	4.8	2.4- 7.2	40	11.5	7.6-15.4	56	15.7	10.8-20.6	16	6.4	2.9- 9.9	125	44.8	37.7-51.9	56	16.7	11.8-21.6
Black or Afr. Am./Non-Hisp	106	27,868	1	0.4	0.0- 1.2	7	4.2	0.7- 7.7	12	15.8	6.0-25.6	5	2.2	0.0- 4.7	43	39.5	27.9-51.1	38	38.0	26.4-49.6
Hispanic	73	7,087				1	0.2	0.0- 0.6	6	5.2	0.1-10.3	3	1.9	0.0- 4.3	44	52.0	33.0-71.0	19	40.7	20.7-60.7
25-34	95	23,516							4	3.2	0.0- 6.5	8	10.5	2.7-18.3	58	60.4	48.2-72.6	25	25.9	14.5-37.3
35-44	118	25,101				1	0.5	0.0- 1.5	15	18.5	7.9-29.1	5	5.4	0.0-10.9	61	51.4	39.4-63.4	36	24.2	14.8-33.6
45-54	115	20,503	5	4.7	0.2- 9.2	16	15.2	7.4-23.0	28	19.5	10.3-28.7	8	5.5	0.8-10.2	36	31.4	19.4-43.4	22	23.6	12.8-34.4
55-64	114	17,205	8	6.0	1.1-10.9	17	16.5	7.9-25.1	20	18.6	9.8-27.4	4	2.2	0.0- 4.6	40	31.9	21.5-42.3	25	24.8	14.4-35.2
65+	68	9,326	11	12.7	4.1-21.3	15	24.0	11.1-36.9	12	24.6	9.9-39.3	3	1.6	0.0- 3.6	22	30.9	17.4-44.4	5	6.2	0.0-12.9
H.S. or G.E.D.	126	26,070	4	2.1	0.0- 4.6	4	2.1	0.0- 4.5	14	9.6	3.5-15.7	8	9.3	2.4-16.2	58	46.3	34.7-57.9	38	30.6	20.6-40.6
Some Post-H.S.	149	31,924	5	2.3	0.1- 4.5	11	6.7	2.2-11.2	26	19.0	10.8-27.2	6	2.4	0.2- 4.6	66	43.0	32.6-53.4	35	26.7	17.3-36.1
College Graduate	207	35,843	15	5.3	2.2- 8.4	32	15.2	9.3-21.1	34	15.8	8.7-22.9	12	5.5	1.4- 9.6	76	40.6	31.8-49.4	38	17.6	10.9-24.3
Less than \$15,000	52	6,770	1	0.6	0.0- 1.8	1	0.7	0.0- 2.1	8	15.4	4.0-26.8	4	14.1	0.0-29.0	26	40.7	24.0-57.4	12	28.5	12.0-45.0
\$15,000- 24,999	103	17,393	5	4.4	0.0- 9.1	5	2.7	0.0- 6.0	11	7.1	1.4-12.8	4	7.1	0.0-14.5	49	46.4	33.3-59.5	29	32.3	20.1-44.5
\$35,000- 49,999	64	13,790	3	1.4	0.0- 3.2	5	7.0	0.3-13.7	8	13.5	3.1-23.9	4	4.1	0.0- 8.6	24	40.6	25.3-55.9	20	33.4	19.3-47.5
\$50,000- 74,999	67	13,469	2	2.5	0.0- 6.0	7	8.4	1.5-15.3	6	4.3	0.4- 8.2	3	1.5	0.0- 3.5	31	56.2	40.3-72.1	18	27.0	13.1-40.9
\$75,000+	150	32,782	8	3.1	0.7- 5.5	17	10.2	4.7-15.7	38	26.5	16.9-36.1	8	5.8	1.1-10.5	60	40.9	30.9-50.9	19	13.4	5.8-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3468	674,680	158	6.4	5.0- 7.8	3310	93.6	92.2-95.0
Male	1536	318,751	89	8.3	6.1-10.5	1447	91.7	89.5-93.9
Female	1932	355,928	69	4.6	3.0- 6.2	1863	95.4	93.8-97.0
White/Non-Hisp	2305	431,105	91	5.2	3.8- 6.6	2214	94.8	93.4-96.2
Black or Afr. Am./Non-Hisp	438	133,972	24	8.2	3.9-12.5	414	91.8	87.5-96.1
Oth. Race/Non-Hisp.	113	25,176	3	4.8	0.0-11.3	110	95.2	88.7- 100
MultiRacial/Non-Hisp.	83	14,707	12	18.1	5.9-30.3	71	81.9	69.7-94.1
Hispanic	463	55,882	26	9.1	4.6-13.6	437	90.9	86.4-95.4
18-24	242	75,919	33	16.0	9.5-22.5	209	84.0	77.5-90.5
25-34	400	110,140	46	13.5	8.6-18.4	354	86.5	81.6-91.4
35-44	466	98,219	32	7.2	4.3-10.1	434	92.8	89.9-95.7
45-54	529	99,109	26	4.3	2.1- 6.5	503	95.7	93.5-97.9
55-64	689	116,271	14	1.6	0.6- 2.6	675	98.4	97.4-99.4
65+	1142	175,021	7	1.6	0.0- 3.2	1135	98.4	96.8- 100
Less Than H.S.	388	70,579	17	6.5	2.4-10.6	371	93.5	89.4-97.6
H.S. or G.E.D.	958	202,910	50	6.7	4.3- 9.1	908	93.3	90.9-95.7
Some Post-H.S.	892	196,951	53	8.7	5.8-11.6	839	91.3	88.4-94.2
College Graduate	1222	203,133	38	3.8	2.0- 5.6	1184	96.2	94.4-98.0
Less than \$15,000	302	45,526	15	4.9	1.6- 8.2	287	95.1	91.8-98.4
\$15,000- 24,999	474	79,891	33	9.4	5.5-13.3	441	90.6	86.7-94.5
\$25,000- 34,999	293	58,641	24	13.3	6.6-20.0	269	86.7	80.0-93.4
\$35,000- 49,999	350	67,144	18	8.0	2.9-13.1	332	92.0	86.9-97.1
\$50,000- 74,999	441	88,994	19	5.0	1.9- 8.1	422	95.0	91.9-98.1
\$75,000+	1033	228,286	32	5.1	2.9- 7.3	1001	94.9	92.7-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1536	318,751	89	8.3	6.1-10.5	1447	91.7	89.5-93.9
White/Non-Hisp	1039	203,187	48	7.1	4.6- 9.6	991	92.9	90.4-95.4
Black or Afr. Am./Non-Hisp	154	60,335	13	9.7	2.8-16.6	141	90.3	83.4-97.2
Oth. Race/Non-Hisp.	52	12,305	3	9.9	0.0-22.6	49	90.1	77.4- 100
Hispanic	216	28,592	16	9.3	3.4-15.2	200	90.7	84.8-96.6
18-24	129	38,389	18	14.9	6.5-23.3	111	85.1	76.7-93.5
25-34	173	55,725	28	18.1	9.9-26.3	145	81.9	73.7-90.1
35-44	208	48,260	16	9.7	4.4-15.0	192	90.3	85.0-95.6
45-54	227	45,642	17	6.5	2.6-10.4	210	93.5	89.6-97.4
55-64	307	53,526	6	1.8	0.2- 3.4	301	98.2	96.6-99.8
65+	492	77,209	4	2.7	0.0- 5.8	488	97.3	94.2- 100
Less Than H.S.	183	37,459	11	8.6	1.9-15.3	172	91.4	84.7-98.1
H.S. or G.E.D.	446	102,761	31	8.6	4.9-12.3	415	91.4	87.7-95.1
Some Post-H.S.	373	87,958	31	12.6	6.9-18.3	342	87.4	81.7-93.1
College Graduate	532	90,323	16	3.7	1.5- 5.9	516	96.3	94.1-98.5
Less than \$15,000	126	18,781	7	3.5	0.4- 6.6	119	96.5	93.4-99.6
\$15,000- 24,999	172	30,900	17	13.0	5.2-20.8	155	87.0	79.2-94.8
\$25,000- 34,999	126	30,818	15	18.0	7.0-29.0	111	82.0	71.0-93.0
\$35,000- 49,999	144	25,964	9	8.8	2.7-14.9	135	91.2	85.1-97.3
\$50,000- 74,999	209	44,115	7	2.7	0.3- 5.1	202	97.3	94.9-99.7
\$75,000+	543	122,219	24	8.4	4.5-12.3	519	91.6	87.7-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020  
SECTION 18: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1932	355,928	69	4.6	3.0- 6.2	1863	95.4	93.8-97.0
White/Non-Hisp	1266	227,918	43	3.5	2.3- 4.7	1223	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	284	73,637	11	7.0	1.7-12.3	273	93.0	87.7-98.3
Oth. Race/Non-Hisp.	61	12,871				61	100.0	100.0- 100
Hispanic	247	27,289	10	8.9	2.0-15.8	237	91.1	84.2-98.0
18-24	113	37,530	15	17.2	7.2-27.2	98	82.8	72.8-92.8
25-34	227	54,414	18	8.8	3.5-14.1	209	91.2	85.9-96.5
35-44	258	49,959	16	4.8	2.1- 7.5	242	95.2	92.5-97.9
45-54	302	53,467	9	2.3	0.5- 4.1	293	97.7	95.9-99.5
55-64	382	62,745	8	1.4	0.2- 2.6	374	98.6	97.4-99.8
65+	650	97,812	3	0.8	0.0- 1.8	647	99.2	98.2- 100
Less Than H.S.	205	33,121	6	4.2	0.3- 8.1	199	95.8	91.9-99.7
H.S. or G.E.D.	512	100,148	19	4.8	1.9- 7.7	493	95.2	92.3-98.1
Some Post-H.S.	519	108,993	22	5.5	3.0- 8.0	497	94.5	92.0-97.0
College Graduate	690	112,810	22	3.8	1.1- 6.5	668	96.2	93.5-98.9
Less than \$15,000	176	26,745	8	5.8	0.7-10.9	168	94.2	89.1-99.3
\$15,000- 24,999	302	48,991	16	7.2	2.9-11.5	286	92.8	88.5-97.1
\$25,000- 34,999	167	27,823	9	8.1	2.0-14.2	158	91.9	85.8-98.0
\$35,000- 49,999	206	41,180	9	7.4	0.1-14.7	197	92.6	85.3-99.9
\$50,000- 74,999	232	44,879	12	7.4	1.7-13.1	220	92.6	86.9-98.3
\$75,000+	490	106,067	8	1.4	0.2- 2.6	482	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2020**

End of Core Data Report