


DELAWARE

2018 Calculated Variables Report

Behavioral Risk Factor Surveillance System

May 20, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5222	767,694	4133	82.8	81.6-84.0	1089	17.2	16.0-18.4
Male	2306	366,799	1862	84.7	82.9-86.5	444	15.3	13.5-17.1
Female	2916	400,894	2271	81.1	79.3-82.9	645	18.9	17.1-20.7
White/Non-Hisp	3543	491,289	2869	83.9	82.5-85.3	674	16.1	14.7-17.5
Black or Afr. Am./Non-Hisp	714	156,611	540	81.4	78.1-84.7	174	18.6	15.3-21.9
Oth. Race/Non-Hisp.	202	35,254	162	89.4	83.1-95.7	40	10.6	4.3-16.9
MultiRacial/Non-Hisp.	80	5,510	51	58.9	42.6-75.2	29	41.1	24.8-57.4
Hispanic	542	60,292	399	77.5	73.0-82.0	143	22.5	18.0-27.0
18-24	314	88,348	271	89.6	85.7-93.5	43	10.4	6.5-14.3
25-34	525	127,300	453	88.9	85.6-92.2	72	11.1	7.8-14.4
35-44	630	114,212	511	84.9	81.6-88.2	119	15.1	11.8-18.4
45-54	807	121,562	638	81.8	78.7-84.9	169	18.2	15.1-21.3
55-64	1105	134,764	850	79.8	77.1-82.5	255	20.2	17.5-22.9
65+	1841	181,508	1410	76.9	74.5-79.3	431	23.1	20.7-25.5
Less Than H.S.	523	85,500	312	67.8	62.7-72.9	211	32.2	27.1-37.3
H.S. or G.E.D.	1485	241,941	1103	79.4	76.9-81.9	382	20.6	18.1-23.1
Some Post-H.S.	1358	220,504	1063	83.3	80.8-85.8	295	16.7	14.2-19.2
College Graduate	1830	216,901	1636	92.3	90.9-93.7	194	7.7	6.3- 9.1
Less than \$15,000	398	48,494	216	61.4	54.9-67.9	182	38.6	32.1-45.1
\$15,000- 24,999	790	109,104	511	69.9	65.8-74.0	279	30.1	26.0-34.2
\$25,000- 34,999	406	53,859	317	79.9	75.0-84.8	89	20.1	15.2-25.0
\$35,000- 49,999	572	83,023	451	84.0	80.7-87.3	121	16.0	12.7-19.3
\$50,000- 74,999	647	94,056	548	85.5	82.0-89.0	99	14.5	11.0-18.0
\$75,000+	1435	234,545	1327	92.7	90.9-94.5	108	7.3	5.5- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2306	366,799	1862	84.7	82.9-86.5	444	15.3	13.5-17.1
White/Non-Hisp	1556	233,581	1267	85.1	83.1-87.1	289	14.9	12.9-16.9
Black or Afr. Am./Non-Hisp	285	72,063	225	84.4	79.7-89.1	60	15.6	10.9-20.3
Oth. Race/Non-Hisp.	113	20,477	95	93.4	88.9-97.9	18	6.6	2.1-11.1
Hispanic	252	28,195	198	79.7	73.4-86.0	54	20.3	14.0-26.6
18-24	156	44,769	142	93.8	89.9-97.7	14	6.2	2.3-10.1
25-34	238	63,835	211	91.4	87.3-95.5	27	8.6	4.5-12.7
35-44	297	55,810	246	85.3	80.4-90.2	51	14.7	9.8-19.6
45-54	357	58,272	289	85.5	81.6-89.4	68	14.5	10.6-18.4
55-64	493	63,032	385	80.4	76.3-84.5	108	19.6	15.5-23.7
65+	765	81,082	589	76.7	73.2-80.2	176	23.3	19.8-26.8
Less Than H.S.	242	39,944	161	70.8	63.9-77.7	81	29.2	22.3-36.1
H.S. or G.E.D.	669	122,071	516	82.6	79.3-85.9	153	17.4	14.1-20.7
Some Post-H.S.	576	103,344	459	85.8	82.7-88.9	117	14.2	11.1-17.3
College Graduate	806	99,979	719	92.0	90.0-94.0	87	8.0	6.0-10.0
Less than \$15,000	156	20,707	90	61.3	51.5-71.1	66	38.7	28.9-48.5
\$15,000- 24,999	319	44,154	214	74.3	68.6-80.0	105	25.7	20.0-31.4
\$25,000- 34,999	157	21,993	127	81.4	74.1-88.7	30	18.6	11.3-25.9
\$35,000- 49,999	270	43,344	228	88.5	84.4-92.6	42	11.5	7.4-15.6
\$50,000- 74,999	292	47,629	234	83.3	78.0-88.6	58	16.7	11.4-22.0
\$75,000+	738	127,512	677	92.7	90.3-95.1	61	7.3	4.9- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	400,894	2271	81.1	79.3-82.9	645	18.9	17.1-20.7
White/Non-Hisp	1987	257,708	1602	82.9	80.7-85.1	385	17.1	14.9-19.3
Black or Afr. Am./Non-Hisp	429	84,548	315	78.8	74.1-83.5	114	21.2	16.5-25.9
Oth. Race/Non-Hisp.	89	14,777	67	83.8	70.9-96.7	22	16.2	3.3-29.1
Hispanic	290	32,098	201	75.6	69.3-81.9	89	24.4	18.1-30.7
18-24	158	43,579	129	85.2	78.5-91.9	29	14.8	8.1-21.5
25-34	287	63,465	242	86.4	81.1-91.7	45	13.6	8.3-18.9
35-44	333	58,402	265	84.6	80.1-89.1	68	15.4	10.9-19.9
45-54	450	63,290	349	78.5	74.0-83.0	101	21.5	17.0-26.0
55-64	612	71,732	465	79.3	75.4-83.2	147	20.7	16.8-24.6
65+	1076	100,426	821	77.0	73.7-80.3	255	23.0	19.7-26.3
Less Than H.S.	281	45,556	151	65.1	57.7-72.5	130	34.9	27.5-42.3
H.S. or G.E.D.	816	119,871	587	76.0	72.3-79.7	229	24.0	20.3-27.7
Some Post-H.S.	782	117,160	604	81.1	77.4-84.8	178	18.9	15.2-22.6
College Graduate	1024	116,922	917	92.6	90.8-94.4	107	7.4	5.6- 9.2
Less than \$15,000	242	27,788	126	61.4	52.8-70.0	116	38.6	30.0-47.2
\$15,000- 24,999	471	64,950	297	66.9	61.2-72.6	174	33.1	27.4-38.8
\$25,000- 34,999	249	31,866	190	78.9	72.4-85.4	59	21.1	14.6-27.6
\$35,000- 49,999	302	39,679	223	79.1	73.6-84.6	79	20.9	15.4-26.4
\$50,000- 74,999	355	46,427	314	87.7	83.0-92.4	41	12.3	7.6-17.0
\$75,000+	697	107,033	650	92.7	89.8-95.6	47	7.3	4.4-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 2: HEALTHY DAYS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5107	755,818	3192	65.4	63.6-67.2	1172	22.5	20.9-24.1	743	12.1	10.9-13.3
Male	2261	361,510	1499	69.0	66.5-71.5	466	20.4	18.0-22.8	296	10.6	9.0-12.2
Female	2846	394,309	1693	62.1	59.7-64.5	706	24.5	22.3-26.7	447	13.4	11.8-15.0
White/Non-Hisp	3471	484,318	2130	63.6	61.4-65.8	821	23.6	21.6-25.6	520	12.7	11.3-14.1
Black or Afr. Am./Non-Hisp	696	153,835	447	67.3	62.6-72.0	149	20.9	17.0-24.8	100	11.8	8.5-15.1
Oth. Race/Non-Hisp.	200	35,055	125	71.1	61.1-81.1	45	22.3	12.5-32.1	30	6.7	2.8-10.6
MultiRacial/Non-Hisp.	79	5,464	38	46.6	31.3-61.9	20	20.9	10.5-31.3	21	32.6	15.7-49.5
Hispanic	527	59,177	364	72.6	67.5-77.7	108	19.0	14.5-23.5	55	8.5	5.8-11.2
18-24	310	87,712	205	66.1	59.2-73.0	83	28.0	21.3-34.7	22	5.8	3.1- 8.5
25-34	517	125,984	360	70.6	65.5-75.7	114	21.4	16.9-25.9	43	8.0	4.7-11.3
35-44	618	112,638	399	65.9	61.2-70.6	154	23.8	19.5-28.1	65	10.3	7.2-13.4
45-54	790	119,418	486	65.6	61.5-69.7	188	21.7	18.4-25.0	116	12.7	9.8-15.6
55-64	1081	132,329	652	63.1	59.6-66.6	248	22.2	19.1-25.3	181	14.7	12.2-17.2
65+	1791	177,738	1090	62.7	60.0-65.4	385	20.6	18.2-23.0	316	16.7	14.5-18.9
Less Than H.S.	500	82,363	303	66.2	60.7-71.7	92	15.1	11.2-19.0	105	18.8	14.5-23.1
H.S. or G.E.D.	1442	237,271	889	63.7	60.2-67.2	297	20.7	17.8-23.6	256	15.6	13.1-18.1
Some Post-H.S.	1331	218,336	804	64.4	61.1-67.7	318	24.8	21.7-27.9	209	10.8	9.0-12.6
College Graduate	1810	215,171	1183	68.1	65.4-70.8	461	25.2	22.7-27.7	166	6.6	5.2- 8.0
Less than \$15,000	386	47,637	161	48.4	41.3-55.5	96	23.9	17.8-30.0	129	27.6	21.9-33.3
\$15,000- 24,999	769	106,414	422	59.5	54.8-64.2	177	21.0	17.3-24.7	170	19.5	16.0-23.0
\$25,000- 34,999	401	53,323	245	61.1	54.6-67.6	91	24.2	18.3-30.1	65	14.8	10.3-19.3
\$35,000- 49,999	562	82,363	352	64.9	59.4-70.4	123	20.7	16.2-25.2	87	14.4	10.1-18.7
\$50,000- 74,999	639	93,091	404	63.8	58.5-69.1	168	27.5	22.4-32.6	67	8.6	5.9-11.3
\$75,000+	1423	233,161	1005	70.8	67.7-73.9	329	23.5	20.6-26.4	89	5.6	4.0- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2261	361,510	1499	69.0	66.5-71.5	466	20.4	18.0-22.8	296	10.6	9.0-12.2
White/Non-Hisp	1525	230,668	997	68.9	66.0-71.8	323	20.4	17.9-22.9	205	10.7	8.9-12.5
Black or Afr. Am./Non-Hisp	278	70,850	185	68.3	61.0-75.6	61	20.7	14.6-26.8	32	11.0	5.5-16.5
Oth. Race/Non-Hisp.	112	19,965	72	69.5	55.2-83.8	19	22.0	7.7-36.3	21	8.4	2.1-14.7
Hispanic	246	27,543	186	74.5	66.9-82.1	40	16.8	9.9-23.7	20	8.7	4.2-13.2
18-24	153	44,329	109	68.8	59.0-78.6	36	26.5	16.7-36.3	8	4.8	1.1- 8.5
25-34	236	63,353	176	74.8	67.4-82.2	45	18.3	12.0-24.6	15	6.9	1.8-12.0
35-44	291	54,833	205	71.5	64.8-78.2	56	18.0	12.5-23.5	30	10.5	5.8-15.2
45-54	351	57,443	230	70.1	64.2-76.0	71	18.2	13.5-22.9	50	11.6	7.3-15.9
55-64	484	62,038	309	64.1	58.6-69.6	102	22.7	17.8-27.6	73	13.2	9.7-16.7
65+	746	79,513	470	65.8	61.7-69.9	156	20.0	16.7-23.3	120	14.2	11.3-17.1
Less Than H.S.	233	38,575	161	71.5	64.2-78.8	36	15.5	9.4-21.6	36	13.0	7.9-18.1
H.S. or G.E.D.	652	120,174	405	63.1	58.0-68.2	140	22.3	17.6-27.0	107	14.6	10.7-18.5
Some Post-H.S.	567	102,708	375	72.4	67.7-77.1	118	19.0	14.9-23.1	74	8.6	6.2-11.0
College Graduate	796	98,591	553	72.2	68.3-76.1	171	21.5	17.8-25.2	72	6.3	4.5- 8.1
Less than \$15,000	155	20,622	68	50.6	40.0-61.2	35	19.7	10.5-28.9	52	29.8	20.8-38.8
\$15,000- 24,999	310	43,073	172	61.4	54.5-68.3	69	22.2	16.3-28.1	69	16.4	11.7-21.1
\$25,000- 34,999	156	21,912	102	62.7	52.1-73.3	32	23.0	12.8-33.2	22	14.3	7.6-21.0
\$35,000- 49,999	265	43,004	185	67.8	59.4-76.2	52	18.8	12.3-25.3	28	13.4	6.1-20.7
\$50,000- 74,999	288	46,996	187	65.9	57.7-74.1	67	26.0	17.8-34.2	34	8.1	4.8-11.4
\$75,000+	730	126,363	547	76.0	71.9-80.1	144	18.7	15.2-22.2	39	5.3	2.8- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	394,309	1693	62.1	59.7-64.5	706	24.5	22.3-26.7	447	13.4	11.8-15.0
White/Non-Hisp	1946	253,650	1133	58.8	55.9-61.7	498	26.5	23.8-29.2	315	14.6	12.6-16.6
Black or Afr. Am./Non-Hisp	418	82,984	262	66.5	60.6-72.4	88	20.9	15.6-26.2	68	12.6	8.7-16.5
Oth. Race/Non-Hisp.	88	15,090	53	73.1	60.4-85.8	26	22.6	10.4-34.8	9	4.3	0.8- 7.8
Hispanic	281	31,635	178	70.9	64.2-77.6	68	20.8	14.7-26.9	35	8.3	5.0-11.6
18-24	157	43,382	96	63.4	53.6-73.2	47	29.6	20.2-39.0	14	6.9	2.8-11.0
25-34	281	62,631	184	66.3	59.0-73.6	69	24.5	17.8-31.2	28	9.2	4.9-13.5
35-44	327	57,806	194	60.5	53.8-67.2	98	29.3	23.0-35.6	35	10.1	6.0-14.2
45-54	439	61,974	256	61.4	55.9-66.9	117	24.8	19.9-29.7	66	13.8	10.1-17.5
55-64	597	70,290	343	62.3	57.6-67.0	146	21.7	17.8-25.6	108	16.0	12.5-19.5
65+	1045	98,226	620	60.3	56.4-64.2	229	21.1	18.0-24.2	196	18.6	15.5-21.7
Less Than H.S.	267	43,788	142	61.4	53.2-69.6	56	14.7	9.6-19.8	69	23.8	16.9-30.7
H.S. or G.E.D.	790	117,096	484	64.4	59.9-68.9	157	19.0	15.3-22.7	149	16.6	13.3-19.9
Some Post-H.S.	764	115,629	429	57.3	52.6-62.0	200	29.9	25.4-34.4	135	12.7	10.0-15.4
College Graduate	1014	116,580	630	64.7	60.8-68.6	290	28.3	24.6-32.0	94	6.9	5.1- 8.7
Less than \$15,000	231	27,015	93	46.8	37.0-56.6	61	27.2	19.0-35.4	77	26.0	18.6-33.4
\$15,000- 24,999	459	63,341	250	58.1	52.0-64.2	108	20.2	15.5-24.9	101	21.7	16.6-26.8
\$25,000- 34,999	245	31,411	143	60.0	51.8-68.2	59	24.9	17.6-32.2	43	15.1	9.0-21.2
\$35,000- 49,999	297	39,359	167	61.6	54.2-69.0	71	22.8	16.3-29.3	59	15.5	11.0-20.0
\$50,000- 74,999	351	46,095	217	61.7	54.8-68.6	101	29.1	22.8-35.4	33	9.2	4.7-13.7
\$75,000+	693	106,799	458	64.8	60.1-69.5	185	29.2	24.5-33.9	50	6.0	4.0- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	759,511	3568	66.8	65.0-68.6	983	20.8	19.2-22.4	601	12.4	11.0-13.8
Male	2274	361,615	1694	71.9	69.4-74.4	351	18.8	16.4-21.2	229	9.4	7.8-11.0
Female	2878	397,896	1874	62.2	59.7-64.7	632	22.6	20.2-25.0	372	15.2	13.2-17.2
White/Non-Hisp	3492	485,229	2405	65.8	63.6-68.0	674	21.1	19.1-23.1	413	13.1	11.5-14.7
Black or Afr. Am./Non-Hisp	708	155,262	499	68.8	64.1-73.5	131	19.5	15.4-23.6	78	11.7	8.4-15.0
Oth. Race/Non-Hisp.	201	35,493	124	59.0	48.0-70.0	52	32.1	21.3-42.9	25	8.8	2.3-15.3
MultiRacial/Non-Hisp.	77	5,387	46	55.8	40.5-71.1	16	22.0	9.7-34.3	15	22.3	10.9-33.7
Hispanic	536	59,563	387	74.6	69.5-79.7	90	15.2	10.9-19.5	59	10.3	7.0-13.6
18-24	310	87,709	156	47.9	40.6-55.2	96	35.9	28.5-43.3	58	16.2	11.3-21.1
25-34	522	126,739	304	54.6	48.9-60.3	141	27.9	22.6-33.2	77	17.5	13.0-22.0
35-44	618	112,330	393	64.5	59.6-69.4	129	20.7	16.6-24.8	96	14.8	11.3-18.3
45-54	799	120,373	524	69.2	65.3-73.1	172	18.9	15.8-22.0	103	11.9	9.2-14.6
55-64	1086	132,762	761	71.9	68.6-75.2	190	16.8	14.1-19.5	135	11.3	8.9-13.7
65+	1817	179,598	1430	80.7	78.5-82.9	255	12.6	10.8-14.4	132	6.8	5.4- 8.2
Less Than H.S.	513	84,136	355	65.3	59.2-71.4	64	16.5	10.8-22.2	94	18.3	14.0-22.6
H.S. or G.E.D.	1465	238,962	1005	67.4	63.9-70.9	282	20.6	17.5-23.7	178	11.9	9.5-14.3
Some Post-H.S.	1339	218,498	881	62.9	59.4-66.4	263	21.5	18.4-24.6	195	15.6	12.9-18.3
College Graduate	1809	215,068	1311	70.7	68.0-73.4	366	21.7	19.2-24.2	132	7.6	6.0- 9.2
Less than \$15,000	391	48,040	216	52.6	45.5-59.7	76	22.8	15.9-29.7	99	24.6	18.9-30.3
\$15,000- 24,999	780	107,462	506	62.8	58.1-67.5	147	17.9	14.2-21.6	127	19.4	15.5-23.3
\$25,000- 34,999	400	52,777	268	65.4	59.1-71.7	75	20.9	15.4-26.4	57	13.7	9.4-18.0
\$35,000- 49,999	565	82,207	381	64.8	58.9-70.7	116	20.4	15.5-25.3	68	14.8	10.1-19.5
\$50,000- 74,999	636	92,889	439	60.7	55.0-66.4	131	26.2	20.7-31.7	66	13.1	9.0-17.2
\$75,000+	1429	233,648	1060	71.3	68.2-74.4	280	22.5	19.6-25.4	89	6.2	4.4- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2274	361,615	1694	71.9	69.4-74.4	351	18.8	16.4-21.2	229	9.4	7.8-11.0
White/Non-Hisp	1535	230,275	1149	72.7	69.8-75.6	238	17.8	15.3-20.3	148	9.5	7.5-11.5
Black or Afr. Am./Non-Hisp	281	71,203	211	72.9	65.6-80.2	46	19.7	13.4-26.0	24	7.5	2.8-12.2
Oth. Race/Non-Hisp.	111	20,218	75	63.0	48.3-77.7	24	32.9	17.8-48.0	12	4.1	0.4- 7.8
Hispanic	247	27,435	189	72.7	64.3-81.1	28	14.0	6.7-21.3	30	13.3	7.4-19.2
18-24	154	44,461	90	56.3	46.3-66.3	42	33.5	23.5-43.5	22	10.1	5.2-15.0
25-34	236	63,349	149	59.7	51.5-67.9	56	25.7	18.3-33.1	31	14.6	8.1-21.1
35-44	288	54,101	200	70.8	63.9-77.7	52	20.1	13.8-26.4	36	9.2	5.7-12.7
45-54	352	57,485	254	75.5	70.2-80.8	60	17.0	12.3-21.7	38	7.5	4.8-10.2
55-64	486	61,880	369	76.5	72.0-81.0	65	13.5	9.8-17.2	52	9.9	6.8-13.0
65+	758	80,339	632	84.5	81.4-87.6	76	9.6	7.1-12.1	50	5.9	3.9- 7.9
Less Than H.S.	236	39,029	180	71.3	63.5-79.1	19	14.4	7.3-21.5	37	14.3	9.0-19.6
H.S. or G.E.D.	660	119,948	494	73.5	68.4-78.6	99	17.6	13.1-22.1	67	8.9	5.8-12.0
Some Post-H.S.	568	102,437	403	69.1	64.0-74.2	101	20.8	16.1-25.5	64	10.1	7.0-13.2
College Graduate	797	98,739	611	73.6	69.3-77.9	126	19.2	15.3-23.1	60	7.3	4.9- 9.7
Less than \$15,000	153	20,407	96	58.2	47.4-69.0	21	17.9	8.1-27.7	36	23.9	15.1-32.7
\$15,000- 24,999	314	43,430	214	68.0	61.1-74.9	51	16.0	10.3-21.7	49	16.0	10.7-21.3
\$25,000- 34,999	152	20,946	111	72.9	63.7-82.1	27	19.4	11.0-27.8	14	7.6	2.9-12.3
\$35,000- 49,999	268	43,006	197	67.8	59.2-76.4	47	20.5	13.2-27.8	24	11.6	4.5-18.7
\$50,000- 74,999	287	46,918	215	63.2	54.2-72.2	43	26.2	17.4-35.0	29	10.6	5.1-16.1
\$75,000+	733	126,341	577	77.1	73.0-81.2	114	18.3	14.4-22.2	42	4.6	2.8- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	397,896	1874	62.2	59.7-64.7	632	22.6	20.2-25.0	372	15.2	13.2-17.2
White/Non-Hisp	1957	254,954	1256	59.5	56.6-62.4	436	24.0	21.3-26.7	265	16.5	14.1-18.9
Black or Afr. Am./Non-Hisp	427	84,058	288	65.4	59.1-71.7	85	19.3	14.0-24.6	54	15.4	10.5-20.3
Oth. Race/Non-Hisp.	90	15,275	49	53.8	37.3-70.3	28	31.1	15.6-46.6	13	15.1	1.4-28.8
Hispanic	289	32,128	198	76.2	70.3-82.1	62	16.1	11.4-20.8	29	7.7	4.4-11.0
18-24	156	43,248	66	39.1	28.7-49.5	54	38.4	27.6-49.2	36	22.5	14.3-30.7
25-34	286	63,390	155	49.4	41.8-57.0	85	30.2	22.8-37.6	46	20.4	13.9-26.9
35-44	330	58,229	193	58.7	52.0-65.4	77	21.3	15.8-26.8	60	20.0	14.3-25.7
45-54	447	62,888	270	63.5	58.0-69.0	112	20.6	16.5-24.7	65	15.9	11.4-20.4
55-64	600	70,882	392	67.9	63.2-72.6	125	19.7	15.8-23.6	83	12.4	9.3-15.5
65+	1059	99,259	798	77.6	74.5-80.7	179	15.0	12.5-17.5	82	7.5	5.5- 9.5
Less Than H.S.	277	45,108	175	60.1	51.1-69.1	45	18.2	9.6-26.8	57	21.7	15.0-28.4
H.S. or G.E.D.	805	119,014	511	61.3	56.6-66.0	183	23.7	19.2-28.2	111	15.0	11.7-18.3
Some Post-H.S.	771	116,060	478	57.5	52.6-62.4	162	22.0	18.1-25.9	131	20.5	16.2-24.8
College Graduate	1012	116,329	700	68.3	64.4-72.2	240	23.9	20.4-27.4	72	7.8	5.4-10.2
Less than \$15,000	238	27,633	120	48.5	39.1-57.9	55	26.3	17.1-35.5	63	25.2	17.6-32.8
\$15,000- 24,999	466	64,033	292	59.2	52.9-65.5	96	19.1	14.2-24.0	78	21.6	16.1-27.1
\$25,000- 34,999	248	31,831	157	60.4	52.2-68.6	48	21.9	14.8-29.0	43	17.7	11.2-24.2
\$35,000- 49,999	297	39,201	184	61.5	53.7-69.3	69	20.3	13.6-27.0	44	18.2	11.9-24.5
\$50,000- 74,999	349	45,972	224	58.0	50.7-65.3	88	26.2	19.5-32.9	37	15.8	9.7-21.9
\$75,000+	696	107,307	483	64.5	59.6-69.4	166	27.4	22.7-32.1	47	8.1	5.0-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3299	568,406	2808	87.1	85.7-88.5	491	12.9	11.5-14.3
Male	1508	277,704	1251	85.8	83.6-88.0	257	14.2	12.0-16.4
Female	1791	290,702	1557	88.3	86.3-90.3	234	11.7	9.7-13.7
White/Non-Hisp	2008	341,420	1846	91.4	89.8-93.0	162	8.6	7.0-10.2
Black or Afr. Am./Non-Hisp	525	125,868	470	89.1	85.6-92.6	55	10.9	7.4-14.4
Oth. Race/Non-Hisp.	156	30,027	137	91.0	85.5-96.5	19	9.0	3.5-14.5
MultiRacial/Non-Hisp.	58	4,575	53	93.8	87.9-99.7	5	6.2	0.3-12.1
Hispanic	492	56,192	251	53.5	47.4-59.6	241	46.5	40.4-52.6
18-24	307	85,050	232	81.9	77.0-86.8	75	18.1	13.2-23.0
25-34	523	126,541	391	81.2	77.1-85.3	132	18.8	14.7-22.9
35-44	615	110,369	484	84.5	81.2-87.8	131	15.5	12.2-18.8
45-54	770	115,340	694	92.0	89.8-94.2	76	8.0	5.8-10.2
55-64	1084	131,105	1007	93.9	92.1-95.7	77	6.1	4.3- 7.9
Less Than H.S.	393	67,606	209	62.7	56.2-69.2	184	37.3	30.8-43.8
H.S. or G.E.D.	935	176,621	781	86.2	83.5-88.9	154	13.8	11.1-16.5
Some Post-H.S.	832	160,247	739	90.4	87.9-92.9	93	9.6	7.1-12.1
College Graduate	1126	162,615	1071	95.1	93.1-97.1	55	4.9	2.9- 6.9
Less than \$15,000	296	39,179	226	78.0	71.9-84.1	70	22.0	15.9-28.1
\$15,000- 24,999	509	80,740	365	75.1	70.0-80.2	144	24.9	19.8-30.0
\$25,000- 34,999	221	33,999	189	86.5	81.0-92.0	32	13.5	8.0-19.0
\$35,000- 49,999	334	59,072	279	83.4	77.9-88.9	55	16.6	11.1-22.1
\$50,000- 74,999	392	70,112	365	94.2	91.5-96.9	27	5.8	3.1- 8.5
\$75,000+	1027	192,952	986	95.9	94.1-97.7	41	4.1	2.3- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1508	277,704	1251	85.8	83.6-88.0	257	14.2	12.0-16.4
White/Non-Hisp	922	166,264	830	89.9	87.5-92.3	92	10.1	7.7-12.5
Black or Afr. Am./Non-Hisp	211	58,598	183	87.5	82.2-92.8	28	12.5	7.2-17.8
Oth. Race/Non-Hisp.	93	17,705	81	93.3	88.6-98.0	12	6.7	2.0-11.4
Hispanic	230	26,734	111	50.5	41.7-59.3	119	49.5	40.7-58.3
18-24	154	43,837	112	81.8	75.3-88.3	42	18.2	11.7-24.7
25-34	238	63,835	170	80.1	74.2-86.0	68	19.9	14.0-25.8
35-44	288	53,125	219	81.8	76.3-87.3	69	18.2	12.7-23.7
45-54	344	55,674	302	90.5	87.0-94.0	42	9.5	6.0-13.0
55-64	484	61,233	448	93.7	91.2-96.2	36	6.3	3.8- 8.8
Less Than H.S.	190	32,238	92	57.3	48.3-66.3	98	42.7	33.7-51.7
H.S. or G.E.D.	467	95,216	375	83.3	79.2-87.4	92	16.7	12.6-20.8
Some Post-H.S.	369	76,456	326	91.2	87.7-94.7	43	8.8	5.3-12.3
College Graduate	477	73,420	455	95.9	93.9-97.9	22	4.1	2.1- 6.1
Less than \$15,000	124	17,103	92	74.0	64.2-83.8	32	26.0	16.2-35.8
\$15,000- 24,999	223	34,143	142	65.5	56.9-74.1	81	34.5	25.9-43.1
\$25,000- 34,999	82	13,398	61	76.8	65.2-88.4	21	23.2	11.6-34.8
\$35,000- 49,999	168	31,392	128	76.9	68.7-85.1	40	23.1	14.9-31.3
\$50,000- 74,999	171	35,398	158	94.3	90.8-97.8	13	5.7	2.2- 9.2
\$75,000+	517	103,954	493	95.6	93.4-97.8	24	4.4	2.2- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1791	290,702	1557	88.3	86.3-90.3	234	11.7	9.7-13.7
White/Non-Hisp	1086	175,156	1016	92.8	90.6-95.0	70	7.2	5.0- 9.4
Black or Afr. Am./Non-Hisp	314	67,270	287	90.4	85.9-94.9	27	9.6	5.1-14.1
Oth. Race/Non-Hisp.	63	12,322	56	87.6	76.4-98.8	7	12.4	1.2-23.6
Hispanic	262	29,458	140	56.4	48.0-64.8	122	43.6	35.2-52.0
18-24	153	41,213	120	81.9	74.3-89.5	33	18.1	10.5-25.7
25-34	285	62,706	221	82.4	76.7-88.1	64	17.6	11.9-23.3
35-44	327	57,245	265	87.0	82.9-91.1	62	13.0	8.9-17.1
45-54	426	59,665	392	93.4	90.7-96.1	34	6.6	3.9- 9.3
55-64	600	69,873	559	94.1	91.6-96.6	41	5.9	3.4- 8.4
Less Than H.S.	203	35,368	117	67.7	58.9-76.5	86	32.3	23.5-41.1
H.S. or G.E.D.	468	81,405	406	89.5	86.2-92.8	62	10.5	7.2-13.8
Some Post-H.S.	463	83,791	413	89.7	86.0-93.4	50	10.3	6.6-14.0
College Graduate	649	89,195	616	94.4	91.5-97.3	33	5.6	2.7- 8.5
Less than \$15,000	172	22,076	134	81.0	73.4-88.6	38	19.0	11.4-26.6
\$15,000- 24,999	286	46,596	223	82.1	76.4-87.8	63	17.9	12.2-23.6
\$25,000- 34,999	139	20,601	128	92.8	87.9-97.7	11	7.2	2.3-12.1
\$35,000- 49,999	166	27,681	151	90.7	83.8-97.6	15	9.3	2.4-16.2
\$50,000- 74,999	221	34,713	207	94.2	90.3-98.1	14	5.8	1.9- 9.7
\$75,000+	510	88,998	493	96.2	93.5-98.9	17	3.8	1.1- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5225	767,671	3678	73.2	71.6-74.8	1547	26.8	25.2-28.4
Male	2309	366,492	1716	76.8	74.6-79.0	593	23.2	21.0-25.4
Female	2916	401,180	1962	70.0	67.8-72.2	954	30.0	27.8-32.2
White/Non-Hisp	3541	491,204	2568	75.4	73.6-77.2	973	24.6	22.8-26.4
Black or Afr. Am./Non-Hisp	715	155,851	467	68.4	63.9-72.9	248	31.6	27.1-36.1
Oth. Race/Non-Hisp.	203	35,752	151	78.1	69.9-86.3	52	21.9	13.7-30.1
MultiRacial/Non-Hisp.	80	5,510	57	67.1	50.4-83.8	23	32.9	16.2-49.6
Hispanic	545	60,616	329	64.4	59.1-69.7	216	35.6	30.3-40.9
18-24	315	88,424	246	83.2	78.1-88.3	69	16.8	11.7-21.9
25-34	526	127,390	394	78.2	73.7-82.7	132	21.8	17.3-26.3
35-44	629	114,170	458	73.9	69.6-78.2	171	26.1	21.8-30.4
45-54	808	121,541	601	76.4	72.9-79.9	207	23.6	20.1-27.1
55-64	1106	134,104	752	69.7	66.4-73.0	354	30.3	27.0-33.6
65+	1841	182,043	1227	64.9	62.2-67.6	614	35.1	32.4-37.8
Less Than H.S.	527	85,877	277	59.5	53.8-65.2	250	40.5	34.8-46.2
H.S. or G.E.D.	1484	241,857	906	65.4	62.1-68.7	578	34.6	31.3-37.9
Some Post-H.S.	1358	219,939	972	75.7	72.8-78.6	386	24.3	21.4-27.2
College Graduate	1830	217,151	1508	85.2	83.2-87.2	322	14.8	12.8-16.8
Less than \$15,000	399	48,631	215	58.7	52.0-65.4	184	41.3	34.6-48.0
\$15,000- 24,999	789	108,996	453	58.4	53.7-63.1	336	41.6	36.9-46.3
\$25,000- 34,999	404	53,740	254	66.0	60.1-71.9	150	34.0	28.1-39.9
\$35,000- 49,999	572	83,023	386	70.7	65.4-76.0	186	29.3	24.0-34.6
\$50,000- 74,999	648	94,135	490	78.9	74.8-83.0	158	21.1	17.0-25.2
\$75,000+	1437	235,224	1233	86.9	84.5-89.3	204	13.1	10.7-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2309	366,492	1716	76.8	74.6-79.0	593	23.2	21.0-25.4
White/Non-Hisp	1559	234,018	1192	79.0	76.6-81.4	367	21.0	18.6-23.4
Black or Afr. Am./Non-Hisp	284	71,221	193	70.0	63.1-76.9	91	30.0	23.1-36.9
Oth. Race/Non-Hisp.	113	20,477	86	83.8	75.8-91.8	27	16.2	8.2-24.2
Hispanic	253	28,292	167	68.4	60.8-76.0	86	31.6	24.0-39.2
18-24	157	44,845	133	90.1	85.4-94.8	24	9.9	5.2-14.6
25-34	238	63,835	183	79.2	72.7-85.7	55	20.8	14.3-27.3
35-44	296	55,768	221	75.9	69.6-82.2	75	24.1	17.8-30.4
45-54	359	58,496	269	77.5	72.4-82.6	90	22.5	17.4-27.6
55-64	492	62,207	353	72.3	67.2-77.4	139	27.7	22.6-32.8
65+	767	81,341	557	70.9	67.0-74.8	210	29.1	25.2-33.0
Less Than H.S.	243	40,042	150	67.7	60.4-75.0	93	32.3	25.0-39.6
H.S. or G.E.D.	669	122,102	455	71.4	66.9-75.9	214	28.6	24.1-33.1
Some Post-H.S.	577	102,843	432	78.0	73.9-82.1	145	22.0	17.9-26.1
College Graduate	807	100,043	669	85.7	82.8-88.6	138	14.3	11.4-17.2
Less than \$15,000	156	20,707	93	57.0	46.6-67.4	63	43.0	32.6-53.4
\$15,000- 24,999	319	44,174	192	61.2	54.1-68.3	127	38.8	31.7-45.9
\$25,000- 34,999	157	21,993	111	71.6	62.8-80.4	46	28.4	19.6-37.2
\$35,000- 49,999	270	43,344	201	77.5	71.0-84.0	69	22.5	16.0-29.0
\$50,000- 74,999	293	47,708	227	82.9	77.8-88.0	66	17.1	12.0-22.2
\$75,000+	739	127,692	626	86.0	82.9-89.1	113	14.0	10.9-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	401,180	1962	70.0	67.8-72.2	954	30.0	27.8-32.2
White/Non-Hisp	1982	257,186	1376	72.1	69.6-74.6	606	27.9	25.4-30.4
Black or Afr. Am./Non-Hisp	431	84,630	274	67.0	61.1-72.9	157	33.0	27.1-38.9
Oth. Race/Non-Hisp.	90	15,275	65	70.4	55.3-85.5	25	29.6	14.5-44.7
Hispanic	292	32,324	162	60.9	53.3-68.5	130	39.1	31.5-46.7
18-24	158	43,579	113	76.2	67.6-84.8	45	23.8	15.2-32.4
25-34	288	63,555	211	77.3	71.2-83.4	77	22.7	16.6-28.8
35-44	333	58,402	237	72.0	65.9-78.1	96	28.0	21.9-34.1
45-54	449	63,045	332	75.3	70.2-80.4	117	24.7	19.6-29.8
55-64	614	71,897	399	67.5	63.0-72.0	215	32.5	28.0-37.0
65+	1074	100,702	670	60.1	56.2-64.0	404	39.9	36.0-43.8
Less Than H.S.	284	45,836	127	52.3	43.7-60.9	157	47.7	39.1-56.3
H.S. or G.E.D.	815	119,755	451	59.2	54.7-63.7	364	40.8	36.3-45.3
Some Post-H.S.	781	117,096	540	73.7	69.8-77.6	241	26.3	22.4-30.2
College Graduate	1023	117,108	839	84.8	82.1-87.5	184	15.2	12.5-17.9
Less than \$15,000	243	27,924	122	60.0	51.4-68.6	121	40.0	31.4-48.6
\$15,000- 24,999	470	64,821	261	56.5	50.4-62.6	209	43.5	37.4-49.6
\$25,000- 34,999	247	31,747	143	62.1	54.5-69.7	104	37.9	30.3-45.5
\$35,000- 49,999	302	39,679	185	63.2	55.2-71.2	117	36.8	28.8-44.8
\$50,000- 74,999	355	46,427	263	74.8	68.7-80.9	92	25.2	19.1-31.3
\$75,000+	698	107,532	607	87.9	84.6-91.2	91	12.1	8.8-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5184	764,051	474	6.5	5.7- 7.3	4710	93.5	92.7-94.3
Male	2290	364,555	262	7.8	6.6- 9.0	2028	92.2	91.0-93.4
Female	2894	399,496	212	5.3	4.3- 6.3	2682	94.7	93.7-95.7
White/Non-Hisp	3516	489,043	373	8.0	7.0- 9.0	3143	92.0	91.0-93.0
Black or Afr. Am./Non-Hisp	713	156,406	48	4.6	2.8- 6.4	665	95.4	93.6-97.2
Oth. Race/Non-Hisp.	199	34,609	13	1.7	0.5- 2.9	186	98.3	97.1-99.5
MultiRacial/Non-Hisp.	80	5,510	7	4.2	0.7- 7.7	73	95.8	92.3-99.3
Hispanic	537	60,062	15	1.8	0.6- 3.0	522	98.2	97.0-99.4
18-24	312	87,710				312	100.0	100.0- 100
25-34	523	127,110	5	0.7	0.0- 1.5	518	99.3	98.5- 100
35-44	624	113,231	16	2.0	0.8- 3.2	608	98.0	96.8-99.2
45-54	802	121,118	33	3.4	1.8- 5.0	769	96.6	95.0-98.2
55-64	1100	134,340	96	8.2	6.0-10.4	1004	91.8	89.6-94.0
65+	1823	180,542	324	17.4	15.2-19.6	1499	82.6	80.4-84.8
Less Than H.S.	520	85,248	53	8.4	5.5-11.3	467	91.6	88.7-94.5
H.S. or G.E.D.	1471	240,097	147	6.8	5.4- 8.2	1324	93.2	91.8-94.6
Some Post-H.S.	1347	219,754	139	7.6	6.0- 9.2	1208	92.4	90.8-94.0
College Graduate	1822	216,462	133	4.3	3.5- 5.1	1689	95.7	94.9-96.5
Less than \$15,000	390	47,925	53	9.3	6.2-12.4	337	90.7	87.6-93.8
\$15,000- 24,999	782	108,547	97	8.8	6.6-11.0	685	91.2	89.0-93.4
\$25,000- 34,999	401	53,609	45	9.4	5.7-13.1	356	90.6	86.9-94.3
\$35,000- 49,999	566	81,995	47	6.2	4.0- 8.4	519	93.8	91.6-96.0
\$50,000- 74,999	647	94,067	65	7.3	5.1- 9.5	582	92.7	90.5-94.9
\$75,000+	1431	234,390	87	4.1	3.1- 5.1	1344	95.9	94.9-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2290	364,555	262	7.8	6.6- 9.0	2028	92.2	91.0-93.4
White/Non-Hisp	1548	233,013	205	9.4	7.8-11.0	1343	90.6	89.0-92.2
Black or Afr. Am./Non-Hisp	284	71,891	30	6.7	3.4-10.0	254	93.3	90.0-96.6
Oth. Race/Non-Hisp.	110	19,365	8	1.5	0.3- 2.7	102	98.5	97.3-99.7
Hispanic	250	28,120	7	1.9	0.1- 3.7	243	98.1	96.3-99.9
18-24	155	44,206				155	100.0	100.0- 100
25-34	236	63,625	1	0.1	0.0- 0.3	235	99.9	99.7- 100
35-44	294	55,086	5	1.1	0.1- 2.1	289	98.9	97.9-99.9
45-54	354	58,009	20	5.8	2.7- 8.9	334	94.2	91.1-97.3
55-64	489	62,691	57	11.8	7.9-15.7	432	88.2	84.3-92.1
65+	762	80,937	179	21.0	17.7-24.3	583	79.0	75.7-82.3
Less Than H.S.	241	39,797	25	8.8	4.7-12.9	216	91.2	87.1-95.3
H.S. or G.E.D.	664	121,223	75	7.3	5.3- 9.3	589	92.7	90.7-94.7
Some Post-H.S.	571	103,040	74	9.3	6.6-12.0	497	90.7	88.0-93.4
College Graduate	802	99,316	86	6.5	4.9- 8.1	716	93.5	91.9-95.1
Less than \$15,000	153	20,347	21	10.0	5.1-14.9	132	90.0	85.1-94.9
\$15,000- 24,999	315	43,888	44	10.5	6.6-14.4	271	89.5	85.6-93.4
\$25,000- 34,999	155	21,934	21	10.6	4.9-16.3	134	89.4	83.7-95.1
\$35,000- 49,999	267	42,667	28	7.5	4.2-10.8	239	92.5	89.2-95.8
\$50,000- 74,999	292	47,640	43	8.9	5.6-12.2	249	91.1	87.8-94.4
\$75,000+	737	127,107	63	5.4	3.8- 7.0	674	94.6	93.0-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2894	399,496	212	5.3	4.3- 6.3	2682	94.7	93.7-95.7
White/Non-Hisp	1968	256,030	168	6.7	5.3- 8.1	1800	93.3	91.9-94.7
Black or Afr. Am./Non-Hisp	429	84,515	18	2.8	1.0- 4.6	411	97.2	95.4-99.0
Oth. Race/Non-Hisp.	89	15,244	5	2.1	0.0- 4.5	84	97.9	95.5- 100
Hispanic	287	31,942	8	1.7	0.3- 3.1	279	98.3	96.9-99.7
18-24	157	43,503				157	100.0	100.0- 100
25-34	287	63,484	4	1.2	0.0- 2.6	283	98.8	97.4- 100
35-44	330	58,146	11	2.7	0.5- 4.9	319	97.3	95.1-99.5
45-54	448	63,108	13	1.2	0.4- 2.0	435	98.8	98.0-99.6
55-64	611	71,649	39	5.1	3.1- 7.1	572	94.9	92.9-96.9
65+	1061	99,605	145	14.4	11.5-17.3	916	85.6	82.7-88.5
Less Than H.S.	279	45,451	28	8.0	4.1-11.9	251	92.0	88.1-95.9
H.S. or G.E.D.	807	118,875	72	6.4	4.4- 8.4	735	93.6	91.6-95.6
Some Post-H.S.	776	116,714	65	6.0	4.0- 8.0	711	94.0	92.0-96.0
College Graduate	1020	117,147	47	2.5	1.7- 3.3	973	97.5	96.7-98.3
Less than \$15,000	237	27,577	32	8.8	4.7-12.9	205	91.2	87.1-95.3
\$15,000- 24,999	467	64,660	53	7.6	5.1-10.1	414	92.4	89.9-94.9
\$25,000- 34,999	246	31,676	24	8.6	3.7-13.5	222	91.4	86.5-96.3
\$35,000- 49,999	299	39,328	19	4.7	2.2- 7.2	280	95.3	92.8-97.8
\$50,000- 74,999	355	46,427	22	5.6	2.7- 8.5	333	94.4	91.5-97.3
\$75,000+	694	107,283	24	2.5	1.3- 3.7	670	97.5	96.3-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5213	766,342	4501	85.6	84.2-87.0	712	14.4	13.0-15.8
Male	2302	365,990	2058	88.3	86.3-90.3	244	11.7	9.7-13.7
Female	2911	400,352	2443	83.2	81.2-85.2	468	16.8	14.8-18.8
White/Non-Hisp	3530	489,505	3045	85.9	84.3-87.5	485	14.1	12.5-15.7
Black or Afr. Am./Non-Hisp	715	156,373	609	83.0	79.1-86.9	106	17.0	13.1-20.9
Oth. Race/Non-Hisp.	202	35,698	178	90.9	85.6-96.2	24	9.1	3.8-14.4
MultiRacial/Non-Hisp.	80	5,510	62	71.0	53.8-88.2	18	29.0	11.8-46.2
Hispanic	545	60,518	483	87.9	84.0-91.8	62	12.1	8.2-16.0
18-24	313	87,737	260	80.3	74.2-86.4	53	19.7	13.6-25.8
25-34	524	127,007	438	80.2	75.5-84.9	86	19.8	15.1-24.5
35-44	630	114,212	538	86.6	83.3-89.9	92	13.4	10.1-16.7
45-54	805	121,385	688	86.3	83.2-89.4	117	13.7	10.6-16.8
55-64	1102	134,272	948	87.0	84.5-89.5	154	13.0	10.5-15.5
65+	1839	181,729	1629	90.0	88.4-91.6	210	10.0	8.4-11.6
Less Than H.S.	525	85,578	450	85.1	80.6-89.6	75	14.9	10.4-19.4
H.S. or G.E.D.	1480	240,805	1268	84.0	81.1-86.9	212	16.0	13.1-18.9
Some Post-H.S.	1356	220,231	1178	86.7	84.2-89.2	178	13.3	10.8-15.8
College Graduate	1826	216,881	1584	86.7	84.7-88.7	242	13.3	11.3-15.3
Less than \$15,000	395	48,151	304	74.5	67.4-81.6	91	25.5	18.4-32.6
\$15,000- 24,999	790	108,942	666	82.9	79.2-86.6	124	17.1	13.4-20.8
\$25,000- 34,999	405	53,800	344	80.9	75.0-86.8	61	19.1	13.2-25.0
\$35,000- 49,999	570	82,737	484	84.7	80.2-89.2	86	15.3	10.8-19.8
\$50,000- 74,999	644	93,540	570	89.3	86.4-92.2	74	10.7	7.8-13.6
\$75,000+	1436	234,904	1273	87.9	85.5-90.3	163	12.1	9.7-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2302	365,990	2058	88.3	86.3-90.3	244	11.7	9.7-13.7
White/Non-Hisp	1551	232,773	1379	88.3	86.1-90.5	172	11.7	9.5-13.9
Black or Afr. Am./Non-Hisp	285	72,063	259	87.9	81.8-94.0	26	12.1	6.0-18.2
Oth. Race/Non-Hisp.	113	20,477	103	91.7	84.6-98.8	10	8.3	1.2-15.4
Hispanic	253	28,194	227	85.8	78.9-92.7	26	14.2	7.3-21.1
18-24	157	44,845	137	84.7	76.9-92.5	20	15.3	7.5-23.1
25-34	236	63,452	207	83.7	76.8-90.6	29	16.3	9.4-23.2
35-44	297	55,810	261	88.4	83.7-93.1	36	11.6	6.9-16.3
45-54	355	58,095	310	88.7	85.0-92.4	45	11.3	7.6-15.0
55-64	492	62,745	438	89.7	86.4-93.0	54	10.3	7.0-13.6
65+	765	81,043	705	92.4	90.2-94.6	60	7.6	5.4- 9.8
Less Than H.S.	243	39,944	221	89.6	84.5-94.7	22	10.4	5.3-15.5
H.S. or G.E.D.	667	121,758	598	88.5	84.6-92.4	69	11.5	7.6-15.4
Some Post-H.S.	576	103,263	515	87.6	83.7-91.5	61	12.4	8.5-16.3
College Graduate	803	99,563	713	88.4	85.5-91.3	90	11.6	8.7-14.5
Less than \$15,000	155	20,462	136	88.7	82.6-94.8	19	11.3	5.2-17.4
\$15,000- 24,999	318	43,964	289	89.3	84.6-94.0	29	10.7	6.0-15.4
\$25,000- 34,999	157	21,993	143	85.8	75.8-95.8	14	14.2	4.2-24.2
\$35,000- 49,999	269	43,205	240	89.0	83.1-94.9	29	11.0	5.1-16.9
\$50,000- 74,999	290	47,168	255	90.3	86.6-94.0	35	9.7	6.0-13.4
\$75,000+	739	127,692	664	88.1	84.8-91.4	75	11.9	8.6-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	400,352	2443	83.2	81.2-85.2	468	16.8	14.8-18.8
White/Non-Hisp	1979	256,733	1666	83.6	81.2-86.0	313	16.4	14.0-18.8
Black or Afr. Am./Non-Hisp	430	84,310	350	78.9	73.6-84.2	80	21.1	15.8-26.4
Oth. Race/Non-Hisp.	89	15,220	75	89.9	82.1-97.7	14	10.1	2.3-17.9
Hispanic	292	32,324	256	89.7	85.8-93.6	36	10.3	6.4-14.2
18-24	156	42,892	123	75.8	66.4-85.2	33	24.2	14.8-33.6
25-34	288	63,555	231	76.8	70.3-83.3	57	23.2	16.7-29.7
35-44	333	58,402	277	84.8	80.1-89.5	56	15.2	10.5-19.9
45-54	450	63,290	378	84.2	79.5-88.9	72	15.8	11.1-20.5
55-64	610	71,527	510	84.6	81.1-88.1	100	15.4	11.9-18.9
65+	1074	100,686	924	88.0	85.8-90.2	150	12.0	9.8-14.2
Less Than H.S.	282	45,634	229	81.1	74.2-88.0	53	18.9	12.0-25.8
H.S. or G.E.D.	813	119,047	670	79.4	75.1-83.7	143	20.6	16.3-24.9
Some Post-H.S.	780	116,968	663	86.0	82.7-89.3	117	14.0	10.7-17.3
College Graduate	1023	117,318	871	85.2	82.5-87.9	152	14.8	12.1-17.5
Less than \$15,000	240	27,689	168	64.1	54.1-74.1	72	35.9	25.9-45.9
\$15,000- 24,999	472	64,979	377	78.6	73.3-83.9	95	21.4	16.1-26.7
\$25,000- 34,999	248	31,807	201	77.6	70.5-84.7	47	22.4	15.3-29.5
\$35,000- 49,999	301	39,532	244	79.9	73.0-86.8	57	20.1	13.2-27.0
\$50,000- 74,999	354	46,372	315	88.3	83.6-93.0	39	11.7	7.0-16.4
\$75,000+	697	107,212	609	87.6	84.3-90.9	88	12.4	9.1-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5194	763,608	4691	89.9	88.7-91.1	503	10.1	8.9-11.3
Male	2292	364,166	2143	92.8	91.2-94.4	149	7.2	5.6- 8.8
Female	2902	399,442	2548	87.3	85.5-89.1	354	12.7	10.9-14.5
White/Non-Hisp	3517	487,764	3177	90.2	88.8-91.6	340	9.8	8.4-11.2
Black or Afr. Am./Non-Hisp	713	156,165	632	87.2	83.7-90.7	81	12.8	9.3-16.3
Oth. Race/Non-Hisp.	201	35,620	185	95.5	92.4-98.6	16	4.5	1.4- 7.6
MultiRacial/Non-Hisp.	80	5,510	65	77.6	60.4-94.8	15	22.4	5.2-39.6
Hispanic	542	59,810	503	92.4	89.1-95.7	39	7.6	4.3-10.9
18-24	311	87,442	275	86.6	81.5-91.7	36	13.4	8.3-18.5
25-34	520	126,191	469	88.3	84.4-92.2	51	11.7	7.8-15.6
35-44	628	113,612	564	90.2	87.3-93.1	64	9.8	6.9-12.7
45-54	803	121,230	717	89.4	86.7-92.1	86	10.6	7.9-13.3
55-64	1098	133,813	984	89.8	87.4-92.2	114	10.2	7.8-12.6
65+	1834	181,320	1682	92.8	91.4-94.2	152	7.2	5.8- 8.6
Less Than H.S.	524	85,198	471	89.3	85.2-93.4	53	10.7	6.6-14.8
H.S. or G.E.D.	1474	240,103	1314	88.2	85.7-90.7	160	11.8	9.3-14.3
Some Post-H.S.	1350	219,152	1221	90.4	88.2-92.6	129	9.6	7.4-11.8
College Graduate	1820	216,308	1663	91.7	90.1-93.3	157	8.3	6.7- 9.9
Less than \$15,000	394	47,772	319	79.4	72.7-86.1	75	20.6	13.9-27.3
\$15,000- 24,999	786	108,545	687	86.4	82.9-89.9	99	13.6	10.1-17.1
\$25,000- 34,999	405	53,800	359	84.2	78.5-89.9	46	15.8	10.1-21.5
\$35,000- 49,999	568	82,445	512	92.0	89.5-94.5	56	8.0	5.5-10.5
\$50,000- 74,999	641	93,175	592	93.1	90.7-95.5	49	6.9	4.5- 9.3
\$75,000+	1433	234,087	1328	92.1	90.1-94.1	105	7.9	5.9- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2292	364,166	2143	92.8	91.2-94.4	149	7.2	5.6- 8.8
White/Non-Hisp	1545	231,733	1439	92.9	91.3-94.5	106	7.1	5.5- 8.7
Black or Afr. Am./Non-Hisp	285	72,063	268	92.0	86.9-97.1	17	8.0	2.9-13.1
Oth. Race/Non-Hisp.	112	20,400	107	95.8	91.1- 100	5	4.2	0.0- 8.9
Hispanic	250	27,487	235	91.6	85.7-97.5	15	8.4	2.5-14.3
18-24	155	44,550	144	91.4	85.3-97.5	11	8.6	2.5-14.7
25-34	234	62,901	223	93.0	87.7-98.3	11	7.0	1.7-12.3
35-44	295	55,210	272	91.6	87.3-95.9	23	8.4	4.1-12.7
45-54	354	58,018	323	91.7	88.4-95.0	31	8.3	5.0-11.6
55-64	490	62,614	453	92.2	89.1-95.3	37	7.8	4.7-10.9
65+	764	80,874	728	95.4	93.6-97.2	36	4.6	2.8- 6.4
Less Than H.S.	242	39,564	224	92.0	87.5-96.5	18	8.0	3.5-12.5
H.S. or G.E.D.	664	121,311	619	93.3	90.4-96.2	45	6.7	3.8- 9.6
Some Post-H.S.	572	102,513	534	91.6	88.3-94.9	38	8.4	5.1-11.7
College Graduate	801	99,317	754	93.8	91.6-96.0	47	6.2	4.0- 8.4
Less than \$15,000	154	20,083	139	92.4	88.1-96.7	15	7.6	3.3-11.9
\$15,000- 24,999	318	43,964	293	92.0	88.5-95.5	25	8.0	4.5-11.5
\$25,000- 34,999	157	21,993	148	88.0	78.0-98.0	9	12.0	2.0-22.0
\$35,000- 49,999	267	42,913	253	95.9	93.4-98.4	14	4.1	1.6- 6.6
\$50,000- 74,999	288	46,953	267	94.2	91.3-97.1	21	5.8	2.9- 8.7
\$75,000+	737	127,110	696	92.9	90.2-95.6	41	7.1	4.4- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	399,442	2548	87.3	85.5-89.1	354	12.7	10.9-14.5
White/Non-Hisp	1972	256,032	1738	87.8	85.6-90.0	234	12.2	10.0-14.4
Black or Afr. Am./Non-Hisp	428	84,102	364	83.0	78.1-87.9	64	17.0	12.1-21.9
Oth. Race/Non-Hisp.	89	15,220	78	95.1	91.4-98.8	11	4.9	1.2- 8.6
Hispanic	292	32,324	268	93.0	89.7-96.3	24	7.0	3.7-10.3
18-24	156	42,892	131	81.6	73.4-89.8	25	18.4	10.2-26.6
25-34	286	63,291	246	83.7	77.8-89.6	40	16.3	10.4-22.2
35-44	333	58,402	292	88.8	84.5-93.1	41	11.2	6.9-15.5
45-54	449	63,213	394	87.4	82.9-91.9	55	12.6	8.1-17.1
55-64	608	71,199	531	87.7	84.4-91.0	77	12.3	9.0-15.6
65+	1070	100,446	954	90.7	88.7-92.7	116	9.3	7.3-11.3
Less Than H.S.	282	45,634	247	86.8	80.3-93.3	35	13.2	6.7-19.7
H.S. or G.E.D.	810	118,792	695	83.0	78.9-87.1	115	17.0	12.9-21.1
Some Post-H.S.	778	116,640	687	89.4	86.5-92.3	91	10.6	7.7-13.5
College Graduate	1019	116,992	909	89.8	87.4-92.2	110	10.2	7.8-12.6
Less than \$15,000	240	27,689	180	70.0	60.0-80.0	60	30.0	20.0-40.0
\$15,000- 24,999	468	64,581	394	82.6	77.5-87.7	74	17.4	12.3-22.5
\$25,000- 34,999	248	31,807	211	81.5	74.8-88.2	37	18.5	11.8-25.2
\$35,000- 49,999	301	39,532	259	87.8	83.3-92.3	42	12.2	7.7-16.7
\$50,000- 74,999	353	46,222	325	92.1	88.2-96.0	28	7.9	4.0-11.8
\$75,000+	696	106,977	632	91.0	88.1-93.9	64	9.0	6.1-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5194	763,608	503	10.1	8.9-11.3	190	4.0	3.2- 4.8	4501	85.9	84.5-87.3
Male	2292	364,166	149	7.2	5.6- 8.8	85	4.1	2.9- 5.3	2058	88.7	86.7-90.7
Female	2902	399,442	354	12.7	10.9-14.5	105	3.9	2.9- 4.9	2443	83.4	81.4-85.4
White/Non-Hisp	3517	487,764	340	9.8	8.4-11.2	132	4.0	3.0- 5.0	3045	86.2	84.6-87.8
Black or Afr. Am./Non-Hisp	713	156,165	81	12.8	9.3-16.3	23	4.0	1.8- 6.2	609	83.2	79.3-87.1
Oth. Race/Non-Hisp.	201	35,620	16	4.5	1.4- 7.6	7	4.4	0.1- 8.7	178	91.1	85.8-96.4
MultiRacial/Non-Hisp.	80	5,510	15	22.4	5.2-39.6	3	6.6	0.0-14.4	62	71.0	53.8-88.2
Hispanic	542	59,810	39	7.6	4.3-10.9	20	3.5	1.7- 5.3	483	88.9	85.2-92.6
18-24	311	87,442	36	13.4	8.3-18.5	15	6.0	2.1- 9.9	260	80.6	74.5-86.7
25-34	520	126,191	51	11.7	7.8-15.6	31	7.6	4.5-10.7	438	80.8	76.1-85.5
35-44	628	113,612	64	9.8	6.9-12.7	26	3.1	1.7- 4.5	538	87.0	83.7-90.3
45-54	803	121,230	86	10.6	7.9-13.3	29	3.0	1.8- 4.2	688	86.4	83.3-89.5
55-64	1098	133,813	114	10.2	7.8-12.6	36	2.6	1.6- 3.6	948	87.3	84.8-89.8
65+	1834	181,320	152	7.2	5.8- 8.6	53	2.7	1.9- 3.5	1629	90.2	88.6-91.8
Less Than H.S.	524	85,198	53	10.7	6.6-14.8	21	3.8	1.8- 5.8	450	85.5	81.2-89.8
H.S. or G.E.D.	1474	240,103	160	11.8	9.3-14.3	46	4.0	2.2- 5.8	1268	84.3	81.4-87.2
Some Post-H.S.	1350	219,152	129	9.6	7.4-11.8	43	3.3	1.9- 4.7	1178	87.1	84.6-89.6
College Graduate	1820	216,308	157	8.3	6.7- 9.9	79	4.8	3.4- 6.2	1584	86.9	84.9-88.9
Less than \$15,000	394	47,772	75	20.6	13.9-27.3	15	4.3	1.0- 7.6	304	75.1	68.2-82.0
\$15,000- 24,999	786	108,545	99	13.6	10.1-17.1	21	3.2	1.4- 5.0	666	83.2	79.5-86.9
\$25,000- 34,999	405	53,800	46	15.8	10.1-21.5	15	3.2	1.0- 5.4	344	80.9	75.0-86.8
\$35,000- 49,999	568	82,445	56	8.0	5.5-10.5	28	7.0	3.1-10.9	484	85.0	80.5-89.5
\$50,000- 74,999	641	93,175	49	6.9	4.5- 9.3	22	3.5	1.7- 5.3	570	89.6	86.7-92.5
\$75,000+	1433	234,087	105	7.9	5.9- 9.9	55	3.9	2.5- 5.3	1273	88.2	85.8-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2292	364,166	149	7.2	5.6- 8.8	85	4.1	2.9- 5.3	2058	88.7	86.7-90.7
White/Non-Hisp	1545	231,733	106	7.1	5.5- 8.7	60	4.2	2.8- 5.6	1379	88.7	86.5-90.9
Black or Afr. Am./Non-Hisp	285	72,063	17	8.0	2.9-13.1	9	4.2	0.7- 7.7	259	87.9	81.8-94.0
Oth. Race/Non-Hisp.	112	20,400	5	4.2	0.0- 8.9	4	3.7	0.0- 9.2	103	92.1	85.0-99.2
Hispanic	250	27,487	15	8.4	2.5-14.3	8	3.7	0.8- 6.6	227	88.0	81.5-94.5
18-24	155	44,550	11	8.6	2.5-14.7	7	6.2	0.7-11.7	137	85.2	77.4-93.0
25-34	234	62,901	11	7.0	1.7-12.3	16	8.6	3.7-13.5	207	84.4	77.5-91.3
35-44	295	55,210	23	8.4	4.1-12.7	11	2.2	0.6- 3.8	261	89.4	84.9-93.9
45-54	354	58,018	31	8.3	5.0-11.6	13	2.9	1.1- 4.7	310	88.8	85.1-92.5
55-64	490	62,614	37	7.8	4.7-10.9	15	2.3	0.9- 3.7	438	89.9	86.6-93.2
65+	764	80,874	36	4.6	2.8- 6.4	23	2.8	1.4- 4.2	705	92.6	90.4-94.8
Less Than H.S.	242	39,564	18	8.0	3.5-12.5	3	1.6	0.0- 3.6	221	90.4	85.5-95.3
H.S. or G.E.D.	664	121,311	45	6.7	3.8- 9.6	21	4.5	1.8- 7.2	598	88.8	84.9-92.7
Some Post-H.S.	572	102,513	38	8.4	5.1-11.7	19	3.4	1.2- 5.6	515	88.2	84.3-92.1
College Graduate	801	99,317	47	6.2	4.0- 8.4	41	5.2	3.2- 7.2	713	88.6	85.7-91.5
Less than \$15,000	154	20,083	15	7.6	3.3-11.9	3	2.0	0.0- 4.9	136	90.3	85.0-95.6
\$15,000- 24,999	318	43,964	25	8.0	4.5-11.5	4	2.8	0.0- 5.9	289	89.3	84.6-94.0
\$25,000- 34,999	157	21,993	9	12.0	2.0-22.0	5	2.2	0.0- 4.6	143	85.8	75.8-95.8
\$35,000- 49,999	267	42,913	14	4.1	1.6- 6.6	13	6.3	0.8-11.8	240	89.6	83.7-95.5
\$50,000- 74,999	288	46,953	21	5.8	2.9- 8.7	12	3.5	1.1- 5.9	255	90.7	87.0-94.4
\$75,000+	737	127,110	41	7.1	4.4- 9.8	32	4.4	2.4- 6.4	664	88.5	85.2-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	399,442	354	12.7	10.9-14.5	105	3.9	2.9- 4.9	2443	83.4	81.4-85.4
White/Non-Hisp	1972	256,032	234	12.2	10.0-14.4	72	3.9	2.7- 5.1	1666	83.9	81.5-86.3
Black or Afr. Am./Non-Hisp	428	84,102	64	17.0	12.1-21.9	14	3.8	1.1- 6.5	350	79.1	73.8-84.4
Oth. Race/Non-Hisp.	89	15,220	11	4.9	1.2- 8.6	3	5.2	0.0-12.3	75	89.9	82.1-97.7
Hispanic	292	32,324	24	7.0	3.7-10.3	12	3.3	1.1- 5.5	256	89.7	85.8-93.6
18-24	156	42,892	25	18.4	10.2-26.6	8	5.8	0.3-11.3	123	75.8	66.4-85.2
25-34	286	63,291	40	16.3	10.4-22.2	15	6.5	2.8-10.2	231	77.1	70.6-83.6
35-44	333	58,402	41	11.2	6.9-15.5	15	4.0	1.6- 6.4	277	84.8	80.1-89.5
45-54	449	63,213	55	12.6	8.1-17.1	16	3.2	1.4- 5.0	378	84.3	79.6-89.0
55-64	608	71,199	77	12.3	9.0-15.6	21	2.8	1.4- 4.2	510	85.0	81.5-88.5
65+	1070	100,446	116	9.3	7.3-11.3	30	2.6	1.4- 3.8	924	88.2	86.0-90.4
Less Than H.S.	282	45,634	35	13.2	6.7-19.7	18	5.7	2.4- 9.0	229	81.1	74.2-88.0
H.S. or G.E.D.	810	118,792	115	17.0	12.9-21.1	25	3.4	1.2- 5.6	670	79.6	75.3-83.9
Some Post-H.S.	778	116,640	91	10.6	7.7-13.5	24	3.2	1.4- 5.0	663	86.2	82.9-89.5
College Graduate	1019	116,992	110	10.2	7.8-12.6	38	4.4	2.8- 6.0	871	85.4	82.7-88.1
Less than \$15,000	240	27,689	60	30.0	20.0-40.0	12	5.9	0.8-11.0	168	64.1	54.1-74.1
\$15,000- 24,999	468	64,581	74	17.4	12.3-22.5	17	3.5	1.3- 5.7	377	79.1	73.8-84.4
\$25,000- 34,999	248	31,807	37	18.5	11.8-25.2	10	3.9	0.8- 7.0	201	77.6	70.5-84.7
\$35,000- 49,999	301	39,532	42	12.2	7.7-16.7	15	7.8	2.1-13.5	244	79.9	73.0-86.8
\$50,000- 74,999	353	46,222	28	7.9	4.0-11.8	10	3.5	0.6- 6.4	315	88.6	83.9-93.3
\$75,000+	696	106,977	64	9.0	6.1-11.9	23	3.2	1.6- 4.8	609	87.8	84.5-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5205	765,493	1722	26.0	24.4-27.6	3483	74.0	72.4-75.6
Male	2299	365,297	634	21.4	19.4-23.4	1665	78.6	76.6-80.6
Female	2906	400,196	1088	30.3	28.1-32.5	1818	69.7	67.5-71.9
White/Non-Hisp	3528	490,012	1336	30.4	28.6-32.2	2192	69.6	67.8-71.4
Black or Afr. Am./Non-Hisp	712	155,656	200	22.0	18.3-25.7	512	78.0	74.3-81.7
Oth. Race/Non-Hisp.	202	35,583	47	10.4	6.1-14.7	155	89.6	85.3-93.9
MultiRacial/Non-Hisp.	80	5,510	33	35.7	22.2-49.2	47	64.3	50.8-77.8
Hispanic	544	60,333	63	10.5	6.8-14.2	481	89.5	85.8-93.2
18-24	312	87,929	13	4.4	1.9-6.9	299	95.6	93.1-98.1
25-34	525	127,251	45	9.0	5.9-12.1	480	91.0	87.9-94.1
35-44	628	113,903	90	13.6	10.3-16.9	538	86.4	83.1-89.7
45-54	804	121,091	223	27.5	23.6-31.4	581	72.5	68.6-76.4
55-64	1103	134,165	444	36.5	33.0-40.0	659	63.5	60.0-67.0
65+	1833	181,154	907	47.6	44.7-50.5	926	52.4	49.5-55.3
Less Than H.S.	525	85,489	145	26.9	21.8-32.0	380	73.1	68.0-78.2
H.S. or G.E.D.	1479	241,068	531	27.7	25.0-30.4	948	72.3	69.6-75.0
Some Post-H.S.	1351	219,286	492	28.0	25.1-30.9	859	72.0	69.1-74.9
College Graduate	1826	217,161	547	21.9	19.7-24.1	1279	78.1	75.9-80.3
Less than \$15,000	394	48,178	171	38.2	31.3-45.1	223	61.8	54.9-68.7
\$15,000- 24,999	790	108,985	291	31.8	27.5-36.1	499	68.2	63.9-72.5
\$25,000- 34,999	403	53,527	142	29.5	24.0-35.0	261	70.5	65.0-76.0
\$35,000- 49,999	570	82,736	205	28.0	23.5-32.5	365	72.0	67.5-76.5
\$50,000- 74,999	647	94,082	213	24.3	20.2-28.4	434	75.7	71.6-79.8
\$75,000+	1436	235,197	394	20.3	17.9-22.7	1042	79.7	77.3-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	365,297	634	21.4	19.4-23.4	1665	78.6	76.6-80.6
White/Non-Hisp	1552	233,444	502	25.4	22.9-27.9	1050	74.6	72.1-77.1
Black or Afr. Am./Non-Hisp	283	71,259	62	17.0	11.9-22.1	221	83.0	77.9-88.1
Oth. Race/Non-Hisp.	112	20,308	17	4.8	2.1- 7.5	95	95.2	92.5-97.9
Hispanic	253	28,084	22	11.1	4.8-17.4	231	88.9	82.6-95.2
18-24	155	44,426	7	5.2	1.1- 9.3	148	94.8	90.7-98.9
25-34	237	63,696	13	6.1	2.4- 9.8	224	93.9	90.2-97.6
35-44	296	55,649	26	8.8	4.7-12.9	270	91.2	87.1-95.3
45-54	355	57,998	93	24.2	18.9-29.5	262	75.8	70.5-81.1
55-64	492	62,636	180	34.8	29.5-40.1	312	65.2	59.9-70.5
65+	764	80,892	315	38.6	34.5-42.7	449	61.4	57.3-65.5
Less Than H.S.	243	39,923	44	21.6	14.5-28.7	199	78.4	71.3-85.5
H.S. or G.E.D.	668	121,761	191	20.5	17.0-24.0	477	79.5	76.0-83.0
Some Post-H.S.	574	102,673	173	23.3	19.2-27.4	401	76.7	72.6-80.8
College Graduate	802	99,760	221	20.4	17.3-23.5	581	79.6	76.5-82.7
Less than \$15,000	154	20,418	48	26.8	18.0-35.6	106	73.2	64.4-82.0
\$15,000- 24,999	318	44,007	97	24.6	18.9-30.3	221	75.4	69.7-81.1
\$25,000- 34,999	157	21,993	45	25.5	16.9-34.1	112	74.5	65.9-83.1
\$35,000- 49,999	269	43,205	77	21.7	16.0-27.4	192	78.3	72.6-84.0
\$50,000- 74,999	293	47,708	87	20.8	15.1-26.5	206	79.2	73.5-84.9
\$75,000+	738	127,666	187	18.9	15.8-22.0	551	81.1	78.0-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2906	400,196	1088	30.3	28.1-32.5	1818	69.7	67.5-71.9
White/Non-Hisp	1976	256,567	834	35.0	32.3-37.7	1142	65.0	62.3-67.7
Black or Afr. Am./Non-Hisp	429	84,396	138	26.3	21.0-31.6	291	73.7	68.4-79.0
Oth. Race/Non-Hisp.	90	15,275	30	17.8	8.4-27.2	60	82.2	72.8-91.6
Hispanic	291	32,248	41	10.1	6.2-14.0	250	89.9	86.0-93.8
18-24	157	43,503	6	3.6	0.5- 6.7	151	96.4	93.3-99.5
25-34	288	63,555	32	11.9	7.0-16.8	256	88.1	83.2-93.0
35-44	332	58,253	64	18.3	13.0-23.6	268	81.7	76.4-87.0
45-54	449	63,093	130	30.5	24.8-36.2	319	69.5	63.8-75.2
55-64	611	71,529	264	38.0	33.3-42.7	347	62.0	57.3-66.7
65+	1069	100,262	592	54.9	51.0-58.8	477	45.1	41.2-49.0
Less Than H.S.	282	45,566	101	31.5	23.9-39.1	181	68.5	60.9-76.1
H.S. or G.E.D.	811	119,307	340	35.1	30.8-39.4	471	64.9	60.6-69.2
Some Post-H.S.	777	116,613	319	32.2	28.1-36.3	458	67.8	63.7-71.9
College Graduate	1024	117,401	326	23.2	20.3-26.1	698	76.8	73.9-79.7
Less than \$15,000	240	27,760	123	46.6	37.2-56.0	117	53.4	44.0-62.8
\$15,000- 24,999	472	64,979	194	36.7	30.8-42.6	278	63.3	57.4-69.2
\$25,000- 34,999	246	31,534	97	32.2	24.9-39.5	149	67.8	60.5-75.1
\$35,000- 49,999	301	39,530	128	34.8	27.9-41.7	173	65.2	58.3-72.1
\$50,000- 74,999	354	46,374	126	27.9	21.8-34.0	228	72.1	66.0-78.2
\$75,000+	698	107,532	207	22.0	18.5-25.5	491	78.0	74.5-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5049	748,960	2521	56.4	54.6-58.2	2528	43.6	41.8-45.4
Male	2247	359,807	1118	58.0	55.3-60.7	1129	42.0	39.3-44.7
Female	2802	389,153	1403	54.9	52.4-57.4	1399	45.1	42.6-47.6
White/Non-Hisp	3414	479,551	1687	56.0	53.8-58.2	1727	44.0	41.8-46.2
Black or Afr. Am./Non-Hisp	696	153,322	320	52.0	47.1-56.9	376	48.0	43.1-52.9
Oth. Race/Non-Hisp.	194	33,521	117	72.6	64.2-81.0	77	27.4	19.0-35.8
MultiRacial/Non-Hisp.	79	5,464	39	57.6	42.9-72.3	40	42.4	27.7-57.1
Hispanic	533	59,375	282	59.6	53.9-65.3	251	40.4	34.7-46.1
18-24	310	88,055	259	86.7	82.0-91.4	51	13.3	8.6-18.0
25-34	525	126,280	386	75.9	71.2-80.6	139	24.1	19.4-28.8
35-44	622	112,886	383	63.2	58.3-68.1	239	36.8	31.9-41.7
45-54	791	119,205	445	55.9	51.6-60.2	346	44.1	39.8-48.4
55-64	1075	131,315	458	43.0	39.3-46.7	617	57.0	53.3-60.7
65+	1726	171,219	590	32.5	29.8-35.2	1136	67.5	64.8-70.2
Less Than H.S.	512	83,901	171	36.5	30.4-42.6	341	63.5	57.4-69.6
H.S. or G.E.D.	1409	233,367	588	51.9	48.4-55.4	821	48.1	44.6-51.6
Some Post-H.S.	1319	216,021	620	55.7	52.2-59.2	699	44.3	40.8-47.8
College Graduate	1787	213,343	1132	70.2	67.5-72.9	655	29.8	27.1-32.5
Less than \$15,000	374	46,469	136	46.8	39.4-54.2	238	53.2	45.8-60.6
\$15,000- 24,999	765	106,575	271	40.5	35.6-45.4	494	59.5	54.6-64.4
\$25,000- 34,999	399	53,265	164	49.5	43.0-56.0	235	50.5	44.0-57.0
\$35,000- 49,999	557	80,969	247	51.7	45.8-57.6	310	48.3	42.4-54.2
\$50,000- 74,999	632	91,703	332	56.9	51.6-62.2	300	43.1	37.8-48.4
\$75,000+	1418	233,079	903	68.0	64.9-71.1	515	32.0	28.9-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2247	359,807	1118	58.0	55.3-60.7	1129	42.0	39.3-44.7
White/Non-Hisp	1519	230,014	731	56.0	52.9-59.1	788	44.0	40.9-47.1
Black or Afr. Am./Non-Hisp	275	70,338	134	57.0	49.6-64.4	141	43.0	35.6-50.4
Oth. Race/Non-Hisp.	108	19,490	68	78.2	69.0-87.4	40	21.8	12.6-31.0
Hispanic	249	27,943	140	64.2	56.6-71.8	109	35.8	28.2-43.4
18-24	155	44,662	131	88.6	82.9-94.3	24	11.4	5.7-17.1
25-34	238	63,835	183	80.5	74.2-86.8	55	19.5	13.2-25.8
35-44	293	54,937	180	64.4	57.5-71.3	113	35.6	28.7-42.5
45-54	350	57,292	189	55.7	49.2-62.2	161	44.3	37.8-50.8
55-64	478	61,334	201	42.7	37.0-48.4	277	57.3	51.6-63.0
65+	733	77,746	234	31.3	27.4-35.2	499	68.7	64.8-72.6
Less Than H.S.	236	39,382	94	44.6	36.4-52.8	142	55.4	47.2-63.6
H.S. or G.E.D.	650	119,958	289	56.5	51.4-61.6	361	43.5	38.4-48.6
Some Post-H.S.	559	101,363	248	54.7	49.4-60.0	311	45.3	40.0-50.6
College Graduate	791	98,031	481	68.9	65.0-72.8	310	31.1	27.2-35.0
Less than \$15,000	150	20,255	55	43.7	33.1-54.3	95	56.3	45.7-66.9
\$15,000- 24,999	310	43,150	113	45.0	37.6-52.4	197	55.0	47.6-62.4
\$25,000- 34,999	156	21,858	67	50.9	40.5-61.3	89	49.1	38.7-59.5
\$35,000- 49,999	262	41,799	109	50.7	42.1-59.3	153	49.3	40.7-57.9
\$50,000- 74,999	288	47,057	139	57.6	49.8-65.4	149	42.4	34.6-50.2
\$75,000+	730	126,560	449	67.2	62.9-71.5	281	32.8	28.5-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2802	389,153	1403	54.9	52.4-57.4	1399	45.1	42.6-47.6
White/Non-Hisp	1895	249,537	956	56.0	53.1-58.9	939	44.0	41.1-46.9
Black or Afr. Am./Non-Hisp	421	82,985	186	47.8	41.3-54.3	235	52.2	45.7-58.7
Oth. Race/Non-Hisp.	86	14,031	49	64.7	50.2-79.2	37	35.3	20.8-49.8
Hispanic	284	31,431	142	55.6	47.6-63.6	142	44.4	36.4-52.4
18-24	155	43,393	128	84.8	77.5-92.1	27	15.2	7.9-22.5
25-34	287	62,445	203	71.2	64.1-78.3	84	28.8	21.7-35.9
35-44	329	57,949	203	62.2	55.5-68.9	126	37.8	31.1-44.5
45-54	441	61,913	256	56.0	50.1-61.9	185	44.0	38.1-49.9
55-64	597	69,980	257	43.4	38.5-48.3	340	56.6	51.7-61.5
65+	993	93,473	356	33.5	29.8-37.2	637	66.5	62.8-70.2
Less Than H.S.	276	44,519	77	29.3	20.7-37.9	199	70.7	62.1-79.3
H.S. or G.E.D.	759	113,409	299	47.0	42.1-51.9	460	53.0	48.1-57.9
Some Post-H.S.	760	114,659	372	56.6	51.9-61.3	388	43.4	38.7-48.1
College Graduate	996	115,312	651	71.3	67.8-74.8	345	28.7	25.2-32.2
Less than \$15,000	224	26,214	81	49.2	39.2-59.2	143	50.8	40.8-60.8
\$15,000- 24,999	455	63,424	158	37.5	31.2-43.8	297	62.5	56.2-68.8
\$25,000- 34,999	243	31,407	97	48.5	40.3-56.7	146	51.5	43.3-59.7
\$35,000- 49,999	295	39,170	138	52.7	44.7-60.7	157	47.3	39.3-55.3
\$50,000- 74,999	344	44,645	193	56.2	49.3-63.1	151	43.8	36.9-50.7
\$75,000+	688	106,520	454	69.0	64.5-73.5	234	31.0	26.5-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1705	169,273	1465	85.4	83.2-87.6	240	14.6	12.4-16.8
Male	722	76,536	617	85.0	81.9-88.1	105	15.0	11.9-18.1
Female	983	92,737	848	85.7	82.8-88.6	135	14.3	11.4-17.2
White/Non-Hisp	1393	135,063	1195	85.5	83.1-87.9	198	14.5	12.1-16.9
Black or Afr. Am./Non-Hisp	165	23,550	138	82.0	74.4-89.6	27	18.0	10.4-25.6
65+	1705	169,273	1465	85.4	83.2-87.6	240	14.6	12.4-16.8
Less Than H.S.	117	14,909	74	64.9	53.9-75.9	43	35.1	24.1-46.1
H.S. or G.E.D.	472	55,699	384	81.6	77.1-86.1	88	18.4	13.9-22.9
Some Post-H.S.	473	50,083	396	86.6	83.3-89.9	77	13.4	10.1-16.7
College Graduate	633	47,546	604	95.2	93.0-97.4	29	4.8	2.6- 7.0
Less than \$15,000	83	6,986	67	84.0	75.4-92.6	16	16.0	7.4-24.6
\$15,000- 24,999	254	25,706	182	70.5	63.1-77.9	72	29.5	22.1-36.9
\$25,000- 34,999	172	17,812	143	81.2	73.0-89.4	29	18.8	10.6-27.0
\$35,000- 49,999	220	21,915	195	91.4	87.5-95.3	25	8.6	4.7-12.5
\$50,000- 74,999	243	22,934	226	91.4	86.9-95.9	17	8.6	4.1-13.1
\$75,000+	385	38,408	365	94.5	91.8-97.2	20	5.5	2.8- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	722	76,536	617	85.0	81.9-88.1	105	15.0	11.9-18.1
White/Non-Hisp	588	61,525	501	85.0	81.5-88.5	87	15.0	11.5-18.5
Black or Afr. Am./Non-Hisp	62	9,683	52	82.3	70.7-93.9	10	17.7	6.1-29.3
65+	722	76,536	617	85.0	81.9-88.1	105	15.0	11.9-18.1
H.S. or G.E.D.	181	23,443	145	80.6	73.7-87.5	36	19.4	12.5-26.3
Some Post-H.S.	186	22,513	146	82.2	76.3-88.1	40	17.8	11.9-23.7
College Graduate	307	24,394	291	94.9	91.8-98.0	16	5.1	2.0- 8.2
\$15,000- 24,999	87	9,160	57	68.9	56.6-81.2	30	31.1	18.8-43.4
\$25,000- 34,999	69	7,190	57	78.8	65.3-92.3	12	21.2	7.7-34.7
\$35,000- 49,999	96	10,806	85	89.9	83.0-96.8	11	10.1	3.2-17.0
\$50,000- 74,999	118	11,757	107	87.5	79.9-95.1	11	12.5	4.9-20.1
\$75,000+	210	21,840	196	93.3	89.4-97.2	14	6.7	2.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	983	92,737	848	85.7	82.8-88.6	135	14.3	11.4-17.2
White/Non-Hisp	805	73,539	694	85.9	82.8-89.0	111	14.1	11.0-17.2
Black or Afr. Am./Non-Hisp	103	13,867	86	81.7	71.7-91.7	17	18.3	8.3-28.3
65+	983	92,737	848	85.7	82.8-88.6	135	14.3	11.4-17.2
Less Than H.S.	74	9,318	43	61.7	47.2-76.2	31	38.3	23.8-52.8
H.S. or G.E.D.	291	32,256	239	82.3	76.6-88.0	52	17.7	12.0-23.4
Some Post-H.S.	287	27,570	250	90.2	86.7-93.7	37	9.8	6.3-13.3
College Graduate	326	23,152	313	95.5	92.6-98.4	13	4.5	1.6- 7.4
Less than \$15,000	54	4,154	44	86.4	76.8-96.0	10	13.6	4.0-23.2
\$15,000- 24,999	167	16,546	125	71.4	62.2-80.6	42	28.6	19.4-37.8
\$25,000- 34,999	103	10,621	86	82.8	72.8-92.8	17	17.2	7.2-27.2
\$35,000- 49,999	124	11,109	110	92.9	88.8-97.0	14	7.1	3.0-11.2
\$50,000- 74,999	125	11,177	119	95.5	91.6-99.4	6	4.5	0.6- 8.4
\$75,000+	175	16,568	169	96.2	92.5-99.9	6	3.8	0.1- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	755,701	3434	66.5	64.7-68.3	1712	33.5	31.7-35.3
Male	2273	360,279	1457	64.0	61.3-66.7	816	36.0	33.3-38.7
Female	2873	395,422	1977	68.8	66.4-71.2	896	31.2	28.8-33.6
White/Non-Hisp	3508	487,514	2490	70.5	68.5-72.5	1018	29.5	27.5-31.5
Black or Afr. Am./Non-Hisp	700	152,816	405	58.3	53.4-63.2	295	41.7	36.8-46.6
Oth. Race/Non-Hisp.	196	33,713	114	65.3	55.1-75.5	82	34.7	24.5-44.9
MultiRacial/Non-Hisp.	77	5,403	42	49.2	33.5-64.9	35	50.8	35.1-66.5
Hispanic	533	59,200	289	58.1	52.4-63.8	244	41.9	36.2-47.6
18-24	305	85,403	202	66.5	59.4-73.6	103	33.5	26.4-40.6
25-34	515	124,352	285	58.5	53.0-64.0	230	41.5	36.0-47.0
35-44	617	112,520	378	63.4	58.5-68.3	239	36.6	31.7-41.5
45-54	799	120,252	532	69.2	65.3-73.1	267	30.8	26.9-34.7
55-64	1095	133,031	712	66.2	62.7-69.7	383	33.8	30.3-37.3
65+	1815	180,143	1325	72.3	69.8-74.8	490	27.7	25.2-30.2
Less Than H.S.	509	82,997	201	43.1	36.8-49.4	308	56.9	50.6-63.2
H.S. or G.E.D.	1456	236,403	824	57.0	53.5-60.5	632	43.0	39.5-46.5
Some Post-H.S.	1344	218,233	866	67.7	64.4-71.0	478	32.3	29.0-35.6
College Graduate	1814	215,459	1531	84.9	82.7-87.1	283	15.1	12.9-17.3
Less than \$15,000	394	48,220	144	35.5	28.8-42.2	250	64.5	57.8-71.2
\$15,000- 24,999	770	106,707	354	48.3	43.4-53.2	416	51.7	46.8-56.6
\$25,000- 34,999	399	53,018	252	61.0	54.7-67.3	147	39.0	32.7-45.3
\$35,000- 49,999	567	82,346	348	59.3	53.2-65.4	219	40.7	34.6-46.8
\$50,000- 74,999	641	92,051	480	69.7	64.2-75.2	161	30.3	24.8-35.8
\$75,000+	1433	234,514	1228	83.9	81.4-86.4	205	16.1	13.6-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2273	360,279	1457	64.0	61.3-66.7	816	36.0	33.3-38.7
White/Non-Hisp	1544	231,741	1054	68.3	65.4-71.2	490	31.7	28.8-34.6
Black or Afr. Am./Non-Hisp	275	69,205	146	54.2	46.4-62.0	129	45.8	38.0-53.6
Oth. Race/Non-Hisp.	109	19,660	58	59.9	45.6-74.2	51	40.1	25.8-54.4
Hispanic	247	27,659	136	60.1	51.9-68.3	111	39.9	31.7-48.1
18-24	152	43,354	102	66.0	56.2-75.8	50	34.0	24.2-43.8
25-34	232	62,578	130	59.5	51.5-67.5	102	40.5	32.5-48.5
35-44	288	54,555	162	57.4	50.0-64.8	126	42.6	35.2-50.0
45-54	354	57,450	216	66.3	60.4-72.2	138	33.7	27.8-39.6
55-64	486	61,741	300	61.0	55.5-66.5	186	39.0	33.5-44.5
65+	761	80,600	547	71.3	67.4-75.2	214	28.7	24.8-32.6
Less Than H.S.	236	38,645	87	39.2	31.0-47.4	149	60.8	52.6-69.0
H.S. or G.E.D.	658	119,602	342	53.2	47.9-58.5	316	46.8	41.5-52.1
Some Post-H.S.	570	102,084	355	67.3	62.4-72.2	215	32.7	27.8-37.6
College Graduate	796	98,486	666	83.7	80.4-87.0	130	16.3	13.0-19.6
Less than \$15,000	153	20,391	47	37.7	26.9-48.5	106	62.3	51.5-73.1
\$15,000- 24,999	311	42,572	124	40.2	32.9-47.5	187	59.8	52.5-67.1
\$25,000- 34,999	153	21,309	91	53.8	43.2-64.4	62	46.2	35.6-56.8
\$35,000- 49,999	268	42,793	158	58.1	49.3-66.9	110	41.9	33.1-50.7
\$50,000- 74,999	289	46,848	201	62.7	54.3-71.1	88	37.3	28.9-45.7
\$75,000+	735	126,982	600	80.5	76.8-84.2	135	19.5	15.8-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	395,422	1977	68.8	66.4-71.2	896	31.2	28.8-33.6
White/Non-Hisp	1964	255,773	1436	72.4	69.7-75.1	528	27.6	24.9-30.3
Black or Afr. Am./Non-Hisp	425	83,611	259	61.7	55.4-68.0	166	38.3	32.0-44.6
Oth. Race/Non-Hisp.	87	14,053	56	72.8	60.3-85.3	31	27.2	14.7-39.7
Hispanic	286	31,542	153	56.3	48.3-64.3	133	43.7	35.7-51.7
18-24	153	42,049	100	67.0	56.8-77.2	53	33.0	22.8-43.2
25-34	283	61,774	155	57.5	49.9-65.1	128	42.5	34.9-50.1
35-44	329	57,965	216	69.0	62.7-75.3	113	31.0	24.7-37.3
45-54	445	62,802	316	71.9	66.4-77.4	129	28.1	22.6-33.6
55-64	609	71,290	412	70.6	66.1-75.1	197	29.4	24.9-33.9
65+	1054	99,542	778	73.0	69.5-76.5	276	27.0	23.5-30.5
Less Than H.S.	273	44,351	114	46.5	37.5-55.5	159	53.5	44.5-62.5
H.S. or G.E.D.	798	116,801	482	60.8	56.1-65.5	316	39.2	34.5-43.9
Some Post-H.S.	774	116,149	511	68.0	63.5-72.5	263	32.0	27.5-36.5
College Graduate	1018	116,973	865	86.0	83.3-88.7	153	14.0	11.3-16.7
Less than \$15,000	241	27,829	97	33.9	25.7-42.1	144	66.1	57.9-74.3
\$15,000- 24,999	459	64,136	230	53.7	47.4-60.0	229	46.3	40.0-52.6
\$25,000- 34,999	246	31,709	161	65.7	58.1-73.3	85	34.3	26.7-41.9
\$35,000- 49,999	299	39,553	190	60.7	52.5-68.9	109	39.3	31.1-47.5
\$50,000- 74,999	352	45,202	279	76.9	70.6-83.2	73	23.1	16.8-29.4
\$75,000+	698	107,532	628	87.9	84.4-91.4	70	12.1	8.6-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4996	739,360	3792	70.2	68.2-72.2	779	22.1	20.3-23.9	72	0.9	0.5- 1.3	113	3.9	2.9- 4.9	23	0.2	0.0- 0.4	217	2.6	2.2- 3.0
Male	2209	352,498	1663	69.4	66.7-72.1	316	21.4	18.7-24.1	40	1.0	0.6- 1.4	66	4.8	3.2- 6.4	12	0.3	0.1- 0.5	112	3.3	2.5- 4.1
Female	2787	386,862	2129	70.9	68.4-73.4	463	22.9	20.5-25.3	32	0.8	0.4- 1.2	47	3.2	2.0- 4.4	11	0.2	0.0- 0.4	105	2.0	1.4- 2.6
18-24	291	83,100	191	66.9	59.6-74.2	57	23.4	16.7-30.1	7	2.2	0.0- 4.4	14	4.9	0.8- 9.0	3	0.5	0.0- 1.1	19	2.0	1.0- 3.0
25-34	487	120,397	289	58.8	52.9-64.7	111	26.4	20.9-31.9	9	0.8	0.2- 1.4	33	9.2	5.5-12.9	3	0.5	0.0- 1.1	42	4.3	2.7- 5.9
35-44	584	109,113	378	61.6	56.3-66.9	113	26.2	21.3-31.1	7	1.1	0.0- 2.3	22	5.3	2.6- 8.0	5	0.3	0.1- 0.5	59	5.5	3.5- 7.5
45-54	771	116,864	557	68.8	64.3-73.3	140	24.8	20.5-29.1	15	1.0	0.4- 1.6	17	2.9	1.3- 4.5	5	0.1	0.0- 0.3	37	2.4	1.4- 3.4
55-64	1074	131,530	834	73.9	70.2-77.6	178	22.2	18.7-25.7	15	0.6	0.2- 1.0	13	1.7	0.5- 2.9	3	0.1	0.1- 0.1	31	1.6	0.8- 2.4
65+	1789	178,355	1543	82.7	80.2-85.2	180	14.4	12.0-16.8	19	0.5	0.3- 0.7	14	1.4	0.4- 2.4	4	0.1	0.1- 0.1	29	0.9	0.5- 1.3
Less Than H.S.	460	78,262	255	57.8	51.5-64.1	84	26.0	20.3-31.7	12	2.8	0.4- 5.2	2	0.5	0.0- 1.3	7	0.8	0.0- 1.8	100	12.2	9.1-15.3
H.S. or G.E.D.	1432	232,585	1079	68.7	65.0-72.4	262	26.0	22.5-29.5	25	1.0	0.4- 1.6	14	2.3	0.5- 4.1	3	0.2	0.0- 0.4	49	1.9	1.3- 2.5
Some Post-H.S.	1315	214,648	1021	72.7	69.2-76.2	216	22.9	19.6-26.2	16	0.6	0.2- 1.0	21	2.2	0.8- 3.6	5	0.1	0.0- 0.3	36	1.5	0.9- 2.1
College Graduate	1769	212,031	1429	74.1	71.2-77.0	212	15.6	13.2-18.0	17	0.4	0.2- 0.6	74	8.8	6.6-11.0	8	0.2	0.0- 0.4	29	0.9	0.5- 1.3
Less than \$15,000	371	45,159	228	63.4	56.3-70.5	87	28.2	21.1-35.3	13	2.0	0.6- 3.4	4	1.0	0.0- 2.0	4	0.6	0.0- 1.2	35	4.8	2.8- 6.8
\$15,000- 24,999	749	104,191	486	58.1	53.2-63.0	164	32.1	27.2-37.0	16	2.2	0.6- 3.8	7	1.1	0.0- 2.3	5	0.5	0.0- 1.1	71	6.0	4.2- 7.8
\$25,000- 34,999	388	51,882	268	61.8	55.1-68.5	87	29.7	23.0-36.4	3	0.3	0.0- 0.7	10	4.9	1.8- 8.0	3	0.7	0.0- 1.5	17	2.7	0.7- 4.7
\$35,000- 49,999	555	80,541	419	63.8	57.3-70.3	97	29.5	23.0-36.0	10	0.9	0.1- 1.7	10	3.3	0.8- 5.8	2	0.1	0.0- 0.3	17	2.3	0.7- 3.9
\$50,000- 74,999	633	92,281	520	76.6	71.1-82.1	80	16.8	12.3-21.3	3	0.3	0.0- 0.7	14	4.9	0.8- 9.0	2	0.2	0.0- 0.6	14	1.2	0.4- 2.0
\$75,000+	1408	230,987	1196	78.8	75.7-81.9	143	14.8	12.1-17.5	13	0.7	0.1- 1.3	36	4.9	2.9- 6.9	5	0.1	0.1- 0.1	15	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2209	352,498	1663	69.4	66.7-72.1	316	21.4	18.9-23.9	40	1.0	0.6- 1.4	66	4.8	3.2- 6.4	12	0.3	0.1- 0.5	112	3.3	2.5- 4.1
18-24	144	41,968	102	71.9	61.9-81.9	16	15.0	7.2-22.8	4	2.6	0.0- 5.9	11	8.1	0.7-15.5				11	2.4	0.8- 4.0
25-34	219	59,483	129	57.9	49.3-66.5	38	23.6	15.2-32.0	8	1.5	0.3- 2.7	18	10.5	5.6-15.4	2	0.7	0.0- 1.9	24	5.8	3.1- 8.5
35-44	280	53,606	166	56.8	49.2-64.4	56	28.9	21.3-36.5	3	0.5	0.0- 1.1	14	6.2	2.1-10.3	4	0.5	0.0- 1.1	37	7.1	4.0-10.2
45-54	344	56,515	250	69.8	63.3-76.3	55	22.3	16.0-28.6	9	1.2	0.2- 2.2	9	3.5	1.0- 6.0	2	0.1	0.0- 0.3	19	3.2	1.4- 5.0
55-64	482	61,802	375	71.2	65.3-77.1	80	25.9	20.0-31.8	7	0.4	0.2- 0.6	6	1.2	0.0- 2.4	2	0.1	0.0- 0.3	12	1.3	0.3- 2.3
65+	740	79,124	641	83.4	79.9-86.9	71	13.8	10.5-17.1	9	0.4	0.2- 0.6	8	1.5	0.3- 2.7	2	0.1	0.0- 0.3	9	0.8	0.2- 1.4
Less Than H.S.	218	36,796	113	56.2	47.8-64.6	36	22.4	15.1-29.7	8	3.8	0.0- 7.7	1	0.8	0.0- 2.4	5	1.5	0.0- 3.5	55	15.3	10.0-20.6
H.S. or G.E.D.	640	116,094	475	67.6	62.1-73.1	119	26.7	21.4-32.0	11	0.8	0.2- 1.4	7	2.4	0.0- 5.1	1	0.0	0.0- 0.0	27	2.5	1.3- 3.7
Some Post-H.S.	557	100,697	437	72.2	66.7-77.7	87	23.8	18.5-29.1	7	0.4	0.0- 0.8	11	2.2	0.4- 4.0	1	0.0	0.0- 0.0	14	1.5	0.5- 2.5
College Graduate	784	97,961	635	74.0	69.5-78.5	72	12.0	8.7-15.3	12	0.7	0.3- 1.1	45	11.6	8.1-15.1	5	0.3	0.0- 0.7	15	1.4	0.6- 2.2
Less than \$15,000	146	18,695	88	65.6	55.6-75.6	32	24.0	14.6-33.4	6	2.9	0.0- 6.0	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	18	6.9	3.0-10.8
\$15,000- 24,999	298	41,383	178	55.4	47.8-63.0	64	31.5	24.1-38.9	8	1.2	0.2- 2.2	4	1.1	0.0- 2.3	3	1.1	0.0- 2.9	41	9.7	6.0-13.4
\$25,000- 34,999	146	20,687	100	62.2	51.0-73.4	29	27.2	16.2-38.2	3	0.7	0.0- 1.7	5	5.8	0.3-11.3	1	0.2	0.0- 0.6	8	3.8	0.0- 7.9
\$35,000- 49,999	262	41,821	197	60.4	51.2-69.6	42	29.8	20.4-39.2	6	1.3	0.0- 2.7	7	4.9	0.6- 9.2	2	0.3	0.0- 0.7	8	3.4	0.7- 6.1
\$50,000- 74,999	285	46,478	231	76.1	67.7-84.5	34	15.2	8.5-21.9	2	0.4	0.0- 1.0	8	6.5	0.0-13.2	1	0.2	0.0- 0.6	9	1.6	0.4- 2.8
\$75,000+	724	125,363	609	78.1	73.8-82.4	72	15.0	11.1-18.9	9	0.9	0.0- 1.9	22	4.9	2.5- 7.3	3	0.1	0.1- 0.1	9	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	386,862	2129	70.9	68.4-73.4	463	22.9	20.5-25.3	32	0.8	0.4- 1.2	47	3.2	2.0- 4.4	11	0.2	0.0- 0.4	105	2.0	1.4- 2.6
18-24	147	41,132	89	61.8	51.0-72.6	41	32.0	21.4-42.6	3	1.8	0.0- 4.3	3	1.7	0.0- 3.9	3	1.0	0.0- 2.2	8	1.6	0.4- 2.8
25-34	268	60,914	160	59.7	51.9-67.5	73	29.1	22.0-36.2	1	0.1	0.0- 0.3	15	7.9	2.4-13.4	1	0.2	0.0- 0.6	18	2.9	1.1- 4.7
35-44	304	55,508	212	66.3	59.2-73.4	57	23.7	17.2-30.2	4	1.6	0.0- 3.8	8	4.5	1.0- 8.0	1	0.1	0.0- 0.3	22	3.9	1.7- 6.1
45-54	427	60,349	307	67.9	61.8-74.0	85	27.2	21.1-33.3	6	0.8	0.0- 1.6	8	2.3	0.5- 4.1	3	0.2	0.0- 0.4	18	1.6	0.8- 2.4
55-64	592	69,728	459	76.2	71.7-80.7	98	19.0	14.9-23.1	8	0.8	0.2- 1.4	7	2.2	0.2- 4.2	1	0.1	0.0- 0.3	19	1.8	0.8- 2.8
65+	1049	99,231	902	82.2	78.7-85.7	109	14.8	11.5-18.1	10	0.6	0.2- 1.0	6	1.4	0.0- 2.8	2	0.1	0.1- 0.1	20	1.0	0.4- 1.6
Less Than H.S.	242	41,466	142	59.2	50.2-68.2	48	29.2	20.6-37.8	4	1.9	0.0- 4.4	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4	45	9.3	5.6-13.0
H.S. or G.E.D.	792	116,491	604	69.7	64.8-74.6	143	25.4	20.7-30.1	14	1.2	0.2- 2.2	7	2.2	0.0- 4.4	2	0.3	0.0- 0.7	22	1.2	0.6- 1.8
Some Post-H.S.	758	113,951	584	73.2	68.7-77.7	129	22.1	17.8-26.4	9	0.8	0.2- 1.4	10	2.2	0.2- 4.2	4	0.3	0.1- 0.5	22	1.5	0.7- 2.3
College Graduate	985	114,071	794	74.3	70.4-78.2	140	18.6	15.1-22.1	5	0.2	0.0- 0.4	29	6.3	3.6- 9.0	3	0.1	0.0- 0.3	14	0.5	0.1- 0.9
Less than \$15,000	225	26,464	140	61.9	52.1-71.7	55	31.2	21.4-41.0	7	1.4	0.2- 2.6	3	1.4	0.0- 3.2	3	0.8	0.0- 1.8	17	3.3	1.5- 5.1
\$15,000- 24,999	451	62,808	308	59.9	53.4-66.4	100	32.5	26.2-38.8	8	2.8	0.3- 5.3	3	1.1	0.0- 2.9	2	0.1	0.0- 0.3	30	3.6	1.8- 5.4
\$25,000- 34,999	242	31,195	168	61.5	53.1-69.9	58	31.3	23.1-39.5				5	4.3	0.4- 8.2	2	1.0	0.0- 2.4	9	1.9	0.3- 3.5
\$35,000- 49,999	293	38,721	222	67.4	58.6-76.2	55	29.3	20.5-38.1	4	0.4	0.0- 0.8	3	1.7	0.0- 3.9				9	1.2	0.2- 2.2
\$50,000- 74,999	348	45,803	289	77.0	69.9-84.1	46	18.5	12.4-24.6	1	0.1	0.0- 0.3	6	3.3	0.0- 8.0	1	0.2	0.0- 0.6	5	0.8	0.0- 1.6
\$75,000+	684	105,624	587	79.6	74.9-84.3	71	14.5	10.6-18.4	4	0.4	0.0- 0.8	14	4.9	1.8- 8.0	2	0.1	0.1- 0.1	6	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4996	739,360	3760	69.9	67.9-71.9	755	21.9	20.1-23.7	61	0.8	0.6- 1.0	109	3.9	2.9- 4.9	22	0.2	0.0- 0.4	289	3.3	2.7- 3.9
Male	2209	352,498	1649	69.1	66.4-71.8	305	21.1	18.4-23.8	35	0.9	0.5- 1.3	65	4.8	3.2- 6.4	11	0.2	0.0- 0.4	144	3.9	3.1- 4.7
Female	2787	386,862	2111	70.5	68.0-73.0	450	22.7	20.3-25.1	26	0.6	0.2- 1.0	44	3.1	1.9- 4.3	11	0.2	0.0- 0.4	145	2.9	2.3- 3.5
18-24	291	83,100	185	66.2	58.9-73.5	56	23.3	16.6-30.0	6	2.2	0.0- 4.4	14	4.9	0.8- 9.0	3	0.5	0.0- 1.1	27	2.9	1.7- 4.1
25-34	487	120,397	284	58.5	52.6-64.4	107	26.1	20.6-31.6	9	0.8	0.2- 1.4	30	9.0	5.3-12.7	3	0.5	0.0- 1.1	54	5.1	3.3- 6.9
35-44	584	109,113	374	61.3	56.0-66.6	105	25.6	20.7-30.5	5	0.5	0.0- 1.1	22	5.3	2.6- 8.0	5	0.3	0.1- 0.5	73	7.0	4.8- 9.2
45-54	771	116,864	552	68.4	63.9-72.9	136	24.6	20.3-28.9	13	0.9	0.3- 1.5	17	2.9	1.3- 4.5	5	0.1	0.0- 0.3	48	3.0	2.0- 4.0
55-64	1074	131,530	830	73.8	70.1-77.5	176	22.2	18.7-25.7	12	0.4	0.2- 0.6	13	1.7	0.5- 2.9	3	0.1	0.1- 0.1	40	1.9	1.1- 2.7
65+	1789	178,355	1535	82.5	80.0-85.0	175	14.3	11.9-16.7	16	0.4	0.2- 0.6	13	1.4	0.4- 2.4	3	0.1	0.1- 0.1	47	1.3	0.9- 1.7
Less Than H.S.	460	78,262	255	57.8	51.5-64.1	84	26.0	20.3-31.7	11	2.6	0.4- 4.8	1	0.4	0.0- 1.2	7	0.8	0.0- 1.8	102	12.4	9.3-15.5
H.S. or G.E.D.	1432	232,585	1069	68.3	64.6-72.0	257	25.9	22.4-29.4	18	0.6	0.2- 1.0	14	2.3	0.5- 4.1	2	0.1	0.0- 0.3	72	2.7	1.9- 3.5
Some Post-H.S.	1315	214,648	1008	72.3	68.8-75.8	210	22.7	19.4-26.0	14	0.5	0.1- 0.9	20	2.1	0.7- 3.5	5	0.1	0.0- 0.3	58	2.2	1.4- 3.0
College Graduate	1769	212,031	1420	73.9	71.0-76.8	199	15.1	12.7-17.5	16	0.4	0.2- 0.6	72	8.7	6.5-10.9	8	0.2	0.0- 0.4	54	1.7	1.1- 2.3
Less than \$15,000	371	45,159	225	63.1	56.0-70.2	85	28.0	20.9-35.1	9	1.7	0.3- 3.1	3	0.8	0.0- 1.8	4	0.6	0.0- 1.2	45	5.9	3.7- 8.1
\$15,000- 24,999	749	104,191	481	57.8	52.9-62.7	161	32.0	27.1-36.9	15	1.6	0.4- 2.8	6	1.1	0.0- 2.3	5	0.5	0.0- 1.1	81	7.0	4.8- 9.2
\$25,000- 34,999	388	51,882	264	61.4	54.7-68.1	84	29.4	22.7-36.1	3	0.3	0.0- 0.7	10	4.9	1.8- 8.0	2	0.6	0.0- 1.4	25	3.4	1.4- 5.4
\$35,000- 49,999	555	80,541	415	63.5	57.0-70.0	95	29.4	22.9-35.9	7	0.7	0.0- 1.5	9	3.1	0.6- 5.6	2	0.1	0.0- 0.3	27	3.1	1.5- 4.7
\$50,000- 74,999	633	92,281	517	76.3	70.8-81.8	77	16.6	12.1-21.1	3	0.3	0.0- 0.7	13	4.9	0.8- 9.0	2	0.2	0.0- 0.6	21	1.7	0.9- 2.5
\$75,000+	1408	230,987	1189	78.5	75.4-81.6	134	14.4	11.7-17.1	11	0.6	0.0- 1.2	36	4.9	2.9- 6.9	5	0.1	0.1- 0.1	33	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2209	352,498	1649	69.1	66.4-71.8	305	21.1	18.6-23.6	35	0.9	0.5- 1.3	65	4.8	3.2- 6.4	11	0.2	0.0- 0.4	144	3.9	3.1- 4.7
18-24	144	41,968	99	71.1	61.1-81.1	16	15.0	7.2-22.8	3	2.5	0.0- 5.8	11	8.1	0.7-15.5				15	3.4	1.4- 5.4
25-34	219	59,483	126	57.6	49.2-66.0	36	23.0	14.6-31.4	8	1.5	0.3- 2.7	18	10.5	5.6-15.4	2	0.7	0.0- 1.9	29	6.6	3.7- 9.5
35-44	280	53,606	165	56.7	49.1-64.3	51	28.0	20.4-35.6	2	0.4	0.0- 1.0	14	6.2	2.1-10.3	4	0.5	0.0- 1.1	44	8.2	4.9-11.5
45-54	344	56,515	249	69.6	63.1-76.1	54	22.2	15.9-28.5	8	1.1	0.1- 2.1	9	3.5	1.0- 6.0	2	0.1	0.0- 0.3	22	3.5	1.7- 5.3
55-64	482	61,802	372	71.0	65.1-76.9	80	25.9	20.0-31.8	6	0.3	0.1- 0.5	6	1.2	0.0- 2.4	2	0.1	0.0- 0.3	16	1.5	0.5- 2.5
65+	740	79,124	638	83.2	79.7-86.7	68	13.7	10.4-17.0	8	0.3	0.1- 0.5	7	1.5	0.3- 2.7	1	0.0	0.0- 0.0	18	1.2	0.4- 2.0
Less Than H.S.	218	36,796	113	56.2	47.8-64.6	36	22.4	15.1-29.7	8	3.8	0.0- 7.7	1	0.8	0.0- 2.4	5	1.5	0.0- 3.5	55	15.3	10.0-20.6
H.S. or G.E.D.	640	116,094	470	67.3	61.8-72.8	118	26.6	21.3-31.9	7	0.7	0.1- 1.3	7	2.4	0.0- 5.1				38	3.0	1.8- 4.2
Some Post-H.S.	557	100,697	433	71.8	66.3-77.3	85	23.6	18.3-28.9	7	0.4	0.0- 0.8	11	2.2	0.4- 4.0	1	0.0	0.0- 0.0	20	2.1	0.9- 3.3
College Graduate	784	97,961	630	73.8	69.3-78.3	64	11.4	8.1-14.7	11	0.7	0.3- 1.1	44	11.6	8.1-15.1	5	0.3	0.0- 0.7	30	2.3	1.1- 3.5
Less than \$15,000	146	18,695	86	65.0	55.0-75.0	32	24.0	14.6-33.4	4	2.5	0.0- 5.4	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	22	7.9	3.8-12.0
\$15,000- 24,999	298	41,383	178	55.4	47.8-63.0	63	31.5	24.1-38.9	8	1.2	0.2- 2.2	4	1.1	0.0- 2.3	3	1.1	0.0- 2.9	42	9.7	6.0-13.4
\$25,000- 34,999	146	20,687	98	61.6	50.4-72.8	29	27.2	16.2-38.2	3	0.7	0.0- 1.7	5	5.8	0.3-11.3				11	4.6	0.5- 8.7
\$35,000- 49,999	262	41,821	193	59.9	50.7-69.1	41	29.6	20.2-39.0	5	1.2	0.0- 2.6	7	4.9	0.6- 9.2	2	0.3	0.0- 0.7	14	4.1	1.4- 6.8
\$50,000- 74,999	285	46,478	230	75.9	67.5-84.3	33	15.1	8.4-21.8	2	0.4	0.0- 1.0	7	6.4	0.0-13.1	1	0.2	0.0- 0.6	12	2.0	0.6- 3.4
\$75,000+	724	125,363	607	78.0	73.7-82.3	64	14.4	10.5-18.3	8	0.9	0.0- 1.9	22	4.9	2.5- 7.3	3	0.1	0.1- 0.1	20	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	386,862	2111	70.5	68.0-73.0	450	22.7	20.3-25.1	26	0.6	0.2- 1.0	44	3.1	1.9- 4.3	11	0.2	0.0- 0.4	145	2.9	2.3- 3.5
18-24	147	41,132	86	61.2	50.4-72.0	40	31.9	21.3-42.5	3	1.8	0.0- 4.3	3	1.7	0.0- 3.9	3	1.0	0.0- 2.2	12	2.4	0.8- 4.0
25-34	268	60,914	158	59.4	51.6-67.2	71	29.0	21.9-36.1	1	0.1	0.0- 0.3	12	7.5	2.0-13.0	1	0.2	0.0- 0.6	25	3.7	1.7- 5.7
35-44	304	55,508	209	65.7	58.6-72.8	54	23.3	16.8-29.8	3	0.6	0.0- 1.4	8	4.5	1.0- 8.0	1	0.1	0.0- 0.3	29	5.8	2.9- 8.7
45-54	427	60,349	303	67.3	61.2-73.4	82	26.9	20.8-33.0	5	0.7	0.0- 1.5	8	2.3	0.5- 4.1	3	0.2	0.0- 0.4	26	2.6	1.4- 3.8
55-64	592	69,728	458	76.2	71.7-80.7	96	18.9	14.8-23.0	6	0.5	0.1- 0.9	7	2.2	0.2- 4.2	1	0.1	0.0- 0.3	24	2.2	1.0- 3.4
65+	1049	99,231	897	82.0	78.5-85.5	107	14.7	11.4-18.0	8	0.5	0.1- 0.9	6	1.4	0.0- 2.8	2	0.1	0.1- 0.1	29	1.4	0.8- 2.0
Less Than H.S.	242	41,466	142	59.2	50.2-68.2	48	29.2	20.6-37.8	3	1.5	0.0- 3.9				2	0.2	0.0- 0.4	47	9.9	6.2-13.6
H.S. or G.E.D.	792	116,491	599	69.4	64.5-74.3	139	25.2	20.5-29.9	11	0.6	0.2- 1.0	7	2.2	0.0- 4.4	2	0.3	0.0- 0.7	34	2.3	1.1- 3.5
Some Post-H.S.	758	113,951	575	72.7	68.2-77.2	125	22.0	17.7-26.3	7	0.7	0.1- 1.3	9	2.0	0.0- 4.0	4	0.3	0.1- 0.5	38	2.3	1.3- 3.3
College Graduate	985	114,071	790	74.0	69.9-78.1	135	18.3	14.8-21.8	5	0.2	0.0- 0.4	28	6.3	3.6- 9.0	3	0.1	0.0- 0.3	24	1.2	0.6- 1.8
Less than \$15,000	225	26,464	139	61.7	51.9-71.5	53	30.8	21.0-40.6	5	1.1	0.0- 2.3	2	1.2	0.0- 2.8	3	0.8	0.0- 1.8	23	4.4	2.2- 6.6
\$15,000- 24,999	451	62,808	303	59.4	52.9-65.9	98	32.3	26.0-38.6	7	1.9	0.1- 3.7	2	1.0	0.0- 2.8	2	0.1	0.0- 0.3	39	5.2	2.8- 7.6
\$25,000- 34,999	242	31,195	166	61.2	52.8-69.6	55	30.9	22.7-39.1				5	4.3	0.4- 8.2	2	1.0	0.0- 2.4	14	2.6	1.0- 4.2
\$35,000- 49,999	293	38,721	222	67.4	58.6-76.2	54	29.2	20.4-38.0	2	0.2	0.0- 0.4	2	1.3	0.0- 3.3				13	2.0	0.6- 3.4
\$50,000- 74,999	348	45,803	287	76.7	69.6-83.8	44	18.2	12.1-24.3	1	0.1	0.0- 0.3	6	3.3	0.0- 8.0	1	0.2	0.0- 0.6	9	1.4	0.2- 2.6
\$75,000+	684	105,624	582	79.1	74.4-83.8	70	14.5	10.6-18.4	3	0.2	0.0- 0.6	14	4.9	1.8- 8.0	2	0.1	0.1- 0.1	13	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5092	750,386	3547	65.5	63.5-67.5	716	20.9	19.1-22.7	64	0.6	0.4- 0.8	108	3.8	2.8- 4.8	111	1.1	0.9- 1.3	546	8.1	7.1- 9.1
Male	2246	356,872	1560	65.6	62.9-68.3	285	20.2	17.7-22.7	35	0.6	0.4- 0.8	64	4.7	3.1- 6.3	48	1.0	0.6- 1.4	254	7.9	6.5- 9.3
Female	2846	393,514	1987	65.5	63.0-68.0	431	21.5	19.1-23.9	29	0.6	0.2- 1.0	44	3.1	1.9- 4.3	63	1.2	0.8- 1.6	292	8.2	6.8- 9.6
18-24	309	86,012	147	56.0	48.7-63.3	45	20.7	14.2-27.2	3	0.8	0.0- 2.0	13	4.7	0.8- 8.6	8	0.9	0.1- 1.7	93	17.0	12.3-21.7
25-34	514	123,398	235	52.5	46.8-58.2	99	24.6	19.3-29.9	6	0.5	0.0- 1.1	30	8.8	5.3-12.3	15	0.9	0.3- 1.5	129	12.7	9.8-15.6
35-44	618	112,267	326	54.5	49.4-59.6	93	23.3	18.4-28.2	9	0.7	0.1- 1.3	22	5.2	2.7- 7.7	19	2.2	0.8- 3.6	149	14.1	11.2-17.0
45-54	785	118,348	519	64.5	60.0-69.0	129	23.6	19.3-27.9	15	0.9	0.3- 1.5	17	2.9	1.3- 4.5	21	1.1	0.5- 1.7	84	7.0	5.0- 9.0
55-64	1079	132,129	812	72.6	68.9-76.3	175	22.0	18.5-25.5	12	0.3	0.1- 0.5	13	1.7	0.5- 2.9	18	0.7	0.3- 1.1	49	2.7	1.7- 3.7
65+	1787	178,232	1508	81.5	79.0-84.0	175	14.3	11.9-16.7	19	0.5	0.3- 0.7	13	1.4	0.4- 2.4	30	0.7	0.3- 1.1	42	1.6	1.0- 2.2
Less Than H.S.	521	84,568	187	43.6	37.5-49.7	75	22.4	17.1-27.7	10	1.5	0.1- 2.9	1	0.3	0.0- 0.9	6	0.9	0.1- 1.7	242	31.3	26.2-36.4
H.S. or G.E.D.	1451	235,741	1011	64.3	60.6-68.0	244	24.9	21.4-28.4	14	0.4	0.2- 0.6	14	2.3	0.5- 4.1	35	1.3	0.7- 1.9	133	6.9	5.3- 8.5
Some Post-H.S.	1328	215,831	973	69.6	66.1-73.1	200	21.8	18.5-25.1	15	0.5	0.1- 0.9	19	2.0	0.6- 3.4	31	1.0	0.6- 1.4	90	5.0	3.4- 6.6
College Graduate	1770	212,035	1370	72.0	69.1-74.9	193	14.8	12.4-17.2	23	0.5	0.3- 0.7	72	8.7	6.5-10.9	38	1.0	0.6- 1.4	74	2.9	2.1- 3.7
Less than \$15,000	389	47,254	191	52.0	44.9-59.1	80	26.0	19.3-32.7	9	1.0	0.2- 1.8	3	0.8	0.0- 1.8	20	2.1	1.1- 3.1	86	18.2	13.5-22.9
\$15,000- 24,999	778	107,297	430	50.6	45.9-55.3	151	29.7	25.0-34.4	15	1.5	0.3- 2.7	6	1.0	0.0- 2.2	14	1.3	0.1- 2.5	162	16.0	12.5-19.5
\$25,000- 34,999	399	53,353	246	55.0	48.3-61.7	82	28.5	22.0-35.0	3	0.4	0.0- 1.0	10	4.8	1.7- 7.9	12	1.4	0.4- 2.4	46	9.9	6.2-13.6
\$35,000- 49,999	560	81,213	395	59.8	53.5-66.1	92	28.6	22.1-35.1	6	0.6	0.0- 1.2	9	3.1	0.6- 5.6	14	1.0	0.4- 1.6	44	7.0	4.3- 9.7
\$50,000- 74,999	630	91,915	501	73.9	68.4-79.4	74	16.4	11.9-20.9	3	0.3	0.0- 0.7	13	4.9	0.8- 9.0	16	1.0	0.4- 1.6	23	3.5	1.5- 5.5
\$75,000+	1414	231,755	1157	76.9	73.8-80.0	128	13.9	11.2-16.6	13	0.3	0.1- 0.5	35	4.8	2.8- 6.8	20	0.8	0.4- 1.2	61	3.3	2.1- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2246	356,872	1560	65.6	62.9-68.3	285	20.2	17.7-22.7	35	0.6	0.4- 0.8	64	4.7	3.3- 6.1	48	1.0	0.6- 1.4	254	7.9	6.5- 9.3
18-24	153	43,534	78	59.9	49.9-69.9	14	13.9	6.5-21.3				10	7.6	0.3-14.9	4	1.1	0.0- 2.3	47	17.5	11.2-23.8
25-34	229	60,550	111	53.7	45.3-62.1	30	21.2	13.0-29.4	6	1.1	0.1- 2.1	18	10.4	5.5-15.3	8	0.9	0.3- 1.5	56	12.8	8.5-17.1
35-44	293	54,755	151	53.5	46.1-60.9	44	26.1	18.7-33.5	5	0.8	0.0- 1.6	14	6.0	2.1- 9.9	10	2.3	0.5- 4.1	69	11.3	7.8-14.8
45-54	349	56,948	234	66.4	59.9-72.9	50	21.4	15.1-27.7	8	1.0	0.2- 1.8	9	3.5	1.0- 6.0	6	0.6	0.0- 1.2	42	7.1	4.4- 9.8
55-64	485	62,096	364	69.9	64.0-75.8	79	25.6	19.7-31.5	7	0.4	0.2- 0.6	6	1.2	0.0- 2.4	9	0.8	0.2- 1.4	20	2.3	0.9- 3.7
65+	737	78,990	622	82.2	78.7-85.7	68	13.7	10.4-17.0	9	0.4	0.2- 0.6	7	1.5	0.3- 2.7	11	0.5	0.1- 0.9	20	1.7	0.7- 2.7
Less Than H.S.	240	39,039	81	43.1	34.9-51.3	31	19.5	12.8-26.2	7	1.7	0.0- 3.5	1	0.7	0.0- 2.1	2	0.6	0.0- 1.6	118	34.3	26.9-41.7
H.S. or G.E.D.	650	118,141	444	63.2	57.7-68.7	111	25.7	20.4-31.0	4	0.2	0.0- 0.6	7	2.3	0.0- 5.0	15	1.1	0.3- 1.9	69	7.5	5.1- 9.9
Some Post-H.S.	563	100,978	425	71.2	65.9-76.5	79	22.6	17.3-27.9	7	0.3	0.0- 0.7	10	2.1	0.3- 3.9	10	0.8	0.2- 1.4	32	3.0	1.6- 4.4
College Graduate	782	97,722	607	72.2	67.7-76.7	62	11.2	7.9-14.5	15	0.8	0.4- 1.2	44	11.6	8.1-15.1	20	1.1	0.5- 1.7	34	3.1	1.7- 4.5
Less than \$15,000	151	19,578	74	55.3	44.9-65.7	29	22.1	13.1-31.1	3	0.7	0.0- 1.7	1	0.4	0.0- 1.2	8	1.6	0.2- 3.0	36	19.8	12.2-27.4
\$15,000- 24,999	312	42,969	161	50.6	43.2-58.0	57	28.8	21.5-36.1	9	1.4	0.2- 2.6	4	1.1	0.0- 2.3	3	0.6	0.0- 1.4	78	17.5	12.6-22.4
\$25,000- 34,999	154	21,744	92	54.4	43.6-65.2	27	25.5	14.9-36.1	2	0.5	0.0- 1.3	5	5.5	0.2-10.8	4	0.9	0.0- 1.9	24	13.0	6.1-19.9
\$35,000- 49,999	265	42,163	181	54.9	46.1-63.7	39	28.9	19.5-38.3	4	0.9	0.0- 2.1	7	4.8	0.5- 9.1	7	1.0	0.2- 1.8	27	9.5	4.8-14.2
\$50,000- 74,999	283	46,174	223	74.3	65.9-82.7	31	14.7	8.0-21.4	3	0.7	0.0- 1.5	7	6.5	0.0-13.2	9	1.2	0.4- 2.0	10	2.8	0.3- 5.3
\$75,000+	726	125,866	589	76.5	72.2-80.8	61	13.8	9.9-17.7	8	0.3	0.1- 0.5	21	4.8	2.4- 7.2	10	0.7	0.1- 1.3	37	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	393,514	1987	65.5	63.0-68.0	431	21.5	19.1-23.9	29	0.6	0.2- 1.0	44	3.1	1.9- 4.3	63	1.2	0.8- 1.6	292	8.2	6.8- 9.6
18-24	156	42,478	69	51.9	41.1-62.7	31	27.6	17.4-37.8	3	1.6	0.0- 4.0	3	1.7	0.0- 3.9	4	0.8	0.0- 1.6	46	16.4	9.1-23.7
25-34	285	62,848	124	51.4	43.8-59.0	69	27.9	21.0-34.8				12	7.3	2.0-12.6	7	0.9	0.1- 1.7	73	12.5	8.8-16.2
35-44	325	57,512	175	55.4	48.5-62.3	49	20.6	14.5-26.7	4	0.6	0.0- 1.4	8	4.3	0.8- 7.8	9	2.2	0.0- 4.4	80	16.7	12.0-21.4
45-54	436	61,401	285	62.8	56.7-68.9	79	25.6	19.7-31.5	7	0.8	0.0- 1.6	8	2.3	0.5- 4.1	15	1.6	0.6- 2.6	42	6.9	4.2- 9.6
55-64	594	70,033	448	75.1	70.6-79.6	96	18.8	14.7-22.9	5	0.3	0.0- 0.7	7	2.2	0.2- 4.2	9	0.7	0.1- 1.3	29	3.0	1.6- 4.4
65+	1050	99,242	886	81.0	77.5-84.5	107	14.7	11.4-18.0	10	0.5	0.1- 0.9	6	1.4	0.0- 2.8	19	0.9	0.3- 1.5	22	1.5	0.7- 2.3
Less Than H.S.	281	45,528	106	44.0	35.0-53.0	44	24.8	17.0-32.6	3	1.4	0.0- 3.6				4	1.0	0.0- 2.2	124	28.8	22.1-35.5
H.S. or G.E.D.	801	117,600	567	65.3	60.4-70.2	133	24.1	19.4-28.8	10	0.5	0.1- 0.9	7	2.2	0.0- 4.4	20	1.5	0.5- 2.5	64	6.4	4.4- 8.4
Some Post-H.S.	765	114,853	548	68.3	63.6-73.0	121	21.2	17.1-25.3	8	0.6	0.0- 1.2	9	2.0	0.0- 4.0	21	1.1	0.5- 1.7	58	6.7	4.0- 9.4
College Graduate	988	114,312	763	71.8	67.7-75.9	131	17.9	14.4-21.4	8	0.3	0.1- 0.5	28	6.3	3.6- 9.0	18	0.9	0.3- 1.5	40	2.8	1.6- 4.0
Less than \$15,000	238	27,676	117	49.7	40.1-59.3	51	28.7	19.3-38.1	6	1.1	0.1- 2.1	2	1.1	0.0- 2.7	12	2.4	0.8- 4.0	50	17.0	11.1-22.9
\$15,000- 24,999	466	64,328	269	50.5	44.2-56.8	94	30.3	24.2-36.4	6	1.5	0.0- 3.3	2	1.0	0.0- 2.6	11	1.7	0.0- 3.5	84	14.9	10.0-19.8
\$25,000- 34,999	245	31,609	154	55.4	47.2-63.6	55	30.5	22.3-38.7	1	0.3	0.0- 0.9	5	4.3	0.4- 8.2	8	1.8	0.2- 3.4	22	7.8	3.9-11.7
\$35,000- 49,999	295	39,051	214	65.1	56.5-73.7	53	28.3	19.5-37.1	2	0.2	0.0- 0.4	2	1.3	0.0- 3.3	7	0.9	0.0- 1.9	17	4.3	1.8- 6.8
\$50,000- 74,999	347	45,741	278	73.5	66.2-80.8	43	18.0	11.9-24.1				6	3.3	0.0- 8.0	7	0.9	0.1- 1.7	13	4.1	1.2- 7.0
\$75,000+	688	105,889	568	77.4	72.7-82.1	67	14.0	10.1-17.9	5	0.3	0.0- 0.7	14	4.9	1.8- 8.0	10	0.8	0.2- 1.4	24	2.6	1.2- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5092	750,386	3547	65.5	63.5-67.5	1545	34.5	32.5-36.5
Male	2246	356,872	1560	65.6	62.9-68.3	686	34.4	31.7-37.1
Female	2846	393,514	1987	65.5	63.0-68.0	859	34.5	32.0-37.0
18-24	309	86,012	147	56.0	48.7-63.3	162	44.0	36.7-51.3
25-34	514	123,398	235	52.5	46.8-58.2	279	47.5	41.8-53.2
35-44	618	112,267	326	54.5	49.4-59.6	292	45.5	40.4-50.6
45-54	785	118,348	519	64.5	60.0-69.0	266	35.5	31.0-40.0
55-64	1079	132,129	812	72.6	68.9-76.3	267	27.4	23.7-31.1
65+	1787	178,232	1508	81.5	79.0-84.0	279	18.5	16.0-21.0
Less Than H.S.	521	84,568	187	43.6	37.5-49.7	334	56.4	50.3-62.5
H.S. or G.E.D.	1451	235,741	1011	64.3	60.6-68.0	440	35.7	32.0-39.4
Some Post-H.S.	1328	215,831	973	69.6	66.1-73.1	355	30.4	26.9-33.9
College Graduate	1770	212,035	1370	72.0	69.1-74.9	400	28.0	25.1-30.9
Less than \$15,000	389	47,254	191	52.0	44.9-59.1	198	48.0	40.9-55.1
\$15,000- 24,999	778	107,297	430	50.6	45.9-55.3	348	49.4	44.7-54.1
\$25,000- 34,999	399	53,353	246	55.0	48.3-61.7	153	45.0	38.3-51.7
\$35,000- 49,999	560	81,213	395	59.8	53.5-66.1	165	40.2	33.9-46.5
\$50,000- 74,999	630	91,915	501	73.9	68.4-79.4	129	26.1	20.6-31.6
\$75,000+	1414	231,755	1157	76.9	73.8-80.0	257	23.1	20.0-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2246	356,872	1560	65.6	62.9-68.3	686	34.4	31.7-37.1
18-24	153	43,534	78	59.9	49.9-69.9	75	40.1	30.1-50.1
25-34	229	60,550	111	53.7	45.3-62.1	118	46.3	37.9-54.7
35-44	293	54,755	151	53.5	46.1-60.9	142	46.5	39.1-53.9
45-54	349	56,948	234	66.4	59.9-72.9	115	33.6	27.1-40.1
55-64	485	62,096	364	69.9	64.0-75.8	121	30.1	24.2-36.0
65+	737	78,990	622	82.2	78.7-85.7	115	17.8	14.3-21.3
Less Than H.S.	240	39,039	81	43.1	34.9-51.3	159	56.9	48.7-65.1
H.S. or G.E.D.	650	118,141	444	63.2	57.7-68.7	206	36.8	31.3-42.3
Some Post-H.S.	563	100,978	425	71.2	65.9-76.5	138	28.8	23.5-34.1
College Graduate	782	97,722	607	72.2	67.7-76.7	175	27.8	23.3-32.3
Less than \$15,000	151	19,578	74	55.3	44.9-65.7	77	44.7	34.3-55.1
\$15,000- 24,999	312	42,969	161	50.6	43.2-58.0	151	49.4	42.0-56.8
\$25,000- 34,999	154	21,744	92	54.4	43.6-65.2	62	45.6	34.8-56.4
\$35,000- 49,999	265	42,163	181	54.9	46.1-63.7	84	45.1	36.3-53.9
\$50,000- 74,999	283	46,174	223	74.3	65.9-82.7	60	25.7	17.3-34.1
\$75,000+	726	125,866	589	76.5	72.2-80.8	137	23.5	19.2-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	393,514	1987	65.5	63.0-68.0	859	34.5	32.0-37.0
18-24	156	42,478	69	51.9	41.1-62.7	87	48.1	37.3-58.9
25-34	285	62,848	124	51.4	43.8-59.0	161	48.6	41.0-56.2
35-44	325	57,512	175	55.4	48.5-62.3	150	44.6	37.7-51.5
45-54	436	61,401	285	62.8	56.7-68.9	151	37.2	31.1-43.3
55-64	594	70,033	448	75.1	70.6-79.6	146	24.9	20.4-29.4
65+	1050	99,242	886	81.0	77.5-84.5	164	19.0	15.5-22.5
Less Than H.S.	281	45,528	106	44.0	35.0-53.0	175	56.0	47.0-65.0
H.S. or G.E.D.	801	117,600	567	65.3	60.4-70.2	234	34.7	29.8-39.6
Some Post-H.S.	765	114,853	548	68.3	63.6-73.0	217	31.7	27.0-36.4
College Graduate	988	114,312	763	71.8	67.7-75.9	225	28.2	24.1-32.3
Less than \$15,000	238	27,676	117	49.7	40.1-59.3	121	50.3	40.7-59.9
\$15,000- 24,999	466	64,328	269	50.5	44.2-56.8	197	49.5	43.2-55.8
\$25,000- 34,999	245	31,609	154	55.4	47.2-63.6	91	44.6	36.4-52.8
\$35,000- 49,999	295	39,051	214	65.1	56.5-73.7	81	34.9	26.3-43.5
\$50,000- 74,999	347	45,741	278	73.5	66.2-80.8	69	26.5	19.2-33.8
\$75,000+	688	105,889	568	77.4	72.7-82.1	120	22.6	17.9-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5092	750,386	3547	65.5	63.5-67.5	716	20.9	19.1-22.7	203	4.8	3.8- 5.8	80	0.7	0.5- 0.9	546	8.1	7.1- 9.1
Male	2246	356,872	1560	65.6	62.9-68.3	285	20.2	17.7-22.7	113	5.7	4.1- 7.3	34	0.5	0.3- 0.7	254	7.9	6.5- 9.3
Female	2846	393,514	1987	65.5	63.0-68.0	431	21.5	19.1-23.9	90	3.9	2.7- 5.1	46	0.9	0.5- 1.3	292	8.2	6.8- 9.6
18-24	309	86,012	147	56.0	48.7-63.3	45	20.7	14.2-27.2	17	5.7	1.6- 9.8	7	0.7	0.1- 1.3	93	17.0	12.3-21.7
25-34	514	123,398	235	52.5	46.8-58.2	99	24.6	19.3-29.9	40	9.6	6.1-13.1	11	0.6	0.2- 1.0	129	12.7	9.8-15.6
35-44	618	112,267	326	54.5	49.4-59.6	93	23.3	18.4-28.2	36	6.6	3.9- 9.3	14	1.5	0.3- 2.7	149	14.1	11.2-17.0
45-54	785	118,348	519	64.5	60.0-69.0	129	23.6	19.3-27.9	39	4.1	2.5- 5.7	14	0.8	0.4- 1.2	84	7.0	5.0- 9.0
55-64	1079	132,129	812	72.6	68.9-76.3	175	22.0	18.5-25.5	30	2.3	1.1- 3.5	13	0.5	0.1- 0.9	49	2.7	1.7- 3.7
65+	1787	178,232	1508	81.5	79.0-84.0	175	14.3	11.9-16.7	41	2.1	1.1- 3.1	21	0.5	0.3- 0.7	42	1.6	1.0- 2.2
Less Than H.S.	521	84,568	187	43.6	37.5-49.7	75	22.4	17.1-27.7	14	2.4	0.8- 4.0	3	0.4	0.0- 0.8	242	31.3	26.2-36.4
H.S. or G.E.D.	1451	235,741	1011	64.3	60.6-68.0	244	24.9	21.4-28.4	35	3.0	1.2- 4.8	28	0.9	0.3- 1.5	133	6.9	5.3- 8.5
Some Post-H.S.	1328	215,831	973	69.6	66.1-73.1	200	21.8	18.5-25.1	45	2.8	1.4- 4.2	20	0.7	0.3- 1.1	90	5.0	3.4- 6.6
College Graduate	1770	212,035	1370	72.0	69.1-74.9	193	14.8	12.4-17.2	104	9.5	7.3-11.7	29	0.7	0.3- 1.1	74	2.9	2.1- 3.7
Less than \$15,000	389	47,254	191	52.0	44.9-59.1	80	26.0	19.3-32.7	19	2.3	0.9- 3.7	13	1.5	0.5- 2.5	86	18.2	13.5-22.9
\$15,000- 24,999	778	107,297	430	50.6	45.9-55.3	151	29.7	25.0-34.4	23	2.8	1.2- 4.4	12	1.0	0.0- 2.0	162	16.0	12.5-19.5
\$25,000- 34,999	399	53,353	246	55.0	48.3-61.7	82	28.5	22.0-35.0	16	5.8	2.5- 9.1	9	0.9	0.1- 1.7	46	9.9	6.2-13.6
\$35,000- 49,999	560	81,213	395	59.8	53.5-66.1	92	28.6	22.1-35.1	20	3.9	1.4- 6.4	9	0.7	0.1- 1.3	44	7.0	4.3- 9.7
\$50,000- 74,999	630	91,915	501	73.9	68.4-79.4	74	16.4	11.9-20.9	22	5.6	1.5- 9.7	10	0.7	0.3- 1.1	23	3.5	1.5- 5.5
\$75,000+	1414	231,755	1157	76.9	73.8-80.0	128	13.9	11.2-16.6	52	5.3	3.3- 7.3	16	0.5	0.1- 0.9	61	3.3	2.1- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2246	356,872	1560	65.6	62.9-68.3	285	20.2	17.7-22.7	113	5.7	4.1- 7.3	34	0.5	0.3- 0.7	254	7.9	6.5- 9.3
18-24	153	43,534	78	59.9	49.9-69.9	14	13.9	6.5-21.3	11	8.1	0.8-15.4	3	0.6	0.0- 1.2	47	17.5	11.2-23.8
25-34	229	60,550	111	53.7	45.3-62.1	30	21.2	13.0-29.4	27	11.8	6.9-16.7	5	0.5	0.0- 1.1	56	12.8	8.5-17.1
35-44	293	54,755	151	53.5	46.1-60.9	44	26.1	18.7-33.5	23	8.2	3.9-12.5	6	0.9	0.0- 1.9	69	11.3	7.8-14.8
45-54	349	56,948	234	66.4	59.9-72.9	50	21.4	15.1-27.7	19	4.7	2.0- 7.4	4	0.4	0.0- 0.8	42	7.1	4.4- 9.8
55-64	485	62,096	364	69.9	64.0-75.8	79	25.6	19.7-31.5	16	1.9	0.5- 3.3	6	0.4	0.0- 0.8	20	2.3	0.9- 3.7
65+	737	78,990	622	82.2	78.7-85.7	68	13.7	10.4-17.0	17	1.9	0.5- 3.3	10	0.5	0.1- 0.9	20	1.7	0.7- 2.7
Less Than H.S.	240	39,039	81	43.1	34.9-51.3	31	19.5	12.8-26.2	10	3.1	0.7- 5.5				118	34.3	26.9-41.7
H.S. or G.E.D.	650	118,141	444	63.2	57.7-68.7	111	25.7	20.4-31.0	14	3.1	0.2- 6.0	12	0.5	0.1- 0.9	69	7.5	5.1- 9.9
Some Post-H.S.	563	100,978	425	71.2	65.9-76.5	79	22.6	17.3-27.9	21	2.7	0.9- 4.5	6	0.6	0.0- 1.2	32	3.0	1.6- 4.4
College Graduate	782	97,722	607	72.2	67.7-76.7	62	11.2	7.9-14.5	63	12.7	9.2-16.2	16	0.7	0.3- 1.1	34	3.1	1.7- 4.5
Less than \$15,000	151	19,578	74	55.3	44.9-65.7	29	22.1	13.1-31.1	7	1.7	0.3- 3.1	5	1.1	0.0- 2.3	36	19.8	12.2-27.4
\$15,000- 24,999	312	42,969	161	50.6	43.2-58.0	57	28.8	21.5-36.1	14	2.8	1.0- 4.6	2	0.2	0.0- 0.6	78	17.5	12.6-22.4
\$25,000- 34,999	154	21,744	92	54.4	43.6-65.2	27	25.5	14.9-36.1	7	6.1	0.8-11.4	4	0.9	0.0- 1.9	24	13.0	6.1-19.9
\$35,000- 49,999	265	42,163	181	54.9	46.1-63.7	39	28.9	19.5-38.3	12	6.0	1.5-10.5	6	0.8	0.0- 1.6	27	9.5	4.8-14.2
\$50,000- 74,999	283	46,174	223	74.3	65.9-82.7	31	14.7	8.0-21.4	14	7.6	0.9-14.3	5	0.6	0.0- 1.2	10	2.8	0.3- 5.3
\$75,000+	726	125,866	589	76.5	72.2-80.8	61	13.8	9.9-17.7	31	5.4	3.0- 7.8	8	0.4	0.0- 0.8	37	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	393,514	1987	65.5	63.0-68.0	431	21.5	19.1-23.9	90	3.9	2.7- 5.1	46	0.9	0.5- 1.3	292	8.2	6.8- 9.6
18-24	156	42,478	69	51.9	41.1-62.7	31	27.6	17.4-37.8	6	3.3	0.2- 6.4	4	0.8	0.0- 1.6	46	16.4	9.1-23.7
25-34	285	62,848	124	51.4	43.8-59.0	69	27.9	21.0-34.8	13	7.4	2.1-12.7	6	0.7	0.0- 1.5	73	12.5	8.8-16.2
35-44	325	57,512	175	55.4	48.5-62.3	49	20.6	14.5-26.7	13	5.0	1.5- 8.5	8	2.1	0.0- 4.3	80	16.7	12.0-21.4
45-54	436	61,401	285	62.8	56.7-68.9	79	25.6	19.7-31.5	20	3.5	1.5- 5.5	10	1.1	0.3- 1.9	42	6.9	4.2- 9.6
55-64	594	70,033	448	75.1	70.6-79.6	96	18.8	14.7-22.9	14	2.6	0.6- 4.6	7	0.6	0.0- 1.2	29	3.0	1.6- 4.4
65+	1050	99,242	886	81.0	77.5-84.5	107	14.7	11.4-18.0	24	2.3	0.7- 3.9	11	0.5	0.3- 0.7	22	1.5	0.7- 2.3
Less Than H.S.	281	45,528	106	44.0	35.0-53.0	44	24.8	17.0-32.6	4	1.7	0.0- 4.1	3	0.7	0.0- 1.5	124	28.8	22.1-35.5
H.S. or G.E.D.	801	117,600	567	65.3	60.4-70.2	133	24.1	19.4-28.8	21	2.9	0.7- 5.1	16	1.2	0.2- 2.2	64	6.4	4.4- 8.4
Some Post-H.S.	765	114,853	548	68.3	63.6-73.0	121	21.2	17.1-25.3	24	2.9	0.9- 4.9	14	0.8	0.2- 1.4	58	6.7	4.0- 9.4
College Graduate	988	114,312	763	71.8	67.7-75.9	131	17.9	14.4-21.4	41	6.7	4.0- 9.4	13	0.7	0.3- 1.1	40	2.8	1.6- 4.0
Less than \$15,000	238	27,676	117	49.7	40.1-59.3	51	28.7	19.3-38.1	12	2.7	0.7- 4.7	8	1.9	0.5- 3.3	50	17.0	11.1-22.9
\$15,000- 24,999	466	64,328	269	50.5	44.2-56.8	94	30.3	24.2-36.4	9	2.8	0.4- 5.2	10	1.5	0.0- 3.3	84	14.9	10.0-19.8
\$25,000- 34,999	245	31,609	154	55.4	47.2-63.6	55	30.5	22.3-38.7	9	5.5	1.4- 9.6	5	0.9	0.0- 1.9	22	7.8	3.9-11.7
\$35,000- 49,999	295	39,051	214	65.1	56.5-73.7	53	28.3	19.5-37.1	8	1.7	0.0- 3.7	3	0.6	0.0- 1.4	17	4.3	1.8- 6.8
\$50,000- 74,999	347	45,741	278	73.5	66.2-80.8	43	18.0	11.9-24.1	8	3.5	0.0- 8.2	5	0.8	0.0- 1.6	13	4.1	1.2- 7.0
\$75,000+	688	105,889	568	77.4	72.7-82.1	67	14.0	10.1-17.9	21	5.3	2.2- 8.4	8	0.7	0.1- 1.3	24	2.6	1.2- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	755,102	560	19.3	17.5-21.1	612	16.5	14.9-18.1	630	14.4	13.0-15.8	962	17.1	15.7-18.5	1125	16.3	15.1-17.5	1255	16.4	15.4-17.4
Male	2274	360,759	267	20.1	17.6-22.6	288	17.2	14.8-19.6	286	14.9	12.9-16.9	444	17.5	15.5-19.5	478	15.1	13.5-16.7	511	15.3	13.7-16.9
Female	2870	394,343	293	18.5	16.0-21.0	324	15.9	13.9-17.9	344	13.9	12.1-15.7	518	16.8	15.0-18.6	647	17.5	15.9-19.1	744	17.4	15.8-19.0
White/Non-Hisp	3509	487,079	258	16.0	13.8-18.2	302	13.4	11.8-15.0	359	12.7	11.1-14.3	686	18.4	16.8-20.0	858	18.9	17.5-20.3	1046	20.6	19.2-22.0
Black or Afr. Am./Non-Hisp	706	153,831	100	21.9	17.2-26.6	89	17.3	13.2-21.4	100	17.1	13.4-20.8	146	17.3	14.0-20.6	157	15.9	13.0-18.8	114	10.6	8.2-13.0
Oth. Race/Non-Hisp.	196	33,784	35	27.5	16.9-38.1	40	31.0	20.6-41.4	39	16.4	9.5-23.3	28	11.5	5.8-17.2	32	7.2	3.1-11.3	22	6.4	2.5-10.3
MultiRacial/Non-Hisp.	79	5,418	14	20.5	9.3-31.7	11	17.8	6.2-29.4	14	26.0	8.6-43.4	10	13.3	3.7-22.9	20	13.9	6.6-21.2	10	8.5	2.8-14.2
Hispanic	538	59,679	145	34.4	28.3-40.5	154	28.5	23.2-33.8	110	20.5	15.8-25.2	70	10.2	7.1-13.3	32	3.2	1.8-4.6	27	3.2	1.6-4.8
Less Than H.S.	522	84,811	76	20.5	14.6-26.4	117	23.0	17.9-28.1	93	18.9	14.4-23.4	77	13.5	9.8-17.2	61	9.1	6.2-12.0	98	15.0	11.3-18.7
H.S. or G.E.D.	1469	239,727	201	24.7	21.0-28.4	139	10.6	8.2-13.0	155	12.6	10.2-15.0	295	18.1	15.6-20.6	296	15.8	13.6-18.0	383	18.2	16.0-20.4
Some Post-H.S.	1341	216,268	164	20.6	17.3-23.9	145	17.0	13.9-20.1	131	11.5	9.1-13.9	236	15.8	13.4-18.2	329	18.5	16.1-20.9	336	16.6	14.4-18.8
College Graduate	1789	211,942	115	11.3	8.9-13.7	208	20.0	17.3-22.7	249	17.5	15.1-19.9	353	18.9	16.7-21.1	433	17.6	15.6-19.6	431	14.6	13.0-16.2
Less than \$15,000	395	48,353	59	25.1	18.0-32.2	51	15.3	10.4-20.2	55	18.3	12.2-24.4	84	14.9	11.0-18.8	85	15.2	11.1-19.3	61	11.1	7.6-14.6
\$15,000- 24,999	785	108,486	104	20.3	16.0-24.6	112	17.7	13.8-21.6	92	12.7	9.4-16.0	130	15.2	12.1-18.3	142	15.8	12.7-18.9	205	18.3	15.2-21.4
\$25,000- 34,999	400	53,026	48	21.1	14.8-27.4	46	14.9	10.0-19.8	51	13.4	8.9-17.9	40	8.5	5.2-11.8	79	15.2	11.3-19.1	136	26.9	21.4-32.4
\$35,000- 49,999	566	82,573	60	21.1	14.8-27.4	65	15.1	11.0-19.2	52	11.0	7.3-14.7	91	14.8	10.9-18.7	131	17.8	14.1-21.5	167	20.2	16.5-23.9
\$50,000- 74,999	647	94,097	56	17.1	11.8-22.4	73	19.7	14.6-24.8	62	10.3	7.2-13.4	123	17.5	14.0-21.0	171	19.2	15.7-22.7	162	16.2	13.1-19.3
\$75,000+	1424	232,309	99	13.7	10.8-16.6	172	18.0	15.1-20.9	248	20.5	17.8-23.2	345	22.0	19.5-24.5	321	15.7	13.7-17.7	239	10.1	8.5-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2274	360,759	267	20.1	17.6-22.6	288	17.2	14.8-19.6	286	14.9	12.9-16.9	444	17.5	15.5-19.5	478	15.1	13.5-16.7	511	15.3	13.7-16.9
White/Non-Hisp	1541	231,703	128	17.3	14.4-20.2	147	14.0	11.6-16.4	157	13.2	10.8-15.6	323	19.1	16.7-21.5	356	16.8	14.8-18.8	430	19.5	17.5-21.5
Black or Afr. Am./Non-Hisp	282	70,690	31	17.8	10.9-24.7	31	17.9	11.2-24.6	49	19.1	13.2-25.0	64	19.1	13.4-24.8	69	17.1	12.4-21.8	38	9.0	5.7-12.3
Oth. Race/Non-Hisp.	110	19,194	25	34.3	19.2-49.4	26	32.1	19.6-44.6	22	17.6	8.4-26.8	12	6.1	1.4-10.8	17	5.4	1.5- 9.3	8	4.5	0.4- 8.6
Hispanic	251	28,137	71	39.0	30.4-47.6	70	25.8	18.4-33.2	51	18.6	12.1-25.1	33	10.5	6.0-15.0	14	3.2	0.8- 5.6	12	2.9	0.7- 5.1
Less Than H.S.	240	39,343	43	21.9	14.6-29.2	51	21.3	14.4-28.2	49	22.4	15.5-29.3	34	12.9	7.8-18.0	28	9.9	5.4-14.4	35	11.6	7.1-16.1
H.S. or G.E.D.	662	121,017	100	26.3	21.0-31.6	73	12.3	8.6-16.0	82	14.3	10.8-17.8	144	19.0	15.3-22.7	128	13.8	10.9-16.7	135	14.3	11.4-17.2
Some Post-H.S.	570	101,109	69	20.0	15.1-24.9	62	17.4	12.7-22.1	60	12.5	8.8-16.2	112	16.6	13.1-20.1	137	17.0	13.7-20.3	130	16.5	13.4-19.6
College Graduate	792	98,321	54	12.0	8.5-15.5	100	21.6	17.3-25.9	95	15.1	11.6-18.6	153	18.4	15.3-21.5	181	16.4	13.7-19.1	209	16.6	14.1-19.1
Less than \$15,000	156	20,707	28	25.7	15.3-36.1	18	14.1	6.1-22.1	21	17.8	9.2-26.4	37	17.9	11.4-24.4	34	16.5	10.0-23.0	18	8.0	3.9-12.1
\$15,000- 24,999	315	43,795	40	17.7	11.6-23.8	52	20.0	13.3-26.7	40	13.7	8.8-18.6	58	16.9	11.8-22.0	62	16.6	11.7-21.5	63	15.2	10.5-19.9
\$25,000- 34,999	153	21,427	18	23.1	12.1-34.1	17	14.6	6.8-22.4	24	13.6	6.9-20.3	15	7.8	2.5-13.1	32	16.7	10.0-23.4	47	24.1	16.1-32.1
\$35,000- 49,999	270	43,344	33	22.0	13.2-30.8	33	13.9	8.4-19.4	30	14.4	8.1-20.7	45	15.0	9.1-20.9	56	13.7	9.4-18.0	73	20.9	15.4-26.4
\$50,000- 74,999	293	47,708	24	20.1	11.3-28.9	36	20.2	12.9-27.5	28	10.5	6.0-15.0	51	15.6	10.5-20.7	78	17.7	13.0-22.4	76	15.9	11.6-20.2
\$75,000+	732	126,115	60	15.5	11.6-19.4	92	18.2	14.3-22.1	108	18.9	15.0-22.8	182	22.3	18.6-26.0	148	13.5	11.0-16.0	142	11.6	9.2-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	394,343	293	18.5	16.0-21.0	324	15.9	13.9-17.9	344	13.9	12.1-15.7	518	16.8	15.0-18.6	647	17.5	15.9-19.1	744	17.4	15.8-19.0
White/Non-Hisp	1968	255,376	130	14.8	11.9-17.7	155	12.8	10.4-15.2	202	12.3	10.3-14.3	363	17.8	15.6-20.0	502	20.8	18.6-23.0	616	21.5	19.5-23.5
Black or Afr. Am./Non-Hisp	424	83,141	69	25.3	19.0-31.6	58	16.8	12.1-21.5	51	15.4	10.5-20.3	82	15.8	11.7-19.9	88	14.9	11.0-18.8	76	11.9	8.6-15.2
Oth. Race/Non-Hisp.	86	14,590	10	18.5	5.4-31.6	14	29.6	12.0-47.2	17	14.9	4.3-25.5	16	18.5	7.1-29.9	15	9.7	2.1-17.3	14	8.8	1.7-15.9
Hispanic	287	31,542	74	30.2	21.8-38.6	84	31.0	23.6-38.4	59	22.1	15.4-28.8	37	10.0	5.9-14.1	18	3.2	1.2- 5.2	15	3.5	1.1- 5.9
Less Than H.S.	282	45,468	33	19.3	10.3-28.3	66	24.5	17.1-31.9	44	15.8	9.9-21.7	43	14.1	8.6-19.6	33	8.4	4.9-11.9	63	17.9	12.2-23.6
H.S. or G.E.D.	807	118,710	101	23.2	18.3-28.1	66	8.9	6.2-11.6	73	10.8	7.7-13.9	151	17.2	14.1-20.3	168	17.7	14.6-20.8	248	22.2	18.9-25.5
Some Post-H.S.	771	115,159	95	21.1	16.4-25.8	83	16.7	12.6-20.8	71	10.6	7.7-13.5	124	15.1	12.0-18.2	192	19.9	16.6-23.2	206	16.6	13.9-19.3
College Graduate	997	113,621	61	10.6	7.3-13.9	108	18.7	15.0-22.4	154	19.7	16.4-23.0	200	19.4	16.5-22.3	252	18.7	16.0-21.4	222	12.9	10.7-15.1
Less than \$15,000	239	27,646	31	24.7	15.1-34.3	33	16.1	9.8-22.4	34	18.7	10.1-27.3	47	12.7	8.0-17.4	51	14.2	9.1-19.3	43	13.5	8.0-19.0
\$15,000- 24,999	470	64,691	64	22.1	16.2-28.0	60	16.2	11.3-21.1	52	12.1	7.8-16.4	72	14.0	10.1-17.9	80	15.3	11.2-19.4	142	20.4	16.3-24.5
\$25,000- 34,999	247	31,599	30	19.8	12.5-27.1	29	15.2	8.9-21.5	27	13.3	7.2-19.4	25	8.9	4.8-13.0	47	14.1	9.2-19.0	89	28.8	21.5-36.1
\$35,000- 49,999	296	39,229	27	20.0	11.0-29.0	32	16.5	10.2-22.8	22	7.3	3.4-11.2	46	14.5	9.8-19.2	75	22.3	16.4-28.2	94	19.3	14.4-24.2
\$50,000- 74,999	354	46,390	32	13.9	8.4-19.4	37	19.1	12.0-26.2	34	10.1	6.0-14.2	72	19.6	14.5-24.7	93	20.8	15.9-25.7	86	16.5	12.0-21.0
\$75,000+	692	106,194	39	11.7	7.4-16.0	80	17.8	13.5-22.1	140	22.5	18.4-26.6	163	21.6	17.9-25.3	173	18.2	14.9-21.5	97	8.2	6.2-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	755,102	3320	76.1	74.9-77.3	1824	23.9	22.7-25.1
Male	2274	360,759	1518	77.8	76.0-79.6	756	22.2	20.4-24.0
Female	2870	394,343	1802	74.6	72.8-76.4	1068	25.4	23.6-27.2
White/Non-Hisp	3509	487,079	2017	70.5	68.7-72.3	1492	29.5	27.7-31.3
Black or Afr. Am./Non-Hisp	706	153,831	531	83.4	80.5-86.3	175	16.6	13.7-19.5
Oth. Race/Non-Hisp.	196	33,784	156	88.9	83.6-94.2	40	11.1	5.8-16.4
MultiRacial/Non-Hisp.	79	5,418	58	84.4	76.6-92.2	21	15.6	7.8-23.4
Hispanic	538	59,679	496	95.3	93.5-97.1	42	4.7	2.9- 6.5
Less Than H.S.	522	84,811	399	81.7	77.8-85.6	123	18.3	14.4-22.2
H.S. or G.E.D.	1469	239,727	942	74.6	72.1-77.1	527	25.4	22.9-27.9
Some Post-H.S.	1341	216,268	839	75.2	72.7-77.7	502	24.8	22.3-27.3
College Graduate	1789	211,942	1127	76.7	74.5-78.9	662	23.3	21.1-25.5
Less than \$15,000	395	48,353	299	83.4	79.1-87.7	96	16.6	12.3-20.9
\$15,000- 24,999	785	108,486	513	74.8	71.1-78.5	272	25.2	21.5-28.9
\$25,000- 34,999	400	53,026	223	65.7	59.8-71.6	177	34.3	28.4-40.2
\$35,000- 49,999	566	82,573	335	71.7	67.4-76.0	231	28.3	24.0-32.6
\$50,000- 74,999	647	94,097	392	74.5	70.6-78.4	255	25.5	21.6-29.4
\$75,000+	1424	232,309	1027	83.1	81.1-85.1	397	16.9	14.9-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2274	360,759	1518	77.8	76.0-79.6	756	22.2	20.4-24.0
White/Non-Hisp	1541	231,703	928	72.5	70.1-74.9	613	27.5	25.1-29.9
Black or Afr. Am./Non-Hisp	282	70,690	214	84.6	80.3-88.9	68	15.4	11.1-19.7
Oth. Race/Non-Hisp.	110	19,194	93	92.2	86.9-97.5	17	7.8	2.5-13.1
Hispanic	251	28,137	231	95.3	92.6-98.0	20	4.7	2.0- 7.4
Less Than H.S.	240	39,343	193	84.7	79.6-89.8	47	15.3	10.2-20.4
H.S. or G.E.D.	662	121,017	471	79.8	76.5-83.1	191	20.2	16.9-23.5
Some Post-H.S.	570	101,109	371	76.1	72.4-79.8	199	23.9	20.2-27.6
College Graduate	792	98,321	478	74.7	71.6-77.8	314	25.3	22.2-28.4
Less than \$15,000	156	20,707	125	85.5	79.4-91.6	31	14.5	8.4-20.6
\$15,000- 24,999	315	43,795	224	78.1	72.8-83.4	91	21.9	16.6-27.2
\$25,000- 34,999	153	21,427	84	66.4	57.4-75.4	69	33.6	24.6-42.6
\$35,000- 49,999	270	43,344	169	72.8	66.5-79.1	101	27.2	20.9-33.5
\$50,000- 74,999	293	47,708	171	74.2	68.5-79.9	122	25.8	20.1-31.5
\$75,000+	732	126,115	517	82.4	79.7-85.1	215	17.6	14.9-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	394,343	1802	74.6	72.8-76.4	1068	25.4	23.6-27.2
White/Non-Hisp	1968	255,376	1089	68.8	66.4-71.2	879	31.2	28.8-33.6
Black or Afr. Am./Non-Hisp	424	83,141	317	82.4	78.3-86.5	107	17.6	13.5-21.7
Oth. Race/Non-Hisp.	86	14,590	63	84.5	74.7-94.3	23	15.5	5.7-25.3
Hispanic	287	31,542	265	95.3	92.8-97.8	22	4.7	2.2- 7.2
Less Than H.S.	282	45,468	206	79.1	73.0-85.2	76	20.9	14.8-27.0
H.S. or G.E.D.	807	118,710	471	69.4	65.5-73.3	336	30.6	26.7-34.5
Some Post-H.S.	771	115,159	468	74.4	70.9-77.9	303	25.6	22.1-29.1
College Graduate	997	113,621	649	78.5	75.8-81.2	348	21.5	18.8-24.2
Less than \$15,000	239	27,646	174	81.8	75.9-87.7	65	18.2	12.3-24.1
\$15,000- 24,999	470	64,691	289	72.6	67.7-77.5	181	27.4	22.5-32.3
\$25,000- 34,999	247	31,599	139	65.2	57.6-72.8	108	34.8	27.2-42.4
\$35,000- 49,999	296	39,229	166	70.6	64.5-76.7	130	29.4	23.3-35.5
\$50,000- 74,999	354	46,390	221	74.8	69.5-80.1	133	25.2	19.9-30.5
\$75,000+	692	106,194	510	83.8	81.1-86.5	182	16.2	13.5-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4840	716,711	290	5.3	4.5- 6.1	2182	42.4	40.4-44.4	1957	42.9	40.9-44.9	411	9.4	8.2-10.6
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	398	18.5	16.3-20.7
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	13	0.8	0.2- 1.4
White/Non-Hisp	3436	476,616	176	4.9	3.9- 5.9	1521	41.1	38.9-43.3	1429	43.4	41.2-45.6	310	10.6	9.2-12.0
Black or Afr. Am./Non-Hisp	678	146,689	42	4.4	2.8- 6.0	329	44.9	40.0-49.8	261	43.5	38.4-48.6	46	7.2	4.7- 9.7
Oth. Race/Non-Hisp.	185	32,666	14	8.4	1.0-15.8	82	42.3	31.5-53.1	73	43.5	32.3-54.7	16	5.8	1.5-10.1
MultiRacial/Non-Hisp.	79	5,456	7	7.5	1.2-13.8	35	54.4	39.5-69.3	26	23.5	13.1-33.9	11	14.5	4.7-24.3
Hispanic	343	39,860	46	11.7	7.6-15.8	172	51.6	44.0-59.2	105	29.8	22.9-36.7	20	7.0	2.9-11.1
18-24	266	79,427	17	4.9	1.6- 8.2	108	38.9	31.3-46.5	109	42.1	34.5-49.7	32	14.0	8.7-19.3
25-34	448	117,250	33	6.9	3.6-10.2	196	38.6	32.9-44.3	178	44.9	38.8-51.0	41	9.5	6.2-12.8
35-44	543	102,755	22	3.1	1.5- 4.7	237	43.2	37.9-48.5	232	44.5	39.2-49.8	52	9.3	6.4-12.2
45-54	753	112,469	36	2.9	1.7- 4.1	328	41.8	37.5-46.1	315	46.6	42.1-51.1	74	8.8	6.6-11.0
55-64	1052	129,085	47	5.8	3.8- 7.8	478	43.8	40.1-47.5	417	39.7	36.0-43.4	110	10.6	8.2-13.0
65+	1778	175,724	135	7.1	5.5- 8.7	835	45.3	42.4-48.2	706	41.0	38.1-43.9	102	6.6	5.0- 8.2
Less Than H.S.	368	66,617	48	8.6	4.7-12.5	179	45.4	38.3-52.5	117	36.8	29.9-43.7	24	9.2	5.3-13.1
H.S. or G.E.D.	1394	228,171	103	7.2	5.2- 9.2	629	39.9	36.4-43.4	560	44.5	40.8-48.2	102	8.4	6.4-10.4
Some Post-H.S.	1302	211,178	76	4.9	3.5- 6.3	572	41.8	38.3-45.3	539	43.0	39.3-46.7	115	10.3	7.9-12.7
College Graduate	1758	208,663	60	2.6	1.8- 3.4	792	44.6	41.5-47.7	738	43.2	40.1-46.3	168	9.6	7.8-11.4
Less than \$15,000	341	41,434	33	9.0	3.7-14.3	168	48.3	40.9-55.7	121	37.7	30.4-45.0	19	5.0	2.5- 7.5
\$15,000- 24,999	710	99,596	70	8.6	6.1-11.1	355	47.3	42.4-52.2	245	38.2	33.3-43.1	40	5.9	3.5- 8.3
\$25,000- 34,999	388	51,983	20	4.8	1.7- 7.9	205	53.1	46.4-59.8	137	35.1	28.6-41.6	26	7.0	4.1- 9.9
\$35,000- 49,999	558	80,574	35	5.0	2.8- 7.2	227	36.9	31.2-42.6	261	50.7	44.8-56.6	35	7.3	4.4-10.2
\$50,000- 74,999	640	93,039	22	3.8	1.1- 6.5	297	42.1	36.8-47.4	260	43.9	38.4-49.4	61	10.2	6.9-13.5
\$75,000+	1416	231,774	42	3.1	1.7- 4.5	545	36.8	33.5-40.1	654	47.3	44.0-50.6	175	12.9	10.5-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	398	18.5	16.3-20.7
White/Non-Hisp	1515	227,288	2	0.2	0.0- 0.4	152	10.3	8.3-12.3	1058	67.9	64.8-71.0	303	21.7	19.0-24.4
Black or Afr. Am./Non-Hisp	271	69,145	2	0.3	0.0- 0.7	49	18.2	12.7-23.7	179	68.4	61.5-75.3	41	13.1	8.2-18.0
Oth. Race/Non-Hisp.	104	18,846	1	2.0	0.0- 5.9	27	25.6	14.4-36.8	61	65.1	52.6-77.6	15	7.3	2.0-12.6
Hispanic	161	19,033	3	1.1	0.0- 2.5	53	31.2	21.6-40.8	85	53.1	42.3-63.9	20	14.6	6.4-22.8
18-24	131	40,396				21	12.3	6.2-18.4	79	61.3	51.1-71.5	31	26.3	16.9-35.7
25-34	201	58,536	3	0.8	0.0- 2.0	38	16.4	10.3-22.5	124	65.8	57.8-73.8	36	17.0	10.7-23.3
35-44	260	51,939	3	1.0	0.0- 2.6	47	17.1	11.2-23.0	160	64.5	57.2-71.8	50	17.4	12.1-22.7
45-54	335	55,380	1	0.2	0.0- 0.6	42	12.8	8.5-17.1	221	70.2	64.5-75.9	71	16.8	12.5-21.1
55-64	472	60,308				58	13.5	9.4-17.6	305	64.1	58.6-69.6	109	22.4	17.7-27.1
65+	746	79,090	1	0.1	0.0- 0.3	81	10.7	8.0-13.4	563	74.6	70.9-78.3	101	14.6	11.5-17.7
Less Than H.S.	171	32,414	2	0.5	0.0- 1.3	52	24.6	17.0-32.2	95	58.2	49.0-67.4	22	16.7	9.4-24.0
H.S. or G.E.D.	629	116,175	2	0.2	0.0- 0.4	88	13.3	10.0-16.6	440	70.6	65.9-75.3	99	15.9	12.0-19.8
Some Post-H.S.	558	99,736	3	0.7	0.0- 1.7	49	9.3	6.2-12.4	394	69.1	64.0-74.2	112	20.8	16.3-25.3
College Graduate	777	96,112	1	0.1	0.0- 0.3	92	14.2	10.7-17.7	521	65.7	61.2-70.2	163	20.0	16.5-23.5
Less than \$15,000	132	17,863	1	0.3	0.0- 0.9	27	22.0	12.6-31.4	85	66.2	55.8-76.6	19	11.5	5.6-17.4
\$15,000- 24,999	280	39,728	3	0.8	0.0- 1.6	62	19.3	13.8-24.8	176	66.4	59.5-73.3	39	13.5	8.6-18.4
\$25,000- 34,999	146	21,143				22	18.2	9.8-26.6	99	65.7	55.7-75.7	25	16.1	9.0-23.2
\$35,000- 49,999	262	42,441	1	0.2	0.0- 0.6	30	10.9	6.4-15.4	198	76.5	70.0-83.0	33	12.5	7.4-17.6
\$50,000- 74,999	288	46,808				40	13.2	7.7-18.7	188	66.6	59.0-74.2	60	20.2	13.9-26.5
\$75,000+	729	125,736	1	0.2	0.0- 0.6	62	9.7	6.8-12.6	499	67.5	63.0-72.0	167	22.5	18.6-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	13	0.8	0.2- 1.4
White/Non-Hisp	1921	249,328	174	9.3	7.3-11.3	1369	69.2	66.3-72.1	371	21.0	18.5-23.5	7	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	407	77,544	40	8.0	5.1-10.9	280	68.8	62.9-74.7	82	21.3	16.0-26.6	5	1.9	0.1- 3.7
Oth. Race/Non-Hisp.	81	13,819	13	17.2	1.5-32.9	55	65.1	48.0-82.2	12	14.0	3.8-24.2	1	3.7	0.0-10.8
Hispanic	182	20,827	43	21.3	13.9-28.7	119	70.3	61.7-78.9	20	8.4	3.9-12.9			
18-24	135	39,031	17	10.1	3.6-16.6	87	66.5	56.1-76.9	30	22.1	13.3-30.9	1	1.3	0.0- 3.8
25-34	247	58,714	30	12.9	6.8-19.0	158	60.8	52.6-69.0	54	24.2	16.9-31.5	5	2.1	0.1- 4.1
35-44	283	50,816	19	5.1	2.2- 8.0	190	69.8	63.1-76.5	72	24.0	17.7-30.3	2	1.1	0.0- 2.5
45-54	418	57,089	35	5.5	3.3- 7.7	286	69.8	64.5-75.1	94	23.7	18.8-28.6	3	1.0	0.0- 2.2
55-64	580	68,777	47	10.9	7.2-14.6	420	70.3	65.6-75.0	112	18.4	14.5-22.3	1	0.4	0.0- 1.2
65+	1032	96,634	134	12.8	10.3-15.3	754	73.7	70.4-77.0	143	13.5	11.0-16.0	1	0.1	0.0- 0.3
Less Than H.S.	197	34,203	46	16.3	9.0-23.6	127	65.1	55.1-75.1	22	16.4	8.0-24.8	2	2.1	0.0- 5.2
H.S. or G.E.D.	765	111,996	101	14.4	10.7-18.1	541	67.6	62.9-72.3	120	17.4	13.7-21.1	3	0.5	0.0- 1.1
Some Post-H.S.	744	111,443	73	8.7	6.2-11.2	523	70.8	66.5-75.1	145	19.6	15.7-23.5	3	0.9	0.0- 1.9
College Graduate	981	112,551	59	4.7	3.1- 6.3	700	70.5	66.6-74.4	217	24.0	20.3-27.7	5	0.7	0.0- 1.5
Less than \$15,000	209	23,571	32	15.6	6.6-24.6	141	68.3	58.7-77.9	36	16.1	9.8-22.4			
\$15,000- 24,999	430	59,868	67	13.9	9.8-18.0	293	65.8	59.7-71.9	69	19.5	14.2-24.8	1	0.9	0.0- 2.7
\$25,000- 34,999	242	30,840	20	8.1	3.0-13.2	183	77.1	70.2-84.0	38	14.2	8.9-19.5	1	0.7	0.0- 2.1
\$35,000- 49,999	296	38,133	34	10.4	6.1-14.7	197	65.9	58.6-73.2	63	22.0	15.9-28.1	2	1.6	0.0- 4.0
\$50,000- 74,999	352	46,230	22	7.6	2.5-12.7	257	71.4	64.5-78.3	72	20.9	15.2-26.6	1	0.2	0.0- 0.6
\$75,000+	687	106,038	41	6.4	3.7- 9.1	483	68.8	64.1-73.5	155	23.2	18.9-27.5	8	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4840	716,711	290	5.3	4.5- 6.1	2182	42.4	40.4-44.4	1957	42.9	40.9-44.9	411	9.4	8.2-10.6
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	398	18.5	16.3-20.7
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	13	0.8	0.2- 1.4
White/Non-Hisp	3436	476,616	176	4.9	3.9- 5.9	1521	41.1	38.9-43.3	1429	43.4	41.2-45.6	310	10.6	9.2-12.0
Black or Afr. Am./Non-Hisp	678	146,689	42	4.4	2.8- 6.0	329	44.9	40.0-49.8	261	43.5	38.4-48.6	46	7.2	4.7- 9.7
Oth. Race/Non-Hisp.	185	32,666	14	8.4	1.0-15.8	82	42.3	31.5-53.1	73	43.5	32.3-54.7	16	5.8	1.5-10.1
MultiRacial/Non-Hisp.	79	5,456	7	7.5	1.2-13.8	35	54.4	39.5-69.3	26	23.5	13.1-33.9	11	14.5	4.7-24.3
Hispanic	343	39,860	46	11.7	7.6-15.8	172	51.6	44.0-59.2	105	29.8	22.9-36.7	20	7.0	2.9-11.1
18-24	266	79,427	17	4.9	1.6- 8.2	108	38.9	31.3-46.5	109	42.1	34.5-49.7	32	14.0	8.7-19.3
25-34	448	117,250	33	6.9	3.6-10.2	196	38.6	32.9-44.3	178	44.9	38.8-51.0	41	9.5	6.2-12.8
35-44	543	102,755	22	3.1	1.5- 4.7	237	43.2	37.9-48.5	232	44.5	39.2-49.8	52	9.3	6.4-12.2
45-54	753	112,469	36	2.9	1.7- 4.1	328	41.8	37.5-46.1	315	46.6	42.1-51.1	74	8.8	6.6-11.0
55-64	1052	129,085	47	5.8	3.8- 7.8	478	43.8	40.1-47.5	417	39.7	36.0-43.4	110	10.6	8.2-13.0
65+	1778	175,724	135	7.1	5.5- 8.7	835	45.3	42.4-48.2	706	41.0	38.1-43.9	102	6.6	5.0- 8.2
Less Than H.S.	368	66,617	48	8.6	4.7-12.5	179	45.4	38.3-52.5	117	36.8	29.9-43.7	24	9.2	5.3-13.1
H.S. or G.E.D.	1394	228,171	103	7.2	5.2- 9.2	629	39.9	36.4-43.4	560	44.5	40.8-48.2	102	8.4	6.4-10.4
Some Post-H.S.	1302	211,178	76	4.9	3.5- 6.3	572	41.8	38.3-45.3	539	43.0	39.3-46.7	115	10.3	7.9-12.7
College Graduate	1758	208,663	60	2.6	1.8- 3.4	792	44.6	41.5-47.7	738	43.2	40.1-46.3	168	9.6	7.8-11.4
Less than \$15,000	341	41,434	33	9.0	3.7-14.3	168	48.3	40.9-55.7	121	37.7	30.4-45.0	19	5.0	2.5- 7.5
\$15,000- 24,999	710	99,596	70	8.6	6.1-11.1	355	47.3	42.4-52.2	245	38.2	33.3-43.1	40	5.9	3.5- 8.3
\$25,000- 34,999	388	51,983	20	4.8	1.7- 7.9	205	53.1	46.4-59.8	137	35.1	28.6-41.6	26	7.0	4.1- 9.9
\$35,000- 49,999	558	80,574	35	5.0	2.8- 7.2	227	36.9	31.2-42.6	261	50.7	44.8-56.6	35	7.3	4.4-10.2
\$50,000- 74,999	640	93,039	22	3.8	1.1- 6.5	297	42.1	36.8-47.4	260	43.9	38.4-49.4	61	10.2	6.9-13.5
\$75,000+	1416	231,774	42	3.1	1.7- 4.5	545	36.8	33.5-40.1	654	47.3	44.0-50.6	175	12.9	10.5-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	398	18.5	16.3-20.7
White/Non-Hisp	1515	227,288	2	0.2	0.0- 0.4	152	10.3	8.3-12.3	1058	67.9	64.8-71.0	303	21.7	19.0-24.4
Black or Afr. Am./Non-Hisp	271	69,145	2	0.3	0.0- 0.7	49	18.2	12.7-23.7	179	68.4	61.5-75.3	41	13.1	8.2-18.0
Oth. Race/Non-Hisp.	104	18,846	1	2.0	0.0- 5.9	27	25.6	14.4-36.8	61	65.1	52.6-77.6	15	7.3	2.0-12.6
Hispanic	161	19,033	3	1.1	0.0- 2.5	53	31.2	21.6-40.8	85	53.1	42.3-63.9	20	14.6	6.4-22.8
18-24	131	40,396				21	12.3	6.2-18.4	79	61.3	51.1-71.5	31	26.3	16.9-35.7
25-34	201	58,536	3	0.8	0.0- 2.0	38	16.4	10.3-22.5	124	65.8	57.8-73.8	36	17.0	10.7-23.3
35-44	260	51,939	3	1.0	0.0- 2.6	47	17.1	11.2-23.0	160	64.5	57.2-71.8	50	17.4	12.1-22.7
45-54	335	55,380	1	0.2	0.0- 0.6	42	12.8	8.5-17.1	221	70.2	64.5-75.9	71	16.8	12.5-21.1
55-64	472	60,308				58	13.5	9.4-17.6	305	64.1	58.6-69.6	109	22.4	17.7-27.1
65+	746	79,090	1	0.1	0.0- 0.3	81	10.7	8.0-13.4	563	74.6	70.9-78.3	101	14.6	11.5-17.7
Less Than H.S.	171	32,414	2	0.5	0.0- 1.3	52	24.6	17.0-32.2	95	58.2	49.0-67.4	22	16.7	9.4-24.0
H.S. or G.E.D.	629	116,175	2	0.2	0.0- 0.4	88	13.3	10.0-16.6	440	70.6	65.9-75.3	99	15.9	12.0-19.8
Some Post-H.S.	558	99,736	3	0.7	0.0- 1.7	49	9.3	6.2-12.4	394	69.1	64.0-74.2	112	20.8	16.3-25.3
College Graduate	777	96,112	1	0.1	0.0- 0.3	92	14.2	10.7-17.7	521	65.7	61.2-70.2	163	20.0	16.5-23.5
Less than \$15,000	132	17,863	1	0.3	0.0- 0.9	27	22.0	12.6-31.4	85	66.2	55.8-76.6	19	11.5	5.6-17.4
\$15,000- 24,999	280	39,728	3	0.8	0.0- 1.6	62	19.3	13.8-24.8	176	66.4	59.5-73.3	39	13.5	8.6-18.4
\$25,000- 34,999	146	21,143				22	18.2	9.8-26.6	99	65.7	55.7-75.7	25	16.1	9.0-23.2
\$35,000- 49,999	262	42,441	1	0.2	0.0- 0.6	30	10.9	6.4-15.4	198	76.5	70.0-83.0	33	12.5	7.4-17.6
\$50,000- 74,999	288	46,808				40	13.2	7.7-18.7	188	66.6	59.0-74.2	60	20.2	13.9-26.5
\$75,000+	729	125,736	1	0.2	0.0- 0.6	62	9.7	6.8-12.6	499	67.5	63.0-72.0	167	22.5	18.6-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	13	0.8	0.2- 1.4
White/Non-Hisp	1921	249,328	174	9.3	7.3-11.3	1369	69.2	66.3-72.1	371	21.0	18.5-23.5	7	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	407	77,544	40	8.0	5.1-10.9	280	68.8	62.9-74.7	82	21.3	16.0-26.6	5	1.9	0.1- 3.7
Oth. Race/Non-Hisp.	81	13,819	13	17.2	1.5-32.9	55	65.1	48.0-82.2	12	14.0	3.8-24.2	1	3.7	0.0-10.8
Hispanic	182	20,827	43	21.3	13.9-28.7	119	70.3	61.7-78.9	20	8.4	3.9-12.9			
18-24	135	39,031	17	10.1	3.6-16.6	87	66.5	56.1-76.9	30	22.1	13.3-30.9	1	1.3	0.0- 3.8
25-34	247	58,714	30	12.9	6.8-19.0	158	60.8	52.6-69.0	54	24.2	16.9-31.5	5	2.1	0.1- 4.1
35-44	283	50,816	19	5.1	2.2- 8.0	190	69.8	63.1-76.5	72	24.0	17.7-30.3	2	1.1	0.0- 2.5
45-54	418	57,089	35	5.5	3.3- 7.7	286	69.8	64.5-75.1	94	23.7	18.8-28.6	3	1.0	0.0- 2.2
55-64	580	68,777	47	10.9	7.2-14.6	420	70.3	65.6-75.0	112	18.4	14.5-22.3	1	0.4	0.0- 1.2
65+	1032	96,634	134	12.8	10.3-15.3	754	73.7	70.4-77.0	143	13.5	11.0-16.0	1	0.1	0.0- 0.3
Less Than H.S.	197	34,203	46	16.3	9.0-23.6	127	65.1	55.1-75.1	22	16.4	8.0-24.8	2	2.1	0.0- 5.2
H.S. or G.E.D.	765	111,996	101	14.4	10.7-18.1	541	67.6	62.9-72.3	120	17.4	13.7-21.1	3	0.5	0.0- 1.1
Some Post-H.S.	744	111,443	73	8.7	6.2-11.2	523	70.8	66.5-75.1	145	19.6	15.7-23.5	3	0.9	0.0- 1.9
College Graduate	981	112,551	59	4.7	3.1- 6.3	700	70.5	66.6-74.4	217	24.0	20.3-27.7	5	0.7	0.0- 1.5
Less than \$15,000	209	23,571	32	15.6	6.6-24.6	141	68.3	58.7-77.9	36	16.1	9.8-22.4			
\$15,000- 24,999	430	59,868	67	13.9	9.8-18.0	293	65.8	59.7-71.9	69	19.5	14.2-24.8	1	0.9	0.0- 2.7
\$25,000- 34,999	242	30,840	20	8.1	3.0-13.2	183	77.1	70.2-84.0	38	14.2	8.9-19.5	1	0.7	0.0- 2.1
\$35,000- 49,999	296	38,133	34	10.4	6.1-14.7	197	65.9	58.6-73.2	63	22.0	15.9-28.1	2	1.6	0.0- 4.0
\$50,000- 74,999	352	46,230	22	7.6	2.5-12.7	257	71.4	64.5-78.3	72	20.9	15.2-26.6	1	0.2	0.0- 0.6
\$75,000+	687	106,038	41	6.4	3.7- 9.1	483	68.8	64.1-73.5	155	23.2	18.9-27.5	8	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4859	709,853	64	1.2	0.8- 1.6	1390	28.6	26.8-30.4	2110	43.2	41.2-45.2	982	20.9	19.3-22.5	238	4.9	4.1- 5.7	75	1.3	0.9- 1.7
Male	2218	350,378	4	0.2	0.0- 0.4	267	12.8	10.8-14.8	1072	49.2	46.5-51.9	667	29.4	26.9-31.9	157	6.7	5.3- 8.1	51	1.7	1.1- 2.3
Female	2641	359,474	60	2.1	1.5- 2.7	1123	43.9	41.2-46.6	1038	37.3	34.8-39.8	315	12.7	10.9-14.5	81	3.1	2.3- 3.9	24	0.8	0.4- 1.2
White/Non-Hisp	3327	461,262	42	1.1	0.7- 1.5	910	28.1	25.9-30.3	1467	43.6	41.4-45.8	684	20.6	18.8-22.4	177	5.5	4.5- 6.5	47	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	657	143,053	6	0.9	0.1- 1.7	136	22.3	18.2-26.4	296	43.7	38.6-48.8	166	26.2	21.7-30.7	38	5.3	3.1- 7.5	15	1.6	0.6- 2.6
Oth. Race/Non-Hisp.	184	32,034	5	2.2	0.0- 4.9	71	41.9	30.5-53.3	76	41.7	31.1-52.3	21	10.5	3.2-17.8	7	1.2	0.0- 2.4	4	2.5	0.0- 5.8
MultiRacial/Non-Hisp.	76	5,406	1	2.4	0.0- 6.9	19	22.4	11.0-33.8	30	44.9	28.6-61.2	21	23.2	11.4-35.0	3	4.0	0.0- 9.1	2	3.1	0.0- 7.6
Hispanic	507	53,910	9	2.0	0.4- 3.6	223	40.8	34.9-46.7	192	38.1	31.8-44.4	65	15.7	11.2-20.2	12	2.5	0.7- 4.3	6	0.8	0.2- 1.4
18-24	286	79,231	8	2.3	0.5- 4.1	143	42.5	34.9-50.1	98	40.0	32.4-47.6	31	12.9	7.6-18.2	4	1.4	0.0- 3.0	2	0.8	0.0- 2.2
25-34	494	120,504	4	0.6	0.0- 1.2	182	34.2	28.7-39.7	199	42.1	36.4-47.8	78	17.3	12.8-21.8	24	4.9	2.7- 7.1	7	1.1	0.1- 2.1
35-44	586	105,006	8	1.1	0.3- 1.9	165	27.5	22.8-32.2	239	40.5	35.4-45.6	121	21.7	17.4-26.0	41	7.9	5.0-10.8	12	1.4	0.6- 2.2
45-54	750	110,772	6	0.9	0.1- 1.7	180	21.4	17.9-24.9	320	42.3	38.0-46.6	192	28.4	24.3-32.5	39	5.8	3.8- 7.8	13	1.2	0.4- 2.0
55-64	1021	123,499	6	0.7	0.0- 1.5	219	21.4	18.3-24.5	474	46.5	42.6-50.4	236	24.5	21.2-27.8	59	4.8	3.2- 6.4	27	2.1	1.1- 3.1
65+	1722	170,841	32	1.6	0.8- 2.4	501	28.7	26.0-31.4	780	45.2	42.3-48.1	324	19.4	17.0-21.8	71	4.2	3.0- 5.4	14	0.9	0.3- 1.5
Less Than H.S.	487	77,161	11	1.4	0.4- 2.4	188	36.2	29.9-42.5	176	34.5	28.6-40.4	77	19.1	14.4-23.8	25	6.5	3.6- 9.4	10	2.3	0.5- 4.1
H.S. or G.E.D.	1372	222,869	19	1.3	0.5- 2.1	382	28.4	25.1-31.7	581	41.6	38.1-45.1	293	22.4	19.5-25.3	76	5.3	3.7- 6.9	21	1.0	0.4- 1.6
Some Post-H.S.	1269	205,557	11	0.5	0.1- 0.9	315	24.0	20.9-27.1	588	46.6	42.9-50.3	265	22.2	19.1-25.3	69	5.4	3.8- 7.0	21	1.2	0.6- 1.8
College Graduate	1709	202,124	22	1.5	0.7- 2.3	493	30.4	27.5-33.3	758	44.7	41.6-47.8	345	18.8	16.4-21.2	68	3.4	2.4- 4.4	23	1.1	0.5- 1.7
Less than \$15,000	376	44,567	10	1.5	0.3- 2.7	115	31.7	24.8-38.6	159	42.4	35.3-49.5	65	16.9	12.0-21.8	17	4.8	1.7- 7.9	10	2.7	0.7- 4.7
\$15,000- 24,999	761	104,453	14	2.2	0.8- 3.6	252	30.8	26.5-35.1	312	41.6	36.7-46.5	126	17.7	14.2-21.2	40	5.9	3.5- 8.3	17	1.7	0.5- 2.9
\$25,000- 34,999	392	51,748	2	0.7	0.0- 1.9	115	30.7	24.4-37.0	168	39.9	33.6-46.2	82	21.7	16.0-27.4	16	4.7	2.0- 7.4	9	2.3	0.5- 4.1
\$35,000- 49,999	552	79,373	6	1.1	0.0- 2.3	120	21.2	16.3-26.1	270	49.1	43.2-55.0	120	22.7	18.0-27.4	28	4.8	2.8- 6.8	8	1.1	0.1- 2.1
\$50,000- 74,999	627	91,504	9	1.3	0.3- 2.3	169	28.2	22.9-33.5	272	44.9	39.4-50.4	134	19.3	15.2-23.4	37	5.3	3.3- 7.3	6	0.9	0.1- 1.7
\$75,000+	1384	226,248	5	0.3	0.0- 0.7	329	24.5	21.4-27.6	625	44.6	41.1-48.1	337	24.6	21.7-27.5	74	5.2	3.6- 6.8	14	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2218	350,378	4	0.2	0.0- 0.4	267	12.8	10.8-14.8	1072	49.2	46.5-51.9	667	29.4	26.9-31.9	157	6.7	5.3- 8.1	51	1.7	1.1- 2.3
White/Non-Hisp	1510	226,198	1	0.0	0.0- 0.0	138	10.6	8.4-12.8	727	48.9	45.6-52.2	490	31.3	28.4-34.2	121	7.6	6.0- 9.2	33	1.6	1.0- 2.2
Black or Afr. Am./Non-Hisp	270	68,341	1	0.5	0.0- 1.5	29	10.4	6.3-14.5	125	48.6	40.8-56.4	85	31.1	23.7-38.5	22	7.2	3.5-10.9	8	2.2	0.4- 4.0
Oth. Race/Non-Hisp.	105	18,678	1	1.2	0.0- 3.6	27	28.7	13.8-43.6	54	56.7	42.0-71.4	16	11.0	3.6-18.4	4	0.8	0.0- 1.8	3	1.5	0.0- 3.7
Hispanic	238	25,493	1	0.2	0.0- 0.6	64	25.9	18.8-33.0	116	45.1	36.5-53.7	46	23.9	16.1-31.7	7	3.7	0.4- 7.0	4	1.2	0.0- 2.4
18-24	144	40,841				54	31.2	21.6-40.8	64	50.1	39.7-60.5	23	17.2	9.4-25.0	2	1.4	0.0- 3.4	1	0.2	0.0- 0.6
25-34	228	62,008				54	19.5	13.6-25.4	117	54.0	45.8-62.2	39	18.3	11.6-25.0	15	6.9	3.0-10.8	3	1.2	0.0- 2.8
35-44	280	52,477	1	0.4	0.0- 1.2	39	11.4	6.9-15.9	135	47.8	40.2-55.4	75	29.2	22.1-36.3	23	9.7	5.0-14.4	7	1.5	0.3- 2.7
45-54	348	56,554	2	0.6	0.0- 1.8	26	6.6	3.7- 9.5	153	43.9	37.4-50.4	131	39.6	33.1-46.1	27	7.4	4.3-10.5	9	1.8	0.4- 3.2
55-64	473	59,296				33	6.7	4.0- 9.4	219	46.2	40.5-51.9	161	36.4	30.9-41.9	39	7.3	4.6-10.0	21	3.3	1.7- 4.9
65+	745	79,203	1	0.1	0.0- 0.3	61	8.1	5.7-10.5	384	51.8	47.5-56.1	238	31.9	27.8-36.0	51	6.4	4.4- 8.4	10	1.7	0.5- 2.9
Less Than H.S.	231	37,339				61	23.4	16.7-30.1	96	39.9	31.7-48.1	50	24.1	17.0-31.2	17	10.0	4.9-15.1	7	2.6	0.4- 4.8
H.S. or G.E.D.	640	117,049	1	0.0	0.0- 0.0	82	14.1	10.2-18.0	291	46.0	40.7-51.3	202	31.6	26.7-36.5	48	6.7	4.3- 9.1	16	1.6	0.6- 2.6
Some Post-H.S.	556	98,300				48	8.5	5.6-11.4	290	54.3	48.8-59.8	163	28.9	24.0-33.8	42	6.9	4.5- 9.3	13	1.4	0.4- 2.4
College Graduate	780	96,437	3	0.6	0.0- 1.4	72	11.6	8.5-14.7	389	51.3	46.8-55.8	251	29.3	25.2-33.4	50	5.4	3.4- 7.4	15	1.8	0.8- 2.8
Less than \$15,000	151	19,783				31	19.4	11.6-27.2	72	52.7	42.1-63.3	29	14.1	8.4-19.8	10	8.9	2.4-15.4	9	4.8	1.1- 8.5
\$15,000- 24,999	311	42,721	1	0.1	0.0- 0.3	55	14.5	10.0-19.0	156	53.0	45.7-60.3	72	24.7	18.4-31.0	19	6.4	2.7-10.1	8	1.3	0.3- 2.3
\$25,000- 34,999	156	21,782				13	10.0	3.5-16.5	78	47.3	36.9-57.7	52	34.5	23.9-45.1	9	5.7	1.2-10.2	4	2.5	0.0- 5.2
\$35,000- 49,999	269	43,123				33	12.7	7.6-17.8	142	53.7	45.3-62.1	76	28.0	20.6-35.4	14	4.4	1.7- 7.1	4	1.2	0.0- 2.6
\$50,000- 74,999	289	46,825	2	0.6	0.0- 1.6	30	15.4	7.8-23.0	132	48.1	39.9-56.3	94	27.1	20.4-33.8	26	7.3	4.0-10.6	5	1.6	0.0- 3.2
\$75,000+	731	125,310				52	7.9	5.4-10.4	339	48.0	43.3-52.7	268	35.1	30.6-39.6	60	7.7	5.2-10.2	12	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2641	359,474	60	2.1	1.5- 2.7	1123	43.9	41.2-46.6	1038	37.3	34.8-39.8	315	12.7	10.9-14.5	81	3.1	2.3- 3.9	24	0.8	0.4- 1.2
White/Non-Hisp	1817	235,065	41	2.1	1.3- 2.9	772	45.0	41.9-48.1	740	38.5	35.6-41.4	194	10.4	8.6-12.2	56	3.4	2.4- 4.4	14	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	387	74,712	5	1.2	0.0- 2.4	107	33.2	26.7-39.7	171	39.2	32.7-45.7	81	21.8	16.3-27.3	16	3.5	1.3- 5.7	7	1.1	0.1- 2.1
Oth. Race/Non-Hisp.	79	13,356	4	3.6	0.0- 9.3	44	60.3	43.1-77.5	22	20.6	8.6-32.6	5	9.9	0.0-24.0	3	1.8	0.0- 4.3	1	3.8	0.0-11.2
Hispanic	269	28,417	8	3.7	0.8- 6.6	159	54.2	45.4-63.0	76	31.9	22.7-41.1	19	8.4	3.9-12.9	5	1.5	0.1- 2.9	2	0.4	0.0- 1.0
18-24	142	38,390	8	4.7	1.2- 8.2	89	54.7	43.3-66.1	34	29.4	18.6-40.2	8	8.4	1.3-15.5	2	1.5	0.0- 3.9	1	1.3	0.0- 3.8
25-34	266	58,495	4	1.2	0.0- 2.4	128	49.7	41.7-57.7	82	29.4	22.5-36.3	39	16.2	10.1-22.3	9	2.6	0.8- 4.4	4	1.0	0.0- 2.2
35-44	306	52,529	7	1.7	0.1- 3.3	126	43.5	36.2-50.8	104	33.2	26.5-39.9	46	14.2	9.5-18.9	18	6.1	2.8- 9.4	5	1.2	0.0- 2.6
45-54	402	54,219	4	1.3	0.0- 2.7	154	36.9	31.2-42.6	167	40.5	34.6-46.4	61	16.7	12.2-21.2	12	4.1	1.6- 6.6	4	0.6	0.0- 1.2
55-64	548	64,203	6	1.3	0.0- 2.7	186	35.0	29.9-40.1	255	46.8	41.5-52.1	75	13.4	9.7-17.1	20	2.5	1.1- 3.9	6	0.9	0.1- 1.7
65+	977	91,639	31	2.9	1.5- 4.3	440	46.4	42.3-50.5	396	39.4	35.5-43.3	86	8.7	6.5-10.9	20	2.3	1.1- 3.5	4	0.3	0.0- 0.7
Less Than H.S.	256	39,822	11	2.8	0.8- 4.8	127	48.2	38.8-57.6	80	29.3	21.5-37.1	27	14.5	8.0-21.0	8	3.3	0.6- 6.0	3	2.0	0.0- 4.7
H.S. or G.E.D.	732	105,820	18	2.7	1.1- 4.3	300	44.2	39.1-49.3	290	36.7	32.0-41.4	91	12.2	9.1-15.3	28	3.7	1.9- 5.5	5	0.4	0.0- 0.8
Some Post-H.S.	713	107,258	11	1.0	0.4- 1.6	267	38.2	33.3-43.1	298	39.6	34.7-44.5	102	16.0	12.1-19.9	27	4.0	2.2- 5.8	8	1.1	0.3- 1.9
College Graduate	929	105,687	19	2.2	1.0- 3.4	421	47.7	43.4-52.0	369	38.7	34.6-42.8	94	9.3	6.9-11.7	18	1.6	0.8- 2.4	8	0.6	0.2- 1.0
Less than \$15,000	225	24,784	10	2.7	0.7- 4.7	84	41.6	32.0-51.2	87	34.1	25.9-42.3	36	19.2	11.8-26.6	7	1.5	0.3- 2.7	1	1.0	0.0- 3.0
\$15,000- 24,999	450	61,733	13	3.7	1.3- 6.1	197	42.0	35.7-48.3	156	33.8	27.7-39.9	54	12.9	8.6-17.2	21	5.6	2.7- 8.5	9	1.9	0.1- 3.7
\$25,000- 34,999	236	29,966	2	1.2	0.0- 3.2	102	45.8	37.2-54.4	90	34.5	26.7-42.3	30	12.4	7.3-17.5	7	4.0	0.5- 7.5	5	2.2	0.0- 4.6
\$35,000- 49,999	283	36,250	6	2.4	0.0- 4.9	87	31.3	23.3-39.3	128	43.7	35.5-51.9	44	16.4	10.9-21.9	14	5.2	2.1- 8.3	4	1.0	0.0- 2.2
\$50,000- 74,999	338	44,679	7	2.1	0.3- 3.9	139	41.7	34.4-49.0	140	41.6	34.5-48.7	40	11.2	6.5-15.9	11	3.2	1.2- 5.2	1	0.2	0.0- 0.6
\$75,000+	653	100,937	5	0.7	0.0- 1.5	277	45.1	40.0-50.2	286	40.3	35.4-45.2	69	11.6	8.3-14.9	14	2.1	0.7- 3.5	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4629	683,939	51	0.9	0.5- 1.3	1357	31.5	29.5-33.5	1598	34.1	32.1-36.1	1010	21.2	19.6-22.8	613	12.3	11.1-13.5
Male	2119	339,850	12	0.5	0.1- 0.9	514	26.9	24.4-29.4	855	39.1	36.4-41.8	499	23.4	21.0-25.8	239	10.1	8.5-11.7
Female	2510	344,089	39	1.2	0.8- 1.6	843	36.1	33.4-38.8	743	29.2	26.7-31.7	511	19.0	17.0-21.0	374	14.5	12.7-16.3
White/Non-Hisp	3298	456,630	32	0.7	0.3- 1.1	996	33.1	30.9-35.3	1148	33.8	31.6-36.0	699	20.6	18.8-22.4	423	11.8	10.4-13.2
Black or Afr. Am./Non-Hisp	643	139,884	5	0.7	0.0- 1.5	138	23.3	19.0-27.6	209	35.0	29.9-40.1	177	25.4	20.9-29.9	114	15.7	12.2-19.2
Oth. Race/Non-Hisp.	178	30,636	6	2.6	0.0- 5.5	75	49.7	38.1-61.3	57	29.7	20.1-39.3	23	11.2	5.3-17.1	17	6.8	0.1-13.5
MultiRacial/Non-Hisp.	75	5,352	22	28.6	15.7-41.5	20	20.1	10.3-29.9	21	34.9	17.5-52.3	12	16.4	6.0-26.8			
Hispanic	330	37,773	7	2.4	0.4- 4.4	94	25.7	19.4-32.0	121	38.6	30.8-46.4	70	22.3	16.0-28.6	38	11.0	6.7-15.3
18-24	253	74,934	7	2.1	0.3- 3.9	128	51.5	43.5-59.5	74	28.3	20.9-35.7	32	13.5	8.2-18.8	12	4.6	1.3- 7.9
25-34	423	111,598	1	0.1	0.0- 0.3	160	38.5	32.6-44.4	124	31.2	25.3-37.1	76	17.3	12.6-22.0	62	12.9	9.2-16.6
35-44	520	98,057	6	0.9	0.1- 1.7	157	31.1	26.0-36.2	157	30.2	25.1-35.3	110	22.1	17.4-26.8	90	15.8	12.1-19.5
45-54	721	107,603	2	0.2	0.0- 0.6	197	24.8	21.1-28.5	244	35.3	31.0-39.6	179	25.6	21.7-29.5	99	14.1	10.8-17.4
55-64	1002	122,094	7	0.6	0.0- 1.2	236	23.7	20.4-27.0	355	37.4	33.7-41.1	246	23.5	20.2-26.8	158	14.8	12.1-17.5
65+	1710	169,654	28	1.4	0.6- 2.2	479	28.4	25.7-31.1	644	37.7	34.8-40.6	367	22.1	19.6-24.6	192	10.4	8.6-12.2
Less Than H.S.	351	63,368	8	1.6	0.2- 3.0	92	28.8	21.5-36.1	102	27.5	21.4-33.6	80	23.8	17.5-30.1	69	18.3	13.4-23.2
H.S. or G.E.D.	1326	216,929	15	0.9	0.3- 1.5	354	29.3	25.8-32.8	466	35.7	32.2-39.2	301	21.7	18.8-24.6	190	12.4	10.0-14.8
Some Post-H.S.	1249	203,289	8	0.4	0.0- 0.8	354	29.2	25.9-32.5	424	34.6	31.1-38.1	282	22.0	18.9-25.1	181	13.8	11.3-16.3
College Graduate	1686	198,429	18	0.9	0.3- 1.5	552	37.4	34.3-40.5	602	34.1	31.2-37.0	342	18.8	16.4-21.2	172	8.8	7.2-10.4
Less than \$15,000	327	39,343	9	1.9	0.5- 3.3	87	26.9	20.2-33.6	94	33.5	25.7-41.3	75	18.7	13.8-23.6	62	19.0	13.1-24.9
\$15,000- 24,999	688	95,954	12	1.5	0.3- 2.7	199	28.8	24.3-33.3	218	32.5	27.6-37.4	142	21.3	17.0-25.6	117	15.9	12.4-19.4
\$25,000- 34,999	378	50,576	1	0.4	0.0- 1.2	108	30.7	24.4-37.0	137	34.2	27.9-40.5	89	23.2	17.1-29.3	43	11.5	7.4-15.6
\$35,000- 49,999	539	77,896	7	1.3	0.1- 2.5	135	27.4	21.9-32.9	191	37.9	31.8-44.0	124	20.8	16.3-25.3	82	12.7	9.6-15.8
\$50,000- 74,999	621	90,701	7	1.1	0.1- 2.1	186	33.0	27.5-38.5	204	32.7	27.6-37.8	129	20.0	15.7-24.3	95	13.2	9.9-16.5
\$75,000+	1370	223,379	6	0.2	0.0- 0.4	392	31.0	27.7-34.3	526	36.2	32.9-39.5	309	22.2	19.3-25.1	137	10.4	8.2-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	339,850	12	0.5	0.1- 0.9	514	26.9	24.4-29.4	855	39.1	36.4-41.8	499	23.4	21.0-25.8	239	10.1	8.5-11.7
White/Non-Hisp	1502	225,159	6	0.3	0.0- 0.7	354	27.6	24.7-30.5	612	38.6	35.5-41.7	354	23.1	20.4-25.8	176	10.4	8.6-12.2
Black or Afr. Am./Non-Hisp	266	67,435	1	0.6	0.0- 1.8	57	19.2	13.7-24.7	105	42.0	34.0-50.0	70	26.2	19.1-33.3	33	12.1	7.2-17.0
Oth. Race/Non-Hisp.	101	17,904	3	1.9	0.0- 4.6	39	45.7	30.6-60.8	35	33.8	20.5-47.1	16	16.0	6.6-25.4	8	2.6	0.1- 5.1
Hispanic	157	18,055	2	1.4	0.0- 3.8	39	20.7	13.1-28.3	61	38.7	28.3-49.1	41	30.1	19.7-40.5	14	9.1	3.2-15.0
18-24	126	38,588	5	2.5	0.0- 5.0	67	57.8	47.2-68.4	36	26.1	16.7-35.5	13	10.9	3.8-18.0	5	2.7	0.2- 5.2
25-34	197	57,654	7	3.4	0.0- 10.0	73	34.8	26.8-42.8	69	37.4	28.6-46.2	40	19.9	12.8-27.0	15	8.0	3.7-12.3
35-44	255	50,750	2	0.7	0.0- 1.7	64	23.2	16.9-29.5	95	36.9	29.3-44.5	61	26.5	19.2-33.8	33	12.8	7.7-17.9
45-54	334	55,214	1	0.1	0.0- 0.3	71	18.6	13.9-23.3	126	39.5	33.0-46.0	95	29.4	23.3-35.5	41	12.4	7.7-17.1
55-64	466	58,972	2	0.4	0.0- 1.2	89	17.9	13.8-22.0	189	43.6	37.9-49.3	121	25.6	20.5-30.7	65	12.4	9.1-15.7
65+	741	78,672	2	0.2	0.0- 0.4	150	21.0	17.5-24.5	340	44.5	40.2-48.8	169	24.1	20.4-27.8	80	10.3	7.8-12.8
Less Than H.S.	168	31,323	1	1.2	0.0- 3.6	36	22.0	14.0-30.0	58	33.8	24.8-42.8	41	25.7	17.5-33.9	32	17.2	10.5-23.9
H.S. or G.E.D.	622	114,774	3	0.3	0.0- 0.7	151	26.1	21.2-31.0	233	38.7	33.4-44.0	160	24.2	19.7-28.7	75	10.6	7.5-13.7
Some Post-H.S.	550	97,809	2	0.4	0.0- 1.0	147	27.1	22.2-32.0	212	39.1	33.6-44.6	126	23.8	18.9-28.7	63	9.6	6.9-12.3
College Graduate	769	94,732	5	0.6	0.0- 1.2	178	29.3	25.0-33.6	349	41.4	36.9-45.9	169	21.0	17.3-24.7	68	7.7	5.5- 9.9
Less than \$15,000	131	17,544	1	0.8	0.0- 2.4	36	26.1	16.5-35.7	46	39.4	27.4-51.4	25	16.7	9.6-23.8	23	17.0	8.8-25.2
\$15,000- 24,999	278	39,372	2	0.2	0.0- 0.4	76	25.1	18.8-31.4	98	39.1	31.3-46.9	68	25.1	18.0-32.2	34	10.5	6.0-15.0
\$25,000- 34,999	146	21,143	1	1.0	0.0- 3.0	35	26.2	17.0-35.4	58	36.1	26.1-46.1	37	25.7	15.3-36.1	15	10.9	4.4-17.4
\$35,000- 49,999	261	42,220	1	0.3	0.0- 0.9	69	28.2	20.9-35.5	108	42.7	33.9-51.5	55	20.9	14.2-27.6	28	7.9	4.6-11.2
\$50,000- 74,999	286	46,318	3	1.1	0.0- 2.5	70	30.2	21.8-38.6	104	34.2	26.4-42.0	71	23.8	17.1-30.5	38	10.7	6.6-14.8
\$75,000+	725	124,339	2	0.1	0.0- 0.3	149	23.6	19.5-27.7	321	41.9	37.2-46.6	184	24.5	20.6-28.4	69	9.9	7.0-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2510	344,089	39	1.2	0.8- 1.6	843	36.1	33.4-38.8	743	29.2	26.7-31.7	511	19.0	17.0-21.0	374	14.5	12.7-16.3	
White/Non-Hisp	1796	231,470	26	1.0	0.4- 1.6	642	38.5	35.4-41.6	536	29.1	26.4-31.8	345	18.1	15.7-20.5	247	13.2	11.2-15.2	
Black or Afr. Am./Non-Hisp	377	72,448	4	0.8	0.0- 1.6	81	27.0	20.7-33.3	104	28.6	22.5-34.7	107	24.6	19.1-30.1	81	19.0	13.9-24.1	
Oth. Race/Non-Hisp.	77	12,732	3	3.5	0.0- 9.4	36	55.2	37.4-73.0	22	24.0	10.7-37.3	7	4.6	0.1- 9.1	9	12.7	0.0-27.6	
Hispanic	173	19,718	5	3.3	0.2- 6.4	55	30.3	20.7-39.9	60	38.5	26.7-50.3	29	15.1	8.4-21.8	24	12.7	6.4-19.0	
18-24	127	36,345	2	1.6	0.0- 4.0	61	44.9	33.1-56.7	38	30.6	19.2-42.0	19	16.4	8.4-24.4	7	6.6	0.5-12.7	
25-34	226	53,944	1	0.2	0.0- 0.6	87	42.5	33.9-51.1	55	24.6	17.5-31.7	36	14.6	8.7-20.5	47	18.1	11.8-24.4	
35-44	265	47,307	4	1.1	0.0- 2.3	93	39.5	31.9-47.1	62	23.0	16.7-29.3	49	17.3	11.6-23.0	57	19.1	13.6-24.6	
45-54	387	52,389	1	0.3	0.0- 0.9	126	31.3	25.6-37.0	118	30.9	25.2-36.6	84	21.6	16.7-26.5	58	15.9	11.4-20.4	
55-64	536	63,122	5	0.7	0.0- 1.5	147	29.1	24.2-34.0	166	31.6	26.7-36.5	125	21.5	17.4-25.6	93	17.0	12.9-21.1	
65+	969	90,982	26	2.5	1.1- 3.9	329	34.8	30.9-38.7	304	31.9	28.2-35.6	198	20.4	17.1-23.7	112	10.4	8.2-12.6	
Less Than H.S.	183	32,046	7	1.9	0.3- 3.5	56	35.5	24.1-46.9	44	21.3	13.7-28.9	39	21.8	12.6-31.0	37	19.4	12.0-26.8	
H.S. or G.E.D.	704	102,155	12	1.5	0.5- 2.5	203	32.8	27.9-37.7	233	32.4	27.7-37.1	141	18.9	15.2-22.6	115	14.4	11.3-17.5	
Some Post-H.S.	699	105,480	6	0.5	0.0- 1.1	207	31.1	26.4-35.8	212	30.4	25.7-35.1	156	20.4	16.5-24.3	118	17.7	13.8-21.6	
College Graduate	917	103,697	13	1.2	0.2- 2.2	374	44.8	40.5-49.1	253	27.4	23.7-31.1	173	16.8	13.9-19.7	104	9.8	7.4-12.2	
Less than \$15,000	196	21,798	8	2.7	0.3- 5.1	51	27.6	18.6-36.6	48	28.8	18.4-39.2	50	20.3	13.6-27.0	39	20.5	12.3-28.7	
\$15,000- 24,999	410	56,582	10	2.5	0.5- 4.5	123	31.4	25.3-37.5	120	27.9	21.8-34.0	74	18.6	13.5-23.7	83	19.7	14.8-24.6	
\$25,000- 34,999	232	29,433				73	33.9	25.5-42.3	79	32.8	25.0-40.6	52	21.4	14.3-28.5	28	11.9	6.6-17.2	
\$35,000- 49,999	278	35,676	6	2.4	0.0- 4.9	66	26.5	18.5-34.5	83	32.1	23.9-40.3	69	20.7	15.0-26.4	54	18.4	12.9-23.9	
\$50,000- 74,999	335	44,382	4	1.0	0.0- 2.2	116	35.9	28.6-43.2	100	31.1	24.4-37.8	58	16.1	10.8-21.4	57	15.9	10.8-21.0	
\$75,000+	645	99,040	4	0.3	0.0- 0.7	243	40.3	35.2-45.4	205	29.0	24.5-33.5	125	19.3	15.2-23.4	68	11.1	7.8-14.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4629	683,939	87	1.6	1.2- 2.0	1311	30.6	28.6-32.6	1607	34.3	32.3-36.3	1624	33.5	31.7-35.3
Male	2119	339,850	24	1.1	0.5- 1.7	494	26.0	23.5-28.5	862	39.4	36.7-42.1	739	33.6	30.9-36.3
Female	2510	344,089	63	2.1	1.5- 2.7	817	35.2	32.5-37.9	745	29.2	26.7-31.7	885	33.5	31.0-36.0
White/Non-Hisp	3298	456,630	59	1.5	1.1- 1.9	962	32.0	29.8-34.2	1155	34.0	31.8-36.2	1122	32.4	30.2-34.6
Black or Afr. Am./Non-Hisp	643	139,884	6	0.9	0.1- 1.7	136	23.0	18.7-27.3	210	35.1	30.0-40.2	291	41.0	35.9-46.1
Oth. Race/Non-Hisp.	178	30,636	9	2.9	0.0- 5.8	72	49.3	37.7-60.9	57	29.7	20.1-39.3	40	18.0	9.6-26.4
MultiRacial/Non-Hisp.	75	5,352	1	0.8	0.0- 2.4	21	27.9	15.2-40.6	20	20.1	10.3-29.9	33	51.2	35.5-66.9
Hispanic	330	37,773	11	4.0	1.5- 6.5	88	23.9	17.8-30.0	122	38.4	30.6-46.2	109	33.8	26.7-40.9
18-24	253	74,934	14	4.2	1.8- 6.6	121	49.4	41.4-57.4	73	28.0	20.6-35.4	45	18.4	12.3-24.5
25-34	423	111,598	2	0.3	0.0- 0.7	159	38.3	32.4-44.2	124	31.2	25.3-37.1	138	30.2	24.7-35.7
35-44	520	98,057	11	1.8	0.6- 3.0	149	29.8	24.9-34.7	160	30.6	25.5-35.7	200	37.9	32.6-43.2
45-54	721	107,603	10	1.2	0.4- 2.0	188	23.7	20.0-27.4	245	35.4	31.1-39.7	278	39.7	35.2-44.2
55-64	1002	122,094	9	0.8	0.2- 1.4	231	23.2	19.9-26.5	358	37.7	34.0-41.4	404	38.3	34.6-42.0
65+	1710	169,654	41	2.0	1.2- 2.8	463	27.6	24.9-30.3	647	38.0	35.1-40.9	559	32.5	29.8-35.2
Less Than H.S.	351	63,368	10	2.3	0.5- 4.1	89	28.1	20.8-35.4	103	27.6	21.5-33.7	149	42.1	35.0-49.2
H.S. or G.E.D.	1326	216,929	26	1.8	1.0- 2.6	342	28.4	24.9-31.9	466	35.7	32.2-39.2	492	34.2	30.9-37.5
Some Post-H.S.	1249	203,289	17	0.9	0.3- 1.5	340	28.3	25.0-31.6	429	34.9	31.4-38.4	463	35.8	32.3-39.3
College Graduate	1686	198,429	31	1.8	1.0- 2.6	536	36.3	33.2-39.4	605	34.3	31.4-37.2	514	27.6	24.9-30.3
Less than \$15,000	327	39,343	15	4.4	1.5- 7.3	80	24.2	17.9-30.5	95	33.6	25.8-41.4	137	37.7	30.6-44.8
\$15,000- 24,999	688	95,954	19	2.4	1.0- 3.8	189	27.6	23.1-32.1	220	32.6	27.7-37.5	260	37.4	32.5-42.3
\$25,000- 34,999	378	50,576	3	0.6	0.0- 1.4	104	30.1	23.8-36.4	139	34.6	28.3-40.9	132	34.7	28.2-41.2
\$35,000- 49,999	539	77,896	10	1.7	0.3- 3.1	132	26.9	21.4-32.4	191	37.9	31.8-44.0	206	33.5	28.2-38.8
\$50,000- 74,999	621	90,701	11	1.8	0.6- 3.0	182	32.3	26.8-37.8	204	32.7	27.6-37.8	224	33.3	28.2-38.4
\$75,000+	1370	223,379	11	0.7	0.1- 1.3	384	30.3	27.0-33.6	529	36.3	33.0-39.6	446	32.6	29.3-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	339,850	24	1.1	0.5- 1.7	494	26.0	23.5-28.5	862	39.4	36.7-42.1	739	33.6	30.9-36.3
White/Non-Hisp	1502	225,159	13	1.0	0.4- 1.6	340	26.5	23.6-29.4	619	39.0	35.9-42.1	530	33.5	30.6-36.4
Black or Afr. Am./Non-Hisp	266	67,435	1	0.6	0.0- 1.8	56	19.0	13.5-24.5	106	42.2	34.2-50.2	103	38.2	30.4-46.0
Oth. Race/Non-Hisp.	101	17,904	5	2.3	0.0- 5.0	37	45.3	30.0-60.6	35	33.8	20.5-47.1	24	18.6	8.8-28.4
Hispanic	157	18,055	5	3.6	0.0- 7.3	36	18.5	11.4-25.6	60	37.7	27.3-48.1	56	40.2	29.4-51.0
18-24	126	38,588	8	3.9	1.0- 6.8	64	56.3	45.5-67.1	35	25.6	16.2-35.0	19	14.1	6.7-21.5
25-34	197	57,654	7	3.6	1.0- 6.8	73	34.8	26.8-42.8	69	37.4	28.6-46.2	55	27.8	20.0-35.6
35-44	255	50,750	5	1.7	0.0- 3.5	60	21.6	15.5-27.7	96	37.4	29.8-45.0	94	39.3	31.5-47.1
45-54	334	55,214	3	0.9	0.0- 2.1	68	17.5	12.8-22.2	127	39.7	33.2-46.2	136	41.9	35.2-48.6
55-64	466	58,972	4	0.9	0.0- 2.1	84	16.8	12.7-20.9	192	44.2	38.5-49.9	186	38.1	32.6-43.6
65+	741	78,672	4	0.4	0.0- 0.8	145	20.3	16.8-23.8	343	45.0	40.7-49.3	249	34.4	30.3-38.5
Less Than H.S.	168	31,323	3	2.6	0.0- 5.9	34	20.7	12.9-28.5	58	33.8	24.8-42.8	73	42.9	33.7-52.1
H.S. or G.E.D.	622	114,774	7	0.9	0.1- 1.7	146	25.5	20.6-30.4	233	38.6	33.3-43.9	236	35.0	29.9-40.1
Some Post-H.S.	550	97,809	5	1.0	0.0- 2.0	140	25.9	21.0-30.8	216	39.8	34.3-45.3	189	33.3	28.0-38.6
College Graduate	769	94,732	7	0.9	0.1- 1.7	173	28.5	24.2-32.8	352	41.9	37.4-46.4	237	28.7	24.6-32.8
Less than \$15,000	131	17,544	3	4.4	0.0- 9.5	34	22.5	13.7-31.3	46	39.4	27.4-51.4	48	33.7	23.5-43.9
\$15,000- 24,999	278	39,372	4	0.4	0.0- 0.8	72	24.1	17.8-30.4	99	39.3	31.5-47.1	103	36.1	28.5-43.7
\$25,000- 34,999	146	21,143	1	1.0	0.0- 3.0	33	25.2	16.0-34.4	60	37.1	26.9-47.3	52	36.7	25.9-47.5
\$35,000- 49,999	261	42,220	4	1.1	0.0- 2.3	66	27.3	20.0-34.6	108	42.7	33.9-51.5	83	28.8	21.5-36.1
\$50,000- 74,999	286	46,318	4	1.8	0.0- 3.8	69	29.5	21.1-37.9	104	34.2	26.4-42.0	109	34.5	27.1-41.9
\$75,000+	725	124,339	4	0.5	0.0- 1.1	144	22.9	18.8-27.0	324	42.2	37.5-46.9	253	34.4	29.9-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2510	344,089	63	2.1	1.5- 2.7	817	35.2	32.5-37.9	745	29.2	26.7-31.7	885	33.5	31.0-36.0
White/Non-Hisp	1796	231,470	46	2.1	1.3- 2.9	622	37.4	34.3-40.5	536	29.1	26.4-31.8	592	31.4	28.7-34.1
Black or Afr. Am./Non-Hisp	377	72,448	5	1.2	0.0- 2.4	80	26.6	20.3-32.9	104	28.6	22.5-34.7	188	43.6	37.1-50.1
Oth. Race/Non-Hisp.	77	12,732	4	3.8	0.0- 9.7	35	54.9	37.1-72.7	22	24.0	10.7-37.3	16	17.3	2.2-32.4
Hispanic	173	19,718	6	4.4	0.7- 8.1	52	28.7	19.3-38.1	62	39.0	27.2-50.8	53	27.9	19.1-36.7
18-24	127	36,345	6	4.5	0.8- 8.2	57	42.0	30.2-53.8	38	30.6	19.2-42.0	26	22.9	13.3-32.5
25-34	226	53,944	2	0.7	0.0- 1.7	86	42.1	33.5-50.7	55	24.6	17.5-31.7	83	32.7	24.9-40.5
35-44	265	47,307	6	1.8	0.2- 3.4	89	38.5	30.9-46.1	64	23.2	16.9-29.5	106	36.4	29.3-43.5
45-54	387	52,389	7	1.5	0.3- 2.7	120	30.2	24.7-35.7	118	30.9	25.2-36.6	142	37.5	31.6-43.4
55-64	536	63,122	5	0.7	0.0- 1.5	147	29.1	24.2-34.0	166	31.6	26.7-36.5	218	38.6	33.5-43.7
65+	969	90,982	37	3.4	2.0- 4.8	318	33.9	30.0-37.8	304	31.9	28.2-35.6	310	30.8	27.1-34.5
Less Than H.S.	183	32,046	7	1.9	0.3- 3.5	55	35.4	24.0-46.8	45	21.5	13.9-29.1	76	41.2	30.6-51.8
H.S. or G.E.D.	704	102,155	19	2.7	1.1- 4.3	196	31.6	26.7-36.5	233	32.4	27.7-37.1	256	33.3	28.8-37.8
Some Post-H.S.	699	105,480	12	0.9	0.3- 1.5	200	30.6	25.9-35.3	213	30.4	25.7-35.1	274	38.1	33.2-43.0
College Graduate	917	103,697	24	2.6	1.2- 4.0	363	43.4	39.1-47.7	253	27.4	23.7-31.1	277	26.6	23.1-30.1
Less than \$15,000	196	21,798	12	4.5	1.6- 7.4	46	25.6	16.6-34.6	49	29.0	18.6-39.4	89	40.9	31.1-50.7
\$15,000- 24,999	410	56,582	15	3.8	1.4- 6.2	117	30.0	23.9-36.1	121	28.0	21.9-34.1	157	38.2	31.9-44.5
\$25,000- 34,999	232	29,433	2	0.4	0.0- 1.0	71	33.5	25.1-41.9	79	32.8	25.0-40.6	80	33.4	25.4-41.4
\$35,000- 49,999	278	35,676	6	2.4	0.0- 4.9	66	26.5	18.5-34.5	83	32.1	23.9-40.3	123	39.1	31.5-46.7
\$50,000- 74,999	335	44,382	7	1.8	0.4- 3.2	113	35.1	27.8-42.4	100	31.1	24.4-37.8	115	32.0	25.3-38.7
\$75,000+	645	99,040	7	1.0	0.0- 2.0	240	39.6	34.5-44.7	205	29.0	24.5-33.5	193	30.4	25.5-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4629	683,939	1398	32.2	30.2-34.2	3231	67.8	65.8-69.8
Male	2119	339,850	518	27.1	24.6-29.6	1601	72.9	70.4-75.4
Female	2510	344,089	880	37.3	34.6-40.0	1630	62.7	60.0-65.4
White/Non-Hisp	3298	456,630	1021	33.6	31.4-35.8	2277	66.4	64.2-68.6
Black or Afr. Am./Non-Hisp	643	139,884	142	23.9	19.6-28.2	501	76.1	71.8-80.4
Oth. Race/Non-Hisp.	178	30,636	81	52.2	40.8-63.6	97	47.8	36.4-59.2
MultiRacial/Non-Hisp.	75	5,352	22	28.6	15.7-41.5	53	71.4	58.5-84.3
Hispanic	330	37,773	99	27.8	21.3-34.3	231	72.2	65.7-78.7
18-24	253	74,934	135	53.6	45.6-61.6	118	46.4	38.4-54.4
25-34	423	111,598	161	38.6	32.7-44.5	262	61.4	55.5-67.3
35-44	520	98,057	160	31.5	26.4-36.6	360	68.5	63.4-73.6
45-54	721	107,603	198	24.9	21.2-28.6	523	75.1	71.4-78.8
55-64	1002	122,094	240	24.0	20.7-27.3	762	76.0	72.7-79.3
65+	1710	169,654	504	29.6	26.9-32.3	1206	70.4	67.7-73.1
Less Than H.S.	351	63,368	99	30.4	23.1-37.7	252	69.6	62.3-76.9
H.S. or G.E.D.	1326	216,929	368	30.1	26.6-33.6	958	69.9	66.4-73.4
Some Post-H.S.	1249	203,289	357	29.3	26.0-32.6	892	70.7	67.4-74.0
College Graduate	1686	198,429	567	38.1	35.0-41.2	1119	61.9	58.8-65.0
Less than \$15,000	327	39,343	95	28.7	22.0-35.4	232	71.3	64.6-78.0
\$15,000- 24,999	688	95,954	208	30.0	25.5-34.5	480	70.0	65.5-74.5
\$25,000- 34,999	378	50,576	107	30.7	24.4-37.0	271	69.3	63.0-75.6
\$35,000- 49,999	539	77,896	142	28.7	23.2-34.2	397	71.3	65.8-76.8
\$50,000- 74,999	621	90,701	193	34.0	28.5-39.5	428	66.0	60.5-71.5
\$75,000+	1370	223,379	395	31.1	27.8-34.4	975	68.9	65.6-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	339,850	518	27.1	24.6-29.6	1601	72.9	70.4-75.4
White/Non-Hisp	1502	225,159	353	27.5	24.6-30.4	1149	72.5	69.6-75.4
Black or Afr. Am./Non-Hisp	266	67,435	57	19.6	13.9-25.3	209	80.4	74.7-86.1
Oth. Race/Non-Hisp.	101	17,904	42	47.7	32.6-62.8	59	52.3	37.2-67.4
Hispanic	157	18,055	41	22.1	14.3-29.9	116	77.9	70.1-85.7
18-24	126	38,588	72	60.3	49.7-70.9	54	39.7	29.1-50.3
25-34	197	57,654	73	34.8	26.8-42.8	124	65.2	57.2-73.2
35-44	255	50,750	65	23.3	17.0-29.6	190	76.7	70.4-83.0
45-54	334	55,214	71	18.4	13.7-23.1	263	81.6	76.9-86.3
55-64	466	58,972	88	17.7	13.6-21.8	378	82.3	78.2-86.4
65+	741	78,672	149	20.6	17.1-24.1	592	79.4	75.9-82.9
Less Than H.S.	168	31,323	37	23.2	15.0-31.4	131	76.8	68.6-85.0
H.S. or G.E.D.	622	114,774	153	26.4	21.5-31.3	469	73.6	68.7-78.5
Some Post-H.S.	550	97,809	145	26.9	22.0-31.8	405	73.1	68.2-78.0
College Graduate	769	94,732	180	29.4	25.1-33.7	589	70.6	66.3-74.9
Less than \$15,000	131	17,544	37	26.9	17.1-36.7	94	73.1	63.3-82.9
\$15,000- 24,999	278	39,372	76	24.5	18.2-30.8	202	75.5	69.2-81.8
\$25,000- 34,999	146	21,143	34	26.2	17.0-35.4	112	73.8	64.6-83.0
\$35,000- 49,999	261	42,220	70	28.5	21.2-35.8	191	71.5	64.2-78.8
\$50,000- 74,999	286	46,318	73	31.3	22.9-39.7	213	68.7	60.3-77.1
\$75,000+	725	124,339	148	23.4	19.3-27.5	577	76.6	72.5-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2510	344,089	880	37.3	34.6-40.0	1630	62.7	60.0-65.4
White/Non-Hisp	1796	231,470	668	39.5	36.4-42.6	1128	60.5	57.4-63.6
Black or Afr. Am./Non-Hisp	377	72,448	85	27.8	21.5-34.1	292	72.2	65.9-78.5
Oth. Race/Non-Hisp.	77	12,732	39	58.7	41.1-76.3	38	41.3	23.7-58.9
Hispanic	173	19,718	58	33.1	23.3-42.9	115	66.9	57.1-76.7
18-24	127	36,345	63	46.5	34.7-58.3	64	53.5	41.7-65.3
25-34	226	53,944	88	42.7	34.1-51.3	138	57.3	48.7-65.9
35-44	265	47,307	95	40.4	32.8-48.0	170	59.6	52.0-67.2
45-54	387	52,389	127	31.6	25.9-37.3	260	68.4	62.7-74.1
55-64	536	63,122	152	29.8	24.9-34.7	384	70.2	65.3-75.1
65+	969	90,982	355	37.3	33.4-41.2	614	62.7	58.8-66.6
Less Than H.S.	183	32,046	62	37.3	25.9-48.7	121	62.7	51.3-74.1
H.S. or G.E.D.	704	102,155	215	34.3	29.2-39.4	489	65.7	60.6-70.8
Some Post-H.S.	699	105,480	212	31.5	26.8-36.2	487	68.5	63.8-73.2
College Graduate	917	103,697	387	46.0	41.7-50.3	530	54.0	49.7-58.3
Less than \$15,000	196	21,798	58	30.1	20.9-39.3	138	69.9	60.7-79.1
\$15,000- 24,999	410	56,582	132	33.8	27.5-40.1	278	66.2	59.9-72.5
\$25,000- 34,999	232	29,433	73	33.9	25.5-42.3	159	66.1	57.7-74.5
\$35,000- 49,999	278	35,676	72	28.9	20.7-37.1	206	71.1	62.9-79.3
\$50,000- 74,999	335	44,382	120	36.9	29.6-44.2	215	63.1	55.8-70.4
\$75,000+	645	99,040	247	40.7	35.6-45.8	398	59.3	54.2-64.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5147	754,608	3723	65.1	63.1-67.1	617	15.2	13.6-16.8	464	12.1	10.7-13.5	215	4.6	3.8- 5.4	84	1.9	1.3- 2.5	44	1.0	0.6- 1.4
Male	2272	360,264	1697	68.5	65.8-71.2	264	14.7	12.5-16.9	181	10.9	8.9-12.9	84	3.8	2.6- 5.0	29	1.3	0.5- 2.1	17	0.8	0.2- 1.4
Female	2875	394,345	2026	62.0	59.5-64.5	353	15.8	13.6-18.0	283	13.2	11.2-15.2	131	5.4	4.2- 6.6	55	2.4	1.4- 3.4	27	1.2	0.4- 2.0
White/Non-Hisp	3503	485,271	2777	71.9	69.7-74.1	349	13.1	11.5-14.7	249	10.3	8.9-11.7	93	3.5	2.5- 4.5	26	0.7	0.3- 1.1	9	0.5	0.0- 1.1
Black or Afr. Am./Non-Hisp	704	153,453	458	56.8	51.9-61.7	99	16.5	12.6-20.4	77	14.3	10.4-18.2	41	6.6	4.2- 9.0	19	4.1	1.7- 6.5	10	1.7	0.5- 2.9
Oth. Race/Non-Hisp.	197	34,455	121	50.6	39.8-61.4	44	30.5	19.7-41.3	20	15.1	6.7-23.5	7	1.1	0.1- 2.1	5	2.7	0.0- 5.8			
MultiRacial/Non-Hisp.	80	5,510	57	68.1	54.6-81.6	13	20.1	8.1-32.1	7	8.8	1.5-16.1	1	0.5	0.0- 1.5	2	2.4	0.0- 6.3			
Hispanic	532	58,986	210	37.3	31.6-43.0	100	22.0	16.1-27.9	99	19.9	15.2-24.6	70	12.0	8.5-15.5	30	5.4	3.0- 7.8	23	3.4	1.6- 5.2
18-24	305	86,466	166	56.1	48.7-63.5	65	24.7	17.8-31.6	36	8.3	5.0-11.6	22	5.6	2.9- 8.3	9	3.4	0.5- 6.3	7	1.9	0.1- 3.7
25-34	520	126,573	219	44.1	38.6-49.6	110	20.6	16.3-24.9	96	21.0	16.1-25.9	52	8.5	5.6-11.4	26	2.9	1.5- 4.3	17	3.0	1.0- 5.0
35-44	613	110,863	190	31.9	27.2-36.6	129	20.1	16.2-24.0	181	33.0	28.1-37.9	73	8.7	6.2-11.2	26	4.8	2.4- 7.2	14	1.5	0.5- 2.5
45-54	790	118,517	470	57.3	53.0-61.6	163	21.8	17.9-25.7	105	13.9	11.0-16.8	39	5.7	3.5- 7.9	10	1.0	0.2- 1.8	3	0.3	0.0- 0.7
55-64	1091	131,801	946	86.1	83.4-88.8	87	9.3	6.9-11.7	31	2.5	1.3- 3.7	17	1.5	0.5- 2.5	8	0.5	0.1- 0.9	2	0.1	0.0- 0.3
65+	1828	180,389	1732	94.5	93.1-95.9	63	4.0	2.6- 5.4	15	0.7	0.3- 1.1	12	0.5	0.1- 0.9	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0
Less Than H.S.	517	84,471	263	49.4	43.3-55.5	80	18.9	14.0-23.8	73	15.2	10.5-19.9	56	8.8	5.7-11.9	26	4.2	2.2- 6.2	19	3.4	0.7- 6.1
H.S. or G.E.D.	1465	238,422	1083	67.4	63.9-70.9	184	15.7	12.8-18.6	111	9.6	7.1-12.1	56	4.6	3.2- 6.0	21	1.8	0.6- 3.0	10	0.9	0.1- 1.7
Some Post-H.S.	1338	215,871	1011	68.4	64.9-71.9	156	15.6	12.7-18.5	106	11.0	8.5-13.5	41	3.0	1.8- 4.2	15	1.4	0.2- 2.6	9	0.6	0.0- 1.2
College Graduate	1805	213,681	1354	65.6	62.5-68.7	195	13.0	10.8-15.2	171	14.7	12.2-17.2	61	4.7	3.1- 6.3	18	1.5	0.7- 2.3	6	0.5	0.0- 1.1
Less than \$15,000	398	48,581	286	68.9	62.0-75.8	41	14.2	8.1-20.3	38	9.1	5.0-13.2	22	5.5	2.8- 8.2	6	0.8	0.2- 1.4	5	1.5	0.1- 2.9
\$15,000- 24,999	783	107,649	510	59.1	54.2-64.0	90	15.4	11.5-19.3	90	12.0	8.9-15.1	57	8.3	5.4-11.2	23	3.4	1.6- 5.2	13	1.8	0.6- 3.0
\$25,000- 34,999	403	53,494	286	64.0	57.5-70.5	55	20.2	14.3-26.1	33	10.2	6.1-14.3	20	4.4	1.9- 6.9	4	0.5	0.1- 0.9	5	0.8	0.0- 1.6
\$35,000- 49,999	571	82,977	441	68.4	62.3-74.5	66	15.4	10.7-20.1	33	8.4	4.1-12.7	16	3.2	1.2- 5.2	12	4.3	1.0- 7.6	3	0.3	0.0- 0.7
\$50,000- 74,999	645	93,978	495	66.7	61.0-72.4	74	15.1	10.4-19.8	47	13.9	9.2-18.6	17	2.9	1.1- 4.7	9	1.0	0.2- 1.8	3	0.4	0.0- 0.8
\$75,000+	1431	234,432	992	60.9	57.4-64.4	194	15.3	12.8-17.8	166	16.1	13.4-18.8	57	5.0	3.4- 6.6	15	1.5	0.5- 2.5	7	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2272	360,264	1697	68.5	65.8-71.2	264	14.7	12.5-16.9	181	10.9	8.9-12.9	84	3.8	2.6- 5.0	29	1.3	0.5- 2.1	17	0.8	0.2- 1.4
White/Non-Hisp	1541	231,120	1245	74.2	71.3-77.1	153	12.9	10.5-15.3	94	8.9	6.9-10.9	38	3.5	2.1- 4.9	7	0.3	0.1- 0.5	4	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	278	69,932	193	61.3	53.7-68.9	38	15.2	9.9-20.5	26	14.5	8.0-21.0	12	4.0	1.5- 6.5	5	3.2	0.0- 6.5	4	1.8	0.0- 4.0
Oth. Race/Non-Hisp.	110	19,972	68	55.2	41.1-69.3	19	26.9	12.0-41.8	14	14.4	5.4-23.4	5	1.5	0.1- 2.9	4	2.1	0.0- 4.5			
Hispanic	247	27,899	113	46.9	38.3-55.5	47	21.2	13.6-28.8	40	15.9	10.0-21.8	29	9.2	4.7-13.7	10	4.1	1.2- 7.0	8	2.8	0.6- 5.0
18-24	152	43,786	96	63.6	53.6-73.6	29	23.0	13.6-32.4	16	7.9	3.2-12.6	7	2.6	0.0- 5.3	1	0.2	0.0- 0.6	3	2.7	0.0- 6.0
25-34	236	63,662	139	59.8	51.8-67.8	37	16.8	11.1-22.5	37	17.2	10.5-23.9	12	3.7	0.6- 6.8	6	1.4	0.0- 2.8	5	1.2	0.0- 2.4
35-44	287	54,155	118	40.9	33.6-48.2	57	18.1	12.8-23.4	67	26.4	19.3-33.5	32	9.1	5.0-13.2	9	4.5	0.4- 8.6	4	0.9	0.0- 1.9
45-54	352	57,308	207	55.0	48.5-61.5	71	22.0	16.1-27.9	46	15.0	10.3-19.7	21	6.6	3.3- 9.9	5	1.0	0.0- 2.2	2	0.4	0.0- 1.0
55-64	485	60,681	413	83.9	79.8-88.0	47	10.7	7.4-14.0	11	2.8	0.6- 5.0	7	1.6	0.0- 3.2	5	0.8	0.0- 1.8	2	0.2	0.0- 0.4
65+	760	80,672	724	94.8	92.6-97.0	23	4.0	2.0- 6.0	4	0.4	0.0- 0.8	5	0.6	0.0- 1.2	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0
Less Than H.S.	237	39,264	129	53.9	45.7-62.1	38	22.1	14.5-29.7	30	12.6	6.9-18.3	23	6.6	2.9-10.3	11	3.3	0.9- 5.7	6	1.5	0.1- 2.9
H.S. or G.E.D.	659	120,121	495	69.1	63.8-74.4	84	15.9	11.6-20.2	49	10.4	6.5-14.3	22	3.6	1.8- 5.4	5	0.3	0.0- 0.7	4	0.7	0.0- 1.7
Some Post-H.S.	567	100,855	444	72.9	67.8-78.0	61	11.9	8.4-15.4	37	9.4	5.9-12.9	16	2.9	0.9- 4.9	6	2.2	0.0- 4.4	3	0.7	0.0- 1.7
College Graduate	799	99,139	622	69.2	64.7-73.7	81	13.3	10.0-16.6	65	12.5	9.0-16.0	22	3.9	1.7- 6.1	5	0.6	0.0- 1.2	4	0.6	0.0- 1.2
Less than \$15,000	155	20,657	129	81.2	71.0-91.4	11	10.6	1.6-19.6	10	5.9	0.0-11.8	4	1.9	0.0- 4.4	1	0.4	0.0- 1.2			
\$15,000- 24,999	317	43,907	217	64.0	56.7-71.3	36	16.2	10.3-22.1	30	10.8	5.5-16.1	22	5.7	2.6- 8.8	8	2.1	0.3- 3.9	4	1.2	0.0- 2.6
\$25,000- 34,999	156	21,912	110	68.0	58.2-77.8	23	20.1	11.5-28.7	12	7.8	2.1-13.5	6	2.2	0.2- 4.2	2	0.5	0.0- 1.1	3	1.4	0.0- 3.2
\$35,000- 49,999	270	43,344	216	74.4	66.0-82.8	22	10.1	5.0-15.2	13	7.4	0.9-13.9	11	3.9	1.0- 6.8	6	3.8	0.0- 7.9	2	0.4	0.0- 1.0
\$50,000- 74,999	292	47,689	231	69.1	60.5-77.7	31	15.3	7.7-22.9	19	13.0	6.5-19.5	6	1.4	0.2- 2.6	3	0.6	0.0- 1.4	2	0.5	0.0- 1.3
\$75,000+	736	127,244	524	63.0	58.3-67.7	100	15.9	12.4-19.4	77	14.4	10.9-17.9	26	5.0	2.6- 7.4	5	1.0	0.0- 2.2	4	0.8	0.0- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	394,345	2026	62.0	59.5-64.5	353	15.8	13.8-17.8	283	13.2	11.2-15.2	131	5.4	4.2- 6.6	55	2.4	1.4- 3.4	27	1.2	0.4- 2.0
White/Non-Hisp	1962	254,151	1532	69.8	66.9-72.7	196	13.3	11.1-15.5	155	11.5	9.3-13.7	55	3.5	2.3- 4.7	19	1.1	0.5- 1.7	5	0.8	0.0- 1.8
Black or Afr. Am./Non-Hisp	426	83,521	265	53.1	46.6-59.6	61	17.5	12.0-23.0	51	14.1	9.4-18.8	29	8.8	5.1-12.5	14	4.9	1.6- 8.2	6	1.6	0.2- 3.0
Oth. Race/Non-Hisp.	87	14,483	53	44.4	28.3-60.5	25	35.4	19.3-51.5	6	16.1	0.2-32.0	2	0.7	0.0- 1.7	1	3.5	0.0-10.4			
Hispanic	285	31,086	97	28.7	21.8-35.6	53	22.7	14.1-31.3	59	23.6	16.5-30.7	41	14.5	9.0-20.0	20	6.5	3.2- 9.8	15	4.0	1.6- 6.4
18-24	153	42,681	70	48.4	37.4-59.4	36	26.6	16.8-36.4	20	8.7	3.6-13.8	15	8.7	3.8-13.6	8	6.6	0.7-12.5	4	1.0	0.0- 2.2
25-34	284	62,911	80	28.2	21.5-34.9	73	24.3	17.8-30.8	59	24.9	17.6-32.2	40	13.3	8.4-18.2	20	4.4	1.9- 6.9	12	4.9	1.0- 8.8
35-44	326	56,708	72	23.2	17.3-29.1	72	22.1	16.2-28.0	114	39.3	32.4-46.2	41	8.3	5.2-11.4	17	5.1	2.4- 7.8	10	2.0	0.2- 3.8
45-54	438	61,209	263	59.5	53.6-65.4	92	21.7	16.4-27.0	59	12.8	9.3-16.3	18	4.9	2.4- 7.4	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6
55-64	606	71,120	533	88.0	84.5-91.5	40	8.1	5.0-11.2	20	2.2	1.0- 3.4	10	1.4	0.4- 2.4	3	0.3	0.0- 0.7			
65+	1068	99,716	1008	94.3	92.3-96.3	40	4.0	2.2- 5.8	11	1.0	0.4- 1.6	7	0.4	0.0- 0.8	2	0.4	0.0- 1.0			
Less Than H.S.	280	45,207	134	45.6	36.8-54.4	42	16.2	10.1-22.3	43	17.5	10.4-24.6	33	10.8	5.9-15.7	15	4.9	1.8- 8.0	13	5.1	0.4- 9.8
H.S. or G.E.D.	806	118,301	588	65.7	60.8-70.6	100	15.6	11.7-19.5	62	8.8	5.7-11.9	34	5.7	3.3- 8.1	16	3.3	1.1- 5.5	6	1.0	0.0- 2.0
Some Post-H.S.	771	115,016	567	64.5	59.6-69.4	95	18.8	14.3-23.3	69	12.3	9.0-15.6	25	3.0	1.6- 4.4	9	0.7	0.1- 1.3	6	0.6	0.0- 1.2
College Graduate	1006	114,542	732	62.6	58.5-66.7	114	12.7	10.0-15.4	106	16.6	13.1-20.1	39	5.4	3.2- 7.6	13	2.2	0.8- 3.6	2	0.5	0.0- 1.3
Less than \$15,000	243	27,924	157	59.9	50.5-69.3	30	16.9	8.5-25.3	28	11.5	5.6-17.4	18	8.1	4.0-12.2	5	1.1	0.1- 2.1	5	2.6	0.2- 5.0
\$15,000- 24,999	466	63,742	293	55.7	49.2-62.2	54	14.9	9.4-20.4	60	12.9	9.0-16.8	35	10.1	5.8-14.4	15	4.2	1.7- 6.7	9	2.2	0.2- 4.2
\$25,000- 34,999	247	31,583	176	61.2	52.8-69.6	32	20.2	12.4-28.0	21	11.9	6.4-17.4	14	5.9	2.0- 9.8	2	0.5	0.0- 1.1	2	0.4	0.0- 1.0
\$35,000- 49,999	301	39,633	225	61.9	53.3-70.5	44	21.2	13.4-29.0	20	9.4	4.1-14.7	5	2.5	0.0- 5.0	6	4.8	0.0-10.3	1	0.2	0.0- 0.6
\$50,000- 74,999	353	46,289	264	64.3	56.9-71.7	43	14.9	9.6-20.2	28	14.8	8.3-21.3	11	4.3	0.8- 7.8	6	1.5	0.3- 2.7	1	0.2	0.0- 0.6
\$75,000+	695	107,189	468	58.5	53.4-63.6	94	14.7	11.2-18.2	89	18.2	14.1-22.3	31	5.0	2.8- 7.2	10	2.1	0.5- 3.7	3	1.5	0.0- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5207	766,277	528	11.2	10.0-12.4	1487	31.6	29.8-33.4	1360	28.8	27.0-30.6	1832	28.4	26.8-30.0
Male	2299	365,961	244	11.0	9.2-12.8	670	33.4	30.7-36.1	578	28.3	25.8-30.8	807	27.3	25.1-29.5
Female	2908	400,316	284	11.4	9.6-13.2	817	30.0	27.6-32.4	782	29.3	26.9-31.7	1025	29.3	27.1-31.5
White/Non-Hisp	3541	491,345	187	7.5	6.1- 8.9	1011	30.8	28.8-32.8	973	30.6	28.6-32.6	1370	31.1	29.1-33.1
Black or Afr. Am./Non-Hisp	712	156,161	75	12.1	9.0-15.2	244	37.6	32.7-42.5	200	30.2	25.7-34.7	193	20.1	16.8-23.4
Oth. Race/Non-Hisp.	198	35,280	14	5.6	1.7- 9.5	35	20.2	9.8-30.6	45	17.1	9.3-24.9	104	57.1	46.3-67.9
MultiRacial/Non-Hisp.	80	5,510	3	5.7	0.0-12.4	28	37.3	21.0-53.6	20	28.3	15.2-41.4	29	28.7	16.5-40.9
Hispanic	539	59,879	242	44.2	38.3-50.1	133	27.3	22.0-32.6	90	18.0	12.7-23.3	74	10.4	7.5-13.3
18-24	312	88,187	45	13.2	7.9-18.5	133	46.4	39.1-53.7	96	31.8	25.1-38.5	38	8.6	5.3-11.9
25-34	523	126,975	85	13.7	10.0-17.4	132	25.9	20.8-31.0	134	28.7	23.6-33.8	172	31.7	26.8-36.6
35-44	628	113,916	117	15.0	11.7-18.3	152	24.0	19.7-28.3	142	27.1	22.4-31.8	217	34.0	29.3-38.7
45-54	806	121,157	84	12.2	9.1-15.3	196	27.4	23.3-31.5	180	25.5	21.6-29.4	346	34.9	31.0-38.8
55-64	1104	134,782	73	7.0	5.0- 9.0	342	34.3	30.6-38.0	302	30.0	26.5-33.5	387	28.6	25.5-31.7
65+	1834	181,260	124	8.6	6.8-10.4	532	33.9	31.2-36.6	506	29.8	27.3-32.3	672	27.6	25.2-30.0
Less Than H.S.	528	85,919	528	100.0	100.0- 100									
H.S. or G.E.D.	1487	242,049				1487	100.0	100.0- 100						
Some Post-H.S.	1360	220,846							1360	100.0	100.0- 100			
College Graduate	1832	217,463										1832	100.0	100.0- 100
Less than \$15,000	398	48,373	106	29.5	23.2-35.8	162	41.5	34.4-48.6	92	21.6	16.1-27.1	38	7.4	4.3-10.5
\$15,000- 24,999	785	108,540	166	21.5	17.6-25.4	333	47.2	42.5-51.9	175	21.9	17.8-26.0	111	9.5	7.1-11.9
\$25,000- 34,999	406	53,859	43	13.1	8.4-17.8	144	36.5	30.4-42.6	138	37.3	30.8-43.8	81	13.1	9.4-16.8
\$35,000- 49,999	572	83,023	33	8.0	4.5-11.5	198	41.0	34.9-47.1	196	32.6	27.5-37.7	145	18.4	14.5-22.3
\$50,000- 74,999	647	94,074	18	4.7	2.2- 7.2	139	28.1	22.6-33.6	222	38.4	33.1-43.7	268	28.9	24.6-33.2
\$75,000+	1435	234,971	25	2.9	1.5- 4.3	190	16.7	14.0-19.4	307	28.2	24.9-31.5	913	52.2	48.9-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	365,961	244	11.0	9.2-12.8	670	33.4	30.7-36.1	578	28.3	25.8-30.8	807	27.3	25.1-29.5
White/Non-Hisp	1557	233,914	81	7.2	5.4- 9.0	444	31.9	28.8-35.0	425	30.7	27.8-33.6	607	30.2	27.5-32.9
Black or Afr. Am./Non-Hisp	283	71,736	31	10.6	6.7-14.5	111	42.3	34.7-49.9	79	31.8	24.5-39.1	62	15.3	10.6-20.0
Oth. Race/Non-Hisp.	108	20,005	10	6.1	1.4-10.8	14	18.3	3.6-33.0	21	13.4	4.6-22.2	63	62.2	47.7-76.7
Hispanic	253	28,294	118	47.3	38.7-55.9	69	31.2	23.2-39.2	32	10.9	6.0-15.8	34	10.6	6.3-14.9
18-24	156	44,739	28	13.0	7.1-18.9	64	48.6	38.6-58.6	44	28.7	19.9-37.5	20	9.7	4.8-14.6
25-34	237	63,795	37	12.5	7.6-17.4	69	28.7	20.9-36.5	52	27.5	20.1-34.9	79	31.2	24.1-38.3
35-44	296	55,708	59	16.3	11.2-21.4	82	28.9	22.0-35.8	65	26.5	19.6-33.4	90	28.4	22.1-34.7
45-54	357	58,025	40	11.2	7.1-15.3	98	31.2	24.9-37.5	80	26.0	20.1-31.9	139	31.6	26.1-37.1
55-64	492	62,971	33	7.4	4.3-10.5	164	36.4	30.9-41.9	137	30.6	25.3-35.9	158	25.7	21.4-30.0
65+	761	80,723	47	7.5	5.1- 9.9	193	30.9	26.8-35.0	200	30.0	26.1-33.9	321	31.6	27.9-35.3
Less Than H.S.	244	40,083	244	100.0	100.0- 100									
H.S. or G.E.D.	670	122,149				670	100.0	100.0- 100						
Some Post-H.S.	578	103,685							578	100.0	100.0- 100			
College Graduate	807	100,043										807	100.0	100.0- 100
Less than \$15,000	155	20,449	48	35.8	25.6-46.0	65	40.2	29.6-50.8	32	19.2	11.0-27.4	10	4.8	1.3- 8.3
\$15,000- 24,999	315	43,794	74	21.8	15.9-27.7	137	50.6	43.3-57.9	65	20.1	14.0-26.2	39	7.5	4.6-10.4
\$25,000- 34,999	157	21,993	25	18.9	10.5-27.3	59	38.2	28.4-48.0	36	26.5	16.1-36.9	37	16.3	9.6-23.0
\$35,000- 49,999	270	43,344	21	9.7	4.8-14.6	107	44.6	36.0-53.2	83	29.0	21.9-36.1	59	16.7	11.4-22.0
\$50,000- 74,999	293	47,708	12	6.0	1.7-10.3	75	32.3	24.1-40.5	99	37.7	29.7-45.7	107	24.0	18.1-29.9
\$75,000+	738	127,476	18	3.5	1.5- 5.5	112	20.4	16.3-24.5	159	28.2	23.7-32.7	449	47.9	43.2-52.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	400,316	284	11.4	9.6-13.2	817	30.0	27.6-32.4	782	29.3	26.9-31.7	1025	29.3	27.1-31.5
White/Non-Hisp	1984	257,431	106	7.8	5.6-10.0	567	29.8	27.1-32.5	548	30.5	27.8-33.2	763	31.9	29.4-34.4
Black or Afr. Am./Non-Hisp	429	84,425	44	13.4	8.9-17.9	133	33.6	27.3-39.9	121	28.8	23.1-34.5	131	24.2	19.3-29.1
Oth. Race/Non-Hisp.	90	15,275	4	5.1	0.0-12.0	21	22.5	7.6-37.4	24	22.0	8.3-35.7	41	50.4	34.1-66.7
Hispanic	286	31,586	124	41.5	33.5-49.5	64	23.8	17.1-30.5	58	24.5	15.9-33.1	40	10.2	6.3-14.1
18-24	156	43,448	17	13.4	4.6-22.2	69	44.1	33.5-54.7	52	35.1	24.9-45.3	18	7.5	3.0-12.0
25-34	286	63,181	48	14.8	8.9-20.7	63	23.1	16.4-29.8	82	29.8	22.7-36.9	93	32.3	25.2-39.4
35-44	332	58,208	58	13.7	9.4-18.0	70	19.3	13.8-24.8	77	27.7	21.4-34.0	127	39.3	32.6-46.0
45-54	449	63,132	44	13.1	8.6-17.6	98	23.8	18.5-29.1	100	25.1	20.0-30.2	207	37.9	32.6-43.2
55-64	612	71,811	40	6.7	4.2- 9.2	178	32.5	27.8-37.2	165	29.6	25.1-34.1	229	31.2	26.9-35.5
65+	1073	100,537	77	9.5	6.8-12.2	339	36.4	32.5-40.3	306	29.7	26.2-33.2	351	24.4	21.5-27.3
Less Than H.S.	284	45,836	284	100.0	100.0- 100									
H.S. or G.E.D.	817	119,899				817	100.0	100.0- 100						
Some Post-H.S.	782	117,160							782	100.0	100.0- 100			
College Graduate	1025	117,421										1025	100.0	100.0- 100
Less than \$15,000	243	27,924	58	24.8	17.2-32.4	97	42.5	32.9-52.1	60	23.3	15.7-30.9	28	9.3	4.4-14.2
\$15,000- 24,999	470	64,746	92	21.3	16.2-26.4	196	44.9	38.6-51.2	110	23.0	17.5-28.5	72	10.8	7.3-14.3
\$25,000- 34,999	249	31,866	18	9.1	4.0-14.2	85	35.2	27.4-43.0	102	44.7	36.5-52.9	44	10.9	6.8-15.0
\$35,000- 49,999	302	39,679	12	6.1	1.4-10.8	91	37.0	28.6-45.4	113	36.5	29.2-43.8	86	20.3	14.8-25.8
\$50,000- 74,999	354	46,367	6	3.3	0.4- 6.2	64	23.7	16.8-30.6	123	39.2	32.3-46.1	161	33.9	27.8-40.0
\$75,000+	697	107,496	7	2.2	0.0- 4.4	78	12.3	9.0-15.6	148	28.2	23.5-32.9	464	57.4	52.3-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4254	624,067	399	7.8	6.8- 8.8	792	17.5	15.9-19.1	406	8.6	7.6- 9.6	572	13.3	11.9-14.7	2085	52.8	50.8-54.8
Male	1935	305,660	156	6.8	5.4- 8.2	320	14.5	12.5-16.5	157	7.2	5.8- 8.6	270	14.2	12.0-16.4	1032	57.4	54.5-60.3
Female	2319	318,407	243	8.8	7.2-10.4	472	20.4	18.0-22.8	249	10.0	8.4-11.6	302	12.5	10.5-14.5	1053	48.4	45.7-51.1
White/Non-Hisp	2920	402,872	191	6.1	4.9- 7.3	430	13.5	11.9-15.1	246	7.3	6.1- 8.5	395	12.1	10.7-13.5	1658	61.1	58.9-63.3
Black or Afr. Am./Non-Hisp	607	129,849	80	9.4	6.7-12.1	151	24.5	20.2-28.8	82	11.7	8.6-14.8	92	17.9	13.2-22.6	202	36.4	31.3-41.5
Oth. Race/Non-Hisp.	152	27,847	19	3.9	1.5- 6.3	23	10.7	4.6-16.8	16	11.0	4.7-17.3	20	11.4	4.1-18.7	74	62.9	51.9-73.9
MultiRacial/Non-Hisp.	69	4,730	13	15.3	5.7-24.9	12	22.3	2.7-41.9	9	10.1	2.3-17.9	9	12.3	3.3-21.3	26	40.0	23.9-56.1
Hispanic	422	47,489	86	18.1	13.4-22.8	162	36.1	29.4-42.8	46	11.1	7.0-15.2	44	11.9	7.4-16.4	84	22.8	16.9-28.7
18-24	216	60,385	29	10.5	5.2-15.8	54	20.1	13.6-26.6	28	12.2	6.9-17.5	24	13.3	6.6-20.0	81	43.9	35.3-52.5
25-34	451	111,241	53	9.0	6.1-11.9	107	18.9	14.6-23.2	41	7.5	5.0-10.0	67	15.4	10.9-19.9	183	49.1	43.2-55.0
35-44	541	99,202	59	7.9	5.4-10.4	107	17.1	13.0-21.2	50	6.9	4.4- 9.4	58	9.5	6.4-12.6	267	58.6	53.3-63.9
45-54	686	102,263	60	7.3	4.6-10.0	104	13.1	10.0-16.2	49	6.6	4.4- 8.8	63	8.7	6.2-11.2	410	64.3	59.8-68.8
55-64	924	110,254	100	8.1	6.1-10.1	147	16.7	13.6-19.8	58	5.4	3.6- 7.2	128	14.6	11.5-17.7	491	55.2	51.3-59.1
65+	1436	140,722	98	5.8	4.4- 7.2	273	19.4	16.7-22.1	180	13.2	10.8-15.6	232	16.6	14.2-19.0	653	45.1	42.0-48.2
Less Than H.S.	391	62,567	106	22.8	17.7-27.9	166	37.3	31.0-43.6	43	11.3	7.2-15.4	33	10.6	6.1-15.1	43	18.0	12.1-23.9
H.S. or G.E.D.	1166	190,490	162	10.5	8.1-12.9	333	26.9	23.6-30.2	144	10.3	8.3-12.3	198	17.9	14.6-21.2	329	34.4	30.5-38.3
Some Post-H.S.	1130	183,677	92	5.7	4.1- 7.3	175	12.9	10.4-15.4	138	10.9	8.5-13.3	196	14.7	12.2-17.2	529	55.7	52.0-59.4
College Graduate	1556	186,106	38	1.9	1.1- 2.7	111	5.5	4.1- 6.9	81	3.8	2.8- 4.8	145	8.2	6.4-10.0	1181	80.6	78.2-83.0
Less than \$15,000	399	48,631	399	100.0	100.0- 100												
\$15,000- 24,999	792	109,195				792	100.0	100.0- 100									
\$25,000- 34,999	406	53,859							406	100.0	100.0- 100						
\$35,000- 49,999	572	83,023										572	100.0	100.0- 100			
\$50,000- 74,999	648	94,135													648	100.0	100.0- 100
\$75,000+	1437	235,224													1437	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	305,660	156	6.8	5.4- 8.2	320	14.5	12.5-16.5	157	7.2	5.8- 8.6	270	14.2	12.0-16.4	1032	57.4	54.5-60.3
White/Non-Hisp	1320	198,147	74	5.5	3.9- 7.1	161	11.0	8.8-13.2	92	6.0	4.4- 7.6	181	11.7	9.7-13.7	812	65.9	62.8-69.0
Black or Afr. Am./Non-Hisp	244	58,614	29	7.4	4.1-10.7	57	21.1	14.8-27.4	27	9.5	5.0-14.0	39	20.8	13.4-28.2	92	41.3	33.1-49.5
Oth. Race/Non-Hisp.	85	15,695	7	2.1	0.3- 3.9	14	7.7	2.6-12.8	7	8.4	0.8-16.0	12	16.0	4.4-27.6	45	65.7	51.6-79.8
Hispanic	212	24,384	36	15.9	9.8-22.0	78	30.9	22.9-38.9	24	11.6	5.5-17.7	27	16.4	8.8-24.0	47	25.2	16.4-34.0
18-24	109	31,726	16	10.7	3.8-17.6	19	11.4	5.5-17.3	11	10.3	2.9-17.7	14	11.0	4.5-17.5	49	56.7	45.1-68.3
25-34	206	56,463	19	6.3	2.8- 9.8	44	15.6	9.9-21.3	13	5.5	2.2- 8.8	35	17.5	10.2-24.8	95	55.0	46.4-63.6
35-44	258	48,949	23	8.3	4.2-12.4	49	14.8	9.3-20.3	24	6.7	3.4-10.0	32	11.1	6.2-16.0	130	59.1	51.5-66.7
45-54	305	49,938	25	4.8	2.6- 7.0	47	11.9	8.0-15.8	22	5.9	2.8- 9.0	27	9.1	5.2-13.0	184	68.3	62.2-74.4
55-64	424	52,207	42	8.1	5.4-10.8	69	17.2	12.5-21.9	16	3.8	1.4- 6.2	61	15.6	10.7-20.5	236	55.1	49.2-61.0
65+	633	66,375	31	4.5	2.5- 6.5	92	14.5	11.0-18.0	71	11.2	8.3-14.1	101	17.8	14.1-21.5	338	52.0	47.3-56.7
Less Than H.S.	198	32,601	48	22.5	15.4-29.6	74	29.3	21.5-37.1	25	12.7	6.8-18.6	21	12.9	6.4-19.4	30	22.6	14.2-31.0
H.S. or G.E.D.	555	99,485	65	8.3	5.6-11.0	137	22.3	18.0-26.6	59	8.5	6.0-11.0	107	19.4	14.5-24.3	187	41.6	35.9-47.3
Some Post-H.S.	474	85,051	32	4.6	2.4- 6.8	65	10.4	7.1-13.7	36	6.9	3.8-10.0	83	14.8	10.9-18.7	258	63.4	57.9-68.9
College Graduate	701	87,626	10	1.1	0.3- 1.9	39	3.8	2.4- 5.2	37	4.1	2.3- 5.9	59	8.2	5.7-10.7	556	82.8	79.5-86.1
Less than \$15,000	156	20,707	156	100.0	100.0- 100												
\$15,000- 24,999	320	44,216				320	100.0	100.0- 100									
\$25,000- 34,999	157	21,993							157	100.0	100.0- 100						
\$35,000- 49,999	270	43,344										270	100.0	100.0- 100			
\$50,000- 74,999	293	47,708													293	100.0	100.0- 100
\$75,000+	739	127,692													739	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2319	318,407	243	8.8	7.2-10.4	472	20.4	18.0-22.8	249	10.0	8.4-11.6	302	12.5	10.5-14.5	1053	48.4	45.7-51.1
White/Non-Hisp	1600	204,725	117	6.7	4.9- 8.5	269	15.9	13.7-18.1	154	8.6	6.8-10.4	214	12.4	10.4-14.4	846	56.4	53.3-59.5
Black or Afr. Am./Non-Hisp	363	71,235	51	11.1	6.8-15.4	94	27.4	21.3-33.5	55	13.5	9.2-17.8	53	15.5	9.8-21.2	110	32.5	26.0-39.0
Oth. Race/Non-Hisp.	67	12,152	12	6.2	1.3-11.1	9	14.6	2.3-26.9	9	14.4	3.6-25.2	8	5.5	0.0-12.2	29	59.3	41.7-76.9
Hispanic	210	23,105	50	20.4	13.3-27.5	84	41.6	31.2-52.0	22	10.6	5.1-16.1	17	7.2	2.9-11.5	37	20.2	12.6-27.8
18-24	107	28,659	13	10.3	2.5-18.1	35	29.8	18.4-41.2	17	14.2	6.6-21.8	10	15.8	4.0-27.6	32	29.8	18.8-40.8
25-34	245	54,777	34	11.7	7.0-16.4	63	22.2	15.7-28.7	28	9.6	5.5-13.7	32	13.3	8.2-18.4	88	43.1	34.7-51.5
35-44	283	50,252	36	7.5	4.4-10.6	58	19.3	13.4-25.2	26	7.2	3.7-10.7	26	7.9	4.2-11.6	137	58.2	50.9-65.5
45-54	381	52,324	35	9.6	4.9-14.3	57	14.2	9.7-18.7	27	7.3	4.2-10.4	36	8.4	5.3-11.5	226	60.4	54.1-66.7
55-64	500	58,047	58	8.0	5.5-10.5	78	16.2	12.1-20.3	42	6.9	4.5- 9.3	67	13.6	9.9-17.3	255	55.3	49.8-60.8
65+	803	74,348	67	6.9	4.7- 9.1	181	23.8	19.9-27.7	109	14.9	11.4-18.4	131	15.5	12.4-18.6	315	38.8	34.5-43.1
Less Than H.S.	193	29,967	58	23.2	15.8-30.6	92	46.0	36.4-55.6	18	9.7	4.2-15.2	12	8.1	1.8-14.4	13	13.0	4.8-21.2
H.S. or G.E.D.	611	91,005	97	13.0	9.1-16.9	196	32.0	26.9-37.1	85	12.3	9.0-15.6	91	16.1	11.6-20.6	142	26.5	21.4-31.6
Some Post-H.S.	656	98,626	60	6.6	4.2- 9.0	110	15.1	11.4-18.8	102	14.5	11.0-18.0	113	14.7	11.6-17.8	271	49.1	44.0-54.2
College Graduate	855	98,480	28	2.6	1.2- 4.0	72	7.1	4.7- 9.5	44	3.5	2.1- 4.9	86	8.2	6.0-10.4	625	78.6	75.1-82.1
Less than \$15,000	243	27,924	243	100.0	100.0- 100												
\$15,000- 24,999	472	64,979				472	100.0	100.0- 100									
\$25,000- 34,999	249	31,866							249	100.0	100.0- 100						
\$35,000- 49,999	302	39,679										302	100.0	100.0- 100			
\$50,000- 74,999	355	46,427													355	100.0	100.0- 100
\$75,000+	698	107,532													698	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5011	732,159	541	11.7	10.5-12.9	227	4.8	4.0- 5.6	1460	25.7	24.1-27.3	2783	57.8	56.0-59.6
Male	2207	350,060	276	13.0	11.0-15.0	111	5.3	4.1- 6.5	692	27.1	24.7-29.5	1128	54.6	51.9-57.3
Female	2804	382,099	265	10.6	9.0-12.2	116	4.3	3.3- 5.3	768	24.4	22.2-26.6	1655	60.7	58.2-63.2
White/Non-Hisp	3426	473,313	388	12.8	11.2-14.4	130	4.2	3.2- 5.2	1163	31.2	29.2-33.2	1745	51.8	49.6-54.0
Black or Afr. Am./Non-Hisp	670	147,783	78	12.4	9.1-15.7	41	5.0	3.0- 7.0	140	17.3	13.8-20.8	411	65.3	60.6-70.0
Oth. Race/Non-Hisp.	188	32,286	20	3.9	1.7- 6.1	7	2.9	0.2- 5.6	38	15.0	8.3-21.7	123	78.1	70.7-85.5
MultiRacial/Non-Hisp.	79	5,456	16	20.0	9.4-30.6	4	6.2	0.0-13.8	17	16.8	8.0-25.6	42	57.0	42.3-71.7
Hispanic	519	57,345	34	6.9	4.0- 9.8	35	8.7	5.2-12.2	61	8.3	5.6-11.0	389	76.1	71.2-81.0
18-24	295	82,363	18	6.9	3.6-10.2	14	3.6	1.4- 5.8	20	7.3	3.6-11.0	243	82.2	77.1-87.3
25-34	503	120,417	60	15.0	10.5-19.5	31	7.1	4.0-10.2	69	14.7	10.8-18.6	343	63.2	57.5-68.9
35-44	602	108,316	94	15.8	12.1-19.5	42	6.6	3.9- 9.3	113	20.1	16.0-24.2	353	57.4	52.3-62.5
45-54	778	117,152	121	14.9	12.0-17.8	36	4.4	2.6- 6.2	173	23.7	19.8-27.6	448	56.9	52.6-61.2
55-64	1069	130,259	148	13.3	10.9-15.7	54	5.0	3.4- 6.6	336	31.4	27.9-34.9	531	50.3	46.6-54.0
65+	1764	173,651	100	5.9	4.5- 7.3	50	2.6	1.6- 3.6	749	42.6	39.7-45.5	865	48.9	46.0-51.8
Less Than H.S.	504	82,738	85	20.4	15.3-25.5	36	8.6	5.1-12.1	124	22.7	18.0-27.4	259	48.3	42.2-54.4
H.S. or G.E.D.	1409	228,093	227	16.3	13.8-18.8	80	5.3	3.9- 6.7	405	25.6	22.7-28.5	697	52.8	49.3-56.3
Some Post-H.S.	1298	210,095	139	10.2	8.0-12.4	64	4.6	3.0- 6.2	425	29.6	26.5-32.7	670	55.6	52.1-59.1
College Graduate	1780	208,950	88	5.0	3.6- 6.4	44	2.8	1.8- 3.8	502	23.1	20.7-25.5	1146	69.2	66.5-71.9
Less than \$15,000	389	46,313	86	23.4	17.7-29.1	29	8.1	4.0-12.2	95	23.6	17.5-29.7	179	44.9	38.0-51.8
\$15,000- 24,999	758	104,756	125	19.2	15.3-23.1	42	7.1	4.4- 9.8	210	26.9	22.8-31.0	381	46.7	41.8-51.6
\$25,000- 34,999	393	51,267	48	12.2	8.3-16.1	23	5.7	3.0- 8.4	116	23.5	18.4-28.6	206	58.5	52.2-64.8
\$35,000- 49,999	560	80,155	64	13.4	8.7-18.1	29	5.8	3.1- 8.5	178	25.2	20.9-29.5	289	55.5	49.8-61.2
\$50,000- 74,999	639	93,232	57	9.4	6.5-12.3	21	2.6	1.0- 4.2	220	30.9	26.2-35.6	341	57.0	51.7-62.3
\$75,000+	1418	232,189	94	7.9	6.1- 9.7	48	4.0	2.4- 5.6	424	26.3	23.4-29.2	852	61.7	58.4-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	350,060	276	13.0	11.0-15.0	111	5.3	4.1- 6.5	692	27.1	24.7-29.5	1128	54.6	51.9-57.3
White/Non-Hisp	1504	225,847	193	14.3	11.9-16.7	59	3.9	2.7- 5.1	539	33.0	30.1-35.9	713	48.9	45.6-52.2
Black or Afr. Am./Non-Hisp	266	68,037	35	13.0	7.5-18.5	18	6.1	2.4- 9.8	62	17.2	11.9-22.5	151	63.7	56.3-71.1
Oth. Race/Non-Hisp.	105	18,736	14	4.5	1.2- 7.8	3	3.7	0.0- 8.2	17	10.9	3.8-18.0	71	80.8	72.0-89.6
Hispanic	239	26,575	24	9.5	4.6-14.4	26	14.9	8.0-21.8	42	11.8	7.3-16.3	147	63.8	55.6-72.0
18-24	150	42,832	8	5.3	1.6- 9.0	11	5.4	1.7- 9.1	11	7.4	2.1-12.7	120	81.9	74.8-89.0
25-34	229	60,732	31	17.5	10.4-24.6	17	6.3	2.8- 9.8	36	16.1	10.2-22.0	145	60.2	52.0-68.4
35-44	281	52,634	54	17.9	12.4-23.4	26	10.2	5.1-15.3	54	21.0	14.7-27.3	147	50.9	43.3-58.5
45-54	345	56,372	66	17.8	12.9-22.7	15	4.3	1.8- 6.8	73	22.8	17.1-28.5	191	55.1	48.6-61.6
55-64	470	60,274	72	13.8	10.3-17.3	21	4.3	2.1- 6.5	154	32.4	27.1-37.7	223	49.5	43.8-55.2
65+	732	77,217	45	6.1	4.1- 8.1	21	2.7	1.1- 4.3	364	50.0	45.7-54.3	302	41.2	36.9-45.5
Less Than H.S.	229	38,099	43	21.2	14.1-28.3	23	12.1	6.8-17.4	66	24.3	17.6-31.0	97	42.5	34.3-50.7
H.S. or G.E.D.	634	115,754	114	17.8	13.7-21.9	40	5.8	3.6- 8.0	200	25.7	21.6-29.8	280	50.7	45.4-56.0
Some Post-H.S.	553	98,958	65	10.0	6.9-13.1	32	5.5	3.0- 8.0	203	32.7	27.6-37.8	253	51.8	46.3-57.3
College Graduate	783	96,276	53	7.1	4.7- 9.5	15	1.9	0.5- 3.3	221	24.2	20.5-27.9	494	66.8	62.7-70.9
Less than \$15,000	151	19,901	40	27.9	18.5-37.3	12	8.9	2.6-15.2	45	22.9	14.9-30.9	54	40.2	29.4-51.0
\$15,000- 24,999	301	41,524	54	20.0	13.5-26.5	21	10.9	5.0-16.8	89	27.0	20.7-33.3	137	42.0	34.7-49.3
\$25,000- 34,999	150	20,955	19	11.4	5.5-17.3	10	7.4	2.3-12.5	48	25.3	16.9-33.7	73	56.0	45.6-66.4
\$35,000- 49,999	265	41,854	41	19.9	11.9-27.9	19	6.7	3.2-10.2	85	23.5	17.8-29.2	120	50.0	41.6-58.4
\$50,000- 74,999	290	47,373	32	10.9	6.2-15.6	11	3.2	0.7- 5.7	105	30.5	23.4-37.6	142	55.4	47.4-63.4
\$75,000+	727	125,906	61	9.4	6.7-12.1	23	3.7	1.9- 5.5	232	29.6	25.3-33.9	411	57.3	52.6-62.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	382,099	265	10.6	9.0-12.2	116	4.3	3.3- 5.3	768	24.4	22.2-26.6	1655	60.7	58.2-63.2
White/Non-Hisp	1922	247,466	195	11.5	9.5-13.5	71	4.5	3.1- 5.9	624	29.5	27.0-32.0	1032	54.5	51.6-57.4
Black or Afr. Am./Non-Hisp	404	79,746	43	11.9	7.8-16.0	23	4.0	2.0- 6.0	78	17.5	12.6-22.4	260	66.7	60.6-72.8
Oth. Race/Non-Hisp.	83	13,550	6	3.0	0.3- 5.7	4	1.8	0.0- 3.8	21	20.7	8.4-33.0	52	74.5	61.6-87.4
Hispanic	280	30,770	10	4.7	1.2- 8.2	9	3.3	0.6- 6.0	19	5.3	2.2- 8.4	242	86.7	81.4-92.0
18-24	145	39,532	10	8.6	3.1-14.1	3	1.6	0.0- 4.0	9	7.1	2.0-12.2	123	82.6	75.0-90.2
25-34	274	59,686	29	12.5	6.8-18.2	14	7.9	3.0-12.8	33	13.4	8.3-18.5	198	66.2	58.6-73.8
35-44	321	55,683	40	13.9	9.0-18.8	16	3.2	1.2- 5.2	59	19.3	13.8-24.8	206	63.6	56.9-70.3
45-54	433	60,780	55	12.3	8.6-16.0	21	4.6	2.2- 7.0	100	24.6	19.1-30.1	257	58.5	52.6-64.4
55-64	599	69,985	76	12.9	9.8-16.0	33	5.6	3.4- 7.8	182	30.5	25.8-35.2	308	51.0	45.9-56.1
65+	1032	96,434	55	5.7	3.7- 7.7	29	2.5	1.5- 3.5	385	36.7	33.0-40.4	563	55.1	51.2-59.0
Less Than H.S.	275	44,639	42	19.7	12.4-27.0	13	5.6	0.7-10.5	58	21.4	14.9-27.9	162	53.3	44.5-62.1
H.S. or G.E.D.	775	112,339	113	14.9	11.8-18.0	40	4.8	3.0- 6.6	205	25.4	21.3-29.5	417	55.0	50.3-59.7
Some Post-H.S.	745	111,137	74	10.4	7.5-13.3	32	3.8	1.8- 5.8	222	26.9	23.0-30.8	417	58.9	54.2-63.6
College Graduate	997	112,674	35	3.1	1.7- 4.5	29	3.5	1.9- 5.1	281	22.2	19.1-25.3	652	71.2	67.7-74.7
Less than \$15,000	238	26,411	46	20.0	13.1-26.9	17	7.5	2.2-12.8	50	24.1	15.3-32.9	125	48.4	39.4-57.4
\$15,000- 24,999	457	63,232	71	18.7	13.8-23.6	21	4.6	2.2- 7.0	121	26.9	21.2-32.6	244	49.8	43.5-56.1
\$25,000- 34,999	243	30,312	29	12.7	7.4-18.0	13	4.6	1.7- 7.5	68	22.4	15.9-28.9	133	60.3	52.5-68.1
\$35,000- 49,999	295	38,301	23	6.4	3.3- 9.5	10	4.9	0.6- 9.2	93	27.2	20.7-33.7	169	61.6	54.0-69.2
\$50,000- 74,999	349	45,859	25	8.0	4.5-11.5	10	2.1	0.5- 3.7	115	31.3	24.8-37.8	199	58.7	51.8-65.6
\$75,000+	691	106,283	33	6.1	3.6- 8.6	25	4.4	1.9- 6.9	192	22.5	18.8-26.2	441	67.0	62.5-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5011	732,159	4243	83.5	82.1-84.9	768	16.5	15.1-17.9
Male	2207	350,060	1820	81.7	79.5-83.9	387	18.3	16.1-20.5
Female	2804	382,099	2423	85.1	83.3-86.9	381	14.9	13.1-16.7
White/Non-Hisp	3426	473,313	2908	83.0	81.2-84.8	518	17.0	15.2-18.8
Black or Afr. Am./Non-Hisp	670	147,783	551	82.6	78.9-86.3	119	17.4	13.7-21.1
Oth. Race/Non-Hisp.	188	32,286	161	93.2	89.7-96.7	27	6.8	3.3-10.3
MultiRacial/Non-Hisp.	79	5,456	59	73.8	61.5-86.1	20	26.2	13.9-38.5
Hispanic	519	57,345	450	84.4	79.9-88.9	69	15.6	11.1-20.1
18-24	295	82,363	263	89.5	85.6-93.4	32	10.5	6.6-14.4
25-34	503	120,417	412	77.9	72.8-83.0	91	22.1	17.0-27.2
35-44	602	108,316	466	77.6	73.3-81.9	136	22.4	18.1-26.7
45-54	778	117,152	621	80.6	77.3-83.9	157	19.4	16.1-22.7
55-64	1069	130,259	867	81.7	79.0-84.4	202	18.3	15.6-21.0
65+	1764	173,651	1614	91.5	89.9-93.1	150	8.5	6.9-10.1
Less Than H.S.	504	82,738	383	71.0	65.3-76.7	121	29.0	23.3-34.7
H.S. or G.E.D.	1409	228,093	1102	78.4	75.5-81.3	307	21.6	18.7-24.5
Some Post-H.S.	1298	210,095	1095	85.2	82.7-87.7	203	14.8	12.3-17.3
College Graduate	1780	208,950	1648	92.3	90.7-93.9	132	7.7	6.1- 9.3
Less than \$15,000	389	46,313	274	68.5	62.0-75.0	115	31.5	25.0-38.0
\$15,000- 24,999	758	104,756	591	73.7	69.2-78.2	167	26.3	21.8-30.8
\$25,000- 34,999	393	51,267	322	82.1	77.4-86.8	71	17.9	13.2-22.6
\$35,000- 49,999	560	80,155	467	80.7	75.6-85.8	93	19.3	14.2-24.4
\$50,000- 74,999	639	93,232	561	87.9	84.6-91.2	78	12.1	8.8-15.4
\$75,000+	1418	232,189	1276	88.1	85.7-90.5	142	11.9	9.5-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	350,060	1820	81.7	79.5-83.9	387	18.3	16.1-20.5
White/Non-Hisp	1504	225,847	1252	81.9	79.4-84.4	252	18.1	15.6-20.6
Black or Afr. Am./Non-Hisp	266	68,037	213	80.8	74.5-87.1	53	19.2	12.9-25.5
Oth. Race/Non-Hisp.	105	18,736	88	91.7	86.2-97.2	17	8.3	2.8-13.8
Hispanic	239	26,575	189	75.6	67.8-83.4	50	24.4	16.6-32.2
18-24	150	42,832	131	89.3	84.0-94.6	19	10.7	5.4-16.0
25-34	229	60,732	181	76.3	68.9-83.7	48	23.7	16.3-31.1
35-44	281	52,634	201	71.9	65.0-78.8	80	28.1	21.2-35.0
45-54	345	56,372	264	77.9	72.6-83.2	81	22.1	16.8-27.4
55-64	470	60,274	377	81.9	77.8-86.0	93	18.1	14.0-22.2
65+	732	77,217	666	91.2	88.7-93.7	66	8.8	6.3-11.3
Less Than H.S.	229	38,099	163	66.8	59.0-74.6	66	33.2	25.4-41.0
H.S. or G.E.D.	634	115,754	480	76.4	71.9-80.9	154	23.6	19.1-28.1
Some Post-H.S.	553	98,958	456	84.5	80.6-88.4	97	15.5	11.6-19.4
College Graduate	783	96,276	715	91.0	88.3-93.7	68	9.0	6.3-11.7
Less than \$15,000	151	19,901	99	63.2	53.0-73.4	52	36.8	26.6-47.0
\$15,000- 24,999	301	41,524	226	69.0	61.4-76.6	75	31.0	23.4-38.6
\$25,000- 34,999	150	20,955	121	81.3	73.9-88.7	29	18.7	11.3-26.1
\$35,000- 49,999	265	41,854	205	73.4	65.2-81.6	60	26.6	18.4-34.8
\$50,000- 74,999	290	47,373	247	85.9	80.6-91.2	43	14.1	8.8-19.4
\$75,000+	727	125,906	643	86.9	83.8-90.0	84	13.1	10.0-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	382,099	2423	85.1	83.3-86.9	381	14.9	13.1-16.7
White/Non-Hisp	1922	247,466	1656	84.0	81.6-86.4	266	16.0	13.6-18.4
Black or Afr. Am./Non-Hisp	404	79,746	338	84.1	79.6-88.6	66	15.9	11.4-20.4
Oth. Race/Non-Hisp.	83	13,550	73	95.2	91.7-98.7	10	4.8	1.3- 8.3
Hispanic	280	30,770	261	92.0	87.7-96.3	19	8.0	3.7-12.3
18-24	145	39,532	132	89.7	83.8-95.6	13	10.3	4.4-16.2
25-34	274	59,686	231	79.5	72.4-86.6	43	20.5	13.4-27.6
35-44	321	55,683	265	82.9	77.8-88.0	56	17.1	12.0-22.2
45-54	433	60,780	357	83.1	79.0-87.2	76	16.9	12.8-21.0
55-64	599	69,985	490	81.5	77.8-85.2	109	18.5	14.8-22.2
65+	1032	96,434	948	91.7	89.5-93.9	84	8.3	6.1-10.5
Less Than H.S.	275	44,639	220	74.6	66.6-82.6	55	25.4	17.4-33.4
H.S. or G.E.D.	775	112,339	622	80.4	76.9-83.9	153	19.6	16.1-23.1
Some Post-H.S.	745	111,137	639	85.8	82.5-89.1	106	14.2	10.9-17.5
College Graduate	997	112,674	933	93.4	91.4-95.4	64	6.6	4.6- 8.6
Less than \$15,000	238	26,411	175	72.5	64.5-80.5	63	27.5	19.5-35.5
\$15,000- 24,999	457	63,232	365	76.7	71.4-82.0	92	23.3	18.0-28.6
\$25,000- 34,999	243	30,312	201	82.6	76.7-88.5	42	17.4	11.5-23.3
\$35,000- 49,999	295	38,301	262	88.8	83.7-93.9	33	11.2	6.1-16.3
\$50,000- 74,999	349	45,859	314	90.0	86.1-93.9	35	10.0	6.1-13.9
\$75,000+	691	106,283	633	89.5	86.2-92.8	58	10.5	7.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4962	725,623	2580	54.3	52.3-56.3	2382	45.7	43.7-47.7
Male	2189	346,428	1273	59.8	57.1-62.5	916	40.2	37.5-42.9
Female	2773	379,195	1307	49.2	46.7-51.7	1466	50.8	48.3-53.3
White/Non-Hisp	3396	470,844	1916	58.1	55.9-60.3	1480	41.9	39.7-44.1
Black or Afr. Am./Non-Hisp	659	143,901	284	46.8	41.7-51.9	375	53.2	48.1-58.3
Oth. Race/Non-Hisp.	184	32,065	87	52.8	41.8-63.8	97	47.2	36.2-58.2
MultiRacial/Non-Hisp.	78	5,329	31	54.7	39.8-69.6	47	45.3	30.4-60.2
Hispanic	517	57,569	206	45.0	38.9-51.1	311	55.0	48.9-61.1
18-24	293	82,019	154	52.6	45.0-60.2	139	47.4	39.8-55.0
25-34	500	119,741	279	62.0	56.5-67.5	221	38.0	32.5-43.5
35-44	595	106,619	340	60.2	55.3-65.1	255	39.8	34.9-44.7
45-54	767	115,380	432	56.0	51.5-60.5	335	44.0	39.5-48.5
55-64	1057	128,397	528	50.2	46.5-53.9	529	49.8	46.1-53.5
65+	1750	173,466	847	47.9	45.0-50.8	903	52.1	49.2-55.0
Less Than H.S.	494	81,099	132	29.3	23.8-34.8	362	70.7	65.2-76.2
H.S. or G.E.D.	1388	225,208	608	47.7	44.0-51.4	780	52.3	48.6-56.0
Some Post-H.S.	1291	210,350	685	57.5	54.0-61.0	606	42.5	39.0-46.0
College Graduate	1768	206,711	1147	68.1	65.4-70.8	621	31.9	29.2-34.6
Less than \$15,000	382	46,078	118	35.9	28.6-43.2	264	64.1	56.8-71.4
\$15,000- 24,999	749	103,175	283	41.1	36.4-45.8	466	58.9	54.2-63.6
\$25,000- 34,999	397	52,563	172	46.8	40.1-53.5	225	53.2	46.5-59.9
\$35,000- 49,999	558	79,723	290	53.0	47.3-58.7	268	47.0	41.3-52.7
\$50,000- 74,999	636	92,198	373	59.8	54.3-65.3	263	40.2	34.7-45.7
\$75,000+	1408	229,522	987	70.6	67.5-73.7	421	29.4	26.3-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2189	346,428	1273	59.8	57.1-62.5	916	40.2	37.5-42.9
White/Non-Hisp	1492	225,182	920	63.4	60.3-66.5	572	36.6	33.5-39.7
Black or Afr. Am./Non-Hisp	257	64,648	126	51.4	43.4-59.4	131	48.6	40.6-56.6
Oth. Race/Non-Hisp.	105	18,700	58	56.8	42.3-71.3	47	43.2	28.7-57.7
Hispanic	241	26,928	123	59.4	51.2-67.6	118	40.6	32.4-48.8
18-24	150	43,092	87	57.6	47.4-67.8	63	42.4	32.2-52.6
25-34	227	59,947	141	66.2	58.6-73.8	86	33.8	26.2-41.4
35-44	275	50,868	172	65.0	57.7-72.3	103	35.0	27.7-42.3
45-54	337	55,306	203	60.6	53.9-67.3	134	39.4	32.7-46.1
55-64	467	59,209	245	52.1	46.4-57.8	222	47.9	42.2-53.6
65+	733	78,006	425	58.1	53.8-62.4	308	41.9	37.6-46.2
Less Than H.S.	225	37,215	86	41.2	32.8-49.6	139	58.8	50.4-67.2
H.S. or G.E.D.	626	114,094	329	54.6	49.3-59.9	297	45.4	40.1-50.7
Some Post-H.S.	550	98,781	320	60.7	55.4-66.0	230	39.3	34.0-44.6
College Graduate	779	95,393	535	72.7	68.8-76.6	244	27.3	23.4-31.2
Less than \$15,000	145	19,631	64	46.0	35.0-57.0	81	54.0	43.0-65.0
\$15,000- 24,999	296	40,544	127	45.6	38.0-53.2	169	54.4	46.8-62.0
\$25,000- 34,999	152	21,490	72	54.4	44.0-64.8	80	45.6	35.2-56.0
\$35,000- 49,999	267	41,332	157	60.3	52.7-67.9	110	39.7	32.1-47.3
\$50,000- 74,999	289	46,742	169	57.5	49.1-65.9	120	42.5	34.1-50.9
\$75,000+	722	124,590	520	72.8	68.5-77.1	202	27.2	22.9-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2773	379,195	1307	49.2	46.7-51.7	1466	50.8	48.3-53.3
White/Non-Hisp	1904	245,662	996	53.3	50.4-56.2	908	46.7	43.8-49.6
Black or Afr. Am./Non-Hisp	402	79,254	158	43.1	36.4-49.8	244	56.9	50.2-63.6
Oth. Race/Non-Hisp.	79	13,365	29	47.2	29.6-64.8	50	52.8	35.2-70.4
Hispanic	276	30,641	83	32.5	24.9-40.1	193	67.5	59.9-75.1
18-24	143	38,928	67	47.1	35.9-58.3	76	52.9	41.7-64.1
25-34	273	59,794	138	57.7	50.1-65.3	135	42.3	34.7-49.9
35-44	320	55,751	168	55.9	49.0-62.8	152	44.1	37.2-51.0
45-54	430	60,074	229	51.9	46.0-57.8	201	48.1	42.2-54.0
55-64	590	69,188	283	48.6	43.5-53.7	307	51.4	46.3-56.5
65+	1017	95,460	422	39.6	35.9-43.3	595	60.4	56.7-64.1
Less Than H.S.	269	43,884	46	19.1	12.6-25.6	223	80.9	74.4-87.4
H.S. or G.E.D.	762	111,114	279	40.7	35.8-45.6	483	59.3	54.4-64.2
Some Post-H.S.	741	111,570	365	54.7	49.8-59.6	376	45.3	40.4-50.2
College Graduate	989	111,318	612	64.1	60.2-68.0	377	35.9	32.0-39.8
Less than \$15,000	237	26,447	54	28.4	19.0-37.8	183	71.6	62.2-81.0
\$15,000- 24,999	453	62,631	156	38.1	32.0-44.2	297	61.9	55.8-68.0
\$25,000- 34,999	245	31,073	100	41.6	33.4-49.8	145	58.4	50.2-66.6
\$35,000- 49,999	291	38,392	133	45.2	37.0-53.4	158	54.8	46.6-63.0
\$50,000- 74,999	347	45,456	204	62.3	55.4-69.2	143	37.7	30.8-44.6
\$75,000+	686	104,933	467	68.1	63.6-72.6	219	31.9	27.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION  
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4962	725,623	1500	31.7	29.9-33.5	525	12.0	10.6-13.4	186	3.8	3.2- 4.4	369	6.7	5.7- 7.7	2382	45.7	43.7-47.7
Male	2189	346,428	664	31.5	29.0-34.0	264	14.0	11.8-16.2	120	5.8	4.6- 7.0	225	8.5	7.1- 9.9	916	40.2	37.5-42.9
Female	2773	379,195	836	32.0	29.6-34.4	261	10.2	8.6-11.8	66	1.9	1.3- 2.5	144	5.1	3.9- 6.3	1466	50.8	48.3-53.3
White/Non-Hisp	3396	470,844	1044	32.1	30.1-34.1	405	13.0	11.4-14.6	164	5.1	4.1- 6.1	303	7.9	6.7- 9.1	1480	41.9	39.7-44.1
Black or Afr. Am./Non-Hisp	659	143,901	181	28.5	23.6-33.4	63	11.8	8.3-15.3	12	1.7	0.7- 2.7	28	4.7	2.5- 6.9	375	53.2	48.1-58.3
Oth. Race/Non-Hisp.	184	32,065	61	39.7	28.9-50.5	13	8.9	1.6-16.2	1	0.2	0.0- 0.6	12	3.9	1.0- 6.8	97	47.2	36.2-58.2
MultiRacial/Non-Hisp.	78	5,329	19	31.4	17.3-45.5	7	17.2	0.0-35.4	1	1.5	0.0- 4.4	4	4.7	0.0-10.6	47	45.3	30.4-60.2
Hispanic	517	57,569	160	34.0	28.3-39.7	28	6.9	3.4-10.4	4	1.0	0.0- 2.0	14	3.2	1.0- 5.4	311	55.0	48.9-61.1
18-24	293	82,019	101	31.6	24.9-38.3	40	15.5	10.0-21.0	8	3.0	0.6- 5.4	5	2.5	0.0- 5.2	139	47.4	39.8-55.0
25-34	500	119,741	186	38.6	33.1-44.1	65	16.5	11.8-21.2	8	2.2	0.4- 4.0	20	4.7	2.2- 7.2	221	38.0	32.5-43.5
35-44	595	106,619	216	37.2	32.1-42.3	67	12.7	9.2-16.2	21	4.0	2.2- 5.8	36	6.3	3.9- 8.7	255	39.8	34.9-44.7
45-54	767	115,380	247	32.1	28.0-36.2	96	12.4	9.7-15.1	37	4.7	2.9- 6.5	52	6.9	4.7- 9.1	335	44.0	39.5-48.5
55-64	1057	128,397	303	28.6	25.1-32.1	112	10.4	8.2-12.6	50	5.0	3.4- 6.6	63	6.2	4.4- 8.0	529	49.8	46.1-53.5
65+	1750	173,466	447	25.9	23.4-28.4	145	7.9	6.3- 9.5	62	3.7	2.7- 4.7	193	10.5	8.7-12.3	903	52.1	49.2-55.0
Less Than H.S.	494	81,099	90	18.9	14.4-23.4	16	5.5	2.4- 8.6	5	0.9	0.0- 1.9	21	3.9	1.7- 6.1	362	70.7	65.2-76.2
H.S. or G.E.D.	1388	225,208	381	29.5	26.2-32.8	108	10.2	7.8-12.6	28	2.2	1.2- 3.2	91	5.9	4.3- 7.5	780	52.3	48.6-56.0
Some Post-H.S.	1291	210,350	403	34.1	30.6-37.6	136	11.8	9.3-14.3	52	4.4	3.0- 5.8	94	7.3	5.3- 9.3	606	42.5	39.0-46.0
College Graduate	1768	206,711	619	36.8	33.9-39.7	265	17.0	14.6-19.4	101	6.1	4.7- 7.5	162	8.1	6.5- 9.7	621	31.9	29.2-34.6
Less than \$15,000	382	46,078	78	24.0	17.3-30.7	15	6.1	1.6-10.6	3	0.6	0.0- 1.2	22	5.2	2.3- 8.1	264	64.1	56.8-71.4
\$15,000- 24,999	749	103,175	178	26.6	22.3-30.9	62	9.7	6.6-12.8	9	1.3	0.3- 2.3	34	3.5	2.1- 4.9	466	58.9	54.2-63.6
\$25,000- 34,999	397	52,563	116	30.7	24.6-36.8	28	10.7	5.6-15.8	12	2.9	1.1- 4.7	16	2.6	1.0- 4.2	225	53.2	46.5-59.9
\$35,000- 49,999	558	79,723	179	34.9	29.0-40.8	51	8.9	6.2-11.6	17	3.7	1.7- 5.7	43	5.4	3.4- 7.4	268	47.0	41.3-52.7
\$50,000- 74,999	636	92,198	220	36.4	31.1-41.7	69	10.2	7.1-13.3	23	3.3	1.7- 4.9	61	9.9	6.8-13.0	263	40.2	34.7-45.7
\$75,000+	1408	229,522	507	36.2	32.9-39.5	238	18.7	15.8-21.6	97	6.8	5.0- 8.6	145	8.9	7.1-10.7	421	29.4	26.3-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 10: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2189	346,428	664	31.5	29.0-34.0	264	14.0	11.8-16.2	120	5.8	4.6- 7.0	225	8.5	7.1- 9.9	916	40.2	37.5-42.9
White/Non-Hisp	1492	225,182	438	30.3	27.4-33.2	199	15.3	12.8-17.8	104	7.7	5.9- 9.5	179	10.0	8.2-11.8	572	36.6	33.5-39.7
Black or Afr. Am./Non-Hisp	257	64,648	71	29.4	21.8-37.0	29	13.4	7.3-19.5	9	3.1	0.9- 5.3	17	5.5	2.6- 8.4	131	48.6	40.6-56.6
Oth. Race/Non-Hisp.	105	18,700	41	44.9	30.8-59.0	7	7.3	0.4-14.2	1	0.4	0.0- 1.2	9	4.2	0.7- 7.7	47	43.2	28.7-57.7
Hispanic	241	26,928	89	40.5	31.9-49.1	19	11.7	4.8-18.6	4	2.0	0.0- 4.2	11	5.1	1.2- 9.0	118	40.6	32.4-48.8
18-24	150	43,092	53	28.6	20.2-37.0	23	21.0	12.2-29.8	8	5.8	1.3-10.3	3	2.3	0.0- 4.8	63	42.4	32.2-52.6
25-34	227	59,947	80	36.7	28.7-44.7	38	19.7	12.6-26.8	7	3.7	0.6- 6.8	16	6.2	2.5- 9.9	86	33.8	26.2-41.4
35-44	275	50,868	105	39.3	31.7-46.9	28	11.3	6.4-16.2	15	5.8	2.7- 8.9	24	8.6	4.7-12.5	103	35.0	27.7-42.3
45-54	337	55,306	98	29.4	23.5-35.3	50	15.5	10.8-20.2	24	7.1	3.8-10.4	31	8.5	5.2-11.8	134	39.4	32.7-46.1
55-64	467	59,209	121	26.7	21.4-32.0	56	10.8	7.7-13.9	30	7.1	4.4- 9.8	38	7.5	4.8-10.2	222	47.9	42.2-53.6
65+	733	78,006	207	29.2	25.3-33.1	69	8.9	6.4-11.4	36	5.7	3.5- 7.9	113	14.2	11.3-17.1	308	41.9	37.6-46.2
Less Than H.S.	225	37,215	55	26.4	19.0-33.8	11	8.3	2.8-13.8	5	2.1	0.1- 4.1	15	4.5	1.8- 7.2	139	58.8	50.4-67.2
H.S. or G.E.D.	626	114,094	184	29.8	24.9-34.7	65	13.2	9.3-17.1	20	3.5	1.7- 5.3	60	8.1	5.6-10.6	297	45.4	40.1-50.7
Some Post-H.S.	550	98,781	168	31.7	26.6-36.8	66	14.0	9.7-18.3	36	7.3	4.6-10.0	50	7.8	5.1-10.5	230	39.3	34.0-44.6
College Graduate	779	95,393	255	35.4	30.9-39.9	122	17.4	13.7-21.1	59	8.7	6.2-11.2	99	11.2	8.7-13.7	244	27.3	23.4-31.2
Less than \$15,000	145	19,631	35	22.7	14.3-31.1	10	11.5	1.5-21.5	2	1.0	0.0- 2.6	17	10.7	4.4-17.0	81	54.0	43.0-65.0
\$15,000- 24,999	296	40,544	73	28.6	21.3-35.9	35	11.5	7.0-16.0	6	2.7	0.2- 5.2	13	2.8	1.0- 4.6	169	54.4	46.8-62.0
\$25,000- 34,999	152	21,490	42	30.7	21.1-40.3	15	14.8	4.8-24.8	8	5.5	1.4- 9.6	7	3.5	0.2- 6.8	80	45.6	35.2-56.0
\$35,000- 49,999	267	41,332	87	37.4	28.8-46.0	26	9.2	5.1-13.3	13	5.6	2.3- 8.9	31	8.1	4.8-11.4	110	39.7	32.1-47.3
\$50,000- 74,999	289	46,742	90	29.4	22.1-36.7	24	10.4	5.5-15.3	16	5.1	2.4- 7.8	39	12.7	7.6-17.8	120	42.5	34.1-50.9
\$75,000+	722	124,590	244	33.5	29.0-38.0	122	19.9	15.8-24.0	60	8.8	6.1-11.5	94	10.6	8.1-13.1	202	27.2	22.9-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 10: ALCOHOL CONSUMPTION  
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2773	379,195	836	32.0	29.6-34.4	261	10.2	8.6-11.8	66	1.9	1.3- 2.5	144	5.1	3.9- 6.3	1466	50.8	48.3-53.3
White/Non-Hisp	1904	245,662	606	33.7	31.0-36.4	206	11.0	9.2-12.8	60	2.7	1.9- 3.5	124	6.0	4.6- 7.4	908	46.7	43.8-49.6
Black or Afr. Am./Non-Hisp	402	79,254	110	27.8	21.5-34.1	34	10.6	6.5-14.7	3	0.6	0.0- 1.4	11	4.1	1.0- 7.2	244	56.9	50.2-63.6
Oth. Race/Non-Hisp.	79	13,365	20	32.5	15.1-49.9	6	11.1	0.0-25.4				3	3.5	0.0- 8.6	50	52.8	35.2-70.4
Hispanic	276	30,641	71	28.2	20.9-35.5	9	2.7	0.5- 4.9				3	1.6	0.0- 4.0	193	67.5	59.9-75.1
18-24	143	38,928	48	35.1	24.7-45.5	17	9.4	4.3-14.5				2	2.7	0.0- 7.4	76	52.9	41.7-64.1
25-34	273	59,794	106	40.5	32.9-48.1	27	13.3	7.4-19.2	1	0.6	0.0- 1.8	4	3.3	0.0- 6.6	135	42.3	34.7-49.9
35-44	320	55,751	111	35.2	28.5-41.9	39	14.0	8.9-19.1	6	2.3	0.1- 4.5	12	4.3	1.6- 7.0	152	44.1	37.2-51.0
45-54	430	60,074	149	34.5	28.8-40.2	46	9.5	6.4-12.6	13	2.6	1.0- 4.2	21	5.3	2.6- 8.0	201	48.1	42.2-54.0
55-64	590	69,188	182	30.3	25.8-34.8	56	10.1	7.2-13.0	20	3.3	1.5- 5.1	25	5.0	2.6- 7.4	307	51.4	46.3-56.5
65+	1017	95,460	240	23.1	19.8-26.4	76	7.1	5.1- 9.1	26	1.9	1.1- 2.7	80	7.5	5.5- 9.5	595	60.4	56.7-64.1
Less Than H.S.	269	43,884	35	12.6	7.7-17.5	5	3.1	0.0- 6.6				6	3.4	0.3- 6.5	223	80.9	74.4-87.4
H.S. or G.E.D.	762	111,114	197	29.1	24.4-33.8	43	7.1	4.6- 9.6	8	0.9	0.3- 1.5	31	3.7	1.9- 5.5	483	59.3	54.4-64.2
Some Post-H.S.	741	111,570	235	36.2	31.5-40.9	70	9.9	7.0-12.8	16	1.8	0.6- 3.0	44	6.8	4.1- 9.5	376	45.3	40.4-50.2
College Graduate	989	111,318	364	38.1	34.2-42.0	143	16.7	13.4-20.0	42	3.9	2.5- 5.3	63	5.4	3.8- 7.0	377	35.9	32.0-39.8
Less than \$15,000	237	26,447	43	25.0	15.6-34.4	5	2.1	0.0- 4.3	1	0.2	0.0- 0.6	5	1.1	0.0- 2.3	183	71.6	62.2-81.0
\$15,000- 24,999	453	62,631	105	25.4	20.1-30.7	27	8.5	4.2-12.8	3	0.3	0.0- 0.7	21	4.0	2.0- 6.0	297	61.9	55.8-68.0
\$25,000- 34,999	245	31,073	74	30.6	22.8-38.4	13	7.9	3.0-12.8	4	1.2	0.0- 2.4	9	2.0	0.6- 3.4	145	58.4	50.2-66.6
\$35,000- 49,999	291	38,392	92	32.3	24.3-40.3	25	8.7	4.8-12.6	4	1.6	0.0- 3.4	12	2.6	0.8- 4.4	158	54.8	46.6-63.0
\$50,000- 74,999	347	45,456	130	43.7	36.4-51.0	45	10.0	6.5-13.5	7	1.6	0.2- 3.0	22	7.0	3.1-10.9	143	37.7	30.8-44.6
\$75,000+	686	104,933	263	39.5	34.6-44.4	116	17.3	13.4-21.2	37	4.3	2.5- 6.1	51	6.9	4.4- 9.4	219	31.9	27.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4902	716,935	4250	83.6	82.0-85.2	652	16.4	14.8-18.0
Male	2155	342,075	1764	78.8	76.4-81.2	391	21.2	18.8-23.6
Female	2747	374,860	2486	88.1	86.3-89.9	261	11.9	10.1-13.7
White/Non-Hisp	3367	467,459	2896	82.5	80.7-84.3	471	17.5	15.7-19.3
Black or Afr. Am./Non-Hisp	644	140,529	573	86.1	82.2-90.0	71	13.9	10.0-17.8
Oth. Race/Non-Hisp.	182	31,533	158	85.3	76.9-93.7	24	14.7	6.3-23.1
MultiRacial/Non-Hisp.	76	5,270	67	87.6	78.4-96.8	9	12.4	3.2-21.6
Hispanic	509	56,782	439	82.9	78.0-87.8	70	17.1	12.2-22.0
18-24	289	80,503	216	73.4	66.9-79.9	73	26.6	20.1-33.1
25-34	493	118,421	389	75.7	70.4-81.0	104	24.3	19.0-29.6
35-44	588	105,463	459	75.5	71.0-80.0	129	24.5	20.0-29.0
45-54	754	114,010	630	84.2	81.1-87.3	124	15.8	12.7-18.9
55-64	1048	127,478	913	88.2	86.0-90.4	135	11.8	9.6-14.0
65+	1730	171,060	1643	95.2	94.0-96.4	87	4.8	3.6- 6.0
Less Than H.S.	484	79,801	431	88.9	85.4-92.4	53	11.1	7.6-14.6
H.S. or G.E.D.	1369	222,549	1178	81.9	78.8-85.0	191	18.1	15.0-21.2
Some Post-H.S.	1275	207,429	1100	83.4	80.5-86.3	175	16.6	13.7-19.5
College Graduate	1754	205,159	1522	83.6	81.2-86.0	232	16.4	14.0-18.8
Less than \$15,000	374	45,082	320	83.7	78.0-89.4	54	16.3	10.6-22.0
\$15,000- 24,999	741	102,288	674	88.7	85.4-92.0	67	11.3	8.0-14.6
\$25,000- 34,999	390	51,670	348	85.3	79.8-90.8	42	14.7	9.2-20.2
\$35,000- 49,999	552	79,088	471	85.8	82.1-89.5	81	14.2	10.5-17.9
\$50,000- 74,999	625	90,707	545	81.6	76.7-86.5	80	18.4	13.5-23.3
\$75,000+	1402	228,598	1138	76.7	73.6-79.8	264	23.3	20.2-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	342,075	1764	78.8	76.4-81.2	391	21.2	18.8-23.6
White/Non-Hisp	1477	223,532	1201	77.6	74.7-80.5	276	22.4	19.5-25.3
Black or Afr. Am./Non-Hisp	251	63,454	214	83.3	76.8-89.8	37	16.7	10.2-23.2
Oth. Race/Non-Hisp.	103	18,168	83	82.1	72.1-92.1	20	17.9	7.9-27.9
Hispanic	234	26,182	186	72.0	63.4-80.6	48	28.0	19.4-36.6
18-24	149	43,019	100	65.3	55.7-74.9	49	34.7	25.1-44.3
25-34	223	59,243	159	70.1	62.3-77.9	64	29.9	22.1-37.7
35-44	271	49,942	201	71.9	64.8-79.0	70	28.1	21.0-35.2
45-54	331	54,909	252	78.3	73.2-83.4	79	21.7	16.6-26.8
55-64	463	58,807	387	84.8	81.1-88.5	76	15.2	11.5-18.9
65+	718	76,155	665	93.3	91.1-95.5	53	6.7	4.5- 8.9
Less Than H.S.	218	36,439	178	81.5	74.8-88.2	40	18.5	11.8-25.2
H.S. or G.E.D.	613	112,485	502	78.3	73.6-83.0	111	21.7	17.0-26.4
Some Post-H.S.	543	97,908	431	77.1	72.2-82.0	112	22.9	18.0-27.8
College Graduate	773	94,556	645	79.9	76.2-83.6	128	20.1	16.4-23.8
Less than \$15,000	139	18,932	105	74.4	63.8-85.0	34	25.6	15.0-36.2
\$15,000- 24,999	292	39,918	253	86.5	81.4-91.6	39	13.5	8.4-18.6
\$25,000- 34,999	150	21,178	129	80.8	70.4-91.2	21	19.2	8.8-29.6
\$35,000- 49,999	261	40,696	211	82.7	77.0-88.4	50	17.3	11.6-23.0
\$50,000- 74,999	283	45,996	235	76.9	69.6-84.2	48	23.1	15.8-30.4
\$75,000+	719	123,859	556	72.5	68.0-77.0	163	27.5	23.0-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2747	374,860	2486	88.1	86.3-89.9	261	11.9	10.1-13.7
White/Non-Hisp	1890	243,927	1695	87.0	84.8-89.2	195	13.0	10.8-15.2
Black or Afr. Am./Non-Hisp	393	77,075	359	88.5	84.0-93.0	34	11.5	7.0-16.0
Oth. Race/Non-Hisp.	79	13,365	75	89.6	74.3- 100	4	10.4	0.0-25.7
Hispanic	275	30,600	253	92.2	87.9-96.5	22	7.8	3.5-12.1
18-24	140	37,484	116	82.8	75.2-90.4	24	17.2	9.6-24.8
25-34	270	59,178	230	81.2	74.3-88.1	40	18.8	11.9-25.7
35-44	317	55,521	258	78.7	72.8-84.6	59	21.3	15.4-27.2
45-54	423	59,101	378	89.6	86.1-93.1	45	10.4	6.9-13.9
55-64	585	68,671	526	91.1	88.6-93.6	59	8.9	6.4-11.4
65+	1012	94,905	978	96.7	95.3-98.1	34	3.3	1.9- 4.7
Less Than H.S.	266	43,363	253	95.2	92.3-98.1	13	4.8	1.9- 7.7
H.S. or G.E.D.	756	110,064	676	85.6	81.5-89.7	80	14.4	10.3-18.5
Some Post-H.S.	732	109,521	669	89.0	85.7-92.3	63	11.0	7.7-14.3
College Graduate	981	110,603	877	86.8	83.9-89.7	104	13.2	10.3-16.1
Less than \$15,000	235	26,150	215	90.4	84.7-96.1	20	9.6	3.9-15.3
\$15,000- 24,999	449	62,370	421	90.1	85.8-94.4	28	9.9	5.6-14.2
\$25,000- 34,999	240	30,492	219	88.5	82.6-94.4	21	11.5	5.6-17.4
\$35,000- 49,999	291	38,392	260	89.0	84.7-93.3	31	11.0	6.7-15.3
\$50,000- 74,999	342	44,711	310	86.5	80.2-92.8	32	13.5	7.2-19.8
\$75,000+	683	104,738	582	81.7	77.6-85.8	101	18.3	14.2-22.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	>0, <=1		N	>1, <=2		N	>2, <=5		N	>5, <=10		N	>10		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4879	711,951	883	18.3	16.7-19.9	329	7.3	6.3- 8.3	525	11.1	9.9-12.3	406	8.7	7.7- 9.7	354	7.9	6.9- 8.9	2382	46.6	44.6-48.6
Male	2147	340,278	348	16.8	14.6-19.0	152	7.2	5.8- 8.6	249	11.6	9.8-13.4	228	11.1	9.3-12.9	254	12.3	10.3-14.3	916	40.9	38.2-43.6
Female	2732	371,674	535	19.7	17.7-21.7	177	7.5	5.9- 9.1	276	10.7	9.1-12.3	178	6.5	5.3- 7.7	100	3.9	2.9- 4.9	1466	51.8	49.3-54.3
White/Non-Hisp	3357	465,173	616	18.2	16.4-20.0	240	7.2	6.0- 8.4	406	12.7	11.3-14.1	325	10.3	8.9-11.7	290	9.3	7.9-10.7	1480	42.4	40.2-44.6
Black or Afr. Am./Non-Hisp	641	139,702	114	16.8	12.9-20.7	40	8.1	4.6-11.6	50	8.7	5.8-11.6	36	5.9	3.5- 8.3	26	5.7	3.0- 8.4	375	54.8	49.5-60.1
Oth. Race/Non-Hisp.	174	29,805	34	26.5	16.5-36.5	9	7.8	0.5-15.1	15	6.3	2.0-10.6	12	6.3	2.0-10.6	7	2.2	0.0- 4.4	97	50.8	39.6-62.0
MultiRacial/Non-Hisp.	75	5,222	12	21.6	9.1-34.1	3	7.1	0.0-15.7	5	15.0	0.0-33.6	3	2.1	0.0- 4.8	5	7.9	0.1-15.7	47	46.2	30.9-61.5
Hispanic	510	56,737	85	17.7	13.2-22.2	30	6.7	3.6- 9.8	38	8.2	5.1-11.3	24	5.9	2.6- 9.2	22	5.8	2.7- 8.9	311	55.8	49.7-61.9
18-24	287	80,180	48	15.1	10.2-20.0	19	5.9	2.2- 9.6	37	13.8	8.9-18.7	26	8.6	4.7-12.5	18	8.1	3.8-12.4	139	48.5	40.9-56.1
25-34	491	116,792	105	21.0	16.3-25.7	36	9.4	5.7-13.1	49	10.8	7.5-14.1	47	10.3	7.0-13.6	33	9.5	5.6-13.4	221	39.0	33.5-44.5
35-44	584	104,875	105	19.1	14.8-23.4	53	9.4	6.3-12.5	83	15.1	11.4-18.8	37	6.9	4.4- 9.4	51	9.0	6.3-11.7	255	40.4	35.3-45.5
45-54	755	114,033	134	17.2	14.1-20.3	49	6.6	4.1- 9.1	109	13.4	10.5-16.3	74	11.5	8.6-14.4	54	6.8	4.6- 9.0	335	44.5	40.0-49.0
55-64	1045	126,648	181	18.9	15.8-22.0	75	6.9	4.9- 8.9	107	9.5	7.5-11.5	77	6.6	5.0- 8.2	76	7.7	5.7- 9.7	529	50.4	46.7-54.1
65+	1717	169,424	310	17.8	15.6-20.0	97	6.2	4.8- 7.6	140	7.4	6.0- 8.8	145	8.5	6.9-10.1	122	6.9	5.5- 8.3	903	53.3	50.4-56.2
Less Than H.S.	488	80,179	54	11.5	8.0-15.0	12	3.6	1.1- 6.1	18	3.2	1.2- 5.2	17	4.9	2.0- 7.8	25	5.2	2.7- 7.7	362	71.6	66.1-77.1
H.S. or G.E.D.	1353	218,751	202	15.1	12.4-17.8	87	7.8	5.4-10.2	103	7.6	5.8- 9.4	92	7.0	5.2- 8.8	89	8.6	6.2-11.0	780	53.8	50.1-57.5
Some Post-H.S.	1270	206,304	250	20.9	17.8-24.0	74	6.1	4.3- 7.9	145	13.1	10.6-15.6	99	8.3	6.1-10.5	96	8.3	6.3-10.3	606	43.3	39.8-46.8
College Graduate	1748	204,531	372	21.7	19.2-24.2	155	9.6	7.6-11.6	258	15.9	13.5-18.3	198	12.6	10.4-14.8	144	7.9	6.3- 9.5	621	32.3	29.6-35.0
Less than \$15,000	374	45,168	41	10.7	6.4-15.0	18	7.5	2.4-12.6	16	4.6	1.9- 7.3	14	3.9	1.2- 6.6	21	7.9	2.8-13.0	264	65.4	58.1-72.7
\$15,000- 24,999	740	101,614	110	15.4	11.9-18.9	31	4.6	2.6- 6.6	56	9.1	6.2-12.0	41	5.7	3.3- 8.1	36	5.3	2.9- 7.7	466	59.8	54.9-64.7
\$25,000- 34,999	388	51,551	64	18.1	12.8-23.4	26	6.6	3.7- 9.5	35	10.4	5.5-15.3	22	6.0	2.9- 9.1	16	4.7	2.0- 7.4	225	54.2	47.5-60.9
\$35,000- 49,999	546	77,998	109	21.9	16.6-27.2	28	6.6	2.7-10.5	56	9.5	6.4-12.6	40	6.6	4.2- 9.0	45	7.4	4.9- 9.9	268	48.0	42.1-53.9
\$50,000- 74,999	627	89,737	130	20.2	15.9-24.5	51	8.3	5.4-11.2	75	11.8	8.5-15.1	56	8.3	5.8-10.8	52	10.1	6.8-13.4	263	41.3	35.8-46.8
\$75,000+	1399	228,013	286	19.6	16.9-22.3	130	10.0	7.8-12.2	237	16.5	14.0-19.0	178	13.9	11.5-16.3	147	10.4	8.2-12.6	421	29.5	26.4-32.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2147	340,278	348	16.8	14.6-19.0	152	7.2	5.8- 8.6	249	11.6	9.8-13.4	228	11.1	9.3-12.9	254	12.3	10.3-14.3	916	40.9	38.2-43.6
White/Non-Hisp	1473	222,420	227	14.6	12.2-17.0	108	7.4	5.6- 9.2	186	13.3	11.1-15.5	180	13.6	11.2-16.0	200	14.0	11.6-16.4	572	37.1	34.0-40.2
Black or Afr. Am./Non-Hisp	249	63,008	42	19.7	12.4-27.0	14	6.5	2.4-10.6	24	8.9	4.2-13.6	18	5.8	2.9- 8.7	20	9.3	4.2-14.4	131	49.9	41.9-57.9
Oth. Race/Non-Hisp.	99	17,640	23	30.9	17.4-44.4	6	5.7	0.4-11.0	8	7.0	1.1-12.9	8	6.8	0.9-12.7	7	3.7	0.2- 7.2	47	45.8	30.7-60.9
Hispanic	237	26,475	44	19.7	12.8-26.6	19	8.6	2.9-14.3	22	10.5	5.2-15.8	14	8.0	2.1-13.9	20	11.9	5.4-18.4	118	41.3	32.9-49.7
18-24	148	42,893	19	11.8	5.3-18.3	10	3.2	1.0- 5.4	25	16.8	9.5-24.1	15	10.9	4.6-17.2	16	14.8	7.4-22.2	63	42.6	32.4-52.8
25-34	222	58,862	40	18.6	11.5-25.7	15	8.9	4.2-13.6	23	10.7	5.8-15.6	36	15.0	9.3-20.7	22	12.3	6.2-18.4	86	34.4	26.6-42.2
35-44	268	49,632	46	18.7	12.0-25.4	24	10.7	5.4-16.0	40	14.2	9.1-19.3	19	6.8	3.3-10.3	36	13.7	8.8-18.6	103	35.8	28.4-43.2
45-54	333	54,999	42	13.8	9.3-18.3	18	5.1	2.4- 7.8	52	14.4	9.7-19.1	47	15.5	10.8-20.2	40	11.5	7.6-15.4	134	39.6	32.9-46.3
55-64	461	58,341	66	17.3	12.4-22.2	34	6.5	4.0- 9.0	43	7.8	5.1-10.5	40	7.9	5.2-10.6	56	11.9	8.6-15.2	222	48.6	42.7-54.5
65+	715	75,551	135	18.8	15.5-22.1	51	7.9	5.4-10.4	66	8.6	6.2-11.0	71	10.5	7.6-13.4	84	11.0	8.3-13.7	308	43.3	39.0-47.6
Less Than H.S.	221	36,465	27	13.2	7.5-18.9	9	6.0	1.1-10.9	14	6.1	2.2-10.0	13	7.4	2.3-12.5	19	7.4	3.3-11.5	139	60.0	51.6-68.4
H.S. or G.E.D.	610	111,706	92	15.7	11.6-19.8	46	7.4	4.7-10.1	53	8.2	5.7-10.7	53	8.8	6.1-11.5	69	13.5	9.4-17.6	297	46.4	40.9-51.9
Some Post-H.S.	540	97,154	89	17.5	13.0-22.0	30	5.0	2.8- 7.2	71	14.6	10.5-18.7	53	10.0	6.5-13.5	67	13.1	9.6-16.6	230	39.9	34.6-45.2
College Graduate	768	94,077	138	18.7	15.0-22.4	67	9.8	6.9-12.7	111	14.9	11.6-18.2	109	16.7	13.2-20.2	99	12.2	9.5-14.9	244	27.7	23.8-31.6
Less than \$15,000	142	19,455	16	8.8	3.7-13.9	9	8.1	1.8-14.4	8	5.5	1.4- 9.6	10	5.4	1.7- 9.1	18	17.6	6.8-28.4	81	54.5	43.3-65.7
\$15,000- 24,999	291	39,638	36	13.1	7.4-18.8	15	6.6	2.7-10.5	28	10.3	6.0-14.6	22	6.8	3.3-10.3	21	7.6	3.5-11.7	169	55.7	48.1-63.3
\$25,000- 34,999	150	21,173	24	19.5	11.1-27.9	10	7.2	2.1-12.3	15	11.4	2.0-20.8	12	7.1	2.4-11.8	9	8.6	2.3-14.9	80	46.3	35.7-56.9
\$35,000- 49,999	262	40,511	55	26.2	17.6-34.8	14	4.7	1.2- 8.2	24	9.5	4.8-14.2	23	8.0	4.5-11.5	36	11.1	6.8-15.4	110	40.5	32.7-48.3
\$50,000- 74,999	284	45,990	44	13.4	7.9-18.9	23	8.2	3.7-12.7	32	12.2	7.1-17.3	29	10.0	5.7-14.3	36	13.0	7.7-18.3	120	43.2	34.8-51.6
\$75,000+	715	123,191	120	16.3	12.8-19.8	61	8.6	5.9-11.3	119	15.5	12.2-18.8	103	17.0	13.3-20.7	110	15.2	11.9-18.5	202	27.5	23.2-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2732	371,674	535	19.7	17.7-21.7	177	7.5	5.9- 9.1	276	10.7	9.1-12.3	178	6.5	5.3- 7.7	100	3.9	2.9- 4.9	1466	51.8	49.3-54.3
White/Non-Hisp	1884	242,754	389	21.5	19.0-24.0	132	7.0	5.6- 8.4	220	12.1	10.1-14.1	145	7.2	5.8- 8.6	90	4.9	3.5- 6.3	908	47.2	44.3-50.1
Black or Afr. Am./Non-Hisp	392	76,694	72	14.5	10.4-18.6	26	9.3	4.0-14.6	26	8.5	4.8-12.2	18	6.0	2.7- 9.3	6	2.8	0.4- 5.2	244	58.8	52.1-65.5
Oth. Race/Non-Hisp.	75	12,165	11	20.2	6.1-34.3	3	10.7	0.0-26.2	7	5.4	0.0-11.5	4	5.6	0.0-12.1				50	58.1	40.9-75.3
Hispanic	273	30,262	41	15.9	10.0-21.8	11	5.1	1.8- 8.4	16	6.2	2.7- 9.7	10	4.0	0.9- 7.1	2	0.4	0.0- 1.2	193	68.4	61.0-75.8
18-24	139	37,287	29	18.9	11.3-26.5	9	9.1	1.5-16.7	12	10.4	3.9-16.9	11	6.0	1.7-10.3	2	0.5	0.0- 1.1	76	55.2	44.0-66.4
25-34	269	57,930	65	23.4	16.9-29.9	21	9.9	4.4-15.4	26	10.8	6.3-15.3	11	5.6	1.9- 9.3	11	6.8	2.3-11.3	135	43.6	36.0-51.2
35-44	316	55,243	59	19.5	13.8-25.2	29	8.2	4.7-11.7	43	15.9	10.6-21.2	18	7.1	3.4-10.8	15	4.8	1.9- 7.7	152	44.5	37.6-51.4
45-54	422	59,034	92	20.3	15.8-24.8	31	8.1	4.0-12.2	57	12.5	8.8-16.2	27	7.7	4.4-11.0	14	2.4	0.8- 4.0	201	49.0	42.9-55.1
55-64	584	68,307	115	20.2	16.1-24.3	41	7.2	4.5- 9.9	64	10.9	8.0-13.8	37	5.5	3.3- 7.7	20	4.1	1.7- 6.5	307	52.0	46.9-57.1
65+	1002	93,873	175	17.0	14.1-19.9	46	4.8	3.2- 6.4	74	6.4	4.8- 8.0	74	6.8	5.0- 8.6	38	3.6	2.2- 5.0	595	61.4	57.7-65.1
Less Than H.S.	267	43,715	27	10.0	5.7-14.3	3	1.6	0.0- 3.6	4	0.9	0.0- 1.9	4	2.8	0.0- 6.3	6	3.4	0.3- 6.5	223	81.2	74.7-87.7
H.S. or G.E.D.	743	107,045	110	14.5	11.4-17.6	41	8.2	4.5-11.9	50	7.1	4.6- 9.6	39	5.1	3.1- 7.1	20	3.5	1.3- 5.7	483	61.5	56.6-66.4
Some Post-H.S.	730	109,149	161	23.9	19.8-28.0	44	7.1	4.4- 9.8	74	11.8	8.7-14.9	46	6.7	4.3- 9.1	29	4.1	2.1- 6.1	376	46.3	41.4-51.2
College Graduate	980	110,455	234	24.3	20.8-27.8	88	9.4	6.9-11.9	147	16.8	13.7-19.9	89	9.1	6.7-11.5	45	4.2	2.6- 5.8	377	36.2	32.3-40.1
Less than \$15,000	232	25,713	25	12.1	5.6-18.6	9	7.0	0.0-14.8	8	4.0	0.5- 7.5	4	2.7	0.0- 6.4	3	0.6	0.0- 1.4	183	73.7	64.1-83.3
\$15,000- 24,999	449	61,976	74	16.9	12.4-21.4	16	3.3	1.3- 5.3	28	8.4	4.5-12.3	19	5.0	2.1- 7.9	15	3.8	1.1- 6.5	297	62.5	56.4-68.6
\$25,000- 34,999	238	30,378	40	17.1	10.4-23.8	16	6.1	2.4- 9.8	20	9.7	4.4-15.0	10	5.2	0.9- 9.5	7	2.1	0.3- 3.9	145	59.7	51.3-68.1
\$35,000- 49,999	284	37,487	54	17.2	11.9-22.5	14	8.6	1.5-15.7	32	9.6	5.5-13.7	17	5.1	2.2- 8.0	9	3.4	1.0- 5.8	158	56.2	48.0-64.4
\$50,000- 74,999	343	43,748	86	27.4	20.9-33.9	28	8.5	5.0-12.0	43	11.4	7.5-15.3	27	6.5	3.6- 9.4	16	7.0	2.7-11.3	143	39.2	32.5-45.9
\$75,000+	684	104,822	166	23.6	19.5-27.7	69	11.7	8.0-15.4	118	17.8	14.1-21.5	75	10.2	7.5-12.9	37	4.7	2.7- 6.7	219	32.0	27.3-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV6)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4879	711,951	4590	93.6	92.6-94.6	289	6.4	5.4- 7.4
Male	2147	340,278	2005	93.1	91.5-94.7	142	6.9	5.3- 8.5
Female	2732	371,674	2585	94.0	92.6-95.4	147	6.0	4.6- 7.4
White/Non-Hisp	3357	465,173	3123	93.0	91.8-94.2	234	7.0	5.8- 8.2
Black or Afr. Am./Non-Hisp	641	139,702	614	93.3	90.4-96.2	27	6.7	3.8- 9.6
Oth. Race/Non-Hisp.	174	29,805	169	99.0	98.0- 100	5	1.0	0.0- 2.0
MultiRacial/Non-Hisp.	75	5,222	72	96.1	90.2- 100	3	3.9	0.0- 9.8
Hispanic	510	56,737	493	95.7	93.0-98.4	17	4.3	1.6- 7.0
18-24	287	80,180	272	94.7	91.8-97.6	15	5.3	2.4- 8.2
25-34	491	116,792	463	91.2	87.3-95.1	28	8.8	4.9-12.7
35-44	584	104,875	537	91.4	88.5-94.3	47	8.6	5.7-11.5
45-54	755	114,033	707	94.2	92.2-96.2	48	5.8	3.8- 7.8
55-64	1045	126,648	979	93.5	91.5-95.5	66	6.5	4.5- 8.5
65+	1717	169,424	1632	95.8	94.8-96.8	85	4.2	3.2- 5.2
Less Than H.S.	488	80,179	468	95.3	92.6-98.0	20	4.7	2.0- 7.4
H.S. or G.E.D.	1353	218,751	1279	93.6	91.6-95.6	74	6.4	4.4- 8.4
Some Post-H.S.	1270	206,304	1187	93.2	91.4-95.0	83	6.8	5.0- 8.6
College Graduate	1748	204,531	1636	93.3	91.7-94.9	112	6.7	5.1- 8.3
Less than \$15,000	374	45,168	357	95.0	91.7-98.3	17	5.0	1.7- 8.3
\$15,000- 24,999	740	101,614	709	95.1	92.6-97.6	31	4.9	2.4- 7.4
\$25,000- 34,999	388	51,551	375	95.9	93.2-98.6	13	4.1	1.4- 6.8
\$35,000- 49,999	546	77,998	511	94.1	91.7-96.5	35	5.9	3.5- 8.3
\$50,000- 74,999	627	89,737	584	91.6	88.5-94.7	43	8.4	5.3-11.5
\$75,000+	1399	228,013	1280	91.8	90.0-93.6	119	8.2	6.4-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV6)**  
 Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2147	340,278	2005	93.1	91.5-94.7	142	6.9	5.3- 8.5
White/Non-Hisp	1473	222,420	1368	93.2	91.6-94.8	105	6.8	5.2- 8.4
Black or Afr. Am./Non-Hisp	249	63,008	234	92.3	87.4-97.2	15	7.7	2.8-12.6
Oth. Race/Non-Hisp.	99	17,640	94	98.4	96.8- 100	5	1.6	0.0- 3.2
Hispanic	237	26,475	224	91.6	85.9-97.3	13	8.4	2.7-14.1
18-24	148	42,893	140	93.9	89.4-98.4	8	6.1	1.6-10.6
25-34	222	58,862	209	92.1	86.6-97.6	13	7.9	2.4-13.4
35-44	268	49,632	242	90.1	85.8-94.4	26	9.9	5.6-14.2
45-54	333	54,999	306	92.2	88.9-95.5	27	7.8	4.5-11.1
55-64	461	58,341	427	92.8	90.1-95.5	34	7.2	4.5- 9.9
65+	715	75,551	681	96.5	95.1-97.9	34	3.5	2.1- 4.9
Less Than H.S.	221	36,465	208	95.8	92.9-98.7	13	4.2	1.3- 7.1
H.S. or G.E.D.	610	111,706	568	92.6	89.5-95.7	42	7.4	4.3-10.5
Some Post-H.S.	540	97,154	497	91.8	88.9-94.7	43	8.2	5.3-11.1
College Graduate	768	94,077	724	94.1	91.9-96.3	44	5.9	3.7- 8.1
Less than \$15,000	142	19,455	130	92.0	86.1-97.9	12	8.0	2.1-13.9
\$15,000- 24,999	291	39,638	279	96.0	93.1-98.9	12	4.0	1.1- 6.9
\$25,000- 34,999	150	21,173	147	96.4	92.1- 100	3	3.6	0.0- 7.9
\$35,000- 49,999	262	40,511	240	93.6	90.5-96.7	22	6.4	3.3- 9.5
\$50,000- 74,999	284	45,990	262	91.3	86.8-95.8	22	8.7	4.2-13.2
\$75,000+	715	123,191	655	91.6	89.1-94.1	60	8.4	5.9-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2732	371,674	2585	94.0	92.6-95.4	147	6.0	4.6- 7.4
White/Non-Hisp	1884	242,754	1755	92.9	91.3-94.5	129	7.1	5.5- 8.7
Black or Afr. Am./Non-Hisp	392	76,694	380	94.1	90.6-97.6	12	5.9	2.4- 9.4
Oth. Race/Non-Hisp.	75	12,165	75	100.0	100.0- 100			
Hispanic	273	30,262	269	99.2	98.4- 100	4	0.8	0.0- 1.6
18-24	139	37,287	132	95.5	91.6-99.4	7	4.5	0.6- 8.4
25-34	269	57,930	254	90.2	84.7-95.7	15	9.8	4.3-15.3
35-44	316	55,243	295	92.6	88.9-96.3	21	7.4	3.7-11.1
45-54	422	59,034	401	96.0	94.0-98.0	21	4.0	2.0- 6.0
55-64	584	68,307	552	94.1	91.6-96.6	32	5.9	3.4- 8.4
65+	1002	93,873	951	95.3	93.9-96.7	51	4.7	3.3- 6.1
Less Than H.S.	267	43,715	260	94.9	90.4-99.4	7	5.1	0.6- 9.6
H.S. or G.E.D.	743	107,045	711	94.6	92.1-97.1	32	5.4	2.9- 7.9
Some Post-H.S.	730	109,149	690	94.4	92.2-96.6	40	5.6	3.4- 7.8
College Graduate	980	110,455	912	92.7	90.5-94.9	68	7.3	5.1- 9.5
Less than \$15,000	232	25,713	227	97.2	93.5- 100	5	2.8	0.0- 6.5
\$15,000- 24,999	449	61,976	430	94.5	91.0-98.0	19	5.5	2.0- 9.0
\$25,000- 34,999	238	30,378	228	95.5	92.0-99.0	10	4.5	1.0- 8.0
\$35,000- 49,999	284	37,487	271	94.6	91.3-97.9	13	5.4	2.1- 8.7
\$50,000- 74,999	343	43,748	322	91.9	87.6-96.2	21	8.1	3.8-12.4
\$75,000+	684	104,822	625	92.1	89.6-94.6	59	7.9	5.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 11: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	122
2	MALES ONLY	123
3	FEMALES ONLY	124
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	125
5	MALES ONLY	126
6	FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1746	172,206	1019	58.3	55.4-61.2	727	41.7	38.8-44.6
Male	721	76,440	411	55.3	50.8-59.8	310	44.7	40.2-49.2
Female	1025	95,765	608	60.7	56.8-64.6	417	39.3	35.4-43.2
White/Non-Hisp	1429	136,865	859	60.7	57.6-63.8	570	39.3	36.2-42.4
Black or Afr. Am./Non-Hisp	164	24,305	73	45.4	35.8-55.0	91	54.6	45.0-64.2
65+	1746	172,206	1019	58.3	55.4-61.2	727	41.7	38.8-44.6
Less Than H.S.	119	15,241	60	46.1	34.5-57.7	59	53.9	42.3-65.5
H.S. or G.E.D.	491	56,466	269	58.0	52.5-63.5	222	42.0	36.5-47.5
Some Post-H.S.	479	51,473	276	56.8	51.5-62.1	203	43.2	37.9-48.5
College Graduate	647	47,990	410	64.0	59.5-68.5	237	36.0	31.5-40.5
Less than \$15,000	93	7,732	55	59.5	45.8-73.2	38	40.5	26.8-54.2
\$15,000- 24,999	260	26,414	148	56.9	49.1-64.7	112	43.1	35.3-50.9
\$25,000- 34,999	174	17,972	104	59.9	50.3-69.5	70	40.1	30.5-49.7
\$35,000- 49,999	226	22,792	120	52.9	45.1-60.7	106	47.1	39.3-54.9
\$50,000- 74,999	248	23,212	146	62.4	55.1-69.7	102	37.6	30.3-44.9
\$75,000+	388	38,368	243	60.7	54.6-66.8	145	39.3	33.2-45.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	721	76,440	411	55.3	50.8-59.8	310	44.7	40.2-49.2
White/Non-Hisp	586	60,858	348	58.1	53.2-63.0	238	41.9	37.0-46.8
Black or Afr. Am./Non-Hisp	63	10,361	23	35.6	21.9-49.3	40	64.4	50.7-78.1
65+	721	76,440	411	55.3	50.8-59.8	310	44.7	40.2-49.2
H.S. or G.E.D.	176	22,660	82	47.7	38.7-56.7	94	52.3	43.3-61.3
Some Post-H.S.	191	23,476	102	52.5	44.3-60.7	89	47.5	39.3-55.7
College Graduate	304	23,873	200	65.2	58.7-71.7	104	34.8	28.3-41.3
\$15,000- 24,999	87	9,359	47	50.3	37.0-63.6	40	49.7	36.4-63.0
\$25,000- 34,999	67	7,042	33	43.7	29.4-58.0	34	56.3	42.0-70.6
\$35,000- 49,999	98	11,524	54	54.3	42.3-66.3	44	45.7	33.7-57.7
\$50,000- 74,999	119	12,051	63	54.8	44.0-65.6	56	45.2	34.4-56.0
\$75,000+	208	21,354	136	61.8	53.6-70.0	72	38.2	30.0-46.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1025	95,765	608	60.7	56.8-64.6	417	39.3	35.4-43.2
White/Non-Hisp	843	76,007	511	62.8	58.9-66.7	332	37.2	33.3-41.1
Black or Afr. Am./Non-Hisp	101	13,943	50	52.6	39.7-65.5	51	47.4	34.5-60.3
65+	1025	95,765	608	60.7	56.8-64.6	417	39.3	35.4-43.2
Less Than H.S.	74	9,403	36	42.3	27.2-57.4	38	57.7	42.6-72.8
H.S. or G.E.D.	315	33,807	187	64.8	58.3-71.3	128	35.2	28.7-41.7
Some Post-H.S.	288	27,997	174	60.5	53.4-67.6	114	39.5	32.4-46.6
College Graduate	343	24,117	210	62.8	56.3-69.3	133	37.2	30.7-43.7
Less than \$15,000	64	4,903	42	65.9	48.1-83.7	22	34.1	16.3-51.9
\$15,000- 24,999	173	17,055	101	60.4	50.8-70.0	72	39.6	30.0-49.2
\$25,000- 34,999	107	10,930	71	70.4	58.4-82.4	36	29.6	17.6-41.6
\$35,000- 49,999	128	11,268	66	51.4	40.8-62.0	62	48.6	38.0-59.2
\$50,000- 74,999	129	11,161	83	70.5	61.1-79.9	46	29.5	20.1-38.9
\$75,000+	180	17,013	107	59.3	50.3-68.3	73	40.7	31.7-49.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1690	166,602	1239	73.0	70.3-75.7	451	27.0	24.3-29.7
Male	698	73,502	492	71.5	67.6-75.4	206	28.5	24.6-32.4
Female	992	93,099	747	74.1	70.4-77.8	245	25.9	22.2-29.6
White/Non-Hisp	1385	132,318	1050	75.9	73.2-78.6	335	24.1	21.4-26.8
Black or Afr. Am./Non-Hisp	162	24,160	101	58.9	49.3-68.5	61	41.1	31.5-50.7
65+	1690	166,602	1239	73.0	70.3-75.7	451	27.0	24.3-29.7
Less Than H.S.	113	14,500	74	62.1	50.1-74.1	39	37.9	25.9-49.9
H.S. or G.E.D.	471	54,633	347	72.9	67.8-78.0	124	27.1	22.0-32.2
Some Post-H.S.	464	49,570	345	74.5	69.8-79.2	119	25.5	20.8-30.2
College Graduate	634	47,091	468	74.7	70.8-78.6	166	25.3	21.4-29.2
Less than \$15,000	93	7,633	61	59.5	45.6-73.4	32	40.5	26.6-54.4
\$15,000- 24,999	250	25,368	183	68.9	61.1-76.7	67	31.1	23.3-38.9
\$25,000- 34,999	166	17,466	121	68.7	59.3-78.1	45	31.3	21.9-40.7
\$35,000- 49,999	221	22,248	165	74.1	67.0-81.2	56	25.9	18.8-33.0
\$50,000- 74,999	242	22,734	182	76.0	69.5-82.5	60	24.0	17.5-30.5
\$75,000+	380	37,408	288	78.1	73.4-82.8	92	21.9	17.2-26.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	698	73,502	492	71.5	67.6-75.4	206	28.5	24.6-32.4
White/Non-Hisp	567	58,369	419	74.9	70.8-79.0	148	25.1	21.0-29.2
Black or Afr. Am./Non-Hisp	62	10,229	37	62.3	48.8-75.8	25	37.7	24.2-51.2
65+	698	73,502	492	71.5	67.6-75.4	206	28.5	24.6-32.4
H.S. or G.E.D.	168	21,850	119	71.1	63.1-79.1	49	28.9	20.9-36.9
Some Post-H.S.	184	22,126	129	71.0	63.7-78.3	55	29.0	21.7-36.3
College Graduate	298	23,413	215	73.5	67.6-79.4	83	26.5	20.6-32.4
\$15,000- 24,999	81	8,467	62	76.0	64.6-87.4	19	24.0	12.6-35.4
\$25,000- 34,999	64	6,840	43	65.2	51.5-78.9	21	34.8	21.1-48.5
\$35,000- 49,999	96	11,283	67	70.3	59.3-81.3	29	29.7	18.7-40.7
\$50,000- 74,999	118	11,871	83	70.6	60.8-80.4	35	29.4	19.6-39.2
\$75,000+	202	20,568	147	76.8	70.3-83.3	55	23.2	16.7-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	992	93,099	747	74.1	70.4-77.8	245	25.9	22.2-29.6
White/Non-Hisp	818	73,949	631	76.7	73.2-80.2	187	23.3	19.8-26.8
Black or Afr. Am./Non-Hisp	100	13,931	64	56.4	43.1-69.7	36	43.6	30.3-56.9
65+	992	93,099	747	74.1	70.4-77.8	245	25.9	22.2-29.6
Less Than H.S.	70	8,981	48	60.2	43.9-76.5	22	39.8	23.5-56.1
H.S. or G.E.D.	303	32,783	228	74.0	67.3-80.7	75	26.0	19.3-32.7
Some Post-H.S.	280	27,445	216	77.4	71.3-83.5	64	22.6	16.5-28.7
College Graduate	336	23,678	253	75.8	70.3-81.3	83	24.2	18.7-29.7
Less than \$15,000	64	4,858	47	68.1	49.9-86.3	17	31.9	13.7-50.1
\$15,000- 24,999	169	16,901	121	65.4	55.2-75.6	48	34.6	24.4-44.8
\$25,000- 34,999	102	10,626	78	70.9	58.2-83.6	24	29.1	16.4-41.8
\$35,000- 49,999	125	10,965	98	78.1	69.5-86.7	27	21.9	13.3-30.5
\$50,000- 74,999	124	10,863	99	81.8	74.2-89.4	25	18.2	10.6-25.8
\$75,000+	178	16,841	141	79.6	72.7-86.5	37	20.4	13.5-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1 MALES AND FEMALES	129
2 MALES ONLY	130
3 FEMALES ONLY	131
ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4 MALES AND FEMALES	132
5 MALES ONLY	133
6 FEMALES ONLY	134
DRINKING AND DRIVING (_DRNKDRV)	
7 MALES AND FEMALES	135
8 MALES ONLY	136
9 FEMALES ONLY	137



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4930	721,368	4737	95.3	94.3-96.3	193	4.7	3.7- 5.7
Male	2179	345,317	2059	93.7	92.1-95.3	120	6.3	4.7- 7.9
Female	2751	376,051	2678	96.8	95.8-97.8	73	3.2	2.2- 4.2
White/Non-Hisp	3378	468,252	3254	95.2	94.0-96.4	124	4.8	3.6- 6.0
Black or Afr. Am./Non-Hisp	651	143,188	623	95.5	93.3-97.7	28	4.5	2.3- 6.7
Oth. Race/Non-Hisp.	184	31,579	173	96.7	94.3-99.1	11	3.3	0.9- 5.7
MultiRacial/Non-Hisp.	77	5,368	76	99.4	98.2- 100	1	0.6	0.0- 1.8
Hispanic	511	56,333	491	95.9	93.2-98.6	20	4.1	1.4- 6.8
18-24	290	80,991	275	94.1	90.6-97.6	15	5.9	2.4- 9.4
25-34	496	119,365	462	91.6	88.1-95.1	34	8.4	4.9-11.9
35-44	587	105,556	562	95.6	93.4-97.8	25	4.4	2.2- 6.6
45-54	756	114,048	731	97.3	95.9-98.7	25	2.7	1.3- 4.1
55-64	1049	128,264	1007	95.3	93.3-97.3	42	4.7	2.7- 6.7
65+	1752	173,144	1700	96.8	95.6-98.0	52	3.2	2.0- 4.4
Less Than H.S.	493	81,305	470	93.9	90.2-97.6	23	6.1	2.4- 9.8
H.S. or G.E.D.	1372	222,813	1291	93.5	91.5-95.5	81	6.5	4.5- 8.5
Some Post-H.S.	1282	208,833	1236	95.6	94.0-97.2	46	4.4	2.8- 6.0
College Graduate	1760	205,854	1717	97.4	96.4-98.4	43	2.6	1.6- 3.6
Less than \$15,000	377	45,478	348	89.2	83.9-94.5	29	10.8	5.5-16.1
\$15,000- 24,999	749	103,498	717	95.2	92.8-97.6	32	4.8	2.4- 7.2
\$25,000- 34,999	383	51,474	374	98.3	97.1-99.5	9	1.7	0.5- 2.9
\$35,000- 49,999	555	79,275	526	93.8	90.5-97.1	29	6.2	2.9- 9.5
\$50,000- 74,999	627	90,584	607	96.4	94.2-98.6	20	3.6	1.4- 5.8
\$75,000+	1405	229,508	1364	95.8	94.0-97.6	41	4.2	2.4- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2179	345,317	2059	93.7	92.1-95.3	120	6.3	4.7- 7.9
White/Non-Hisp	1488	224,180	1401	93.2	91.2-95.2	87	6.8	4.8- 8.8
Black or Afr. Am./Non-Hisp	253	64,560	239	94.6	90.9-98.3	14	5.4	1.7- 9.1
Oth. Race/Non-Hisp.	105	18,223	101	97.8	94.9- 100	4	2.2	0.0- 5.1
Hispanic	239	26,852	228	94.1	88.8-99.4	11	5.9	0.6-11.2
18-24	149	42,875	139	91.4	85.1-97.7	10	8.6	2.3-14.9
25-34	225	59,735	208	91.5	86.8-96.2	17	8.5	3.8-13.2
35-44	275	50,979	261	95.3	92.4-98.2	14	4.7	1.8- 7.6
45-54	335	54,939	320	96.0	93.6-98.4	15	4.0	1.6- 6.4
55-64	468	59,654	437	92.0	88.3-95.7	31	8.0	4.3-11.7
65+	727	77,136	694	95.2	93.0-97.4	33	4.8	2.6- 7.0
Less Than H.S.	225	37,638	208	91.4	85.9-96.9	17	8.6	3.1-14.1
H.S. or G.E.D.	618	113,200	566	91.3	88.2-94.4	52	8.7	5.6-11.8
Some Post-H.S.	549	98,366	520	93.8	91.1-96.5	29	6.2	3.5- 8.9
College Graduate	776	94,860	754	97.2	95.6-98.8	22	2.8	1.2- 4.4
Less than \$15,000	142	19,176	124	82.6	72.0-93.2	18	17.4	6.8-28.0
\$15,000- 24,999	299	41,495	280	93.0	89.1-96.9	19	7.0	3.1-10.9
\$25,000- 34,999	148	21,272	141	96.5	93.6-99.4	7	3.5	0.6- 6.4
\$35,000- 49,999	262	40,830	247	93.2	88.3-98.1	15	6.8	1.9-11.7
\$50,000- 74,999	283	45,552	274	95.8	92.1-99.5	9	4.2	0.5- 7.9
\$75,000+	725	124,925	692	94.3	91.8-96.8	33	5.7	3.2- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 13: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	376,051	2678	96.8	95.8-97.8	73	3.2	2.2- 4.2
White/Non-Hisp	1890	244,073	1853	97.1	95.7-98.5	37	2.9	1.5- 4.3
Black or Afr. Am./Non-Hisp	398	78,628	384	96.2	93.8-98.6	14	3.8	1.4- 6.2
Oth. Race/Non-Hisp.	79	13,357	72	95.4	91.3-99.5	7	4.6	0.5- 8.7
Hispanic	272	29,481	263	97.5	95.5-99.5	9	2.5	0.5- 4.5
18-24	141	38,116	136	97.3	94.6- 100	5	2.7	0.0- 5.4
25-34	271	59,630	254	91.7	86.6-96.8	17	8.3	3.2-13.4
35-44	312	54,577	301	95.9	93.0-98.8	11	4.1	1.2- 7.0
45-54	421	59,110	411	98.5	97.5-99.5	10	1.5	0.5- 2.5
55-64	581	68,610	570	98.1	96.7-99.5	11	1.9	0.5- 3.3
65+	1025	96,008	1006	98.1	97.1-99.1	19	1.9	0.9- 2.9
Less Than H.S.	268	43,667	262	96.0	91.1- 100	6	4.0	0.0- 8.9
H.S. or G.E.D.	754	109,614	725	95.7	93.7-97.7	29	4.3	2.3- 6.3
Some Post-H.S.	733	110,467	716	97.3	95.5-99.1	17	2.7	0.9- 4.5
College Graduate	984	110,994	963	97.5	96.1-98.9	21	2.5	1.1- 3.9
Less than \$15,000	235	26,302	224	94.1	89.8-98.4	11	5.9	1.6-10.2
\$15,000- 24,999	450	62,002	437	96.6	93.9-99.3	13	3.4	0.7- 6.1
\$25,000- 34,999	235	30,201	233	99.6	99.0- 100	2	0.4	0.0- 1.0
\$35,000- 49,999	293	38,445	279	94.5	90.2-98.8	14	5.5	1.2- 9.8
\$50,000- 74,999	344	45,032	333	97.1	94.6-99.6	11	2.9	0.4- 5.4
\$75,000+	680	104,583	672	97.5	95.1-99.9	8	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4930	721,368	4541	90.9	89.7-92.1	389	9.1	7.9-10.3
Male	2179	345,317	1937	87.2	85.2-89.2	242	12.8	10.8-14.8
Female	2751	376,051	2604	94.3	93.1-95.5	147	5.7	4.5- 6.9
White/Non-Hisp	3378	468,252	3119	91.1	89.7-92.5	259	8.9	7.5-10.3
Black or Afr. Am./Non-Hisp	651	143,188	588	89.4	86.3-92.5	63	10.6	7.5-13.7
Oth. Race/Non-Hisp.	184	31,579	170	95.7	93.0-98.4	14	4.3	1.6- 7.0
MultiRacial/Non-Hisp.	77	5,368	73	94.9	89.2- 100	4	5.1	0.0-10.8
Hispanic	511	56,333	474	91.3	87.4-95.2	37	8.7	4.8-12.6
18-24	290	80,991	252	85.8	80.7-90.9	38	14.2	9.1-19.3
25-34	496	119,365	435	85.9	81.6-90.2	61	14.1	9.8-18.4
35-44	587	105,556	543	91.9	89.0-94.8	44	8.1	5.2-11.0
45-54	756	114,048	703	94.0	92.0-96.0	53	6.0	4.0- 8.0
55-64	1049	128,264	971	92.1	89.7-94.5	78	7.9	5.5-10.3
65+	1752	173,144	1637	93.3	91.7-94.9	115	6.7	5.1- 8.3
Less Than H.S.	493	81,305	457	90.6	86.5-94.7	36	9.4	5.3-13.5
H.S. or G.E.D.	1372	222,813	1235	89.2	86.8-91.6	137	10.8	8.4-13.2
Some Post-H.S.	1282	208,833	1171	89.7	87.3-92.1	111	10.3	7.9-12.7
College Graduate	1760	205,854	1655	93.9	92.3-95.5	105	6.1	4.5- 7.7
Less than \$15,000	377	45,478	340	86.8	81.3-92.3	37	13.2	7.7-18.7
\$15,000- 24,999	749	103,498	692	91.8	89.1-94.5	57	8.2	5.5-10.9
\$25,000- 34,999	383	51,474	355	94.3	91.8-96.8	28	5.7	3.2- 8.2
\$35,000- 49,999	555	79,275	497	87.9	83.8-92.0	58	12.1	8.0-16.2
\$50,000- 74,999	627	90,584	582	91.9	88.4-95.4	45	8.1	4.6-11.6
\$75,000+	1405	229,508	1309	91.6	89.4-93.8	96	8.4	6.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2179	345,317	1937	87.2	85.2-89.2	242	12.8	10.8-14.8
White/Non-Hisp	1488	224,180	1315	87.2	84.8-89.6	173	12.8	10.4-15.2
Black or Afr. Am./Non-Hisp	253	64,560	220	84.8	78.7-90.9	33	15.2	9.1-21.3
Oth. Race/Non-Hisp.	105	18,223	99	96.4	92.7- 100	6	3.6	0.0- 7.3
Hispanic	239	26,852	218	87.5	80.2-94.8	21	12.5	5.2-19.8
18-24	149	42,875	122	79.4	71.2-87.6	27	20.6	12.4-28.8
25-34	225	59,735	194	83.2	76.7-89.7	31	16.8	10.3-23.3
35-44	275	50,979	249	89.7	85.0-94.4	26	10.3	5.6-15.0
45-54	335	54,939	300	90.7	87.2-94.2	35	9.3	5.8-12.8
55-64	468	59,654	412	87.4	83.3-91.5	56	12.6	8.5-16.7
65+	727	77,136	660	90.3	87.6-93.0	67	9.7	7.0-12.4
Less Than H.S.	225	37,638	200	86.2	79.5-92.9	25	13.8	7.1-20.5
H.S. or G.E.D.	618	113,200	532	86.0	82.3-89.7	86	14.0	10.3-17.7
Some Post-H.S.	549	98,366	475	83.4	79.1-87.7	74	16.6	12.3-20.9
College Graduate	776	94,860	719	92.7	90.3-95.1	57	7.3	4.9- 9.7
Less than \$15,000	142	19,176	120	78.7	67.9-89.5	22	21.3	10.5-32.1
\$15,000- 24,999	299	41,495	271	89.8	85.3-94.3	28	10.2	5.7-14.7
\$25,000- 34,999	148	21,272	131	91.0	86.1-95.9	17	9.0	4.1-13.9
\$35,000- 49,999	262	40,830	225	83.8	77.1-90.5	37	16.2	9.5-22.9
\$50,000- 74,999	283	45,552	256	89.2	83.3-95.1	27	10.8	4.9-16.7
\$75,000+	725	124,925	658	88.9	85.6-92.2	67	11.1	7.8-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	376,051	2604	94.3	93.1-95.5	147	5.7	4.5- 6.9
White/Non-Hisp	1890	244,073	1804	94.7	93.1-96.3	86	5.3	3.7- 6.9
Black or Afr. Am./Non-Hisp	398	78,628	368	93.2	90.3-96.1	30	6.8	3.9- 9.7
Oth. Race/Non-Hisp.	79	13,357	71	94.7	90.4-99.0	8	5.3	1.0- 9.6
Hispanic	272	29,481	256	94.7	91.6-97.8	16	5.3	2.2- 8.4
18-24	141	38,116	130	93.1	88.6-97.6	11	6.9	2.4-11.4
25-34	271	59,630	241	88.5	83.2-93.8	30	11.5	6.2-16.8
35-44	312	54,577	294	93.9	90.6-97.2	18	6.1	2.8- 9.4
45-54	421	59,110	403	97.1	95.5-98.7	18	2.9	1.3- 4.5
55-64	581	68,610	559	96.1	93.9-98.3	22	3.9	1.7- 6.1
65+	1025	96,008	977	95.7	94.1-97.3	48	4.3	2.7- 5.9
Less Than H.S.	268	43,667	257	94.5	89.4-99.6	11	5.5	0.4-10.6
H.S. or G.E.D.	754	109,614	703	92.6	90.1-95.1	51	7.4	4.9- 9.9
Some Post-H.S.	733	110,467	696	95.4	93.4-97.4	37	4.6	2.6- 6.6
College Graduate	984	110,994	936	94.9	92.9-96.9	48	5.1	3.1- 7.1
Less than \$15,000	235	26,302	220	92.8	88.3-97.3	15	7.2	2.7-11.7
\$15,000- 24,999	450	62,002	421	93.2	89.9-96.5	29	6.8	3.5-10.1
\$25,000- 34,999	235	30,201	224	96.6	94.2-99.0	11	3.4	1.0- 5.8
\$35,000- 49,999	293	38,445	272	92.3	87.6-97.0	21	7.7	3.0-12.4
\$50,000- 74,999	344	45,032	326	94.6	91.1-98.1	18	5.4	1.9- 8.9
\$75,000+	680	104,583	651	94.9	92.4-97.4	29	5.1	2.6- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 7: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2558	389,709	68	3.0	2.0- 4.0	2490	97.0	96.0-98.0
Male	1259	204,841	45	3.5	2.1- 4.9	1214	96.5	95.1-97.9
Female	1299	184,869	23	2.5	1.1- 3.9	1276	97.5	96.1-98.9
White/Non-Hisp	1901	271,198	42	2.6	1.6- 3.6	1859	97.4	96.4-98.4
Black or Afr. Am./Non-Hisp	276	66,699	15	5.9	2.6- 9.2	261	94.1	90.8-97.4
Oth. Race/Non-Hisp.	86	15,770	4	1.5	0.0- 3.3	82	98.5	96.7- 100
Hispanic	204	25,269	6	1.5	0.1- 2.9	198	98.5	97.1-99.9
18-24	153	42,775	4	2.4	0.0- 5.1	149	97.6	94.9- 100
25-34	274	73,554	15	6.6	3.1-10.1	259	93.4	89.9-96.9
35-44	332	61,580	15	3.6	1.2- 6.0	317	96.4	94.0-98.8
45-54	424	64,445	8	2.2	0.6- 3.8	416	97.8	96.2-99.4
55-64	522	64,652	15	2.7	1.1- 4.3	507	97.3	95.7-98.9
65+	853	82,704	11	0.8	0.2- 1.4	842	99.2	98.6-99.8
Less Than H.S.	132	24,223	7	6.0	0.5-11.5	125	94.0	88.5-99.5
H.S. or G.E.D.	600	105,400	14	2.1	0.7- 3.5	586	97.9	96.5-99.3
Some Post-H.S.	679	119,506	20	3.4	1.6- 5.2	659	96.6	94.8-98.4
College Graduate	1137	139,358	27	3.0	1.6- 4.4	1110	97.0	95.6-98.4
Less than \$15,000	108	15,182	5	5.5	0.0-12.2	103	94.5	87.8- 100
\$15,000- 24,999	285	43,166	8	3.0	0.3- 5.7	277	97.0	94.3-99.7
\$25,000- 34,999	162	23,620	5	1.9	0.1- 3.7	157	98.1	96.3-99.9
\$35,000- 49,999	287	41,820	9	3.3	0.6- 6.0	278	96.7	94.0-99.4
\$50,000- 74,999	364	53,610	10	3.5	1.0- 6.0	354	96.5	94.0-99.0
\$75,000+	981	160,762	25	3.2	1.6- 4.8	956	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 8: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1259	204,841	45	3.5	2.1- 4.9	1214	96.5	95.1-97.9
White/Non-Hisp	914	141,551	30	3.6	2.0- 5.2	884	96.4	94.8-98.0
Black or Afr. Am./Non-Hisp	122	33,026	6	4.6	0.5- 8.7	116	95.4	91.3-99.5
Oth. Race/Non-Hisp.	56	9,399	4	2.6	0.0- 5.5	52	97.4	94.5- 100
Hispanic	120	15,592	5	2.2	0.0- 4.6	115	97.8	95.4- 100
18-24	86	24,738	2	2.7	0.0- 7.0	84	97.3	93.0- 100
25-34	138	39,328	8	5.3	1.4- 9.2	130	94.7	90.8-98.6
35-44	167	31,067	11	5.6	1.5- 9.7	156	94.4	90.3-98.5
45-54	201	33,643	6	3.3	0.4- 6.2	195	96.7	93.8-99.6
55-64	247	31,633	11	3.7	1.3- 6.1	236	96.3	93.9-98.7
65+	420	44,431	7	1.0	0.2- 1.8	413	99.0	98.2-99.8
Less Than H.S.	87	16,024	6	6.8	0.0-13.9	81	93.2	86.1- 100
H.S. or G.E.D.	321	61,006	9	2.1	0.5- 3.7	312	97.9	96.3-99.5
Some Post-H.S.	317	59,021	13	3.6	1.4- 5.8	304	96.4	94.2-98.6
College Graduate	529	68,114	17	4.0	1.6- 6.4	512	96.0	93.6-98.4
Less than \$15,000	58	8,172	3	3.4	0.0- 7.5	55	96.6	92.5- 100
\$15,000- 24,999	130	19,523	5	3.5	0.0- 7.6	125	96.5	92.4- 100
\$25,000- 34,999	68	11,364	4	3.4	0.0- 6.9	64	96.6	93.1- 100
\$35,000- 49,999	152	24,380	4	2.3	0.0- 5.0	148	97.7	95.0- 100
\$50,000- 74,999	162	25,578	8	5.6	0.9-10.3	154	94.4	89.7-99.1
\$75,000+	520	89,692	17	3.9	1.7- 6.1	503	96.1	93.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 13: SEATBELT USE**

**TABLE 9: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1299	184,869	23	2.5	1.1- 3.9	1276	97.5	96.1-98.9
White/Non-Hisp	987	129,647	12	1.6	0.4- 2.8	975	98.4	97.2-99.6
Black or Afr. Am./Non-Hisp	154	33,673	9	7.2	1.9-12.5	145	92.8	87.5-98.1
Hispanic	84	9,678	1	0.3	0.0- 0.9	83	99.7	99.1- 100
18-24	67	18,037	2	1.9	0.0- 4.6	65	98.1	95.4- 100
25-34	136	34,226	7	8.1	1.8-14.4	129	91.9	85.6-98.2
35-44	165	30,512	4	1.7	0.0- 3.7	161	98.3	96.3- 100
45-54	223	30,802	2	0.9	0.0- 2.3	221	99.1	97.7- 100
55-64	275	33,019	4	1.6	0.0- 3.4	271	98.4	96.6- 100
65+	433	38,273	4	0.5	0.0- 1.1	429	99.5	98.9- 100
H.S. or G.E.D.	279	44,394	5	2.1	0.0- 4.3	274	97.9	95.7- 100
Some Post-H.S.	362	60,485	7	3.2	0.3- 6.1	355	96.8	93.9-99.7
College Graduate	608	71,245	10	2.0	0.4- 3.6	598	98.0	96.4-99.6
Less than \$15,000	50	7,010	2	8.1	0.0-21.4	48	91.9	78.6- 100
\$15,000- 24,999	155	23,644	3	2.5	0.0- 6.2	152	97.5	93.8- 100
\$25,000- 34,999	94	12,256	1	0.5	0.0- 1.5	93	99.5	98.5- 100
\$35,000- 49,999	135	17,440	5	4.5	0.0- 9.6	130	95.5	90.4- 100
\$50,000- 74,999	202	28,031	2	1.5	0.0- 3.7	200	98.5	96.3- 100
\$75,000+	461	71,070	8	2.3	0.1- 4.5	453	97.7	95.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM21) FEMALES ONLY	139
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5022) FEMALES ONLY	140
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP34) FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM21)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2079	239,263	1658	78.9	76.5-81.3	421	21.1	18.7-23.5
White/Non-Hisp	1567	172,499	1252	79.0	76.5-81.5	315	21.0	18.5-23.5
Black or Afr. Am./Non-Hisp	266	43,228	225	80.9	74.4-87.4	41	19.1	12.6-25.6
Oth. Race/Non-Hisp.	53	6,742	42	76.1	57.9-94.3	11	23.9	5.7-42.1
Hispanic	121	11,271	85	71.1	60.5-81.7	36	28.9	18.3-39.5
40-44	144	26,542	86	57.8	47.6-68.0	58	42.2	32.0-52.4
45-54	389	53,909	316	82.5	77.8-87.2	73	17.5	12.8-22.2
55-64	564	66,445	472	84.5	80.8-88.2	92	15.5	11.8-19.2
65+	982	92,367	784	78.7	75.2-82.2	198	21.3	17.8-24.8
Less Than H.S.	168	24,095	126	65.9	55.5-76.3	42	34.1	23.7-44.5
H.S. or G.E.D.	575	73,022	450	79.7	75.6-83.8	125	20.3	16.2-24.4
Some Post-H.S.	540	64,855	423	80.5	76.4-84.6	117	19.5	15.4-23.6
College Graduate	787	76,412	652	80.7	76.8-84.6	135	19.3	15.4-23.2
Less than \$15,000	165	15,636	120	76.8	67.8-85.8	45	23.2	14.2-32.2
\$15,000- 24,999	320	36,203	233	76.5	70.8-82.2	87	23.5	17.8-29.2
\$25,000- 34,999	177	19,445	137	73.8	64.8-82.8	40	26.2	17.2-35.2
\$35,000- 49,999	226	23,673	179	76.4	69.1-83.7	47	23.6	16.3-30.9
\$50,000- 74,999	269	29,004	218	82.5	77.0-88.0	51	17.5	12.0-23.0
\$75,000+	555	73,170	477	82.5	78.2-86.8	78	17.5	13.2-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM5022)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1351	151,493	1128	84.2	81.7-86.7	223	15.8	13.3-18.3
White/Non-Hisp	1036	113,708	860	83.3	80.6-86.0	176	16.7	14.0-19.4
Black or Afr. Am./Non-Hisp	179	25,935	158	88.2	82.1-94.3	21	11.8	5.7-17.9
Hispanic	59	4,342	46	85.4	75.6-95.2	13	14.6	4.8-24.4
50-54	220	30,129	178	82.7	76.4-89.0	42	17.3	11.0-23.6
55-64	564	66,445	472	84.5	80.8-88.2	92	15.5	11.8-19.2
65+	567	54,919	478	84.5	80.6-88.4	89	15.5	11.6-19.4
Less Than H.S.	95	12,550	76	74.1	60.8-87.4	19	25.9	12.6-39.2
H.S. or G.E.D.	359	45,971	301	85.2	80.9-89.5	58	14.8	10.5-19.1
Some Post-H.S.	369	44,581	297	83.1	78.8-87.4	72	16.9	12.6-21.2
College Graduate	525	48,210	452	86.8	83.1-90.5	73	13.2	9.5-16.9
Less than \$15,000	104	8,251	79	80.3	71.7-88.9	25	19.7	11.1-28.3
\$15,000- 24,999	194	22,470	155	85.2	79.7-90.7	39	14.8	9.3-20.3
\$25,000- 34,999	100	10,292	83	82.0	73.2-90.8	17	18.0	9.2-26.8
\$35,000- 49,999	158	17,426	131	80.2	72.6-87.8	27	19.8	12.2-27.4
\$50,000- 74,999	193	21,146	159	85.9	80.4-91.4	34	14.1	8.6-19.6
\$75,000+	382	47,071	338	87.7	83.6-91.8	44	12.3	8.2-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP34)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1334	216,004	1108	83.0	80.1-85.9	226	17.0	14.1-19.9
White/Non-Hisp	821	130,191	691	84.5	81.0-88.0	130	15.5	12.0-19.0
Black or Afr. Am./Non-Hisp	219	47,975	193	85.5	79.0-92.0	26	14.5	8.0-21.0
Hispanic	204	22,806	158	79.9	72.5-87.3	46	20.1	12.7-27.5
18-24	79	19,890	49	71.7	59.9-83.5	30	28.3	16.5-40.1
25-34	254	56,483	210	80.4	72.8-88.0	44	19.6	12.0-27.2
35-44	267	48,523	228	86.1	81.0-91.2	39	13.9	8.8-19.0
45-54	306	41,276	268	88.1	83.4-92.8	38	11.9	7.2-16.6
55-64	382	45,296	321	85.4	81.3-89.5	61	14.6	10.5-18.7
Less Than H.S.	157	25,741	117	66.7	55.1-78.3	40	33.3	21.7-44.9
H.S. or G.E.D.	310	51,764	259	79.8	72.7-86.9	51	20.2	13.1-27.3
Some Post-H.S.	322	62,942	267	86.3	82.0-90.6	55	13.7	9.4-18.0
College Graduate	539	74,847	461	88.0	84.9-91.1	78	12.0	8.9-15.1
Less than \$15,000	118	15,223	86	71.2	60.4-82.0	32	28.8	18.0-39.6
\$15,000- 24,999	221	37,151	194	89.7	84.6-94.8	27	10.3	5.2-15.4
\$25,000- 34,999	98	14,059	80	81.6	72.2-91.0	18	18.4	9.0-27.8
\$35,000- 49,999	130	20,306	113	85.1	77.5-92.7	17	14.9	7.3-22.5
\$50,000- 74,999	169	26,692	132	77.0	67.2-86.8	37	23.0	13.2-32.8
\$75,000+	414	73,130	370	89.0	84.3-93.7	44	11.0	6.3-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 15: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA22) 1 MALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA22)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1489	194,577	626	37.7	34.6-40.8	863	62.3	59.2-65.4
White/Non-Hisp	1111	139,629	502	40.0	36.7-43.3	609	60.0	56.7-63.3
Black or Afr. Am./Non-Hisp	182	38,247	64	32.2	23.6-40.8	118	67.8	59.2-76.4
Hispanic	93	8,096	18	20.1	9.5-30.7	75	79.9	69.3-90.5
40-44	114	24,071	9	8.6	1.5-15.7	105	91.4	84.3-98.5
45-54	290	47,225	52	19.5	13.2-25.8	238	80.5	74.2-86.8
55-64	421	53,983	181	43.6	37.7-49.5	240	56.4	50.5-62.3
65+	664	69,298	384	55.5	51.0-60.0	280	44.5	40.0-49.0
Less Than H.S.	123	19,371	21	14.4	7.5-21.3	102	85.6	78.7-92.5
H.S. or G.E.D.	402	61,873	146	35.1	29.0-41.2	256	64.9	58.8-71.0
Some Post-H.S.	376	53,268	161	39.9	34.0-45.8	215	60.1	54.2-66.0
College Graduate	583	59,441	295	45.4	40.5-50.3	288	54.6	49.7-59.5
Less than \$15,000	85	9,928	18	18.0	8.8-27.2	67	82.0	72.8-91.2
\$15,000- 24,999	189	23,384	53	27.5	19.5-35.5	136	72.5	64.5-80.5
\$25,000- 34,999	102	11,733	37	29.0	19.0-39.0	65	71.0	61.0-81.0
\$35,000- 49,999	184	24,103	72	37.3	28.1-46.5	112	62.7	53.5-71.9
\$50,000- 74,999	206	24,566	98	39.3	31.5-47.1	108	60.7	52.9-68.5
\$75,000+	542	77,273	261	42.7	37.4-48.0	281	57.3	52.0-62.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 16: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFLDS3)	
1	MALES AND FEMALES	145
2	MALES ONLY	146
3	FEMALES ONLY	147
	RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4	MALES AND FEMALES	148
5	MALES ONLY	149
6	FEMALES ONLY	150
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7	MALES AND FEMALES	151
8	MALES ONLY	152
9	FEMALES ONLY	153
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10	MALES AND FEMALES	154
11	MALES ONLY	155
12	FEMALES ONLY	156
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13	MALES AND FEMALES	157
14	MALES ONLY	158
15	FEMALES ONLY	159
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16	MALES AND FEMALES	160
17	MALES ONLY	161
18	FEMALES ONLY	162



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2512	294,141	162	6.3	5.1- 7.5	2350	93.7	92.5-94.9
Male	1109	137,668	57	5.4	3.6- 7.2	1052	94.6	92.8-96.4
Female	1403	156,474	105	7.2	5.6- 8.8	1298	92.8	91.2-94.4
White/Non-Hisp	1928	218,499	117	6.0	4.6- 7.4	1811	94.0	92.6-95.4
Black or Afr. Am./Non-Hisp	317	53,470	23	7.3	3.6-11.0	294	92.7	89.0-96.4
Oth. Race/Non-Hisp.	64	7,204	4	6.7	0.0-13.8	60	93.3	86.2- 100
Hispanic	111	8,448	13	11.3	3.1-19.5	98	88.7	80.5-96.9
50-54	400	59,713	13	3.4	1.2- 5.6	387	96.6	94.4-98.8
55-64	1008	123,174	60	6.2	4.2- 8.2	948	93.8	91.8-95.8
65+	1104	111,255	89	8.1	6.1-10.1	1015	91.9	89.9-93.9
Less Than H.S.	179	24,786	18	9.9	4.2-15.6	161	90.1	84.4-95.8
H.S. or G.E.D.	693	92,556	50	6.5	4.3- 8.7	643	93.5	91.3-95.7
Some Post-H.S.	680	86,043	43	6.7	4.2- 9.2	637	93.3	90.8-95.8
College Graduate	951	89,890	49	4.7	3.1- 6.3	902	95.3	93.7-96.9
Less than \$15,000	177	15,449	14	8.2	3.5-12.9	163	91.8	87.1-96.5
\$15,000- 24,999	341	40,780	32	8.6	4.9-12.3	309	91.4	87.7-95.1
\$25,000- 34,999	171	19,253	14	8.9	3.0-14.8	157	91.1	85.2-97.0
\$35,000- 49,999	294	33,926	22	5.8	2.7- 8.9	272	94.2	91.1-97.3
\$50,000- 74,999	375	41,695	21	4.5	2.0- 7.0	354	95.5	93.0-98.0
\$75,000+	790	99,730	35	5.0	3.0- 7.0	755	95.0	93.0-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFBlds3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1109	137,668	57	5.4	3.6- 7.2	1052	94.6	92.8-96.4
White/Non-Hisp	846	101,089	42	5.3	3.3- 7.3	804	94.7	92.7-96.7
Black or Afr. Am./Non-Hisp	135	26,355	9	6.5	1.4-11.6	126	93.5	88.4-98.6
Hispanic	50	4,115	6	9.2	0.0-18.6	44	90.8	81.4- 100
50-54	178	28,933	8	4.2	0.5- 7.9	170	95.8	92.1-99.5
55-64	455	57,610	28	7.3	4.2-10.4	427	92.7	89.6-95.8
65+	476	51,125	21	3.9	1.7- 6.1	455	96.1	93.9-98.3
Less Than H.S.	77	11,226	4	5.7	0.0-13.9	73	94.3	86.1- 100
H.S. or G.E.D.	312	44,391	19	6.7	3.2-10.2	293	93.3	89.8-96.8
Some Post-H.S.	298	40,052	17	5.9	2.6- 9.2	281	94.1	90.8-97.4
College Graduate	417	41,374	17	3.6	1.6- 5.6	400	96.4	94.4-98.4
Less than \$15,000	71	7,115	5	7.3	0.4-14.2	66	92.7	85.8-99.6
\$15,000- 24,999	132	16,245	8	6.5	0.4-12.6	124	93.5	87.4-99.6
\$25,000- 34,999	65	8,114	9	15.6	3.1-28.1	56	84.4	71.9-96.9
\$35,000- 49,999	127	15,834	10	7.6	1.9-13.3	117	92.4	86.7-98.1
\$50,000- 74,999	170	19,403	8	3.7	0.8- 6.6	162	96.3	93.4-99.2
\$75,000+	407	52,708	13	4.1	1.6- 6.6	394	95.9	93.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFBIDS3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1403	156,474	105	7.2	5.6- 8.8	1298	92.8	91.2-94.4
White/Non-Hisp	1082	117,411	75	6.6	4.8- 8.4	1007	93.4	91.6-95.2
Black or Afr. Am./Non-Hisp	182	27,115	14	8.0	2.7-13.3	168	92.0	86.7-97.3
Hispanic	61	4,333	7	13.3	0.0-26.6	54	86.7	73.4- 100
50-54	222	30,779	5	2.6	0.1- 5.1	217	97.4	94.9-99.9
55-64	553	65,564	32	5.2	3.0- 7.4	521	94.8	92.6-97.0
65+	628	60,130	68	11.7	8.4-15.0	560	88.3	85.0-91.6
Less Than H.S.	102	13,560	14	13.3	5.3-21.3	88	86.7	78.7-94.7
H.S. or G.E.D.	381	48,165	31	6.4	3.9- 8.9	350	93.6	91.1-96.1
Some Post-H.S.	382	45,991	26	7.5	4.0-11.0	356	92.5	89.0-96.0
College Graduate	534	48,516	32	5.7	3.3- 8.1	502	94.3	91.9-96.7
Less than \$15,000	106	8,333	9	9.1	2.4-15.8	97	90.9	84.2-97.6
\$15,000- 24,999	209	24,535	24	10.0	5.3-14.7	185	90.0	85.3-94.7
\$25,000- 34,999	106	11,139	5	4.0	0.3- 7.7	101	96.0	92.3-99.7
\$35,000- 49,999	167	18,092	12	4.2	1.3- 7.1	155	95.8	92.9-98.7
\$50,000- 74,999	205	22,292	13	5.3	1.4- 9.2	192	94.7	90.8-98.6
\$75,000+	383	47,021	22	6.0	3.3- 8.7	361	94.0	91.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2421	283,876	1711	70.4	68.0-72.8	710	29.6	27.2-32.0
Male	1059	131,738	735	67.7	64.2-71.2	324	32.3	28.8-35.8
Female	1362	152,138	976	72.7	69.8-75.6	386	27.3	24.4-30.2
White/Non-Hisp	1870	211,966	1366	72.9	70.5-75.3	504	27.1	24.7-29.5
Black or Afr. Am./Non-Hisp	300	51,204	204	67.1	60.4-73.8	96	32.9	26.2-39.6
Oth. Race/Non-Hisp.	60	6,683	33	48.7	30.1-67.3	27	51.3	32.7-69.9
Hispanic	106	7,943	50	46.0	33.5-58.5	56	54.0	41.5-66.5
50-54	386	57,856	191	54.7	48.6-60.8	195	45.3	39.2-51.4
55-64	973	118,854	693	71.1	67.6-74.6	280	28.9	25.4-32.4
65+	1062	107,167	827	78.2	75.1-81.3	235	21.8	18.7-24.9
Less Than H.S.	167	23,493	85	50.7	40.9-60.5	82	49.3	39.5-59.1
H.S. or G.E.D.	659	88,573	439	69.3	65.0-73.6	220	30.7	26.4-35.0
Some Post-H.S.	651	82,216	472	72.6	68.5-76.7	179	27.4	23.3-31.5
College Graduate	936	88,831	710	74.8	71.3-78.3	226	25.2	21.7-28.7
Less than \$15,000	168	14,983	95	54.2	45.0-63.4	73	45.8	36.6-55.0
\$15,000- 24,999	320	37,577	202	63.7	57.0-70.4	118	36.3	29.6-43.0
\$25,000- 34,999	161	18,271	104	61.9	52.1-71.7	57	38.1	28.3-47.9
\$35,000- 49,999	284	32,583	201	70.4	63.9-76.9	83	29.6	23.1-36.1
\$50,000- 74,999	362	40,196	267	72.5	66.6-78.4	95	27.5	21.6-33.4
\$75,000+	785	99,108	604	76.2	72.5-79.9	181	23.8	20.1-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1059	131,738	735	67.7	64.2-71.2	324	32.3	28.8-35.8
White/Non-Hisp	811	97,203	587	70.8	67.1-74.5	224	29.2	25.5-32.9
Black or Afr. Am./Non-Hisp	127	25,304	81	63.3	53.1-73.5	46	36.7	26.5-46.9
50-54	170	27,675	76	49.4	40.0-58.8	94	50.6	41.2-60.0
55-64	434	54,938	299	67.8	62.3-73.3	135	32.2	26.7-37.7
65+	455	49,125	360	77.9	73.2-82.6	95	22.1	17.4-26.8
Less Than H.S.	72	10,527	33	43.4	29.1-57.7	39	56.6	42.3-70.9
H.S. or G.E.D.	300	42,807	194	67.6	61.1-74.1	106	32.4	25.9-38.9
Some Post-H.S.	284	37,919	199	68.7	62.2-75.2	85	31.3	24.8-37.8
College Graduate	399	39,963	306	73.5	68.2-78.8	93	26.5	21.2-31.8
Less than \$15,000	71	7,184	32	39.1	26.2-52.0	39	60.9	48.0-73.8
\$15,000- 24,999	121	14,923	71	55.7	44.5-66.9	50	44.3	33.1-55.5
\$25,000- 34,999	59	7,502	37	61.7	45.8-77.6	22	38.3	22.4-54.2
\$35,000- 49,999	123	15,059	78	65.7	55.1-76.3	45	34.3	23.7-44.9
\$50,000- 74,999	162	18,471	122	69.0	59.8-78.2	40	31.0	21.8-40.2
\$75,000+	394	51,591	307	76.6	71.5-81.7	87	23.4	18.3-28.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1362	152,138	976	72.7	69.8-75.6	386	27.3	24.4-30.2
White/Non-Hisp	1059	114,764	779	74.8	71.7-77.9	280	25.2	22.1-28.3
Black or Afr. Am./Non-Hisp	173	25,900	123	70.9	62.3-79.5	50	29.1	20.5-37.7
Hispanic	58	4,176	31	57.9	41.0-74.8	27	42.1	25.2-59.0
50-54	216	30,181	115	59.6	51.8-67.4	101	40.4	32.6-48.2
55-64	539	63,915	394	73.9	69.4-78.4	145	26.1	21.6-30.6
65+	607	58,041	467	78.4	74.1-82.7	140	21.6	17.3-25.9
Less Than H.S.	95	12,965	52	56.6	43.5-69.7	43	43.4	30.3-56.5
H.S. or G.E.D.	359	45,765	245	70.9	65.2-76.6	114	29.1	23.4-34.8
Some Post-H.S.	367	44,297	273	75.9	70.8-81.0	94	24.1	19.0-29.2
College Graduate	537	48,869	404	75.9	71.4-80.4	133	24.1	19.6-28.6
Less than \$15,000	97	7,799	63	68.2	56.8-79.6	34	31.8	20.4-43.2
\$15,000- 24,999	199	22,654	131	69.0	60.8-77.2	68	31.0	22.8-39.2
\$25,000- 34,999	102	10,770	67	62.1	49.8-74.4	35	37.9	25.6-50.2
\$35,000- 49,999	161	17,525	123	74.5	66.5-82.5	38	25.5	17.5-33.5
\$50,000- 74,999	200	21,725	145	75.6	68.3-82.9	55	24.4	17.1-31.7
\$75,000+	391	47,516	297	75.8	70.5-81.1	94	24.2	18.9-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2512	294,141	272	10.7	9.1-12.3	2240	89.3	87.7-90.9
Male	1109	137,668	109	10.3	7.9-12.7	1000	89.7	87.3-92.1
Female	1403	156,474	163	11.0	9.0-13.0	1240	89.0	87.0-91.0
White/Non-Hisp	1928	218,499	206	10.6	8.8-12.4	1722	89.4	87.6-91.2
Black or Afr. Am./Non-Hisp	317	53,470	35	10.7	6.6-14.8	282	89.3	85.2-93.4
Oth. Race/Non-Hisp.	64	7,204	7	12.5	1.5-23.5	57	87.5	76.5-98.5
Hispanic	111	8,448	15	12.2	3.8-20.6	96	87.8	79.4-96.2
50-54	400	59,713	22	5.9	3.0- 8.8	378	94.1	91.2-97.0
55-64	1008	123,174	104	10.7	8.3-13.1	904	89.3	86.9-91.7
65+	1104	111,255	146	13.2	10.7-15.7	958	86.8	84.3-89.3
Less Than H.S.	179	24,786	24	12.3	6.2-18.4	155	87.7	81.6-93.8
H.S. or G.E.D.	693	92,556	80	11.2	8.3-14.1	613	88.8	85.9-91.7
Some Post-H.S.	680	86,043	67	10.3	7.4-13.2	613	89.7	86.8-92.6
College Graduate	951	89,890	99	10.0	7.6-12.4	852	90.0	87.6-92.4
Less than \$15,000	177	15,449	20	12.9	6.8-19.0	157	87.1	81.0-93.2
\$15,000- 24,999	341	40,780	52	14.4	9.9-18.9	289	85.6	81.1-90.1
\$25,000- 34,999	171	19,253	22	12.8	6.3-19.3	149	87.2	80.7-93.7
\$35,000- 49,999	294	33,926	35	12.4	7.1-17.7	259	87.6	82.3-92.9
\$50,000- 74,999	375	41,695	34	7.1	4.2-10.0	341	92.9	90.0-95.8
\$75,000+	790	99,730	69	8.4	6.0-10.8	721	91.6	89.2-94.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1109	137,668	109	10.3	7.9-12.7	1000	89.7	87.3-92.1
White/Non-Hisp	846	101,089	82	10.2	7.7-12.7	764	89.8	87.3-92.3
Black or Afr. Am./Non-Hisp	135	26,355	16	11.7	5.4-18.0	119	88.3	82.0-94.6
Hispanic	50	4,115	6	9.2	0.0-18.6	44	90.8	81.4- 100
50-54	178	28,933	9	5.2	1.1- 9.3	169	94.8	90.7-98.9
55-64	455	57,610	50	13.2	9.1-17.3	405	86.8	82.7-90.9
65+	476	51,125	50	9.8	6.7-12.9	426	90.2	87.1-93.3
Less Than H.S.	77	11,226	4	5.7	0.0-13.9	73	94.3	86.1- 100
H.S. or G.E.D.	312	44,391	30	11.5	6.8-16.2	282	88.5	83.8-93.2
Some Post-H.S.	298	40,052	31	10.4	6.3-14.5	267	89.6	85.5-93.7
College Graduate	417	41,374	44	10.3	6.8-13.8	373	89.7	86.2-93.2
Less than \$15,000	71	7,115	7	11.1	2.7-19.5	64	88.9	80.5-97.3
\$15,000- 24,999	132	16,245	14	12.4	4.8-20.0	118	87.6	80.0-95.2
\$25,000- 34,999	65	8,114	12	20.5	7.2-33.8	53	79.5	66.2-92.8
\$35,000- 49,999	127	15,834	16	16.4	6.6-26.2	111	83.6	73.8-93.4
\$50,000- 74,999	170	19,403	14	6.8	2.5-11.1	156	93.2	88.9-97.5
\$75,000+	407	52,708	33	7.9	4.8-11.0	374	92.1	89.0-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1403	156,474	163	11.0	9.0-13.0	1240	89.0	87.0-91.0
White/Non-Hisp	1082	117,411	124	11.0	8.8-13.2	958	89.0	86.8-91.2
Black or Afr. Am./Non-Hisp	182	27,115	19	9.7	4.2-15.2	163	90.3	84.8-95.8
Hispanic	61	4,333	9	14.9	1.4-28.4	52	85.1	71.6-98.6
50-54	222	30,779	13	6.5	2.6-10.4	209	93.5	89.6-97.4
55-64	553	65,564	54	8.4	5.9-10.9	499	91.6	89.1-94.1
65+	628	60,130	96	16.1	12.4-19.8	532	83.9	80.2-87.6
Less Than H.S.	102	13,560	20	17.8	9.0-26.6	82	82.2	73.4-91.0
H.S. or G.E.D.	381	48,165	50	11.0	7.7-14.3	331	89.0	85.7-92.3
Some Post-H.S.	382	45,991	36	10.2	6.3-14.1	346	89.8	85.9-93.7
College Graduate	534	48,516	55	9.7	6.8-12.6	479	90.3	87.4-93.2
Less than \$15,000	106	8,333	13	14.5	5.9-23.1	93	85.5	76.9-94.1
\$15,000- 24,999	209	24,535	38	15.8	10.1-21.5	171	84.2	78.5-89.9
\$25,000- 34,999	106	11,139	10	7.3	2.4-12.2	96	92.7	87.8-97.6
\$35,000- 49,999	167	18,092	19	8.8	3.9-13.7	148	91.2	86.3-96.1
\$50,000- 74,999	205	22,292	20	7.3	3.2-11.4	185	92.7	88.6-96.8
\$75,000+	383	47,021	36	9.1	5.8-12.4	347	90.9	87.6-94.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1049	121,811	40	3.2	2.0- 4.4	1009	96.8	95.6-98.0
Male	468	59,135	18	3.0	1.4- 4.6	450	97.0	95.4-98.6
Female	581	62,676	22	3.3	1.5- 5.1	559	96.7	94.9-98.5
White/Non-Hisp	780	87,503	28	3.1	1.7- 4.5	752	96.9	95.5-98.3
Black or Afr. Am./Non-Hisp	133	21,634	8	3.6	0.7- 6.5	125	96.4	93.5-99.3
Hispanic	59	4,559	1	2.5	0.0- 7.4	58	97.5	92.6- 100
50-54	215	28,898	5	1.3	0.1- 2.5	210	98.7	97.5-99.9
55-64	443	55,012	12	2.0	0.6- 3.4	431	98.0	96.6-99.4
65+	391	37,901	23	6.3	3.2- 9.4	368	93.7	90.6-96.8
Less Than H.S.	94	12,876				94	100.0	100.0- 100
H.S. or G.E.D.	309	38,710	12	3.8	1.3- 6.3	297	96.2	93.7-98.7
Some Post-H.S.	278	34,610	11	3.8	1.3- 6.3	267	96.2	93.7-98.7
College Graduate	364	35,188	16	2.8	1.0- 4.6	348	97.2	95.4-99.0
Less than \$15,000	100	9,055	4	2.8	0.1- 5.5	96	97.2	94.5-99.9
\$15,000- 24,999	159	18,983	8	6.4	0.9-11.9	151	93.6	88.1-99.1
\$25,000- 34,999	81	9,114	5	4.1	0.4- 7.8	76	95.9	92.2-99.6
\$35,000- 49,999	120	13,715	6	4.0	0.5- 7.5	114	96.0	92.5-99.5
\$50,000- 74,999	151	16,185	6	2.9	0.4- 5.4	145	97.1	94.6-99.6
\$75,000+	293	37,706	5	1.3	0.0- 2.7	288	98.7	97.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	468	59,135	18	3.0	1.4- 4.6	450	97.0	95.4-98.6
White/Non-Hisp	340	41,895	13	2.7	0.9- 4.5	327	97.3	95.5-99.1
Black or Afr. Am./Non-Hisp	60	11,090	2	2.5	0.0- 6.2	58	97.5	93.8- 100
50-54	103	15,069	3	1.7	0.0- 3.7	100	98.3	96.3- 100
55-64	204	26,573	3	1.5	0.0- 3.3	201	98.5	96.7- 100
65+	161	17,494	12	6.6	2.3-10.9	149	93.4	89.1-97.7
H.S. or G.E.D.	145	18,697	4	2.6	0.0- 5.3	141	97.4	94.7- 100
Some Post-H.S.	125	17,695	5	3.9	0.4- 7.4	120	96.1	92.6-99.6
College Graduate	152	15,930	8	3.3	0.6- 6.0	144	96.7	94.0-99.4
\$15,000- 24,999	63	8,132	3	5.0	0.0-10.9	60	95.0	89.1- 100
\$35,000- 49,999	58	6,920	1	1.5	0.0- 4.4	57	98.5	95.6- 100
\$50,000- 74,999	69	8,118	4	3.6	0.0- 7.9	65	96.4	92.1- 100
\$75,000+	139	18,730	5	2.6	0.1- 5.1	134	97.4	94.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	581	62,676	22	3.3	1.5- 5.1	559	96.7	94.9-98.5
White/Non-Hisp	440	45,608	15	3.5	1.1- 5.9	425	96.5	94.1-98.9
Black or Afr. Am./Non-Hisp	73	10,544	6	4.7	0.4- 9.0	67	95.3	91.0-99.6
50-54	112	13,829	2	0.9	0.0- 2.1	110	99.1	97.9- 100
55-64	239	28,439	9	2.6	0.4- 4.8	230	97.4	95.2-99.6
65+	230	20,407	11	6.1	1.6-10.6	219	93.9	89.4-98.4
Less Than H.S.	50	6,380				50	100.0	100.0- 100
H.S. or G.E.D.	164	20,013	8	5.0	0.7- 9.3	156	95.0	90.7-99.3
Some Post-H.S.	153	16,916	6	3.7	0.4- 7.0	147	96.3	93.0-99.6
College Graduate	212	19,258	8	2.5	0.3- 4.7	204	97.5	95.3-99.7
Less than \$15,000	51	3,551	4	7.1	0.0-14.2	47	92.9	85.8- 100
\$15,000- 24,999	96	10,851	5	7.4	0.0-15.8	91	92.6	84.2- 100
\$35,000- 49,999	62	6,795	5	6.5	0.0-13.0	57	93.5	87.0- 100
\$50,000- 74,999	82	8,066	2	2.1	0.0- 5.0	80	97.9	95.0- 100
\$75,000+	154	18,976				154	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2367	276,613	6	0.2	0.0- 0.4	2361	99.8	99.6- 100
Male	1052	130,766	3	0.2	0.0- 0.4	1049	99.8	99.6- 100
Female	1315	145,847	3	0.2	0.0- 0.6	1312	99.8	99.4- 100
White/Non-Hisp	1819	205,433	4	0.2	0.0- 0.4	1815	99.8	99.6- 100
Black or Afr. Am./Non-Hisp	295	50,110	1	0.2	0.0- 0.6	294	99.8	99.4- 100
Oth. Race/Non-Hisp.	59	6,570				59	100.0	100.0- 100
Hispanic	107	8,242				107	100.0	100.0- 100
50-54	388	57,701	1	0.1	0.0- 0.3	387	99.9	99.7- 100
55-64	958	116,772	2	0.2	0.0- 0.6	956	99.8	99.4- 100
65+	1021	102,140	3	0.2	0.0- 0.4	1018	99.8	99.6- 100
Less Than H.S.	170	23,397				170	100.0	100.0- 100
H.S. or G.E.D.	645	86,100	2	0.2	0.0- 0.4	643	99.8	99.6- 100
Some Post-H.S.	645	81,409	2	0.4	0.0- 1.0	643	99.6	99.0- 100
College Graduate	898	84,841	2	0.1	0.0- 0.3	896	99.9	99.7- 100
Less than \$15,000	168	14,698				168	100.0	100.0- 100
\$15,000- 24,999	313	37,363	2	0.7	0.0- 2.1	311	99.3	97.9- 100
\$25,000- 34,999	163	18,498	1	0.4	0.0- 1.2	162	99.6	98.8- 100
\$35,000- 49,999	274	31,615				274	100.0	100.0- 100
\$50,000- 74,999	355	39,716	1	0.2	0.0- 0.6	354	99.8	99.4- 100
\$75,000+	750	94,624	1	0.1	0.0- 0.3	749	99.9	99.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1052	130,766	3	0.2	0.0- 0.4	1049	99.8	99.6- 100
White/Non-Hisp	802	95,778	2	0.2	0.0- 0.4	800	99.8	99.6- 100
Black or Afr. Am./Non-Hisp	127	25,024	1	0.3	0.0- 0.9	126	99.7	99.1- 100
50-54	175	28,355	1	0.3	0.0- 0.9	174	99.7	99.1- 100
55-64	431	53,944				431	100.0	100.0- 100
65+	446	48,467	2	0.3	0.0- 0.7	444	99.7	99.3- 100
Less Than H.S.	78	11,293				78	100.0	100.0- 100
H.S. or G.E.D.	298	41,860	1	0.2	0.0- 0.6	297	99.8	99.4- 100
Some Post-H.S.	281	37,975	1	0.2	0.0- 0.6	280	99.8	99.4- 100
College Graduate	390	39,014	1	0.3	0.0- 0.9	389	99.7	99.1- 100
Less than \$15,000	70	7,093				70	100.0	100.0- 100
\$15,000- 24,999	125	15,137				125	100.0	100.0- 100
\$25,000- 34,999	59	7,557	1	1.1	0.0- 3.3	58	98.9	96.7- 100
\$35,000- 49,999	120	14,694				120	100.0	100.0- 100
\$50,000- 74,999	161	18,463	1	0.4	0.0- 1.2	160	99.6	98.8- 100
\$75,000+	386	50,267	1	0.2	0.0- 0.6	385	99.8	99.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1315	145,847	3	0.2	0.0- 0.6	1312	99.8	99.4- 100
White/Non-Hisp	1017	109,656	2	0.3	0.0- 0.7	1015	99.7	99.3- 100
Black or Afr. Am./Non-Hisp	168	25,087				168	100.0	100.0- 100
Hispanic	58	4,181				58	100.0	100.0- 100
50-54	213	29,346				213	100.0	100.0- 100
55-64	527	62,829	2	0.4	0.0- 1.2	525	99.6	98.8- 100
65+	575	53,673	1	0.2	0.0- 0.6	574	99.8	99.4- 100
Less Than H.S.	92	12,105				92	100.0	100.0- 100
H.S. or G.E.D.	347	44,240	1	0.2	0.0- 0.6	346	99.8	99.4- 100
Some Post-H.S.	364	43,434	1	0.6	0.0- 1.8	363	99.4	98.2- 100
College Graduate	508	45,826	1	0.0	0.0- 0.0	507	100.0	100.0- 100
Less than \$15,000	98	7,605				98	100.0	100.0- 100
\$15,000- 24,999	188	22,226	2	1.2	0.0- 3.4	186	98.8	96.6- 100
\$25,000- 34,999	104	10,941				104	100.0	100.0- 100
\$35,000- 49,999	154	16,921				154	100.0	100.0- 100
\$50,000- 74,999	194	21,253				194	100.0	100.0- 100
\$75,000+	364	44,357				364	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2434	285,148	1790	73.0	70.8-75.2	644	27.0	24.8-29.2
Male	1062	132,002	765	70.5	67.2-73.8	297	29.5	26.2-32.8
Female	1372	153,146	1025	75.2	72.3-78.1	347	24.8	21.9-27.7
White/Non-Hisp	1878	212,917	1418	75.1	72.7-77.5	460	24.9	22.5-27.3
Black or Afr. Am./Non-Hisp	303	51,459	216	70.6	64.1-77.1	87	29.4	22.9-35.9
Oth. Race/Non-Hisp.	61	6,737	35	51.6	33.0-70.2	26	48.4	29.8-67.0
Hispanic	105	7,876	59	55.4	42.7-68.1	46	44.6	31.9-57.3
50-54	386	57,871	198	56.8	50.7-62.9	188	43.2	37.1-49.3
55-64	981	119,640	731	74.1	70.8-77.4	250	25.9	22.6-29.2
65+	1067	107,637	861	80.6	77.7-83.5	206	19.4	16.5-22.3
Less Than H.S.	170	23,819	99	56.9	47.3-66.5	71	43.1	33.5-52.7
H.S. or G.E.D.	664	88,903	463	72.3	68.2-76.4	201	27.7	23.6-31.8
Some Post-H.S.	655	82,730	490	74.8	70.9-78.7	165	25.2	21.3-29.1
College Graduate	937	88,932	731	76.5	73.0-80.0	206	23.5	20.0-27.0
Less than \$15,000	169	14,909	103	58.7	49.5-67.9	66	41.3	32.1-50.5
\$15,000- 24,999	325	38,229	220	68.0	61.5-74.5	105	32.0	25.5-38.5
\$25,000- 34,999	162	18,353	111	67.5	58.3-76.7	51	32.5	23.3-41.7
\$35,000- 49,999	286	32,859	212	73.8	67.7-79.9	74	26.2	20.1-32.3
\$50,000- 74,999	364	40,330	277	74.2	68.5-79.9	87	25.8	20.1-31.5
\$75,000+	786	99,207	616	77.5	74.0-81.0	170	22.5	19.0-26.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1062	132,002	765	70.5	67.2-73.8	297	29.5	26.2-32.8
White/Non-Hisp	813	97,376	606	73.0	69.5-76.5	207	27.0	23.5-30.5
Black or Afr. Am./Non-Hisp	129	25,461	88	68.3	58.7-77.9	41	31.7	22.1-41.3
50-54	170	27,690	81	52.5	43.3-61.7	89	47.5	38.3-56.7
55-64	435	55,054	316	71.6	66.3-76.9	119	28.4	23.1-33.7
65+	457	49,258	368	79.5	75.0-84.0	89	20.5	16.0-25.0
Less Than H.S.	71	10,460	37	49.8	35.1-64.5	34	50.2	35.5-64.9
H.S. or G.E.D.	301	42,827	206	72.2	66.1-78.3	95	27.8	21.7-33.9
Some Post-H.S.	286	38,125	206	70.2	63.7-76.7	80	29.8	23.3-36.3
College Graduate	400	40,068	313	74.7	69.4-80.0	87	25.3	20.0-30.6
Less than \$15,000	70	6,958	35	44.2	30.7-57.7	35	55.8	42.3-69.3
\$15,000- 24,999	122	15,088	77	60.5	49.7-71.3	45	39.5	28.7-50.3
\$25,000- 34,999	60	7,583	40	70.3	56.2-84.4	20	29.7	15.6-43.8
\$35,000- 49,999	124	15,231	85	71.8	62.2-81.4	39	28.2	18.6-37.8
\$50,000- 74,999	163	18,542	126	70.6	61.4-79.8	37	29.4	20.2-38.6
\$75,000+	395	51,690	312	77.5	72.4-82.6	83	22.5	17.4-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1372	153,146	1025	75.2	72.3-78.1	347	24.8	21.9-27.7
White/Non-Hisp	1065	115,541	812	76.9	73.8-80.0	253	23.1	20.0-26.2
Black or Afr. Am./Non-Hisp	174	25,998	128	72.8	64.4-81.2	46	27.2	18.8-35.6
Hispanic	58	4,176	36	68.9	54.4-83.4	22	31.1	16.6-45.6
50-54	216	30,181	117	60.7	52.9-68.5	99	39.3	31.5-47.1
55-64	546	64,586	415	76.3	72.0-80.6	131	23.7	19.4-28.0
65+	610	58,379	493	81.5	77.4-85.6	117	18.5	14.4-22.6
Less Than H.S.	99	13,358	62	62.4	49.9-74.9	37	37.6	25.1-50.1
H.S. or G.E.D.	363	46,077	257	72.4	66.7-78.1	106	27.6	21.9-33.3
Some Post-H.S.	369	44,605	284	78.7	73.8-83.6	85	21.3	16.4-26.2
College Graduate	537	48,864	418	78.0	73.5-82.5	119	22.0	17.5-26.5
Less than \$15,000	99	7,951	68	71.4	60.4-82.4	31	28.6	17.6-39.6
\$15,000- 24,999	203	23,141	143	72.9	65.1-80.7	60	27.1	19.3-34.9
\$25,000- 34,999	102	10,770	71	65.6	53.3-77.9	31	34.4	22.1-46.7
\$35,000- 49,999	162	17,628	127	75.5	67.5-83.5	35	24.5	16.5-32.5
\$50,000- 74,999	201	21,787	151	77.2	70.1-84.3	50	22.8	15.7-29.9
\$75,000+	391	47,516	304	77.6	72.5-82.7	87	22.4	17.3-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 17: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	164
2	MALES ONLY	165
3	FEMALES ONLY	166

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

**SECTION 17: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4634	683,039	1823	42.1	40.1-44.1	2811	57.9	55.9-59.9
Male	2038	325,726	812	41.3	38.4-44.2	1226	58.7	55.8-61.6
Female	2596	357,314	1011	42.8	40.1-45.5	1585	57.2	54.5-59.9
White/Non-Hisp	3172	442,664	1089	37.5	35.3-39.7	2083	62.5	60.3-64.7
Black or Afr. Am./Non-Hisp	620	137,951	365	57.0	51.7-62.3	255	43.0	37.7-48.3
Oth. Race/Non-Hisp.	164	27,838	67	40.8	29.0-52.6	97	59.2	47.4-71.0
MultiRacial/Non-Hisp.	74	5,119	34	54.3	38.6-70.0	40	45.7	30.0-61.4
Hispanic	490	54,444	227	43.6	37.5-49.7	263	56.4	50.3-62.5
18-24	282	79,078	80	26.3	19.8-32.8	202	73.7	67.2-80.2
25-34	475	114,870	276	60.8	55.3-66.3	199	39.2	33.7-44.7
35-44	564	100,208	347	59.5	54.2-64.8	217	40.5	35.2-45.8
45-54	712	107,436	399	55.2	50.7-59.7	313	44.8	40.3-49.3
55-64	992	122,165	406	38.6	34.7-42.5	586	61.4	57.5-65.3
65+	1609	159,282	315	19.2	16.8-21.6	1294	80.8	78.4-83.2
Less Than H.S.	467	78,178	183	39.9	33.6-46.2	284	60.1	53.8-66.4
H.S. or G.E.D.	1287	212,032	468	38.4	34.7-42.1	819	61.6	57.9-65.3
Some Post-H.S.	1197	195,947	493	45.3	41.6-49.0	704	54.7	51.0-58.4
College Graduate	1664	194,724	675	43.9	40.8-47.0	989	56.1	53.0-59.2
Less than \$15,000	350	42,626	175	53.9	46.8-61.0	175	46.1	39.0-53.2
\$15,000- 24,999	714	99,981	305	44.2	39.3-49.1	409	55.8	50.9-60.7
\$25,000- 34,999	359	48,134	132	39.2	32.5-45.9	227	60.8	54.1-67.5
\$35,000- 49,999	519	74,195	212	44.5	38.4-50.6	307	55.5	49.4-61.6
\$50,000- 74,999	596	86,527	222	39.9	34.2-45.6	374	60.1	54.4-65.8
\$75,000+	1332	219,183	551	44.7	41.2-48.2	781	55.3	51.8-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	325,726	812	41.3	38.4-44.2	1226	58.7	55.8-61.6
White/Non-Hisp	1399	213,450	503	37.3	34.0-40.6	896	62.7	59.4-66.0
Black or Afr. Am./Non-Hisp	232	60,352	136	56.4	48.2-64.6	96	43.6	35.4-51.8
Oth. Race/Non-Hisp.	93	15,576	39	36.1	22.4-49.8	54	63.9	50.2-77.6
Hispanic	226	25,685	102	44.1	35.3-52.9	124	55.9	47.1-64.7
18-24	141	40,962	34	22.5	14.3-30.7	107	77.5	69.3-85.7
25-34	219	58,332	116	56.8	48.6-65.0	103	43.2	35.0-51.4
35-44	262	47,514	145	52.0	44.2-59.8	117	48.0	40.2-55.8
45-54	313	51,376	169	52.6	45.7-59.5	144	47.4	40.5-54.3
55-64	440	56,737	189	40.6	34.7-46.5	251	59.4	53.5-65.3
65+	663	70,806	159	24.3	20.2-28.4	504	75.7	71.6-79.8
Less Than H.S.	210	35,749	75	34.5	26.1-42.9	135	65.5	57.1-73.9
H.S. or G.E.D.	575	107,156	229	39.2	33.7-44.7	346	60.8	55.3-66.3
Some Post-H.S.	514	92,399	202	43.6	37.9-49.3	312	56.4	50.7-62.1
College Graduate	731	89,450	304	44.2	39.5-48.9	427	55.8	51.1-60.5
Less than \$15,000	129	17,247	62	46.0	35.0-57.0	67	54.0	43.0-65.0
\$15,000- 24,999	280	39,713	126	47.6	39.8-55.4	154	52.4	44.6-60.2
\$25,000- 34,999	140	20,141	48	32.8	23.0-42.6	92	67.2	57.4-77.0
\$35,000- 49,999	241	37,393	93	42.1	33.3-50.9	148	57.9	49.1-66.7
\$50,000- 74,999	267	43,696	98	36.4	28.2-44.6	169	63.6	55.4-71.8
\$75,000+	688	119,187	291	45.0	40.1-49.9	397	55.0	50.1-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2596	357,314	1011	42.8	40.3-45.3	1585	57.2	54.7-59.7
White/Non-Hisp	1773	229,214	586	37.6	34.5-40.7	1187	62.4	59.3-65.5
Black or Afr. Am./Non-Hisp	388	77,599	229	57.5	50.8-64.2	159	42.5	35.8-49.2
Oth. Race/Non-Hisp.	71	12,262	28	46.8	28.0-65.6	43	53.2	34.4-72.0
Hispanic	264	28,758	125	43.1	34.7-51.5	139	56.9	48.5-65.3
18-24	141	38,116	46	30.4	20.4-40.4	95	69.6	59.6-79.6
25-34	256	56,539	160	64.9	57.3-72.5	96	35.1	27.5-42.7
35-44	302	52,695	202	66.3	59.6-73.0	100	33.7	27.0-40.4
45-54	399	56,060	230	57.5	51.4-63.6	169	42.5	36.4-48.6
55-64	552	65,427	217	36.9	31.8-42.0	335	63.1	58.0-68.2
65+	946	88,476	156	15.1	12.4-17.8	790	84.9	82.2-87.6
Less Than H.S.	257	42,429	108	44.4	35.2-53.6	149	55.6	46.4-64.8
H.S. or G.E.D.	712	104,875	239	37.5	32.4-42.6	473	62.5	57.4-67.6
Some Post-H.S.	683	103,548	291	46.9	41.8-52.0	392	53.1	48.0-58.2
College Graduate	933	105,274	371	43.7	39.4-48.0	562	56.3	52.0-60.6
Less than \$15,000	221	25,379	113	59.2	50.4-68.0	108	40.8	32.0-49.6
\$15,000- 24,999	434	60,268	179	41.9	35.6-48.2	255	58.1	51.8-64.4
\$25,000- 34,999	219	27,993	84	43.8	35.0-52.6	135	56.2	47.4-65.0
\$35,000- 49,999	278	36,801	119	47.0	38.6-55.4	159	53.0	44.6-61.4
\$50,000- 74,999	329	42,832	124	43.5	36.1-50.9	205	56.5	49.1-63.9
\$75,000+	644	99,996	260	44.3	39.2-49.4	384	55.7	50.6-60.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2018**

End of Calculated Variable Data Report