

DELAWARE

2018 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 15, 2019



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018

MODULE 2: DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	750	89,990	243	32.7	28.2-37.2	507	67.3	62.8-71.8
Male	365	47,479	121	33.0	26.5-39.5	244	67.0	60.5-73.5
Female	385	42,511	122	32.4	26.3-38.5	263	67.6	61.5-73.7
White/Non-Hisp	505	57,156	147	28.3	23.6-33.0	358	71.7	67.0-76.4
Black or Afr. Am./Non-Hisp	137	23,618	54	43.1	31.9-54.3	83	56.9	45.7-68.1
45-54	107	16,900	33	27.2	17.0-37.4	74	72.8	62.6-83.0
55-64	206	25,456	75	38.3	29.1-47.5	131	61.7	52.5-70.9
65+	392	39,265	119	29.3	23.8-34.8	273	70.7	65.2-76.2
Less Than H.S.	82	11,447	28	30.6	18.6-42.6	54	69.4	57.4-81.4
H.S. or G.E.D.	250	33,678	86	34.1	26.5-41.7	164	65.9	58.3-73.5
Some Post-H.S.	204	24,829	66	30.8	22.4-39.2	138	69.2	60.8-77.6
College Graduate	208	19,279	58	31.6	22.4-40.8	150	68.4	59.2-77.6
Less than \$15,000	69	6,677	34	51.2	36.3-66.1	35	48.8	33.9-63.7
\$15,000- 24,999	155	18,070	57	38.1	28.1-48.1	98	61.9	51.9-71.9
\$25,000- 34,999	68	7,573	28	46.8	31.3-62.3	40	53.2	37.7-68.7
\$35,000- 49,999	106	12,895	32	29.3	18.7-39.9	74	70.7	60.1-81.3
\$50,000- 74,999	85	10,628	19	23.5	10.4-36.6	66	76.5	63.4-89.6
\$75,000+	134	18,315	36	24.3	15.5-33.1	98	75.7	66.9-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	365	47,479	121	33.0	26.3-39.7	244	67.0	60.3-73.7
White/Non-Hisp	248	29,007	72	27.9	21.0-34.8	176	72.1	65.2-79.0
Black or Afr. Am./Non-Hisp	65	13,598	30	45.2	29.5-60.9	35	54.8	39.1-70.5
55-64	100	13,864	37	44.5	30.6-58.4	63	55.5	41.6-69.4
65+	196	21,056	60	26.2	19.1-33.3	136	73.8	66.7-80.9
H.S. or G.E.D.	112	17,069	37	30.4	19.8-41.0	75	69.6	59.0-80.2
Some Post-H.S.	107	13,648	34	32.9	20.4-45.4	73	67.1	54.6-79.6
College Graduate	107	10,932	36	38.3	24.6-52.0	71	61.7	48.0-75.4
\$15,000- 24,999	66	8,030	24	41.9	25.8-58.0	42	58.1	42.0-74.2
\$35,000- 49,999	54	7,086	12	21.9	09.2-34.6	42	78.1	65.4-90.8
\$50,000- 74,999	53	6,730	14	29.2	10.8-47.6	39	70.8	52.4-89.2
\$75,000+	78	11,679	26	27.7	15.2-40.2	52	72.3	59.8-84.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	385	42,511	122	32.4	26.3-38.5	263	67.6	61.5-73.7
White/Non-Hisp	257	28,150	75	28.7	21.8-35.6	182	71.3	64.4-78.2
Black or Afr. Am./Non-Hisp	72	10,020	24	40.3	25.0-55.6	48	59.7	44.4-75.0
45-54	58	8,756	16	24.1	11.2-37.0	42	75.9	63.0-88.8
55-64	106	11,592	38	31.0	20.0-42.0	68	69.0	58.0-80.0
65+	196	18,209	59	32.9	24.3-41.5	137	67.1	58.5-75.7
H.S. or G.E.D.	138	16,609	49	37.9	26.9-48.9	89	62.1	51.1-73.1
Some Post-H.S.	97	11,180	32	28.2	17.6-38.8	65	71.8	61.2-82.4
College Graduate	101	8,347	22	22.8	12.4-33.2	79	77.2	66.8-87.6
\$15,000- 24,999	89	10,040	33	35.1	22.4-47.8	56	64.9	52.2-77.6
\$35,000- 49,999	52	5,809	20	38.3	21.8-54.8	32	61.7	45.2-78.2
\$75,000+	56	6,636	10	18.4	06.8-30.0	46	81.6	70.0-93.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	729	87,799	79	10.7	07.8-13.6	219	30.3	25.8-34.8	426	58.2	53.5-62.9	5	0.8	00.0-01.6	
Male	359	47,057	45	11.2	07.3-15.1	107	30.7	24.2-37.2	203	57.1	50.2-64.0	4	1.0	00.0-02.2	
Female	370	40,742	34	10.1	05.6-14.6	112	29.8	23.9-35.7	223	59.6	53.1-66.1	1	0.6	00.0-01.8	
White/Non-Hisp	492	55,982	51	10.4	07.1-13.7	163	32.6	27.5-37.7	274	55.8	50.3-61.3	4	1.1	00.0-02.5	
Black or Afr. Am./Non-Hisp	135	23,413	15	9.9	03.2-16.6	31	27.0	16.2-37.8	89	63.1	51.9-74.3				
45-54	101	15,888	13	12.7	03.5-21.9	34	36.5	23.8-49.2	53	50.3	37.4-63.2	1	0.5	00.0-01.5	
55-64	205	25,235	22	10.5	05.4-15.6	63	32.0	23.6-40.4	120	57.5	48.5-66.5				
65+	380	38,429	38	8.9	05.6-12.2	111	28.5	22.8-34.2	229	62.4	56.3-68.5	2	0.3	00.0-00.7	
Less Than H.S.	76	10,520	11	15.8	03.5-28.1	19	23.0	11.6-34.4	46	61.2	47.1-75.3				
H.S. or G.E.D.	245	33,348	17	6.8	02.9-10.7	73	30.2	22.4-38.0	154	62.7	54.7-70.7	1	0.2	00.0-00.6	
Some Post-H.S.	201	24,447	20	11.1	06.0-16.2	65	32.6	24.6-40.6	115	56.1	47.5-64.7	1	0.2	00.0-00.6	
College Graduate	201	18,724	30	14.5	08.0-21.0	62	32.7	23.9-41.5	106	49.8	40.4-59.2	3	2.9	00.0-00.6	
Less than \$15,000	68	6,378	6	9.6	02.0-17.2	13	16.7	06.1-27.3	48	72.9	60.4-85.4	1	0.9	00.0-02.7	
\$15,000- 24,999	150	17,660	11	10.7	02.5-18.9	47	31.2	21.4-41.0	91	57.7	47.1-68.3	1	0.4	00.0-01.2	
\$25,000- 34,999	67	7,425	3	2.8	00.0-06.1	16	20.3	08.7-31.9	48	76.8	64.8-88.8				
\$35,000- 49,999	105	12,861	17	16.9	07.3-26.5	28	24.6	14.8-34.4	60	58.5	46.5-70.5				
\$50,000- 74,999	84	10,571	6	7.6	00.3-14.9	39	42.0	28.5-55.5	38	50.0	35.9-64.1	1	0.4	00.0-01.2	
\$75,000+	127	17,573	17	11.0	05.1-16.9	41	38.2	26.2-50.2	67	48.0	36.6-59.4	2	2.9	00.0-06.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	359	47,057	45	11.2	07.3-15.1	107	30.7	24.2-37.2	203	57.1	50.2-64.0	4	1.0	00.0-02.2	
White/Non-Hisp	245	28,820	28	10.5	06.0-15.0	78	30.9	23.8-38.0	136	57.2	49.6-64.8	3	1.4	00.0-03.4	
Black or Afr. Am./Non-Hisp	63	13,394	8	9.3	01.9-16.7	15	32.1	16.0-48.2	40	58.7	42.6-74.8				
55-64	100	13,864	11	10.5	03.1-17.9	28	27.2	15.4-39.0	61	62.3	49.6-75.0				
65+	192	20,813	23	10.2	05.3-15.1	60	32.9	24.7-41.1	107	56.4	48.0-64.8	2	0.5	00.0-01.1	
H.S. or G.E.D.	109	16,850	11	9.0	02.7-15.3	33	32.1	19.6-44.6	64	58.5	46.0-71.0	1	0.4	00.0-01.2	
Some Post-H.S.	105	13,488	11	11.2	04.3-18.1	37	34.7	23.5-45.9	56	53.7	41.5-65.9	1	0.4	00.0-01.2	
College Graduate	106	10,888	17	14.9	05.5-24.3	29	32.7	19.8-45.6	58	49.4	35.9-62.9	2	2.9	00.0-07.8	
\$15,000- 24,999	66	8,030	6	8.5	01.2-15.8	20	28.6	13.5-43.7	39	62.0	46.5-77.5	1	0.9	00.0-02.7	
\$35,000- 49,999	54	7,086	11	20.7	05.8-35.6	16	26.7	13.2-40.2	27	52.6	35.0-70.2				
\$50,000- 74,999	52	6,673	3	7.6	00.0-17.8	24	38.0	21.7-54.3	24	53.8	36.0-71.6	1	0.6	00.0-01.8	
\$75,000+	77	11,635	10	8.8	02.5-15.1	23	39.5	23.4-55.6	43	49.3	33.8-64.8	1	2.4	00.0-07.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	370	40,742	34	10.1	05.6-14.6	112	29.8	23.9-35.7	223	59.6	53.1-66.1	1	0.6	00.0-01.8	
White/Non-Hisp	247	27,162	23	10.3	05.4-15.2	85	34.4	27.0-41.8	138	54.4	46.6-62.2	1	0.8	00.0-02.4	
Black or Afr. Am./Non-Hisp	72	10,020	7	10.7	00.0-22.7	16	20.2	08.8-31.6	49	69.1	54.4-83.8				
45-54	54	7,923	6	15.0	00.0-30.5	20	36.6	20.9-52.3	28	48.4	31.7-65.1				
55-64	105	11,371	11	10.5	03.6-17.4	35	37.9	25.9-49.9	59	51.7	39.5-63.9				
65+	188	17,616	15	7.3	03.0-11.6	51	23.2	15.9-30.5	122	69.5	61.5-77.5				
H.S. or G.E.D.	136	16,498	6	4.6	00.0-09.5	40	28.3	18.9-37.7	90	67.1	57.1-77.1				
Some Post-H.S.	96	10,959	9	10.9	02.9-18.9	28	30.1	18.7-41.5	59	59.0	46.8-71.2				
College Graduate	95	7,836	13	14.0	05.4-22.6	33	32.7	21.1-44.3	48	50.4	38.1-62.7	1	2.9	00.0-08.6	
\$15,000- 24,999	84	9,630	5	12.6	00.0-26.3	27	33.3	20.6-46.0	52	54.1	40.0-68.2				
\$35,000- 49,999	51	5,775	6	12.2	00.8-23.6	12	22.2	07.9-36.5	33	65.6	48.9-82.3				
\$75,000+	50	5,938	7	15.4	03.6-27.2	18	35.5	20.2-50.8	24	45.3	29.6-61.0	1	3.8	00.0-11.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	723	87,000	420	59.3	54.6-64.0	118	16.2	12.7-19.7	45	6.2	04.0-08.4	27	4.9	02.0-07.8	108	12.8	09.9-15.7	5	0.6	00.0-01.2
Male	356	46,719	193	54.7	47.8-61.6	69	19.0	13.9-24.1	22	6.2	03.1-09.3	14	5.9	01.0-10.8	55	13.3	09.0-17.6	3	0.9	00.0-02.1
Female	367	40,282	227	64.7	58.6-70.8	49	12.9	08.4-17.4	23	6.2	03.3-09.1	13	3.8	01.3-06.3	53	12.1	08.4-15.8	2	0.3	00.0-00.7
White/Non-Hisp	486	55,077	292	60.6	55.1-66.1	76	16.1	11.8-20.4	31	5.1	02.9-07.3	19	4.1	01.4-06.8	66	13.7	10.0-17.4	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	133	22,884	77	60.5	49.3-71.7	24	15.6	08.5-22.7	10	8.1	02.6-13.6	4	7.1	00.0-15.5	18	8.6	03.3-13.9			
45-54	106	16,657	59	55.3	42.6-68.0	19	19.3	09.5-29.1	3	3.6	00.0-08.1	3	8.3	00.0-19.3	22	13.5	06.6-20.4			
55-64	198	24,548	115	55.1	45.9-64.3	35	18.8	11.9-25.7	13	6.6	02.5-10.7	13	7.9	02.0-13.8	19	9.8	04.3-15.3	3	1.9	00.0-04.3
65+	374	37,426	220	62.4	56.3-68.5	57	14.4	09.9-18.9	28	8.4	04.7-12.1	9	1.7	00.5-02.9	58	13.0	09.3-16.7	2	0.2	00.0-00.4
Less Than H.S.	77	10,905	43	53.3	39.2-67.4	8	18.6	06.3-30.9	5	11.4	01.6-21.2	4	2.7	00.0-06.0	17	14.0	06.7-21.3			
H.S. or G.E.D.	242	32,449	143	59.1	50.9-67.3	37	13.8	08.1-19.5	14	4.7	01.8-07.6	8	7.5	00.6-14.4	37	14.1	08.6-19.6	3	0.8	00.0-01.8
Some Post-H.S.	194	23,676	123	64.9	56.7-73.1	37	19.0	12.3-25.7	10	4.4	01.1-07.7	6	2.4	00.0-04.8	17	9.2	04.3-14.1	1	0.2	00.0-00.6
College Graduate	204	19,129	107	56.3	47.3-65.3	34	14.2	08.7-19.7	16	8.2	03.5-12.9	9	5.1	00.8-09.4	37	14.9	09.0-20.8	1	1.3	00.0-03.8
Less than \$15,000	64	6,461	44	64.7	49.4-80.0	8	14.3	03.5-25.1	5	10.4	00.0-21.2	3	6.4	00.0-16.8	4	4.2	00.0-08.7			
\$15,000- 24,999	151	17,539	84	61.9	51.9-71.9	30	15.9	08.8-23.0	9	7.1	01.6-12.6	8	2.8	00.3-05.3	20	12.3	05.4-19.2			
\$25,000- 34,999	65	7,423	45	70.3	56.6-84.0	12	17.5	06.7-28.3	1	2.7	00.0-08.0	1	0.6	00.0-02.0	6	8.8	00.0-17.8			
\$35,000- 49,999	102	12,241	60	60.6	48.3-72.9	16	16.0	07.6-24.4	3	2.9	00.0-07.0	4	7.7	00.0-17.3	17	11.4	04.9-17.9	2	1.3	00.0-03.5
\$50,000- 74,999	83	10,212	44	52.6	38.7-66.5	13	17.5	06.5-28.5	5	4.6	00.0-09.5	1	1.2	00.0-03.6	20	24.1	12.7-35.5			
\$75,000+	134	18,315	69	52.8	41.4-64.2	22	15.8	08.2-23.4	13	8.6	03.3-13.9	7	9.7	00.0-19.9	23	13.3	07.0-19.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	356	46,719	193	54.7	47.6-61.8	69	19.0	13.9-24.1	22	6.2	03.1-09.3	14	5.9	01.0-10.8	55	13.3	09.0-17.6	3	0.9	00.0-02.1
White/Non-Hisp	243	28,590	141	57.7	49.9-65.5	44	18.9	12.6-25.2	13	4.0	01.5-06.5	9	4.7	00.2-09.2	35	14.3	09.0-19.6	1	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	63	13,402	33	54.9	38.6-71.2	15	19.2	08.4-30.0	5	7.9	00.6-15.2	2	8.0	00.0-21.1	8	10.0	01.6-18.4			
55-64	98	13,646	54	53.9	40.2-67.6	22	24.3	13.3-35.3	8	6.1	00.8-11.4	5	5.8	00.0-14.4	7	7.2	00.0-14.5	2	2.8	00.0-06.7
65+	189	20,513	105	58.2	49.6-66.8	31	14.9	09.0-20.8	13	9.5	03.6-15.4	6	2.3	00.3-04.3	33	15.0	09.1-20.9	1	0.2	00.0-00.6
H.S. or G.E.D.	110	16,873	66	54.9	42.4-67.4	15	12.2	04.4-20.0	7	4.9	00.2-09.6	3	9.8	00.0-21.8	18	17.4	08.4-26.4	1	0.7	00.0-02.1
Some Post-H.S.	103	13,188	59	60.7	49.1-72.3	26	23.2	13.6-32.8	6	5.2	00.3-10.1	3	2.0	00.0-04.5	8	8.6	02.1-15.1	1	0.3	00.0-00.9
College Graduate	106	10,888	50	54.1	41.2-67.0	20	16.3	08.1-24.5	6	5.3	00.0-10.6	7	7.4	00.3-14.5	22	14.6	06.8-22.4	1	2.3	00.0-06.8
\$15,000- 24,999	65	7,921	30	49.6	33.3-65.9	18	20.5	08.7-32.3	6	13.3	01.7-24.9	3	0.9	00.0-02.1	8	15.7	02.4-29.0			
\$35,000- 49,999	53	6,999	24	45.9	28.1-63.7	13	22.6	09.9-35.3	2	4.6	00.0-11.5	3	11.6	00.0-27.7	9	12.9	03.5-22.3	2	2.3	00.0-05.8
\$50,000- 74,999	53	6,730	28	54.4	36.6-72.2	9	20.7	05.8-35.6	2	3.0	00.0-07.7				14	22.0	08.5-35.5			
\$75,000+	78	11,679	41	51.7	36.2-67.2	13	18.3	07.3-29.3	5	4.5	00.0-09.4	6	13.3	00.0-28.4	13	12.2	04.2-20.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	367	40,282	227	64.7	58.6-70.8	49	12.9	08.4-17.4	23	6.2	03.3-09.1	13	3.8	01.3-06.3	53	12.1	08.4-15.8	2	0.3	00.0-00.7
White/Non-Hisp	243	26,487	151	63.7	56.3-71.1	32	13.2	07.5-18.9	18	6.4	02.9-09.9	10	3.6	01.1-06.1	31	13.1	08.0-18.2	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	70	9,483	44	68.5	55.0-82.0	9	10.4	02.8-18.0	5	8.5	00.1-16.9	2	5.9	00.0-14.1	10	6.8	01.9-11.7			
45-54	57	8,513	35	63.9	48.8-79.0	8	16.2	04.2-28.2	2	5.8	00.0-14.2	1	2.0	00.0-05.7	11	12.2	03.6-20.8			
55-64	100	10,902	61	56.5	44.2-68.8	13	11.8	04.5-19.1	5	7.2	00.5-13.9	8	10.5	01.9-19.1	12	13.1	04.9-21.3	1	0.9	00.0-02.7
65+	185	16,913	115	67.5	59.5-75.5	26	13.8	06.7-20.9	15	7.0	03.1-10.9	3	1.0	00.0-02.2	25	10.5	06.0-15.0	1	0.2	00.0-00.6
H.S. or G.E.D.	132	15,576	77	63.6	53.4-73.8	22	15.6	07.6-23.6	7	4.5	00.6-08.4	5	5.1	00.0-10.4	19	10.4	04.7-16.1	2	0.8	00.0-02.0
Some Post-H.S.	91	10,487	64	70.0	58.6-81.4	11	13.8	04.8-22.8	4	3.4	00.0-07.7	3	2.9	00.0-07.2	9	9.9	02.1-17.7			
College Graduate	98	8,241	57	59.2	47.2-71.2	14	11.5	04.1-18.9	10	12.1	04.1-20.1	2	2.0	00.0-05.1	15	15.2	06.6-23.8			
\$15,000- 24,999	86	9,618	54	72.1	60.9-83.3	12	12.1	03.5-20.7	3	2.0	00.0-04.4	5	4.4	00.0-09.1	12	9.4	03.5-15.3			
\$75,000+	56	6,636	28	54.5	39.6-69.4	9	11.3	03.3-19.3	8	15.7	04.7-26.7	1	3.3	00.0-09.8	10	15.1	04.9-25.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	728	87,031	137	20.1	16.0-24.2	167	22.5	18.6-26.4	101	13.7	10.6-16.8	153	20.4	16.7-24.1	82	9.8	07.3-12.3	88	13.5	10.0-17.0			
Male	355	46,017	73	22.2	15.9-28.5	85	22.7	17.2-28.2	44	13.1	08.4-17.8	71	19.8	14.5-25.1	41	9.3	05.8-12.8	41	12.8	07.5-18.1			
Female	373	41,014	64	17.8	12.7-22.9	82	22.3	16.8-27.8	57	14.3	10.0-18.6	82	21.1	16.0-26.2	41	10.3	06.4-14.2	47	14.3	09.8-18.8			
White/Non-Hisp	493	56,144	84	18.1	13.8-22.4	111	22.2	17.7-26.7	76	15.7	11.8-19.6	108	22.6	17.9-27.3	48	7.3	04.6-10.0	66	14.1	10.4-17.8			
Black or Afr. Am./Non-Hisp	132	22,103	31	26.0	15.2-36.8	32	23.6	14.2-33.0	13	9.1	03.0-15.2	28	16.7	09.6-23.8	18	13.4	06.5-20.3	10	11.4	02.4-20.4			
45-54	101	15,924	20	22.8	12.6-33.0	19	15.5	07.5-23.5	14	18.4	08.8-28.0	21	18.5	09.5-27.5	10	5.1	01.2-09.0	17	19.8	07.6-32.0			
55-64	199	24,746	38	16.6	09.2-24.0	42	19.7	12.8-26.6	21	11.0	05.1-16.9	49	27.2	18.8-35.6	29	13.4	07.5-19.3	20	12.2	06.5-17.9			
65+	385	38,294	63	17.0	12.3-21.7	97	26.9	21.2-32.6	63	15.9	11.4-20.4	77	18.2	13.7-22.7	41	11.0	06.9-15.1	44	11.1	07.4-14.8			
Less Than H.S.	78	10,360	16	19.9	09.5-30.3	19	21.8	11.2-32.4	9	16.3	04.9-27.7	11	13.4	03.8-23.0	10	13.4	04.0-22.8	13	15.1	06.1-24.1			
H.S. or G.E.D.	240	32,577	41	16.4	10.3-22.5	52	22.5	15.6-29.4	42	16.1	10.4-21.8	50	21.8	14.9-28.7	24	8.8	04.7-12.9	31	14.3	07.4-21.2			
Some Post-H.S.	200	24,470	36	22.0	13.6-30.4	48	21.8	14.9-28.7	28	12.3	07.4-17.2	43	20.4	13.7-27.1	23	10.1	05.0-15.2	22	13.5	07.4-19.6			
College Graduate	205	19,060	43	24.6	15.8-33.4	47	24.0	16.0-32.0	21	9.1	03.8-14.4	48	21.2	14.5-27.9	25	9.4	04.9-13.9	21	11.6	05.9-17.3			
Less than \$15,000	65	6,433	12	18.4	07.8-29.0	14	23.4	09.5-37.3	10	19.4	05.9-32.9	15	15.8	06.6-25.0	9	10.3	02.5-18.1	5	12.8	01.6-24.0			
\$15,000- 24,999	150	16,949	29	20.7	12.7-28.7	32	23.0	14.0-32.0	22	14.6	07.0-22.2	31	17.5	10.1-24.9	20	14.8	07.5-22.1	16	9.4	03.7-15.1			
\$25,000- 34,999	66	7,234	11	25.1	09.0-41.2	18	22.5	11.1-33.9	11	12.9	04.3-21.5	16	26.3	13.0-39.6	6	6.0	00.7-11.3	4	7.2	00.0-15.0			
\$35,000- 49,999	105	12,529	17	13.0	06.1-19.9	25	21.4	11.6-31.2	15	14.4	05.8-23.0	22	29.4	17.1-41.7	9	6.9	00.8-13.0	17	14.8	07.2-22.4			
\$50,000- 74,999	84	10,520	20	27.2	13.1-41.3	20	24.3	12.7-35.9	5	6.0	00.0-12.3	23	21.4	11.8-31.0	10	11.4	02.8-20.0	6	9.8	00.8-18.8			
\$75,000+	134	18,315	29	22.8	13.8-31.8	28	18.2	10.0-26.4	17	13.4	06.1-20.7	28	20.6	12.2-29.0	12	6.4	02.1-10.7	20	18.5	07.7-29.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	355	46,017	73	22.2	15.9-28.5	85	22.7	17.2-28.2	44	13.1	08.4-17.8	71	19.8	14.3-25.3	41	9.3	05.8-12.8	41	12.8	07.5-18.1
White/Non-Hisp	243	28,442	47	20.7	14.2-27.2	59	22.4	16.5-28.3	33	14.8	08.9-20.7	51	23.1	16.0-30.2	23	7.1	03.4-10.8	30	11.8	07.1-16.5
Black or Afr. Am./Non-Hisp	63	12,877	14	25.9	10.4-41.4	18	26.0	12.5-39.5	5	8.3	00.0-16.7	9	11.3	02.5-20.1	11	13.2	04.4-22.0	6	15.2	00.7-29.7
55-64	99	13,508	23	20.9	08.6-33.2	21	18.7	09.3-28.1	9	10.2	01.4-19.0	21	27.0	14.3-39.7	14	11.8	04.4-19.2	11	11.3	03.9-18.7
65+	192	20,333	33	16.9	10.6-23.2	50	28.3	20.5-36.1	27	15.3	08.8-21.8	39	18.0	11.9-24.1	23	12.0	06.1-17.9	20	9.6	04.5-14.7
H.S. or G.E.D.	108	16,372	20	16.9	08.5-25.3	26	22.0	13.0-31.0	17	16.3	07.3-25.3	21	22.5	12.1-32.9	9	6.7	01.2-12.2	15	15.6	04.2-27.0
Some Post-H.S.	105	13,430	24	28.2	15.3-41.1	26	23.9	13.9-33.9	12	10.4	03.9-16.9	21	17.2	09.0-25.4	10	7.3	02.0-12.6	12	13.1	05.1-21.1
College Graduate	105	10,777	24	28.8	15.3-42.3	24	22.5	10.9-34.1	10	8.3	01.2-15.4	22	18.6	09.6-27.6	17	12.6	05.3-19.9	8	9.2	01.4-17.0
\$15,000- 24,999	65	7,868	10	15.7	05.1-26.3	14	28.9	13.6-44.2	10	16.6	03.3-29.9	13	18.0	05.3-30.7	11	14.8	04.0-25.6	7	6.0	00.9-11.1
\$35,000- 49,999	53	6,720	8	12.8	03.8-21.8	16	27.9	12.8-43.0	6	12.0	00.0-24.0	10	27.9	09.7-46.1	3	5.0	00.0-12.1	10	14.2	04.6-23.8
\$50,000- 74,999	52	6,622	16	38.7	19.5-57.9	12	20.4	08.2-32.6	3	6.4	00.0-14.6	14	19.2	07.8-30.6	4	8.2	00.0-17.4	3	7.1	00.0-17.3
\$75,000+	78	11,679	18	21.9	09.9-33.9	17	18.8	07.4-30.2	10	12.7	03.3-22.1	16	21.0	09.4-32.6	8	6.3	00.8-11.8	9	19.4	03.7-35.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	373	41,014	64	17.8	12.7-22.9	82	22.3	17.0-27.6	57	14.3	10.0-18.6	82	21.1	16.0-26.2	41	10.3	06.4-14.2	47	14.3	09.8-18.8			
White/Non-Hisp	250	27,702	37	15.3	09.8-20.8	52	21.9	15.2-28.6	43	16.7	11.2-22.2	57	22.0	15.7-28.3	25	7.6	03.9-11.3	36	16.5	10.6-22.4			
Black or Afr. Am./Non-Hisp	69	9,227	17	26.2	11.9-40.5	14	20.1	07.8-32.4	8	10.1	01.5-18.7	19	24.1	12.5-35.7	7	13.6	02.8-24.4	4	5.9	00.0-11.8			
45-54	56	8,054	10	19.6	07.3-31.9	10	19.7	06.8-32.6	7	17.6	05.3-29.9	12	16.5	06.1-26.9	6	6.7	00.6-12.8	11	19.8	07.1-32.5			
55-64	100	11,238	15	11.4	04.3-18.5	21	20.8	10.8-30.8	12	12.0	04.4-19.6	28	27.4	16.6-38.2	15	15.3	06.3-24.3	9	13.1	04.3-21.9			
65+	193	17,961	30	17.0	09.7-24.3	47	25.3	17.1-33.5	36	16.7	10.4-23.0	38	18.4	11.9-24.9	18	9.9	04.2-15.6	24	12.7	07.2-18.2			
H.S. or G.E.D.	132	16,205	21	15.9	07.1-24.7	26	23.1	13.7-32.5	25	15.9	08.6-23.2	29	21.2	12.6-29.8	15	11.0	04.7-17.3	16	13.0	05.6-20.4			
Some Post-H.S.	95	11,040	12	14.4	05.6-23.2	22	19.2	10.2-28.2	16	14.5	06.7-22.3	22	24.5	14.1-34.9	13	13.5	04.5-22.5	10	13.9	04.9-22.9			
College Graduate	100	8,283	19	19.2	09.8-28.6	23	25.9	14.9-36.9	11	10.2	02.8-17.6	26	24.5	14.9-34.1	8	5.4	01.1-09.7	13	14.8	06.6-23.0			
\$15,000- 24,999	85	9,080	19	25.1	13.3-36.9	18	17.9	07.5-28.3	12	12.9	04.5-21.3	18	17.1	08.7-25.5	9	14.9	04.9-24.9	9	12.2	02.8-21.6			
\$35,000- 49,999	52	5,809	9	13.3	02.5-24.1	9	13.9	02.3-25.5	9	17.1	04.8-29.4	12	31.0	14.1-47.9	6	9.1	00.0-19.1	7	15.6	03.8-27.4			
\$75,000+	56	6,636	11	24.5	11.0-38.0	11	17.3	05.5-29.1	7	14.8	04.0-25.6	12	20.0	08.2-31.8	4	6.5	00.0-13.2	11	17.0	06.4-27.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	712	84,710	382	56.1	51.4-60.8	231	30.9	26.6-35.2	20	2.2	01.0-03.4	14	1.2	00.4-02.0	59	8.5	06.0-11.0	6	1.2	00.0-02.4
Male	345	44,441	203	62.1	55.4-68.8	96	26.2	20.1-32.3	11	2.4	00.6-04.2	7	1.0	00.2-01.8	25	7.4	04.1-10.7	3	1.1	00.0-02.7
Female	367	40,269	179	49.4	42.9-55.9	135	36.2	29.9-42.5	9	2.0	00.6-03.4	7	1.4	00.2-02.6	34	9.7	05.8-13.6	3	1.3	00.0-02.9
White/Non-Hisp	485	55,034	263	55.1	49.6-60.6	167	33.8	28.5-39.1	11	1.6	00.6-02.6	9	1.1	00.3-01.9	32	7.6	04.7-10.5	3	0.8	00.0-02.0
Black or Afr. Am./Non-Hisp	127	21,187	68	61.1	50.5-71.7	40	26.9	17.7-36.1	4	1.4	00.0-03.0	3	1.5	00.0-03.3	9	6.6	01.9-11.3	3	2.5	00.0-06.0
45-54	103	15,951	50	53.2	40.9-65.5	33	33.6	22.2-45.0	6	3.4	00.3-06.5	1	0.2	00.0-00.6	11	8.7	02.6-14.8	2	1.0	00.0-02.6
55-64	194	23,687	105	54.3	44.9-63.7	62	33.5	24.5-42.5	9	3.9	01.0-06.8	3	0.9	00.0-01.9	15	7.4	03.1-11.7			
65+	370	36,703	203	57.2	50.9-63.5	126	31.2	25.3-37.1	5	1.1	00.1-02.1	8	1.5	00.3-02.7	24	6.7	03.6-09.8	4	2.2	00.0-04.7
Less Than H.S.	70	9,376	30	41.9	27.8-56.0	20	32.0	18.3-45.7	4	6.5	00.0-13.2	2	2.3	00.0-05.8	13	14.1	05.3-22.9	1	3.2	00.0-09.3
H.S. or G.E.D.	235	31,626	120	52.4	44.0-60.8	77	33.8	25.8-41.8	8	1.6	00.2-03.0	6	1.5	00.3-02.7	22	9.3	04.6-14.0	2	1.5	00.0-03.9
Some Post-H.S.	198	23,863	110	59.8	51.4-68.2	62	28.9	21.3-36.5	4	1.7	00.0-03.5	4	0.8	00.0-01.6	16	8.1	03.8-12.4	2	0.7	00.0-01.7
College Graduate	205	19,136	120	65.2	57.0-73.4	70	27.2	19.9-34.5	4	1.6	00.0-03.4	2	0.7	00.0-01.7	8	5.1	00.8-09.4	1	0.2	00.0-00.6
Less than \$15,000	64	6,309	30	48.2	32.7-63.7	21	30.6	16.3-44.9	3	3.9	00.0-09.2	2	3.3	00.0-08.4	7	12.2	01.4-23.0	1	1.8	00.0-05.3
\$15,000- 24,999	149	16,458	77	53.9	43.7-64.1	46	29.9	20.5-39.3	3	1.8	00.0-04.2	9	3.8	01.1-06.5	13	8.8	02.7-14.9	1	1.8	00.0-05.3
\$25,000- 34,999	68	7,573	35	57.0	42.3-71.7	25	31.7	18.4-45.0	3	3.2	00.0-07.3				5	8.1	00.3-15.9			
\$35,000- 49,999	103	12,748	51	49.5	37.2-61.8	36	35.0	22.8-47.2	3	2.6	00.0-06.3				12	10.1	03.8-16.4	1	2.9	00.0-08.4
\$50,000- 74,999	84	10,397	53	64.6	51.3-77.9	27	29.9	17.4-42.4							4	5.5	00.0-12.4			
\$75,000+	132	17,875	80	64.1	53.9-74.3	43	30.4	20.8-40.0	4	2.2	00.0-04.6	1	0.6	00.0-01.8	4	2.8	00.0-05.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	345	44,441	203	62.1	55.4-68.8	96	26.2	20.1-32.3	11	2.4	00.6-04.2	7	1.0	00.2-01.8	25	7.4	04.1-10.7	3	1.1	00.0-02.7
White/Non-Hisp	240	27,969	144	61.7	53.9-69.5	69	28.3	20.9-35.7	7	2.1	00.3-03.9	5	1.1	00.0-02.3	14	6.6	02.9-10.3	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	60	12,294	36	67.1	52.8-81.4	15	21.7	09.7-33.7	2	1.6	00.0-04.0	1	0.5	00.0-01.5	4	5.6	00.0-11.3	2	3.4	00.0-09.3
55-64	94	12,781	61	66.6	53.5-79.7	20	21.5	09.2-33.8	4	4.0	00.0-08.5	1	0.5	00.0-01.5	8	7.5	01.6-13.4			
65+	184	19,168	105	57.6	48.8-66.4	61	32.5	24.3-40.7	3	1.3	00.0-03.1	5	1.8	00.0-03.6	8	4.5	01.0-08.0	2	2.2	00.0-05.9
H.S. or G.E.D.	101	15,191	58	57.7	45.2-70.2	27	29.2	17.4-41.0	5	2.2	00.0-04.7	2	1.1	00.0-02.7	8	7.3	01.4-13.2	1	2.4	00.0-07.1
Some Post-H.S.	104	13,060	63	66.8	56.0-77.6	29	22.6	13.4-31.8	2	1.9	00.0-04.6	2	0.7	00.0-01.7	7	7.5	01.6-13.4	1	0.4	00.0-01.2
College Graduate	107	10,932	66	69.1	57.9-80.3	30	21.1	12.1-30.1	3	2.1	00.0-04.8	2	1.1	00.0-02.9	5	6.2	00.0-12.9	1	0.4	00.0-01.2
\$15,000- 24,999	63	7,444	34	58.0	42.1-73.9	16	28.5	13.0-44.0	2	3.5	00.0-08.4	5	4.2	00.1-08.3	6	5.8	00.5-11.1			
\$35,000- 49,999	53	6,992	31	58.4	40.2-76.6	14	23.9	07.2-40.6	2	4.0	00.0-10.7				5	8.5	00.7-16.3	1	5.2	00.0-15.0
\$50,000- 74,999	52	6,499	36	70.0	53.9-86.1	12	21.2	07.7-34.7							4	8.9	00.0-19.5			
\$75,000+	76	11,239	49	68.5	55.2-81.8	23	28.6	15.7-41.5	1	0.6	00.0-01.8	1	0.9	00.0-02.7	2	1.5	00.0-03.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	367	40,269	179	49.4	42.7-56.1	135	36.2	29.9-42.5	9	2.0	00.6-03.4	7	1.4	00.2-02.6	34	9.7	05.8-13.6	3	1.3	00.0-02.9
White/Non-Hisp	245	27,065	119	48.3	40.5-56.1	98	39.5	31.7-47.3	4	1.0	00.0-02.0	4	1.0	00.0-02.0	18	8.7	04.0-13.4	2	1.5	00.0-03.9
Black or Afr. Am./Non-Hisp	67	8,894	32	52.7	37.6-67.8	25	34.1	20.4-47.8	2	1.2	00.0-03.0	2	2.9	00.0-07.0	5	7.9	00.3-15.5	1	1.1	00.0-03.3
45-54	56	7,874	24	43.3	27.8-58.8	22	40.4	25.1-55.7	2	3.2	00.0-07.7				7	11.6	01.4-21.8	1	1.5	00.0-04.4
55-64	100	10,905	44	39.9	27.7-52.1	42	47.6	35.1-60.1	5	3.7	00.0-07.4	2	1.4	00.0-03.4	7	7.4	01.1-13.7			
65+	186	17,535	98	56.7	47.5-65.9	65	29.8	21.6-38.0	2	0.8	00.0-02.0	3	1.3	00.0-02.9	16	9.1	04.0-14.2	2	2.3	00.0-05.8
H.S. or G.E.D.	134	16,435	62	47.4	36.2-58.6	50	38.0	27.2-48.8	3	1.1	00.0-02.5	4	1.9	00.0-03.9	14	11.1	04.0-18.2	1	0.6	00.0-01.8
Some Post-H.S.	94	10,803	47	51.3	39.0-63.6	33	36.4	24.4-48.4	2	1.5	00.0-03.7	2	1.0	00.0-02.4	9	8.7	02.0-15.4	1	1.1	00.0-03.3
College Graduate	98	8,204	54	60.0	48.4-71.6	40	35.3	24.1-46.5	1	1.1	00.0-03.3				3	3.7	00.0-08.0			
\$15,000- 24,999	86	9,013	43	50.5	37.2-63.8	30	31.1	19.7-42.5	1	0.3	00.0-00.9	4	3.6	00.0-07.3	7	11.3	01.3-21.3	1	3.3	00.0-09.8
\$35,000- 49,999	50	5,756	20	38.6	21.9-55.3	22	48.5	31.4-65.6	1	0.9	00.0-02.7				7	12.0	02.0-22.0			
\$75,000+	56	6,636	31	56.6	41.7-71.5	20	33.5	19.6-47.4	3	4.9	00.0-10.6				2	5.1	00.0-12.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	713	84,919	151	23.9	19.4-28.4	149	22.1	18.2-26.0	65	9.6	06.9-12.3	96	13.2	10.1-16.3	71	7.2	05.2-09.2	181	23.9	20.0-27.8
Male	342	44,788	66	23.6	16.5-30.7	79	24.4	18.5-30.3	37	10.1	06.0-14.2	47	13.4	08.9-17.9	32	6.6	03.9-09.3	81	21.9	16.6-27.2
Female	371	40,130	85	24.1	18.6-29.6	70	19.6	14.5-24.7	28	9.1	05.4-12.8	49	13.0	08.5-17.5	39	7.9	05.0-10.8	100	26.2	20.5-31.9
White/Non-Hisp	485	54,716	100	21.3	16.8-25.8	101	21.3	16.8-25.8	46	10.9	07.2-14.6	68	15.2	10.9-19.5	57	8.9	06.2-11.6	113	22.4	18.1-26.7
Black or Afr. Am./Non-Hisp	129	21,755	37	35.3	23.1-47.5	35	24.4	15.0-33.8	7	6.8	01.3-12.3	14	7.2	02.9-11.5	5	2.8	00.0-05.7	31	23.5	14.5-32.5
45-54	100	15,599	19	24.6	12.1-37.1	23	24.6	14.0-35.2	9	11.0	02.8-19.2	10	8.6	02.5-14.7	6	5.9	00.8-11.0	33	25.3	15.3-35.3
55-64	198	24,110	49	23.7	15.1-32.3	40	20.0	12.9-27.1	17	10.7	04.6-16.8	29	16.7	09.4-24.0	21	7.0	03.5-10.5	42	21.9	14.6-29.2
65+	370	36,840	71	21.5	16.0-27.0	80	23.8	18.3-29.3	39	10.6	06.9-14.3	50	12.9	08.6-17.2	41	8.5	05.4-11.6	89	22.7	17.4-28.0
Less Than H.S.	74	9,726	19	24.1	12.9-35.3	8	16.0	04.4-27.6	6	8.6	00.0-17.6	10	13.7	04.5-22.9	4	5.6	00.0-11.3	27	31.9	19.6-44.2
H.S. or G.E.D.	237	32,267	46	21.7	13.9-29.5	43	18.4	12.1-24.7	25	10.1	05.2-15.0	29	15.5	09.2-21.8	23	6.6	03.3-09.9	71	27.6	20.5-34.7
Some Post-H.S.	193	23,499	34	23.5	14.7-32.3	51	25.7	18.1-33.3	15	10.0	04.7-15.3	28	11.5	06.6-16.4	28	10.1	05.4-14.8	37	19.1	12.4-25.8
College Graduate	203	18,669	50	27.7	18.9-36.5	46	27.6	19.0-36.2	19	9.2	03.9-14.5	28	10.7	05.8-15.6	15	5.8	02.7-08.9	45	19.0	12.3-25.7
Less than \$15,000	64	6,386	15	26.7	13.4-40.0	14	24.6	10.3-38.9	1	1.2	00.0-03.6	10	8.4	01.9-14.9	11	13.8	04.6-23.0	13	25.3	11.0-39.6
\$15,000- 24,999	148	16,399	36	26.4	17.2-35.6	21	13.5	07.0-20.0	18	14.0	06.2-21.8	15	8.5	03.4-13.6	17	9.0	03.7-14.3	41	28.5	18.9-38.1
\$25,000- 34,999	67	7,529	13	30.2	14.1-46.3	12	10.8	04.3-17.3	7	9.3	01.7-16.9	12	19.0	07.4-30.6	5	8.7	00.0-17.5	18	22.1	10.5-33.7
\$35,000- 49,999	102	12,503	16	13.8	06.0-21.6	17	19.6	09.4-29.8	13	15.0	06.2-23.8	14	19.3	07.9-30.7	13	5.8	02.3-09.3	29	26.6	16.2-37.0
\$50,000- 74,999	83	10,249	20	24.2	11.1-37.3	22	32.3	18.8-45.8	4	5.3	00.0-11.4	14	11.3	04.6-18.0	7	8.7	01.6-15.8	16	18.3	08.3-28.3
\$75,000+	131	17,905	36	31.0	19.4-42.6	34	26.9	16.9-36.9	13	10.9	03.8-18.0	14	10.0	03.9-16.1	3	1.7	00.0-03.7	31	19.5	11.7-27.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	342	44,788	66	23.6	16.5-30.7	79	24.4	18.5-30.3	37	10.1	06.0-14.2	47	13.4	08.9-17.9	32	6.6	03.9-09.3	81	21.9	16.6-27.2
White/Non-Hisp	236	27,616	43	19.2	12.9-25.5	54	23.4	16.9-29.9	26	12.4	06.7-18.1	33	15.4	09.3-21.5	26	8.4	04.5-12.3	54	21.3	15.2-27.4
Black or Afr. Am./Non-Hisp	62	12,973	17	38.4	21.0-55.8	21	28.4	14.7-42.1	3	6.0	00.0-13.4	3	3.8	00.0-08.5	4	4.1	00.0-08.8	14	19.4	08.0-30.8
55-64	95	12,959	22	26.5	12.6-40.4	14	13.0	05.2-20.8	9	10.1	01.1-19.1	15	17.7	06.5-28.9	10	6.0	01.7-10.3	25	26.7	15.5-37.9
65+	182	19,641	31	18.0	11.1-24.9	48	29.8	21.8-37.8	22	10.5	05.8-15.2	24	12.6	06.9-18.3	19	9.0	04.1-13.9	38	20.2	13.1-27.3
H.S. or G.E.D.	104	16,129	16	20.3	08.1-32.5	24	22.4	12.6-32.2	11	9.7	02.3-17.1	12	14.8	05.6-24.0	11	6.5	02.0-11.0	30	26.2	16.0-36.4
Some Post-H.S.	100	12,958	17	24.1	10.8-37.4	28	26.8	16.4-37.2	8	8.6	02.3-14.9	13	10.2	04.1-16.3	13	10.1	03.2-17.0	21	20.2	11.0-29.4
College Graduate	103	10,355	24	28.2	14.5-41.9	22	26.7	14.0-39.4	15	12.8	04.6-21.0	15	10.4	03.3-17.5	7	5.5	01.2-09.8	20	16.3	07.3-25.3
\$15,000- 24,999	64	7,836	13	25.7	10.8-40.6	8	13.9	03.3-24.5	11	18.8	05.1-32.5	7	8.5	00.3-16.7	11	13.2	03.4-23.0	14	19.9	07.2-32.6
\$35,000- 49,999	51	6,886	10	18.0	05.8-30.2	12	26.2	10.9-41.5	7	14.1	01.8-26.4	5	16.9	00.0-34.0	6	5.4	00.7-10.1	11	19.5	07.0-32.0
\$50,000- 74,999	52	6,665	12	25.8	07.6-44.0	11	23.3	08.0-38.6	2	5.0	00.0-12.6	11	13.9	04.7-23.1	4	9.5	00.0-19.3	12	22.5	08.8-36.2
\$75,000+	75	11,269	19	31.2	14.7-47.7	19	27.4	13.7-41.1	9	10.7	01.5-19.9	10	11.2	03.0-19.4	1	0.9	00.0-02.7	17	18.6	08.0-29.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	371	40,130	85	24.1	18.6-29.6	70	19.6	14.7-24.5	28	9.1	05.4-12.8	49	13.0	08.5-17.5	39	7.9	05.0-10.8	100	26.2	20.5-31.9
White/Non-Hisp	249	27,100	57	23.5	17.0-30.0	47	19.1	13.0-25.2	20	9.5	05.0-14.0	35	15.0	08.9-21.1	31	9.4	05.5-13.3	59	23.6	17.1-30.1
Black or Afr. Am./Non-Hisp	67	8,782	20	30.7	16.0-45.4	14	18.7	06.9-30.5	4	7.9	00.0-15.9	11	12.4	04.2-20.6	1	0.9	00.0-02.7	17	29.5	15.0-44.0
45-54	55	7,825	10	19.3	07.0-31.6	10	18.9	07.1-30.7	3	6.9	00.0-14.9	5	6.6	00.0-13.7	5	10.9	01.1-20.7	22	37.3	21.8-52.8
55-64	103	11,151	27	20.5	12.1-28.9	26	28.0	16.8-39.2	8	11.4	03.4-19.4	14	15.6	06.6-24.6	11	8.2	02.3-14.1	17	16.3	07.7-24.9
65+	188	17,199	40	25.6	17.2-34.0	32	16.9	09.8-24.0	17	10.7	05.2-16.2	26	13.3	06.6-20.0	22	8.0	04.3-11.7	51	25.5	17.7-33.3
H.S. or G.E.D.	133	16,138	30	23.1	13.3-32.9	19	14.5	07.1-21.9	14	10.5	04.4-16.6	17	16.1	07.1-25.1	12	6.7	02.0-11.4	41	29.1	19.3-38.9
Some Post-H.S.	93	10,542	17	22.8	12.4-33.2	23	24.3	13.3-35.3	7	11.8	03.2-20.4	15	13.2	05.4-21.0	15	10.1	03.8-16.4	16	17.8	08.2-27.4
College Graduate	100	8,314	26	27.0	16.6-37.4	24	28.7	17.1-40.3	4	4.7	00.0-10.2	13	11.0	04.1-17.9	8	6.0	01.3-10.7	25	22.5	12.7-32.3
\$15,000- 24,999	84	8,563	23	27.1	15.5-38.7	13	13.2	05.6-20.8	7	9.7	01.9-17.5	8	8.5	02.0-15.0	6	5.3	00.4-10.2	27	36.3	23.0-49.6
\$35,000- 49,999	51	5,617	6	8.5	00.0-17.1	5	11.4	00.0-23.6	6	16.2	03.3-29.1	9	22.3	07.2-37.4	7	6.2	01.1-11.3	18	35.4	18.7-52.1
\$75,000+	56	6,636	17	30.7	17.0-44.4	15	26.1	12.8-39.4	4	11.1	00.5-21.7	4	8.0	00.0-16.6	2	3.1	00.0-07.6	14	21.0	09.4-32.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	736	88,655	196	24.8	20.7-28.9	379	51.2	46.5-55.9	66	8.1	05.7-10.5	68	12.3	08.6-16.0	27	3.6	01.6-05.6
Male	361	47,148	95	25.0	19.1-30.9	190	51.6	44.7-58.5	25	6.5	03.4-09.6	40	12.9	07.6-18.2	11	4.1	00.8-07.4
Female	375	41,507	101	24.6	19.1-30.1	189	50.7	44.2-57.2	41	10.0	06.5-13.5	28	11.7	06.8-16.6	16	3.0	01.2-04.8
White/Non-Hisp	494	55,921	134	25.9	21.0-30.8	263	54.0	48.5-59.5	43	8.3	05.4-11.2	43	9.7	06.4-13.0	11	2.1	00.5-03.7
Black or Afr. Am./Non-Hisp	137	23,618	42	22.6	14.4-30.8	67	50.0	38.8-61.2	12	6.6	02.3-10.9	13	16.9	06.7-27.1	3	3.8	00.0-09.5
45-54	102	16,291	22	20.0	10.8-29.2	53	49.9	37.4-62.4	7	4.1	00.0-08.2	12	21.6	08.5-34.7	8	4.5	00.8-08.2
55-64	202	25,082	37	16.1	09.4-22.8	111	57.1	48.3-65.9	26	12.0	06.7-17.3	24	13.1	07.2-19.0	4	1.6	00.0-03.6
65+	389	39,137	131	33.6	27.7-39.5	200	51.5	45.2-57.8	27	7.2	03.9-10.5	22	5.8	02.9-08.7	9	1.9	00.1-03.7
Less Than H.S.	81	11,393	15	17.5	07.1-27.9	38	44.3	30.8-57.8	9	10.7	02.7-18.7	13	22.8	09.7-35.9	6	4.8	00.1-09.5
H.S. or G.E.D.	241	32,884	64	27.0	19.6-34.4	115	47.5	39.1-55.9	25	8.8	04.7-12.9	26	13.3	06.4-20.2	11	3.3	00.9-05.7
Some Post-H.S.	201	24,393	49	21.8	14.7-28.9	114	57.5	48.9-66.1	14	7.6	03.1-12.1	18	10.2	05.1-15.3	6	3.0	00.1-05.9
College Graduate	206	19,120	66	29.4	21.8-37.0	109	52.5	43.3-61.7	18	6.5	02.8-10.2	9	7.4	01.5-13.3	4	4.2	00.0-10.9
Less than \$15,000	67	6,579	16	22.0	10.0-34.0	34	50.9	35.8-66.0	8	11.6	02.8-20.4	7	13.8	02.2-25.4	2	1.7	00.0-04.2
\$15,000- 24,999	153	17,932	35	14.8	08.9-20.7	81	59.4	49.2-69.6	13	6.7	02.4-11.0	18	15.4	06.2-24.6	6	3.7	00.4-07.0
\$25,000- 34,999	67	7,268	25	37.5	22.6-52.4	29	43.3	28.0-58.6	9	12.8	02.8-22.8	3	5.6	00.0-12.1	1	0.9	00.0-02.7
\$35,000- 49,999	105	12,663	23	29.4	16.9-41.9	48	37.4	26.0-48.8	13	10.6	03.5-17.7	15	18.4	09.2-27.6	6	4.2	00.1-08.3
\$50,000- 74,999	83	10,462	21	22.9	11.7-34.1	48	53.6	39.3-67.9	6	8.2	00.8-15.6	5	6.6	00.0-13.9	3	8.6	00.0-20.8
\$75,000+	134	18,315	43	27.0	17.6-36.4	72	54.8	43.4-66.2	7	4.5	00.6-08.4	8	11.0	00.6-21.4	4	2.8	00.0-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	361	47,148	95	25.0	19.1-30.9	190	51.6	44.5-58.7	25	6.5	03.4-09.6	40	12.9	07.6-18.2	11	4.1	00.8-07.4
White/Non-Hisp	246	28,777	67	27.2	19.9-34.5	134	54.9	47.1-62.7	16	6.3	02.6-10.0	25	9.9	05.4-14.4	4	1.8	00.0-04.0
Black or Afr. Am./Non-Hisp	65	13,598	17	19.0	08.6-29.4	32	50.9	35.0-66.8	6	6.1	00.4-11.8	8	17.7	03.4-32.0	2	6.2	00.0-15.8
55-64	100	13,864	18	16.1	05.9-26.3	56	60.5	47.6-73.4	13	9.7	03.6-15.8	12	13.2	04.8-21.6	1	0.5	00.0-01.5
65+	196	21,056	64	33.2	25.0-41.4	104	52.8	44.2-61.4	8	6.1	01.2-11.0	16	5.6	02.3-08.9	4	2.3	00.0-05.2
H.S. or G.E.D.	109	16,807	27	25.6	14.8-36.4	53	46.0	33.8-58.2	9	7.5	02.0-13.0	17	19.1	07.3-30.9	3	1.9	00.0-04.3
Some Post-H.S.	106	13,579	25	19.7	09.9-29.5	61	60.7	48.9-72.5	6	6.0	00.7-11.3	10	9.1	03.0-15.2	4	4.5	00.0-09.8
College Graduate	107	10,932	36	33.4	21.6-45.2	55	46.5	33.2-59.8	6	2.7	00.2-05.2	7	10.5	00.9-20.1	3	6.9	00.0-18.3
\$15,000- 24,999	65	7,955	14	12.9	04.9-20.9	34	63.1	48.2-78.0	7	8.9	00.5-17.3	8	11.1	00.3-21.9	2	4.0	00.0-10.3
\$35,000- 49,999	54	7,086	12	35.2	16.4-54.0	27	39.5	23.0-56.0	3	3.2	00.0-06.9	10	20.8	08.1-33.5	2	1.3	00.0-03.3
\$50,000- 74,999	52	6,661	11	19.1	07.1-31.1	32	56.2	37.8-74.6	2	3.3	00.0-08.4	4	7.9	00.0-18.1	3	13.6	00.0-31.8
\$75,000+	78	11,679	25	26.0	13.5-38.5	43	53.6	37.9-69.3	4	4.8	00.0-10.1	4	12.7	00.0-28.2	2	2.9	00.0-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	375	41,507	101	24.6	19.1-30.1	189	50.7	44.2-57.2	41	10.0	06.5-13.5	28	11.7	06.8-16.6	16	3.0	01.2-04.8
White/Non-Hisp	248	27,144	67	24.5	17.8-31.2	129	53.1	45.3-60.9	27	10.4	05.9-14.9	18	9.5	04.6-14.4	7	2.4	00.2-04.6
Black or Afr. Am./Non-Hisp	72	10,020	25	27.5	14.6-40.4	35	48.8	33.5-64.1	6	7.4	00.9-13.9	5	15.9	02.0-29.8	1	0.4	00.0-01.2
45-54	55	8,253	12	18.7	07.1-30.3	29	53.8	37.3-70.3	3	3.1	00.0-07.4	7	21.0	04.7-37.3	4	3.4	00.0-06.9
55-64	102	11,218	19	16.2	08.0-24.4	55	52.9	40.9-64.9	13	14.9	05.7-24.1	12	13.1	05.1-21.1	3	3.0	00.0-07.3
65+	193	18,081	67	34.1	25.3-42.9	96	49.9	40.7-59.1	19	8.5	04.2-12.8	6	6.0	00.9-11.1	5	1.6	00.2-03.0
H.S. or G.E.D.	132	16,077	37	28.6	18.2-39.0	62	49.2	38.0-60.4	16	10.1	04.2-16.0	9	7.4	01.7-13.1	8	4.8	00.9-08.7
Some Post-H.S.	95	10,814	24	24.4	14.2-34.6	53	53.4	41.1-65.7	8	9.6	02.2-17.0	8	11.6	03.0-20.2	2	1.0	00.0-02.4
College Graduate	99	8,189	30	24.1	14.9-33.3	54	60.5	49.1-71.9	12	11.6	04.0-19.2	2	3.2	00.0-07.9	1	0.6	00.0-01.8
\$15,000- 24,999	88	9,977	21	16.3	07.9-24.7	47	56.4	42.7-70.1	6	5.0	00.9-09.1	10	18.9	05.0-32.8	4	3.4	00.0-07.1
\$35,000- 49,999	51	5,577	11	22.0	07.5-36.5	21	34.8	18.7-50.9	10	20.0	05.5-34.5	5	15.4	02.1-28.7	4	7.7	00.0-16.7
\$75,000+	56	6,636	18	28.7	15.4-42.0	29	57.0	42.5-71.5	3	3.8	00.0-08.5	4	8.0	00.2-15.8	2	2.5	00.0-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	738	88,469	127	16.8	13.3-20.3	611	83.2	79.7-86.7
Male	361	46,750	71	17.7	12.8-22.6	290	82.3	77.4-87.2
Female	377	41,718	56	15.8	10.9-20.7	321	84.2	79.3-89.1
White/Non-Hisp	496	56,076	72	15.4	11.1-19.7	424	84.6	80.3-88.9
Black or Afr. Am./Non-Hisp	135	23,339	37	21.6	13.6-29.6	98	78.4	70.4-86.4
45-54	105	16,696	10	11.9	03.9-19.9	95	88.1	80.1-96.1
55-64	205	25,292	46	20.4	13.7-27.1	159	79.6	72.9-86.3
65+	384	38,309	64	17.0	12.1-21.9	320	83.0	78.1-87.9
Less Than H.S.	80	11,236	18	23.1	11.7-34.5	62	76.9	65.5-88.3
H.S. or G.E.D.	246	32,872	43	17.6	11.3-23.9	203	82.4	76.1-88.7
Some Post-H.S.	201	24,558	38	15.9	10.2-21.6	163	84.1	78.4-89.8
College Graduate	205	19,044	26	11.8	06.1-17.5	179	88.2	82.5-93.9
Less than \$15,000	68	6,596	17	23.9	11.7-36.1	51	76.1	63.9-88.3
\$15,000- 24,999	151	17,569	39	23.2	14.4-32.0	112	76.8	68.0-85.6
\$25,000- 34,999	66	7,256	10	13.8	04.8-22.8	56	86.2	77.2-95.2
\$35,000- 49,999	104	12,752	14	16.0	06.8-25.2	90	84.0	74.8-93.2
\$50,000- 74,999	85	10,628	11	14.4	04.6-24.2	74	85.6	75.8-95.4
\$75,000+	133	18,219	15	9.3	02.8-15.8	118	90.7	84.2-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	361	46,750	71	17.7	12.8-22.6	290	82.3	77.4-87.2
White/Non-Hisp	244	28,278	36	13.5	08.0-19.0	208	86.5	81.0-92.0
Black or Afr. Am./Non-Hisp	65	13,598	24	27.1	14.8-39.4	41	72.9	60.6-85.2
55-64	99	13,700	23	21.7	11.7-31.7	76	78.3	68.3-88.3
65+	193	20,491	37	17.1	10.8-23.4	156	82.9	76.6-89.2
H.S. or G.E.D.	110	16,569	21	13.7	06.3-21.1	89	86.3	78.9-93.7
Some Post-H.S.	106	13,538	22	18.0	10.0-26.0	84	82.0	74.0-90.0
College Graduate	106	10,813	16	14.7	05.7-23.7	90	85.3	76.3-94.3
\$15,000- 24,999	64	7,756	23	34.2	18.7-49.7	41	65.8	50.3-81.3
\$35,000- 49,999	54	7,086	7	11.9	01.9-21.9	47	88.1	78.1-98.1
\$50,000- 74,999	53	6,730	7	13.1	02.7-23.5	46	86.9	76.5-97.3
\$75,000+	78	11,679	10	11.0	01.4-20.6	68	89.0	79.4-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	41,718	56	15.8	10.9-20.7	321	84.2	79.3-89.1
White/Non-Hisp	252	27,798	36	17.3	10.8-23.8	216	82.7	76.2-89.2
Black or Afr. Am./Non-Hisp	70	9,740	13	14.0	05.2-22.8	57	86.0	77.2-94.8
45-54	56	8,552	2	4.8	00.0-11.5	54	95.2	88.5-0100
55-64	106	11,592	23	18.9	10.1-27.7	83	81.1	72.3-89.9
65+	191	17,818	27	16.8	09.2-24.4	164	83.2	75.6-90.8
H.S. or G.E.D.	136	16,303	22	21.5	11.5-31.5	114	78.5	68.5-88.5
Some Post-H.S.	95	11,020	16	13.3	05.5-21.1	79	86.7	78.9-94.5
College Graduate	99	8,231	10	8.0	02.3-13.7	89	92.0	86.3-97.7
\$15,000- 24,999	87	9,813	16	14.5	05.5-23.5	71	85.5	76.5-94.5
\$35,000- 49,999	50	5,666	7	21.0	05.1-36.9	43	79.0	63.1-94.9
\$75,000+	55	6,541	5	6.4	00.0-12.9	50	93.6	87.1-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	748	89,910	386	49.2	44.5-53.9	362	50.8	46.1-55.5
Male	364	47,448	188	50.4	43.5-57.3	176	49.6	42.7-56.5
Female	384	42,462	198	47.8	41.3-54.3	186	52.2	45.7-58.7
White/Non-Hisp	504	57,108	252	49.5	44.0-55.0	252	50.5	45.0-56.0
Black or Afr. Am./Non-Hisp	137	23,618	76	48.0	36.8-59.2	61	52.0	40.8-63.2
45-54	105	16,820	58	52.4	39.9-64.9	47	47.6	35.1-60.1
55-64	206	25,456	107	50.2	41.2-59.2	99	49.8	40.8-58.8
65+	392	39,265	199	48.8	42.7-54.9	193	51.2	45.1-57.3
Less Than H.S.	82	11,447	30	39.6	26.3-52.9	52	60.4	47.1-73.7
H.S. or G.E.D.	248	33,598	119	44.7	36.7-52.7	129	55.3	47.3-63.3
Some Post-H.S.	204	24,829	115	55.7	47.3-64.1	89	44.3	35.9-52.7
College Graduate	208	19,279	119	54.8	45.6-64.0	89	45.2	36.0-54.4
Less than \$15,000	69	6,677	37	47.9	33.2-62.6	32	52.1	37.4-66.8
\$15,000- 24,999	155	18,070	86	51.1	40.7-61.5	69	48.9	38.5-59.3
\$25,000- 34,999	68	7,573	31	45.6	30.5-60.7	37	54.4	39.3-69.5
\$35,000- 49,999	106	12,895	53	50.4	38.2-62.6	53	49.6	37.4-61.8
\$50,000- 74,999	85	10,628	44	45.5	31.8-59.2	41	54.5	40.8-68.2
\$75,000+	134	18,315	72	49.2	38.0-60.4	62	50.8	39.6-62.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	364	47,448	188	50.4	43.5-57.3	176	49.6	42.7-56.5
White/Non-Hisp	248	29,007	123	51.3	43.5-59.1	125	48.7	40.9-56.5
Black or Afr. Am./Non-Hisp	65	13,598	38	50.5	34.6-66.4	27	49.5	33.6-65.4
55-64	100	13,864	57	57.8	44.9-70.7	43	42.2	29.3-55.1
65+	196	21,056	97	46.5	37.9-55.1	99	53.5	44.9-62.1
H.S. or G.E.D.	111	17,037	50	42.8	30.8-54.8	61	57.2	45.2-69.2
Some Post-H.S.	107	13,648	59	56.8	44.8-68.8	48	43.2	31.2-55.2
College Graduate	107	10,932	66	60.3	47.0-73.6	41	39.7	26.4-53.0
\$15,000- 24,999	66	8,030	37	54.4	38.3-70.5	29	45.6	29.5-61.7
\$35,000- 49,999	54	7,086	25	48.8	31.2-66.4	29	51.2	33.6-68.8
\$50,000- 74,999	53	6,730	29	48.0	30.2-65.8	24	52.0	34.2-69.8
\$75,000+	78	11,679	46	52.1	36.4-67.8	32	47.9	32.2-63.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	384	42,462	198	47.8	41.3-54.3	186	52.2	45.7-58.7
White/Non-Hisp	256	28,101	129	47.6	40.0-55.2	127	52.4	44.8-60.0
Black or Afr. Am./Non-Hisp	72	10,020	38	44.5	29.8-59.2	34	55.5	40.8-70.2
45-54	57	8,707	32	49.0	32.9-65.1	25	51.0	34.9-67.1
55-64	106	11,592	50	41.2	29.4-53.0	56	58.8	47.0-70.6
65+	196	18,209	102	51.5	42.7-60.3	94	48.5	39.7-57.3
H.S. or G.E.D.	137	16,561	69	46.6	36.0-57.2	68	53.4	42.8-64.0
Some Post-H.S.	97	11,180	56	54.4	42.2-66.6	41	45.6	33.4-57.8
College Graduate	101	8,347	53	47.6	35.6-59.6	48	52.4	40.4-64.4
\$15,000- 24,999	89	10,040	49	48.5	35.0-62.0	40	51.5	38.0-65.0
\$35,000- 49,999	52	5,809	28	52.3	35.2-69.4	24	47.7	30.6-64.8
\$75,000+	56	6,636	26	44.0	29.1-58.9	30	56.0	41.1-70.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018

MODULE 6: E-CIGARETTES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	35
5	MALES ONLY	36
6	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4901	718,787	894	22.2	20.4-24.0	4007	77.8	76.0-79.6
Male	2154	341,851	452	25.1	22.6-27.6	1702	74.9	72.4-77.4
Female	2747	376,937	442	19.6	17.4-21.8	2305	80.4	78.2-82.6
White/Non-Hisp	3336	463,747	633	23.8	21.8-25.8	2703	76.2	74.2-78.2
Black or Afr. Am./Non-Hisp	657	144,756	120	21.0	16.5-25.5	537	79.0	74.5-83.5
Oth. Race/Non-Hisp.	183	30,773	32	14.3	05.9-22.7	151	85.7	77.3-94.1
MultiRacial/Non-Hisp.	78	5,410	22	42.7	26.0-59.4	56	57.3	40.6-74.0
Hispanic	515	57,291	73	16.2	11.5-20.9	442	83.8	79.1-88.5
18-24	286	80,809	120	39.7	32.4-47.0	166	60.3	53.0-67.6
25-34	483	115,135	151	35.9	30.2-41.6	332	64.1	58.4-69.8
35-44	588	106,261	157	27.2	22.5-31.9	431	72.8	68.1-77.5
45-54	769	116,026	140	17.5	14.0-21.0	629	82.5	79.0-86.0
55-64	1042	127,801	193	18.3	15.4-21.2	849	81.7	78.8-84.6
65+	1733	172,755	133	7.9	06.1-09.7	1600	92.1	90.3-93.9
Less Than H.S.	496	81,884	93	25.6	20.1-31.1	403	74.4	68.9-79.9
H.S. or G.E.D.	1383	224,569	293	25.7	22.4-29.0	1090	74.3	71.0-77.6
Some Post-H.S.	1278	208,175	281	24.7	21.4-28.0	997	75.3	72.0-78.6
College Graduate	1721	201,597	223	14.6	12.2-17.0	1498	85.4	83.0-87.8
Less than \$15,000	379	45,382	96	31.7	24.6-38.8	283	68.3	61.2-75.4
\$15,000- 24,999	740	102,313	154	27.2	22.5-31.9	586	72.8	68.1-77.5
\$25,000- 34,999	391	51,796	63	20.7	15.0-26.4	328	79.3	73.6-85.0
\$35,000- 49,999	556	78,707	124	25.6	20.3-30.9	432	74.4	69.1-79.7
\$50,000- 74,999	621	90,701	120	23.2	18.3-28.1	501	76.8	71.9-81.7
\$75,000+	1370	225,665	205	18.1	15.4-20.8	1165	81.9	79.2-84.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	341,851	452	25.1	22.6-27.6	1702	74.9	72.4-77.4
White/Non-Hisp	1462	220,874	310	26.1	23.0-29.2	1152	73.9	70.8-77.0
Black or Afr. Am./Non-Hisp	255	64,836	59	25.7	18.3-33.1	196	74.3	66.9-81.7
Oth. Race/Non-Hisp.	104	17,938	19	10.9	03.6-18.2	85	89.1	81.8-96.4
Hispanic	238	26,615	47	25.3	16.9-33.7	191	74.7	66.3-83.1
18-24	146	42,039	69	43.2	33.2-53.2	77	56.8	46.8-66.8
25-34	221	57,726	77	40.6	32.2-49.0	144	59.4	51.0-67.8
35-44	273	51,050	90	34.6	27.2-42.0	183	65.4	58.0-72.8
45-54	337	55,263	75	19.0	14.1-23.9	262	81.0	76.1-85.9
55-64	459	58,843	90	18.6	14.3-22.9	369	81.4	77.1-85.7
65+	718	76,930	51	6.7	04.5-08.9	667	93.3	91.1-95.5
Less Than H.S.	227	37,734	47	29.9	21.7-38.1	180	70.1	61.9-78.3
H.S. or G.E.D.	617	112,926	159	29.8	24.5-35.1	458	70.2	64.9-75.5
Some Post-H.S.	545	97,177	134	25.9	21.0-30.8	411	74.1	69.2-79.0
College Graduate	754	92,760	110	16.8	13.1-20.5	644	83.2	79.5-86.9
Less than \$15,000	146	19,659	46	34.6	24.0-45.2	100	65.4	54.8-76.0
\$15,000- 24,999	293	40,100	64	28.7	21.3-36.1	229	71.3	63.9-78.7
\$25,000- 34,999	149	21,227	26	19.1	11.3-26.9	123	80.9	73.1-88.7
\$35,000- 49,999	264	40,521	70	29.8	21.6-38.0	194	70.2	62.0-78.4
\$50,000- 74,999	281	45,567	69	27.2	19.8-34.6	212	72.8	65.4-80.2
\$75,000+	705	122,451	112	20.6	16.5-24.7	593	79.4	75.3-83.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2747	376,937	442	19.6	17.4-21.8	2305	80.4	78.2-82.6
White/Non-Hisp	1874	242,873	323	21.7	19.2-24.2	1551	78.3	75.8-80.8
Black or Afr. Am./Non-Hisp	402	79,920	61	17.2	11.9-22.5	341	82.8	77.5-88.1
Oth. Race/Non-Hisp.	79	12,835	13	19.0	02.3-35.7	66	81.0	64.3-97.7
Hispanic	277	30,677	26	8.2	04.3-12.1	251	91.8	87.9-95.7
18-24	140	38,770	51	36.0	25.8-46.2	89	64.0	53.8-74.2
25-34	262	57,409	74	31.1	23.5-38.7	188	68.9	61.3-76.5
35-44	315	55,211	67	20.3	14.8-25.8	248	79.7	74.2-85.2
45-54	432	60,763	65	16.2	11.3-21.1	367	83.8	78.9-88.7
55-64	583	68,959	103	18.0	14.3-21.7	480	82.0	78.3-85.7
65+	1015	95,825	82	9.0	06.5-11.5	933	91.0	88.5-93.5
Less Than H.S.	269	44,150	46	21.9	14.8-29.0	223	78.1	71.0-85.2
H.S. or G.E.D.	766	111,643	134	21.5	17.2-25.8	632	78.5	74.2-82.8
Some Post-H.S.	733	110,998	147	23.7	19.4-28.0	586	76.3	72.0-80.6
College Graduate	967	108,837	113	12.7	10.0-15.4	854	87.3	84.6-90.0
Less than \$15,000	233	25,723	50	29.5	19.9-39.1	183	70.5	60.9-80.1
\$15,000- 24,999	447	62,213	90	26.2	20.3-32.1	357	73.8	67.9-79.7
\$25,000- 34,999	242	30,570	37	21.8	13.8-29.8	205	78.2	70.2-86.2
\$35,000- 49,999	292	38,186	54	21.0	14.7-27.3	238	79.0	72.7-85.3
\$50,000- 74,999	340	45,134	51	19.2	12.5-25.9	289	80.8	74.1-87.5
\$75,000+	665	103,214	93	15.2	11.5-18.9	572	84.8	81.1-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	892	159,425	76	8.6	06.2-11.0	107	12.7	09.8-15.6	709	78.7	75.2-82.2
Male	451	85,576	45	9.7	06.4-13.0	51	13.8	09.5-18.1	355	76.5	71.4-81.6
Female	441	73,849	31	7.3	04.2-10.4	56	11.6	07.9-15.3	354	81.2	76.5-85.9
White/Non-Hisp	632	110,101	55	8.7	06.0-11.4	79	13.0	09.7-16.3	498	78.4	74.3-82.5
Black or Afr. Am./Non-Hisp	120	30,416	9	5.1	01.6-08.6	11	11.1	03.3-18.9	100	83.9	75.5-92.3
Hispanic	73	9,277	6	20.1	02.9-37.3	9	14.7	03.7-25.7	58	65.2	48.0-82.4
18-24	120	32,095	13	11.6	04.9-18.3	16	14.3	06.9-21.7	91	74.1	64.9-83.3
25-34	151	41,334	18	10.9	04.8-17.0	21	13.4	07.1-19.7	112	75.7	67.5-83.9
35-44	157	28,879	19	9.7	04.8-14.6	18	14.7	06.7-22.7	120	75.6	66.8-84.4
45-54	139	20,054	9	4.2	00.9-07.5	18	11.7	05.4-18.0	112	84.1	77.0-91.2
55-64	192	23,334	13	5.4	02.1-08.7	20	9.6	05.1-14.1	159	85.0	79.5-90.5
65+	133	13,730	4	3.7	00.0-07.4	14	10.2	03.1-17.3	115	86.1	78.3-93.9
Less Than H.S.	93	20,975	13	19.4	08.6-30.2	12	14.0	05.4-22.6	68	66.5	54.3-78.7
H.S. or G.E.D.	293	57,626	26	7.6	04.3-10.9	39	12.0	07.5-16.5	228	80.4	74.9-85.9
Some Post-H.S.	279	51,148	23	7.3	03.4-11.2	35	14.5	08.6-20.4	221	78.2	71.5-84.9
College Graduate	223	29,394	13	4.8	02.1-07.5	20	10.1	04.2-16.0	190	85.0	78.7-91.3
Less than \$15,000	96	14,388	12	14.3	04.1-24.5	11	16.8	05.8-27.8	73	68.9	55.6-82.2
\$15,000- 24,999	154	27,801	12	7.9	03.0-12.8	15	12.6	04.6-20.6	127	79.5	70.5-88.5
\$25,000- 34,999	63	10,706	7	8.5	02.0-15.0	3	7.6	00.0-17.0	53	83.9	72.9-94.9
\$35,000- 49,999	124	20,110	10	9.4	02.0-16.8	24	16.9	08.9-24.9	90	73.7	63.3-84.1
\$50,000- 74,999	120	21,055	13	11.8	04.0-19.6	14	12.0	04.9-19.1	93	76.2	66.2-86.2
\$75,000+	205	40,905	12	5.4	01.5-09.3	26	12.7	06.8-18.6	167	81.9	75.0-88.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	451	85,576	45	9.7	06.4-13.0	51	13.8	09.5-18.1	355	76.5	71.2-81.8
White/Non-Hisp	309	57,416	32	9.2	05.7-12.7	34	12.9	08.2-17.6	243	78.0	72.3-83.7
Black or Afr. Am./Non-Hisp	59	16,647	4	4.2	00.0-08.5	6	12.4	00.1-24.7	49	83.4	70.7-96.1
18-24	69	18,145	10	15.0	05.0-25.0	9	14.8	05.0-24.6	50	70.2	57.5-82.9
25-34	77	23,459	9	9.9	02.3-17.5	11	15.1	05.9-24.3	57	75.0	63.6-86.4
35-44	90	17,669	12	9.5	03.8-15.2	11	18.1	06.1-30.1	67	72.4	60.1-84.7
45-54	74	10,230	6	6.3	00.2-12.4	8	11.8	03.4-20.2	60	81.8	71.8-91.8
55-64	90	10,942	6	5.8	00.7-10.9	10	9.3	02.8-15.8	74	84.9	76.9-92.9
65+	51	5,131	2	5.9	00.0-14.1	2	2.1	00.0-05.0	47	92.0	83.4-0100
H.S. or G.E.D.	159	33,645	18	9.0	04.3-13.7	17	11.3	05.2-17.4	124	79.7	72.3-87.1
Some Post-H.S.	133	24,905	13	6.8	02.7-10.9	17	17.5	08.1-26.9	103	75.7	65.9-85.5
College Graduate	110	15,602	6	4.1	00.8-07.4	10	9.9	01.9-17.9	94	86.0	77.6-94.4
\$15,000- 24,999	64	11,505	6	8.5	01.4-15.6	5	16.6	00.7-32.5	53	74.9	59.0-90.8
\$35,000- 49,999	70	12,078	8	13.2	01.2-25.2	11	14.1	04.1-24.1	51	72.7	58.0-87.4
\$50,000- 74,999	69	12,406	7	11.0	01.6-20.4	11	17.7	06.5-28.9	51	71.3	57.6-85.0
\$75,000+	112	25,211	7	6.0	00.3-11.7	15	12.9	05.5-20.3	90	81.1	72.1-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 6: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	441	73,849	31	7.3	04.2-10.4	56	11.6	07.9-15.3	354	81.2	76.5-85.9
White/Non-Hisp	323	52,685	23	8.2	04.1-12.3	45	13.0	08.3-17.7	255	78.8	72.9-84.7
Black or Afr. Am./Non-Hisp	61	13,769	5	6.0	00.1-11.9	5	9.5	00.5-18.5	51	84.5	73.9-95.1
18-24	51	13,949	3	7.2	00.0-15.0	7	13.7	02.1-25.3	41	79.1	65.8-92.4
25-34	74	17,875	9	12.2	02.6-21.8	10	11.1	03.1-19.1	55	76.6	64.8-88.4
35-44	67	11,210	7	10.1	01.5-18.7	7	9.2	01.6-16.8	53	80.8	69.6-92.0
45-54	65	9,824	3	2.0	00.0-04.4	10	11.5	02.3-20.7	52	86.5	76.9-96.1
55-64	102	12,392	7	5.1	00.8-09.4	10	9.7	03.0-16.4	85	85.2	77.6-92.8
65+	82	8,599	2	2.4	00.0-05.9	12	15.0	04.0-26.0	68	82.6	71.2-94.0
H.S. or G.E.D.	134	23,981	8	5.7	01.0-10.4	22	12.9	06.4-19.4	104	81.5	73.9-89.1
Some Post-H.S.	146	26,243	10	7.8	01.3-14.3	18	11.7	04.6-18.8	118	80.6	71.6-89.6
College Graduate	113	13,792	7	5.6	01.3-09.9	10	10.4	01.6-19.2	96	83.9	74.5-93.3
Less than \$15,000	50	7,593	7	16.8	00.5-33.1	7	14.2	02.6-25.8	36	69.0	50.6-87.4
\$15,000- 24,999	90	16,296	6	7.5	00.8-14.2	10	9.7	02.1-17.3	74	82.7	72.9-92.5
\$35,000- 49,999	54	8,031	2	3.6	00.0-08.5	13	21.2	08.1-34.3	39	75.2	61.5-88.9
\$50,000- 74,999	51	8,649	6	13.0	00.0-26.1	3	3.7	00.0-08.2	42	83.3	69.6-97.0
\$75,000+	93	15,695	5	4.4	00.0-08.9	11	12.4	02.6-22.2	77	83.2	72.6-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 12: EXCESS SUN EXPOSURE CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU HAD A SUNBURN? (NUMBURN3)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
WHEN YOU GO OUTSIDE ON A WARM SUNNY DAY FOR MORE THAN ONE HOUR, HOW OFTEN DO YOU PROTECT YOURSELF FROM THE SUN? IS THAT.... (SUNPRCT)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
ON WEEKDAYS, IN THE SUMMER, HOW LONG ARE YOU OUTSIDE PER DAY BETWEEN 10AM AND 4PM? (WKDAYOUT)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
ON WEEKENDS IN THE SUMMER, HOW LONG ARE YOU OUTSIDE EACH DAY BETWEEN 10AM AND 4PM? (WKENDOUT)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 1: DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU HAD A SUNBURN? (NUMBURN3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20 times			21-40 times			41-60 times			61-100 times			200-365 times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1385	224,146	1229	91.1	89.3-92.9	7	0.6	00.0-01.2	4	0.4	00.0-00.8	141	7.7	06.1-09.3	4	0.2	00.0-00.4
Male	658	114,386	596	93.8	91.8-95.8	5	0.6	00.0-01.2	2	0.1	00.0-00.3	51	5.2	03.4-07.0	4	0.3	00.0-00.7
Female	727	109,760	633	88.3	85.4-91.2	2	0.7	00.0-01.9	2	0.6	00.0-01.4	90	10.4	07.9-12.9			
White/Non-Hisp	1147	190,466	1046	92.8	91.0-94.6	6	0.7	00.0-01.5	3	0.3	00.0-00.7	91	6.2	04.6-07.8	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	69	13,873	45	77.6	66.2-89.0							24	22.4	11.0-33.8			
Hispanic	96	11,439	76	81.9	72.7-91.1	1	0.8	00.0-02.4				16	14.3	06.1-22.5	3	3.0	00.0-07.3
18-24	125	35,985	119	96.2	92.3-0100	1	0.2	00.0-00.6				5	3.6	00.0-07.5			
25-34	168	43,871	152	92.8	88.5-97.1	4	2.4	00.0-05.3				11	4.7	01.6-07.8	1	0.1	00.0-00.3
35-44	219	42,276	209	96.7	94.2-99.2				2	0.9	00.0-02.3	7	2.3	00.1-04.5	1	0.1	00.0-00.3
45-54	278	39,449	255	91.4	86.9-95.9							23	8.6	04.1-13.1			
55-64	313	35,931	276	88.4	84.5-92.3	1	0.3	00.0-00.9				34	10.6	06.9-14.3	2	0.7	00.0-02.1
65+	282	26,633	218	75.6	69.3-81.9	1	0.8	00.0-02.4	2	1.7	00.0-04.6	61	21.9	16.0-27.8			
Less Than H.S.	87	16,757	66	78.6	67.2-90.0	2	1.8	00.0-04.5	1	0.3	00.0-00.9	15	17.3	06.7-27.9	3	2.0	00.0-04.9
H.S. or G.E.D.	323	57,905	289	93.1	90.2-96.0	2	0.3	00.0-00.7				31	6.5	03.6-09.4	1	0.0	00.0-00.0
Some Post-H.S.	368	69,131	334	92.4	89.1-95.7	2	1.1	00.0-02.9	1	0.6	00.0-01.8	31	5.9	03.4-08.4			
College Graduate	604	80,184	537	91.1	88.6-93.6	1	0.2	00.0-00.6	2	0.5	00.0-01.3	64	8.2	05.8-10.6			
Less than \$15,000	80	10,331	64	83.1	72.7-93.5	1	2.1	00.0-06.0				13	12.1	03.1-21.1	2	2.7	00.0-07.2
\$15,000- 24,999	143	23,034	117	87.4	81.9-92.9	1	0.6	00.0-01.8				24	11.9	06.4-17.4	1	0.1	00.0-00.3
\$25,000- 34,999	85	10,629	69	79.4	66.5-92.3	2	6.7	00.0-17.7	1	3.8	00.0-11.1	13	10.1	03.8-16.4			
\$35,000- 49,999	137	18,471	127	92.8	87.9-97.7							10	7.2	02.3-12.1			
\$50,000- 74,999	197	32,106	177	92.5	88.6-96.4				1	0.2	00.0-00.6	19	7.3	03.4-11.2			
\$75,000+	556	99,973	524	95.5	93.7-97.3	3	0.4	00.0-00.8	1	0.1	00.0-00.3	28	4.0	02.2-05.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 2: DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU HAD A SUNBURN? (NUMBURN3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20 times			21-40 times			41-60 times			61-100 times			200-365 times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	658	114,386	596	93.8	91.8-95.8	5	0.6	00.0-01.2	2	0.1	00.0-00.3	51	5.2	03.4-07.0	4	0.3	00.0-00.7
White/Non-Hisp	551	97,361	514	95.6	93.8-97.4	4	0.7	00.1-01.3	2	0.1	00.0-00.3	30	3.6	02.0-05.2	1	0.0	00.0-00.0
Hispanic	51	7,048	39	81.8	69.3-94.3	1	1.2	00.0-03.6				8	12.2	02.0-22.4	3	4.8	00.0-11.7
18-24	72	21,401	70	97.2	92.5-0100	1	0.4	00.0-01.2				1	2.4	00.0-07.1			
25-34	83	24,049	75	93.7	88.6-98.8	2	1.4	00.0-03.4				5	4.7	00.0-09.4	1	0.3	00.0-00.9
35-44	96	19,917	91	96.4	92.5-0100				1	0.5	00.0-01.5	3	2.9	00.0-06.6	1	0.2	00.0-00.6
45-54	129	18,914	120	95.7	92.6-98.8							9	4.3	01.2-07.4			
55-64	139	15,957	124	91.1	86.2-96.0	1	0.6	00.0-01.8				12	6.6	02.7-10.5	2	1.6	00.0-04.5
65+	139	14,149	116	85.4	78.7-92.1	1	1.5	00.0-04.4	1	0.4	00.0-01.2	21	12.7	06.6-18.8			
H.S. or G.E.D.	171	35,126	155	94.1	90.4-97.8	1	0.3	00.0-00.9				14	5.6	01.9-09.3	1	0.1	00.0-00.3
Some Post-H.S.	172	34,997	163	96.2	92.9-99.5	1	0.4	00.0-01.2				8	3.4	00.3-06.5			
College Graduate	270	36,343	244	93.2	90.3-96.1	1	0.5	00.0-01.5	1	0.2	00.0-00.6	24	6.0	03.3-08.7			
\$15,000- 24,999	57	9,034	46	87.9	79.5-96.3	1	1.6	00.0-04.7				9	10.2	02.4-18.0	1	0.3	00.0-00.9
\$35,000- 49,999	69	9,720	66	95.5	89.6-0100							3	4.5	00.0-10.4			
\$50,000- 74,999	84	16,352	78	96.1	92.0-0100				1	0.3	00.0-00.9	5	3.6	00.0-07.7			
\$75,000+	300	56,418	282	95.7	93.3-98.1	2	0.5	00.0-01.3	1	0.2	00.0-00.6	15	3.6	01.4-05.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 3: DURING THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU HAD A SUNBURN? (NUMBURN3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20 times			21-40 times			41-60 times			61-100 times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	727	109,760	633	88.3	85.4-91.2	2	0.7	00.0-01.9	2	0.6	00.0-01.4	90	10.4	07.9-12.9
White/Non-Hisp	596	93,105	532	89.8	86.7-92.9	2	0.8	00.0-02.2	1	0.4	00.0-01.2	61	9.0	06.3-11.7
18-24	53	14,584	49	94.8	88.3-0100							4	5.2	00.0-11.7
25-34	85	19,822	77	91.6	84.5-98.7	2	3.7	00.0-09.8				6	4.7	00.8-08.6
35-44	123	22,360	118	97.0	93.9-0100				1	1.2	00.0-03.6	4	1.8	00.0-04.0
45-54	149	20,536	135	87.5	79.7-95.3							14	12.5	04.7-20.3
55-64	174	19,975	152	86.2	80.1-92.3							22	13.8	07.7-19.9
65+	143	12,484	102	64.5	54.3-74.7				1	3.2	00.0-09.3	40	32.3	22.5-42.1
H.S. or G.E.D.	152	22,779	134	91.6	87.1-96.1	1	0.5	00.0-01.5				17	7.9	03.4-12.4
Some Post-H.S.	196	34,134	171	88.5	83.0-94.0	1	1.8	00.0-05.3	1	1.2	00.0-03.6	23	8.5	04.6-12.4
College Graduate	334	43,841	293	89.3	85.6-93.0				1	0.6	00.0-01.8	40	10.1	06.4-13.8
\$15,000- 24,999	86	14,000	71	87.1	79.8-94.4							15	12.9	05.6-20.2
\$25,000- 34,999	50	6,093	40	71.2	51.4-91.0	1	10.3	00.0-28.5	1	6.6	00.0-18.9	8	11.9	02.3-21.5
\$35,000- 49,999	68	8,751	61	89.8	81.8-97.8							7	10.2	02.2-18.2
\$50,000- 74,999	113	15,754	99	88.8	82.3-95.3							14	11.2	04.7-17.7
\$75,000+	256	43,555	242	95.3	92.4-98.2	1	0.2	00.0-00.6				13	4.5	01.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 4: WHEN YOU GO OUTSIDE ON A WARM SUNNY DAY FOR MORE THAN ONE HOUR, HOW OFTEN DO YOU PROTECT YOURSELF FROM THE SUN? IS THAT.... (SUNPRTCT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 to 7 days			8 to 10 days			11 to 14 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4656	682,270	1318	25.9	24.3-27.5	1271	28.1	26.3-29.9	849	18.1	16.5-19.7	1064	25.2	23.4-27.0	147	2.6	0.2-0.3.2	7	0.1	0.1-0.0.1
Male	2036	322,936	503	22.3	19.9-24.7	524	26.2	23.7-28.7	376	17.8	15.6-20.0	598	32.2	29.5-34.9	32	1.4	0.0.8-0.2.0	3	0.1	0.0.0-0.0.3
Female	2620	359,334	815	29.1	26.7-31.5	747	29.9	27.4-32.4	473	18.3	16.3-20.3	466	19.0	16.8-21.2	115	3.7	0.2.7-0.4.7	4	0.1	0.0.0-0.0.3
White/Non-Hisp	3192	444,037	878	25.9	23.9-27.9	1002	31.4	29.2-33.6	609	19.7	17.9-21.5	608	20.9	18.9-22.9	92	2.1	0.1.5-0.2.7	3	0.1	0.0.1-0.0.1
Black or Afr. Am./Non-Hisp	610	135,138	167	23.2	19.1-27.3	119	22.3	17.6-27.0	84	12.8	09.3-16.3	212	37.4	32.3-42.5	27	4.2	0.2.2-0.6.2	1	0.1	0.0.0-0.0.3
Oth. Race/Non-Hisp.	166	27,575	47	23.3	14.7-31.9	32	27.5	15.5-39.5	26	20.2	10.4-30.0	55	26.7	16.7-36.7	5	2.2	0.0.0-0.4.9	1	0.1	0.0.0-0.0.3
MultiRacial/Non-Hisp.	75	5,291	27	37.2	20.1-54.3	13	19.2	07.6-30.8	14	17.4	06.6-28.2	19	24.5	12.7-36.3	2	1.6	0.0.0-0.4.0			
Hispanic	492	54,338	153	30.4	24.7-36.1	79	18.9	13.2-24.6	104	20.1	15.6-24.6	142	27.7	22.4-33.0	12	2.4	0.4.4-0.4.4	2	0.5	0.0.0-0.1.3
18-24	267	75,925	46	14.4	09.5-19.3	63	31.7	23.5-39.9	75	23.7	17.6-29.8	80	29.3	22.4-36.2	3	0.9	0.0.0-0.2.1			
25-34	471	112,642	100	20.5	15.8-25.2	113	21.5	17.0-26.0	95	20.5	15.6-25.4	153	35.8	29.9-41.7	9	1.6	0.0.2-0.3.0	1	0.1	0.0.0-0.0.3
35-44	558	99,777	141	23.3	18.8-27.8	145	29.3	24.2-34.4	118	20.3	16.2-24.4	147	26.0	21.5-30.5	7	1.0	0.0.0-0.2.0			
45-54	712	106,823	184	24.7	21.0-28.4	212	28.8	24.7-32.9	127	16.1	13.0-19.2	170	26.6	22.3-30.9	18	3.6	0.1.6-0.5.6	1	0.1	0.0.0-0.0.3
55-64	995	123,015	306	30.6	27.1-34.1	285	30.7	27.0-34.4	171	16.9	14.2-19.6	200	18.9	15.8-22.0	31	2.9	0.1.7-0.4.1	2	0.2	0.0.0-0.0.6
65+	1653	164,089	541	33.6	30.7-36.5	453	27.8	25.1-30.5	263	14.6	12.6-16.6	314	19.5	17.1-21.9	79	4.3	0.2.9-0.5.7	3	0.2	0.0.0-0.0.4
Less Than H.S.	468	77,124	152	29.0	23.3-34.7	70	17.1	11.6-22.6	73	14.1	09.8-18.4	150	34.6	28.7-40.5	22	5.0	0.2.3-0.7.7	1	0.2	0.0.0-0.0.6
H.S. or G.E.D.	1300	212,116	364	25.4	22.5-28.3	292	23.8	20.5-27.1	246	18.0	15.3-20.7	336	29.2	25.7-32.7	58	3.3	0.2.1-0.4.5	4	0.3	0.0.1-0.0.5
Some Post-H.S.	1212	197,322	355	27.6	24.5-30.7	336	29.2	25.7-32.7	205	17.9	15.0-20.8	279	23.4	20.1-26.7	35	1.8	0.1.0-0.2.6	2	0.0	0.0.0-0.0.0
College Graduate	1656	193,362	443	23.6	21.1-26.1	567	36.0	33.1-38.9	320	19.7	17.2-22.2	294	19.0	16.5-21.5	32	1.7	0.0.9-0.2.5			
Less than \$15,000	354	42,343	116	27.1	21.2-33.0	58	18.5	13.0-24.0	52	15.9	10.6-21.2	98	30.7	23.6-37.8	29	7.7	0.4.2-1.1.2	1	0.1	0.0.0-0.0.3
\$15,000- 24,999	710	98,742	213	29.3	24.8-33.8	142	18.9	14.8-23.0	116	15.3	12.0-18.6	201	30.7	26.2-35.2	35	5.4	0.3.0-0.7.8	3	0.4	0.0.0-0.1.0
\$25,000- 34,999	356	47,714	115	33.0	26.5-39.5	75	19.0	13.3-24.7	69	19.6	14.1-25.1	86	25.9	19.8-32.0	11	2.5	0.0.5-0.4.5			
\$35,000- 49,999	527	74,331	150	27.7	22.6-32.8	140	26.9	21.4-32.4	86	15.5	11.8-19.2	139	28.5	22.8-34.2	12	1.4	0.0.4-0.2.4			
\$50,000- 74,999	595	86,338	156	22.4	18.1-26.7	172	32.1	26.6-37.6	122	19.9	15.6-24.2	136	24.3	19.2-29.4	9	1.3	0.0.3-0.2.3			
\$75,000+	1330	218,399	348	23.6	20.9-26.3	476	34.7	31.4-38.0	266	19.8	17.1-22.5	226	21.1	18.0-24.2	14	0.8	0.0.2-0.1.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 5: WHEN YOU GO OUTSIDE ON A WARM SUNNY DAY FOR MORE THAN ONE HOUR, HOW OFTEN DO YOU PROTECT YOURSELF FROM THE SUN? IS THAT.... (SUNPRTCT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Most of the time			Sometimes			Rarely Never			Dont stay outside for more than one hour on warm sunny days			Dont go outside on warm sunny days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2036	322,936	503	22.3	19.9-24.7	524	26.2	23.7-28.7	376	17.8	15.6-20.0	598	32.2	29.5-34.9	32	1.4	0.0-02.0	3	0.1	0.0-00.3
White/Non-Hisp	1402	211,912	325	21.6	18.9-24.3	411	28.5	25.6-31.4	281	20.2	17.5-22.9	366	28.5	25.4-31.6	18	1.1	0.0-01.7	1	0.1	0.0-00.3
Black or Afr. Am./Non-Hisp	230	59,987	61	20.9	15.0-26.8	37	19.6	12.5-26.7	30	13.1	07.2-19.0	96	44.2	35.8-52.6	5	1.9	00.1-03.7	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	93	15,182	24	22.9	11.9-33.9	20	32.9	15.7-50.1	9	12.2	03.2-21.2	37	29.2	17.0-41.4	2	2.6	00.0-06.9	1	0.2	00.0-00.6
Hispanic	223	24,982	69	31.2	22.6-39.8	34	18.9	11.6-26.2	45	16.1	10.2-22.0	73	33.0	24.4-41.6	2	0.9	00.0-02.3			
18-24	136	39,918	21	9.6	04.9-14.3	30	28.4	17.8-39.0	35	22.6	14.4-30.8	49	38.2	28.0-48.4	1	1.2	00.0-03.6			
25-34	215	56,322	41	19.1	12.6-25.6	40	16.7	10.8-22.6	40	20.0	12.9-27.1	90	42.9	34.5-51.3	4	1.4	00.0-02.8			
35-44	255	46,407	46	14.6	09.1-20.1	68	33.5	25.5-41.5	52	16.6	11.3-21.9	87	34.7	27.3-42.1	2	0.6	00.0-01.6			
45-54	310	50,582	60	19.6	14.3-24.9	80	26.7	20.6-32.8	66	18.1	13.2-23.0	96	33.5	26.6-40.4	7	1.9	00.1-03.7	1	0.3	00.0-00.9
55-64	440	56,589	135	32.3	26.6-38.0	119	25.5	20.4-30.6	71	16.8	12.5-21.1	107	23.7	18.6-28.8	6	1.4	00.0-03.0	2	0.4	00.0-01.2
65+	680	73,118	200	30.8	26.5-35.1	187	27.8	23.7-31.9	112	14.7	11.8-17.6	169	25.0	21.1-28.9	12	1.8	00.6-03.0			
Less Than H.S.	208	35,130	66	25.1	17.8-32.4	29	17.3	10.4-24.2	33	12.6	06.9-18.3	79	43.9	35.1-52.7	1	1.1	00.0-03.3			
H.S. or G.E.D.	582	107,007	143	22.2	17.9-26.5	132	24.1	19.2-29.0	91	14.7	10.8-18.6	201	37.1	31.6-42.6	13	1.6	00.6-02.6	2	0.3	00.0-00.7
Some Post-H.S.	517	91,651	131	24.8	20.1-29.5	138	26.3	21.2-31.4	90	19.2	14.7-23.7	152	28.9	23.6-34.2	5	0.7	00.0-01.5	1	0.0	00.0-00.0
College Graduate	720	87,990	163	19.0	15.7-22.3	220	31.7	27.4-36.0	161	22.3	18.6-26.0	163	25.1	20.8-29.4	13	2.0	00.4-03.6			
Less than \$15,000	130	17,241	48	30.8	21.0-40.6	19	20.4	10.6-30.2	16	13.1	04.9-21.3	42	33.1	22.9-43.3	4	2.3	00.0-04.8	1	0.2	00.0-00.6
\$15,000- 24,999	278	38,903	78	30.2	22.8-37.6	52	18.4	12.1-24.7	41	10.7	06.6-14.8	99	38.0	30.4-45.6	6	1.8	00.2-03.4	2	0.9	00.0-02.1
\$25,000- 34,999	137	19,962	34	22.6	14.0-31.2	31	22.1	11.5-32.7	25	15.5	08.2-22.8	43	36.5	25.7-47.3	4	3.3	00.0-07.4			
\$35,000- 49,999	244	37,008	62	25.4	18.1-32.7	56	21.8	15.3-28.3	39	15.6	10.3-20.9	87	37.2	28.4-46.0						
\$50,000- 74,999	267	43,265	54	17.2	11.3-23.1	77	32.5	23.7-41.3	49	16.2	10.3-22.1	80	31.9	23.9-39.9	7	2.3	00.3-04.3			
\$75,000+	683	117,769	153	19.1	15.6-22.6	217	30.0	25.7-34.3	147	21.5	17.6-25.4	161	28.5	23.8-33.2	5	0.8	00.0-01.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 6: WHEN YOU GO OUTSIDE ON A WARM SUNNY DAY FOR MORE THAN ONE HOUR, HOW OFTEN DO YOU PROTECT YOURSELF FROM THE SUN? IS THAT.... (SUNPRTCT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Most of the time			Sometimes			Rarely Never			Dont stay outside for more than one hour on warm sunny days			Dont go outside on warm sunny days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2620	359,334	815	29.1	26.7-31.5	747	29.9	27.4-32.4	473	18.3	16.3-20.3	466	19.0	16.8-21.2	115	3.7	02.7-04.7	4	0.1	00.0-00.3	
White/Non-Hisp	1790	232,125	553	29.9	27.2-32.6	591	34.0	31.1-36.9	328	19.2	16.7-21.7	242	13.9	11.7-16.1	74	3.0	02.0-04.0	2	0.0	00.0-00.0	
Black or Afr. Am./Non-Hisp	380	75,152	106	25.0	19.5-30.5	82	24.4	18.1-30.7	54	12.6	08.5-16.7	116	31.9	25.6-38.2	22	6.0	02.9-09.1				
Oth. Race/Non-Hisp.	73	12,393	23	23.9	10.4-37.4	12	20.8	06.7-34.9	17	30.1	12.7-47.5	18	23.5	06.6-40.4	3	1.7	00.0-04.4				
Hispanic	269	29,356	84	29.7	22.3-37.1	45	18.8	10.2-27.4	59	23.4	16.5-30.3	69	23.3	16.8-29.8	10	3.8	00.5-07.1	2	1.0	00.0-02.4	
18-24	131	36,007	25	19.6	10.8-28.4	33	35.4	22.7-48.1	40	25.0	16.2-33.8	31	19.4	11.4-27.4	2	0.6	00.0-01.4				
25-34	256	56,321	59	21.9	15.2-28.6	73	26.4	19.9-32.9	55	21.0	14.1-27.9	63	28.7	20.9-36.5	5	1.8	00.0-04.0	1	0.2	00.0-00.6	
35-44	303	53,370	95	31.0	24.3-37.7	77	25.7	19.6-31.8	66	23.5	17.4-29.6	60	18.6	13.3-23.9	5	1.3	00.0-03.1				
45-54	402	56,241	124	29.4	23.9-34.9	132	30.8	25.3-36.3	61	14.4	10.5-18.3	74	20.4	14.9-25.9	11	5.1	01.8-08.4				
55-64	555	66,426	171	29.1	24.6-33.6	166	35.1	30.0-40.2	100	16.9	13.2-20.6	93	14.8	11.3-18.3	25	4.1	02.3-05.9				
65+	973	90,970	341	35.9	32.0-39.8	266	27.9	24.4-31.4	151	14.5	11.8-17.2	145	15.2	12.3-18.1	67	6.2	04.0-08.4	3	0.3	00.0-00.7	
Less Than H.S.	260	41,993	86	32.2	23.6-40.8	41	16.9	08.5-25.3	40	15.4	08.9-21.9	71	26.9	19.5-34.3	21	8.3	03.8-12.8	1	0.3	00.0-00.9	
H.S. or G.E.D.	718	105,109	221	28.6	24.3-32.9	160	23.6	19.1-28.1	155	21.4	17.5-25.3	135	21.2	16.7-25.7	45	5.0	02.8-07.2	2	0.2	00.0-00.6	
Some Post-H.S.	695	105,671	224	30.0	25.5-34.5	198	31.8	26.9-36.7	115	16.7	13.0-20.4	127	18.7	14.8-22.6	30	2.7	01.5-03.9	1	0.1	00.0-00.3	
College Graduate	936	105,372	280	27.4	23.7-31.1	347	39.6	35.5-43.7	159	17.6	14.3-20.9	131	13.9	11.0-16.8	19	1.5	00.5-02.5				
Less than \$15,000	224	25,103	68	24.6	17.5-31.7	39	17.1	10.8-23.4	36	17.8	10.9-24.7	56	29.0	19.2-38.8	25	11.4	05.7-17.1				
\$15,000- 24,999	432	59,840	135	28.8	23.1-34.5	90	19.3	13.8-24.8	75	18.3	13.6-23.0	102	25.9	20.2-31.6	29	7.7	04.0-11.4	1	0.1	00.0-00.3	
\$25,000- 34,999	219	27,752	81	40.5	31.7-49.3	44	16.8	10.9-22.7	44	22.5	14.9-30.1	43	18.3	11.6-25.0	7	1.9	00.3-03.5				
\$35,000- 49,999	283	37,323	88	30.0	22.6-37.4	84	31.9	23.3-40.5	47	15.4	10.1-20.7	52	19.9	13.2-26.6	12	2.8	01.0-04.6				
\$50,000- 74,999	328	43,073	102	27.6	21.3-33.9	95	31.8	24.9-38.7	73	23.6	17.3-29.9	56	16.7	10.6-22.8	2	0.3	00.0-00.7				
\$75,000+	647	100,630	195	28.7	24.2-33.2	259	40.2	35.3-45.1	119	17.8	13.7-21.9	65	12.5	08.6-16.4	9	0.8	00.2-01.4				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 7: ON WEEKDAYS, IN THE SUMMER, HOW LONG ARE YOU OUTSIDE PER DAY BETWEEN 10AM AND 4PM? (WKDAYOUT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4417	645,591	2196	48.5	46.5-50.5	824	17.7	16.4-19.3	445	10.2	09.0-11.4	320	7.5	06.3-08.7	286	7.3	06.1-08.5	346	8.8	07.6-10.0
Male	1950	307,379	738	37.7	35.0-40.4	374	18.2	15.8-20.6	212	10.1	08.5-11.7	168	7.7	06.1-09.3	193	11.2	09.2-13.2	265	15.1	12.7-17.5
Female	2467	338,213	1458	58.3	55.6-61.0	450	17.3	15.3-19.3	233	10.3	08.5-12.1	152	7.3	05.5-09.1	93	3.7	02.7-04.7	81	3.2	02.2-04.2
White/Non-Hisp	3054	426,085	1522	48.3	45.9-50.7	599	18.2	16.4-20.0	312	10.5	09.1-11.9	226	7.7	06.3-09.1	195	7.3	05.9-08.7	200	8.0	06.6-09.4
Black or Afr. Am./Non-Hisp	562	124,258	286	48.0	42.5-53.5	94	16.4	12.5-20.3	68	10.9	07.6-14.2	41	7.7	04.6-10.8	36	8.0	04.7-11.3	37	9.0	05.3-12.7
Oth. Race/Non-Hisp.	155	25,129	90	62.9	50.7-75.1	21	19.7	07.5-31.9	12	3.6	01.2-06.0	6	2.2	00.0-04.4	11	6.5	01.2-11.8	15	5.1	01.8-08.4
MultiRacial/Non-Hisp.	69	4,971	33	56.0	40.1-71.9	12	13.6	03.4-23.8	11	15.3	05.9-24.7	6	8.6	00.4-16.8	3	2.4	00.0-05.3	4	4.1	00.0-08.6
Hispanic	463	50,009	211	44.4	37.9-50.9	77	15.6	11.5-19.7	34	9.4	05.5-13.3	32	7.9	04.6-11.2	35	6.4	03.5-09.3	74	16.2	11.1-21.3
18-24	259	73,125	84	30.2	22.9-37.5	46	15.7	09.8-21.6	40	16.4	10.5-22.3	33	16.2	09.3-23.1	25	8.5	04.4-12.6	31	13.0	07.9-18.1
25-34	450	106,728	204	44.1	38.2-50.0	75	16.5	12.0-21.0	46	8.8	05.9-11.7	33	6.6	03.9-09.3	42	11.2	07.1-15.3	50	12.8	08.3-17.3
35-44	526	92,263	279	55.5	50.2-60.8	72	12.5	09.2-15.8	50	9.6	06.3-12.9	34	6.4	03.9-08.9	37	7.6	04.7-10.5	54	8.4	05.7-11.1
45-54	671	100,676	359	53.5	48.8-58.2	108	15.2	11.9-18.5	62	8.9	06.4-11.4	35	4.2	02.6-05.8	50	7.5	05.1-09.9	57	10.6	07.3-13.9
55-64	951	117,541	480	51.1	47.0-55.2	170	18.4	15.1-21.7	94	9.8	07.4-12.2	71	7.2	05.2-09.2	55	6.3	04.3-08.3	81	7.2	05.2-09.2
65+	1560	155,260	790	50.7	47.6-53.8	353	23.7	21.0-26.4	153	9.7	07.9-11.5	114	6.9	05.5-08.3	77	4.5	03.3-05.7	73	4.5	03.3-05.7
Less Than H.S.	439	72,602	194	38.4	32.1-44.7	62	16.5	11.2-21.8	32	8.9	05.0-12.8	29	7.9	03.0-12.8	39	11.1	06.8-15.4	83	17.2	12.5-21.9
H.S. or G.E.D.	1210	197,651	528	41.6	37.9-45.3	208	17.0	14.1-19.9	134	11.1	08.6-13.6	107	8.9	06.5-11.3	115	9.7	07.3-12.1	118	11.7	09.0-14.4
Some Post-H.S.	1152	186,230	597	51.7	47.8-55.6	216	17.6	14.7-20.5	118	9.8	07.6-12.0	72	7.0	05.0-09.0	71	6.4	04.4-08.4	78	7.6	05.4-09.8
College Graduate	1600	187,299	868	56.2	53.1-59.3	338	19.2	16.8-21.6	158	10.1	08.1-12.1	111	6.3	04.7-07.9	61	4.2	02.8-05.6	64	3.9	02.7-05.1
Less than \$15,000	336	40,224	162	46.8	39.4-54.2	55	17.6	12.1-23.1	38	11.9	07.2-16.6	27	7.3	04.0-10.6	25	8.7	04.4-13.0	29	7.8	04.3-11.3
\$15,000- 24,999	673	93,591	304	45.9	40.8-51.0	125	16.3	12.8-19.8	67	10.8	07.9-13.7	53	8.0	05.1-10.9	45	8.7	05.6-11.8	79	10.4	07.5-13.3
\$25,000- 34,999	338	45,215	172	47.8	40.7-54.9	60	15.3	10.6-20.0	35	11.6	07.3-15.9	29	12.3	06.4-18.2	21	4.4	02.2-06.6	21	8.6	04.3-12.9
\$35,000- 49,999	505	71,484	251	43.8	37.9-49.7	100	20.6	15.7-25.5	42	9.7	05.4-14.0	43	9.5	05.6-13.4	26	5.2	02.8-07.6	43	11.3	06.4-16.2
\$50,000- 74,999	565	80,773	251	43.2	37.5-48.9	112	19.6	14.5-24.7	71	12.2	08.9-15.5	36	5.0	03.0-07.0	47	10.7	07.0-14.4	48	9.4	05.5-13.3
\$75,000+	1285	209,289	698	54.8	51.3-58.3	244	17.0	14.5-19.5	118	8.4	06.4-10.4	83	6.1	04.5-07.7	71	5.9	04.1-07.7	71	7.7	05.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 8: ON WEEKDAYS, IN THE SUMMER, HOW LONG ARE YOU OUTSIDE PER DAY BETWEEN 10AM AND 4PM? (WKDAYOUT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1950	307,379	738	37.7	35.0-40.4	374	18.2	15.8-20.6	212	10.1	08.5-11.7	168	7.7	06.1-09.3	193	11.2	09.2-13.2	265	15.1	12.7-17.5
White/Non-Hisp	1354	204,274	517	38.2	34.9-41.5	280	17.8	15.3-20.3	145	10.5	08.3-12.7	129	8.7	06.7-10.7	132	11.3	08.9-13.7	151	13.4	10.9-15.9
Black or Afr. Am./Non-Hisp	213	54,928	77	35.7	27.7-43.7	38	19.2	12.3-26.1	31	9.4	05.5-13.3	14	5.8	01.5-10.1	25	13.1	06.8-19.4	28	16.8	09.2-24.4
Oth. Race/Non-Hisp.	90	14,707	48	57.4	40.9-73.9	15	25.7	07.9-43.5	6	3.8	00.3-07.3	2	0.8	00.0-02.0	7	5.4	00.0-10.9	12	7.0	01.9-12.1
Hispanic	210	23,106	68	30.1	21.9-38.3	26	10.9	06.0-15.8	17	10.6	04.1-17.1	17	9.8	04.1-15.5	22	10.3	04.6-16.0	60	28.4	19.2-37.6
18-24	134	39,262	39	24.5	16.1-32.9	20	14.2	05.6-22.8	20	14.8	07.7-21.9	15	14.3	06.3-22.3	15	11.5	04.8-18.2	25	20.7	12.1-29.3
25-34	206	53,508	73	35.1	27.1-43.1	32	14.7	08.8-20.6	17	7.1	03.2-11.0	14	4.6	01.7-07.5	28	16.4	09.1-23.7	42	22.1	14.1-30.1
35-44	239	42,832	106	45.8	37.8-53.8	32	14.6	08.7-20.5	21	9.1	04.2-14.0	12	4.1	01.2-07.0	31	15.0	09.1-20.9	37	11.4	06.7-16.1
45-54	297	47,607	128	43.6	36.5-50.7	44	14.0	09.3-18.7	33	9.6	06.1-13.1	17	4.3	01.9-06.7	31	9.0	05.5-12.5	44	19.5	13.0-26.0
55-64	424	54,679	160	38.1	32.4-43.8	79	20.8	15.1-26.5	45	8.8	05.9-11.7	41	10.2	06.7-13.7	36	9.6	05.9-13.3	63	12.6	08.9-16.3
65+	650	69,491	232	37.7	33.2-42.2	167	26.2	22.1-30.3	76	11.9	09.0-14.8	69	9.0	06.6-11.4	52	7.5	05.1-09.9	54	7.8	05.3-10.3
Less Than H.S.	197	33,059	52	23.9	16.5-31.3	20	8.7	04.4-13.0	14	9.2	03.3-15.1	16	7.2	03.1-11.3	29	18.2	10.8-25.6	66	32.7	24.1-41.3
H.S. or G.E.D.	546	100,210	153	27.6	22.9-32.3	97	19.4	14.5-24.3	64	10.1	07.2-13.0	58	8.9	05.8-12.0	80	14.9	10.8-19.0	94	19.1	14.2-24.0
Some Post-H.S.	495	87,233	192	39.7	34.0-45.4	96	18.7	14.2-23.2	59	10.1	07.0-13.2	37	8.0	04.7-11.3	50	10.1	06.6-13.6	61	13.4	09.1-17.7
College Graduate	704	86,001	338	52.3	47.6-57.0	161	20.1	16.4-23.8	73	10.3	07.4-13.2	57	6.3	04.1-08.5	34	5.4	02.9-07.9	41	5.6	03.4-07.8
Less than \$15,000	125	16,570	38	32.8	21.8-43.8	23	21.0	11.6-30.4	15	10.0	04.1-15.9	15	9.0	03.7-14.3	17	16.6	07.6-25.6	17	10.6	04.7-16.5
\$15,000- 24,999	261	36,213	81	36.5	28.5-44.5	45	13.4	08.5-18.3	25	9.7	05.2-14.2	22	6.0	02.9-09.1	29	13.9	08.0-19.8	59	20.6	14.1-27.1
\$25,000- 34,999	131	19,127	50	35.6	25.0-46.2	21	13.6	06.9-20.3	18	12.1	06.0-18.2	14	16.4	05.2-27.6	14	7.3	03.0-11.6	14	15.0	06.2-23.8
\$35,000- 49,999	232	35,368	78	29.4	22.0-36.8	54	23.9	16.3-31.5	17	7.5	03.4-11.6	27	10.4	05.9-14.9	20	9.3	04.8-13.8	36	19.5	10.7-28.3
\$50,000- 74,999	257	41,379	83	29.3	22.0-36.6	55	21.7	13.1-30.3	33	11.9	06.8-17.0	18	4.7	02.2-07.2	32	16.7	10.0-23.4	36	15.7	08.6-22.8
\$75,000+	665	112,837	309	46.2	41.3-51.1	130	17.8	14.3-21.3	70	9.4	06.7-12.1	48	6.3	04.1-08.5	47	7.6	04.9-10.3	61	12.6	08.9-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 9: ON WEEKDAYS, IN THE SUMMER, HOW LONG ARE YOU OUTSIDE PER DAY BETWEEN 10AM AND 4PM? (WKDAYOUT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2467	338,213	1458	58.3	55.6-61.0	450	17.3	15.3-19.3	233	10.3	08.5-12.1	152	7.3	05.5-09.1	93	3.7	02.7-04.7	81	3.2	02.2-04.2
White/Non-Hisp	1700	221,811	1005	57.6	54.5-60.7	319	18.5	16.0-21.0	167	10.5	08.5-12.5	97	6.8	04.6-09.0	63	3.7	02.5-04.9	49	2.9	01.7-04.1
Black or Afr. Am./Non-Hisp	349	69,329	209	57.8	50.7-64.9	56	14.2	09.9-18.5	37	12.1	07.0-17.2	27	9.1	04.6-13.6	11	3.9	01.0-06.8	9	2.8	00.6-05.0
Oth. Race/Non-Hisp.	65	10,422	42	70.7	55.0-86.4	6	11.3	00.0-22.9	6	3.3	00.4-06.2	4	4.3	00.0-09.2	4	8.0	00.0-18.0	3	2.4	00.0-05.9
Hispanic	253	26,903	143	56.7	48.1-65.3	51	19.7	13.2-26.2	17	8.4	03.7-13.1	15	6.3	02.4-10.2	13	3.1	01.1-05.1	14	5.8	02.1-09.5
18-24	125	33,863	45	36.7	24.9-48.5	26	17.5	09.7-25.3	20	18.1	08.5-27.7	18	18.5	07.1-29.9	10	5.1	01.2-09.0	6	4.1	00.4-07.8
25-34	244	53,220	131	53.2	45.0-61.4	43	18.3	11.4-25.2	29	10.6	06.3-14.9	19	8.5	03.8-13.2	14	5.8	02.1-09.5	8	3.6	00.7-06.5
35-44	287	49,431	173	64.0	57.1-70.9	40	10.7	07.0-14.4	29	10.0	05.5-14.5	22	8.4	04.5-12.3	6	1.1	00.0-02.3	17	5.8	02.5-09.1
45-54	374	53,068	231	62.4	56.3-68.5	64	16.3	11.8-20.8	29	8.4	05.1-11.7	18	4.2	01.8-06.6	19	6.2	02.9-09.5	13	2.6	01.0-04.2
55-64	527	62,862	320	62.4	57.1-67.7	91	16.4	12.5-20.3	49	10.6	07.1-14.1	30	4.6	02.4-06.8	19	3.4	01.6-05.2	18	2.5	00.9-04.1
65+	910	85,769	558	61.2	57.1-65.3	186	21.7	18.2-25.2	77	8.0	05.8-10.2	45	5.2	03.4-07.0	25	2.1	01.1-03.1	19	1.8	00.8-02.8
Less Than H.S.	242	39,542	142	50.5	40.9-60.1	42	22.9	14.3-31.5	18	8.7	03.6-13.8	13	8.6	00.2-17.0	10	5.1	00.4-09.8	17	4.2	01.7-06.7
H.S. or G.E.D.	664	97,441	375	56.0	50.9-61.1	111	14.6	11.5-17.7	70	12.1	08.2-16.0	49	8.8	05.5-12.1	35	4.4	02.6-06.2	24	4.1	02.1-06.1
Some Post-H.S.	657	98,998	405	62.2	57.3-67.1	120	16.7	13.2-20.2	59	9.5	06.8-12.2	35	6.0	03.6-08.4	21	3.1	01.5-04.7	17	2.5	00.9-04.1
College Graduate	896	101,298	530	59.6	55.5-63.7	177	18.6	15.5-21.7	85	9.9	07.4-12.4	54	6.3	04.1-08.5	27	3.2	01.6-04.8	23	2.5	00.9-04.1
Less than \$15,000	211	23,654	124	56.7	47.3-66.1	32	15.1	08.6-21.6	23	13.2	06.1-20.3	12	6.1	01.8-10.4	8	3.1	00.6-05.6	12	5.8	01.5-10.1
\$15,000- 24,999	412	57,378	223	51.8	45.1-58.5	80	18.1	13.4-22.8	42	11.4	07.5-15.3	31	9.3	05.0-13.6	16	5.5	01.8-09.2	20	3.9	01.9-05.9
\$25,000- 34,999	207	26,089	122	56.8	47.8-65.8	39	16.6	09.9-23.3	17	11.1	05.0-17.2	15	9.2	03.3-15.1	7	2.2	00.4-04.0	7	4.0	00.7-07.3
\$35,000- 49,999	273	36,117	173	57.8	49.0-66.6	46	17.3	11.6-23.0	25	11.9	04.5-19.3	16	8.6	02.1-15.1	6	1.2	00.0-02.4	7	3.3	00.4-06.2
\$50,000- 74,999	308	39,394	168	57.7	50.6-64.8	57	17.3	12.0-22.6	38	12.5	08.0-17.0	18	5.2	02.5-07.9	15	4.5	02.1-06.9	12	2.7	00.3-05.1
\$75,000+	620	96,452	389	64.8	59.9-69.7	114	16.2	12.5-19.9	48	7.3	04.8-09.8	35	5.9	03.5-08.3	24	3.9	01.9-05.9	10	2.0	00.2-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 10: ON WEEKENDS IN THE SUMMER, HOW LONG ARE YOU OUTSIDE EACH DAY BETWEEN 10AM AND 4PM? (WKENDOUT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4410	645,398	1441	28.7	26.9-30.5	886	21.1	19.3-22.9	609	13.8	12.4-15.2	558	13.6	12.2-15.0	479	12.2	10.8-13.6	437	10.5	09.3-11.7
Male	1940	305,241	472	23.2	20.7-25.7	366	19.2	16.8-21.6	276	13.3	11.3-15.3	262	13.4	11.4-15.4	282	15.9	13.5-18.3	282	15.0	12.8-17.2
Female	2470	340,158	969	33.7	31.2-36.2	520	22.7	20.3-25.1	333	14.3	12.3-16.3	296	13.9	11.9-15.9	197	8.9	07.3-10.5	155	6.5	05.1-07.9
White/Non-Hisp	3054	427,782	958	26.4	24.4-28.4	619	20.3	18.3-22.3	418	14.2	12.6-15.8	410	14.9	13.1-16.7	350	12.9	11.3-14.5	299	11.3	09.7-12.9
Black or Afr. Am./Non-Hisp	557	121,165	213	35.7	30.6-40.8	112	20.7	16.4-25.0	77	12.7	09.4-16.0	59	11.5	07.6-15.4	55	11.6	07.7-15.5	41	7.8	05.1-10.5
Oth. Race/Non-Hisp.	157	26,380	59	38.2	26.0-50.4	36	31.3	19.5-43.1	20	11.3	04.8-17.8	13	7.1	02.4-11.8	16	9.0	03.1-14.9	13	3.1	01.1-05.1
MultiRacial/Non-Hisp.	74	5,245	27	29.3	16.8-41.8	16	30.7	12.7-48.7	13	19.3	07.5-31.1	7	10.1	02.1-18.1	1	2.1	00.0-06.0	10	8.5	02.4-14.6
Hispanic	454	49,948	136	24.7	19.6-29.8	80	21.0	14.5-27.5	72	16.0	11.5-20.5	57	13.0	08.9-17.1	53	12.7	08.6-16.8	56	12.6	07.9-17.3
18-24	258	73,196	47	18.8	12.3-25.3	43	15.6	09.9-21.3	44	14.5	09.4-19.6	33	15.8	08.9-22.7	52	20.7	14.2-27.2	39	14.7	09.4-20.0
25-34	444	105,631	89	18.0	13.5-22.5	102	27.3	21.6-33.0	67	13.1	09.2-17.0	69	14.9	10.8-19.0	60	13.6	09.3-17.9	57	13.1	09.0-17.2
35-44	530	94,265	136	24.5	19.8-29.2	98	19.5	15.2-23.8	85	14.9	11.2-18.6	89	18.2	13.9-22.5	62	11.9	08.4-15.4	60	11.0	07.7-14.3
45-54	680	101,914	173	24.6	20.7-28.5	118	18.8	14.9-22.7	104	14.4	11.1-17.7	101	14.7	11.6-17.8	100	15.3	12.0-18.6	84	12.3	09.2-15.4
55-64	949	117,241	292	31.0	27.3-34.7	199	21.9	18.4-25.4	125	13.9	11.2-16.6	123	12.6	10.1-15.1	95	10.3	07.8-12.8	115	10.3	08.1-12.5
65+	1549	153,151	704	44.5	41.4-47.6	326	21.3	18.8-23.8	184	12.9	10.9-14.9	143	9.1	07.3-10.9	110	6.8	05.4-08.2	82	5.5	04.1-06.9
Less Than H.S.	426	71,303	160	33.7	27.6-39.8	71	16.7	11.4-22.0	51	11.4	07.1-15.7	40	10.9	05.6-16.2	51	13.3	09.0-17.6	53	14.0	09.3-18.7
H.S. or G.E.D.	1216	197,865	409	30.3	26.8-33.8	206	18.1	15.2-21.0	161	13.8	11.3-16.3	145	12.7	10.2-15.2	148	12.4	09.9-14.9	147	12.7	10.2-15.2
Some Post-H.S.	1157	186,856	405	29.1	25.8-32.4	241	22.7	19.2-26.2	155	12.7	10.3-15.1	127	12.9	10.2-15.6	116	12.6	09.9-15.3	113	10.0	07.8-12.2
College Graduate	1595	187,565	463	24.8	22.1-27.5	364	24.0	21.3-26.7	239	15.9	13.5-18.3	245	16.5	14.1-18.9	162	11.3	09.1-13.5	122	7.4	05.8-09.0
Less than \$15,000	328	38,848	137	37.2	30.1-44.3	56	20.6	13.5-27.7	33	9.5	05.4-13.6	38	13.5	08.6-18.4	32	10.7	06.2-15.2	32	8.5	04.8-12.2
\$15,000- 24,999	662	91,677	242	34.1	29.4-38.8	132	20.5	16.2-24.8	81	10.7	07.8-13.6	80	13.2	09.5-16.9	58	9.5	06.6-12.4	69	12.0	08.3-15.7
\$25,000- 34,999	343	45,631	132	33.0	26.7-39.3	69	20.6	14.7-26.5	48	15.1	09.8-20.4	37	9.7	06.0-13.4	32	13.4	07.5-19.3	25	8.3	04.4-12.2
\$35,000- 49,999	511	70,850	184	30.9	25.6-36.2	115	22.9	18.2-27.6	52	10.0	06.9-13.1	64	15.1	10.2-20.0	40	9.2	05.3-13.1	56	11.9	08.2-15.6
\$50,000- 74,999	573	82,874	162	26.5	21.2-31.8	120	23.2	17.9-28.5	96	15.9	12.4-19.4	66	10.8	07.3-14.3	68	14.2	10.1-18.3	61	9.4	06.5-12.3
\$75,000+	1292	211,681	312	21.2	18.5-23.9	278	22.0	19.1-24.9	201	15.7	13.2-18.2	200	16.4	13.9-18.9	175	14.3	11.8-16.8	126	10.4	08.2-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 11: ON WEEKENDS IN THE SUMMER, HOW LONG ARE YOU OUTSIDE EACH DAY BETWEEN 10AM AND 4PM? (WKENDOUT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1940	305,241	472	23.2	20.7-25.7	366	19.2	16.8-21.6	276	13.3	11.3-15.3	262	13.4	11.4-15.4	282	15.9	13.5-18.3	282	15.0	12.8-17.2
White/Non-Hisp	1350	204,202	297	19.4	16.9-21.9	263	19.8	17.1-22.5	192	13.7	11.5-15.9	195	14.4	12.0-16.8	210	17.0	14.3-19.7	193	15.8	13.3-18.3
Black or Afr. Am./Non-Hisp	209	52,971	62	31.0	23.2-38.8	37	16.2	10.3-22.1	33	13.1	07.6-18.6	24	13.0	06.7-19.3	31	16.2	08.9-23.5	22	10.5	05.6-15.4
Oth. Race/Non-Hisp.	90	14,707	31	46.8	30.5-63.1	20	21.1	10.3-31.9	10	10.2	02.9-17.5	8	8.4	01.3-15.5	11	8.9	01.6-16.2	10	4.6	01.3-07.9
Hispanic	204	22,770	58	24.7	17.1-32.3	29	16.7	09.3-24.1	27	12.7	06.8-18.6	23	9.2	04.5-13.9	27	15.1	08.0-22.2	40	21.6	12.8-30.4
18-24	133	39,185	32	24.0	14.4-33.6	18	12.2	05.5-18.9	18	10.8	04.9-16.7	17	13.9	06.6-21.2	24	19.3	10.7-27.9	24	19.8	11.4-28.2
25-34	202	52,134	42	18.8	12.5-25.1	48	27.6	19.8-35.4	22	7.6	03.7-11.5	23	10.9	05.4-16.4	33	18.5	11.1-25.9	34	16.5	10.2-22.8
35-44	242	43,368	60	23.3	16.4-30.2	44	19.1	13.0-25.2	36	13.5	08.4-18.6	34	17.0	10.3-23.7	33	15.1	09.0-21.2	35	12.0	07.1-16.9
45-54	296	47,958	55	18.4	13.1-23.7	38	13.5	08.8-18.2	47	15.3	09.8-20.8	46	15.5	10.6-20.4	57	18.2	12.9-23.5	53	19.1	13.4-24.8
55-64	420	53,894	80	20.1	14.8-25.4	84	20.0	14.9-25.1	63	15.5	11.4-19.6	56	12.8	08.9-16.7	58	14.8	10.3-19.3	79	16.8	12.7-20.9
65+	647	68,701	203	31.8	27.5-36.1	134	20.2	16.3-24.1	90	15.9	12.4-19.4	86	11.8	08.9-14.7	77	11.6	08.9-14.3	57	8.7	06.0-11.4
Less Than H.S.	184	31,340	49	24.8	16.8-32.8	22	12.5	06.0-19.0	23	10.8	05.1-16.5	16	7.7	03.0-12.4	30	19.1	11.7-26.5	44	25.1	16.7-33.5
H.S. or G.E.D.	548	98,896	124	23.4	18.5-28.3	82	16.6	12.5-20.7	73	12.8	09.3-16.3	71	12.0	08.5-15.5	96	16.5	12.2-20.8	102	18.7	14.4-23.0
Some Post-H.S.	496	87,770	132	23.0	18.5-27.5	95	19.8	14.9-24.7	75	13.5	10.0-17.0	64	15.6	11.1-20.1	64	15.7	10.8-20.6	66	12.5	09.0-16.0
College Graduate	704	86,357	165	22.4	18.5-26.3	166	24.1	20.0-28.2	103	14.6	11.5-17.7	111	15.1	11.8-18.4	91	14.3	10.8-17.8	68	9.6	06.9-12.3
Less than \$15,000	120	16,010	32	29.3	18.1-40.5	21	19.0	10.0-28.0	10	6.2	00.7-11.7	15	11.4	04.9-17.9	20	18.1	09.1-27.1	22	15.9	07.9-23.9
\$15,000- 24,999	254	34,881	78	30.6	23.2-38.0	38	14.8	09.3-20.3	31	12.2	06.7-17.7	32	12.5	06.4-18.6	30	12.3	07.2-17.4	45	17.5	11.0-24.0
\$25,000- 34,999	133	19,108	38	26.6	17.2-36.0	23	15.0	07.4-22.6	19	10.9	05.4-16.4	25	17.6	09.8-25.4	18	19.3	07.9-30.7	10	10.7	03.1-18.3
\$35,000- 49,999	235	34,211	58	23.9	16.5-31.3	52	21.9	15.4-28.4	27	12.5	07.2-17.8	30	11.4	06.7-16.1	25	10.8	05.7-15.9	43	19.5	12.6-26.4
\$50,000- 74,999	260	41,934	59	23.8	15.8-31.8	50	19.4	12.1-26.7	40	13.2	08.7-17.7	35	11.9	06.2-17.6	40	18.8	11.7-25.9	36	12.9	07.8-18.0
\$75,000+	667	114,025	129	16.5	13.2-19.8	142	22.3	18.2-26.4	107	15.2	11.9-18.5	98	16.5	12.8-20.2	107	16.4	12.7-20.1	84	13.1	09.8-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 12: EXCESS SUN EXPOSURE**

**TABLE 12: WHEN YOU GO OUTSIDE ON A WARM SUNNY DAY FOR MORE THAN ONE HOUR, HOW OFTEN DO YOU PROTECT YOURSELF FROM THE SUN? IS THAT.... (SUNPRCT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than half an hour (More than half an hour) up to 1 hour			(More than 1 hour) up to 2 hours			(More than 2 hours) up to 3 hours			(More than 3 hours) up to 4 hours			(More than 4 hours) up to 5 hours			(More than 5) up to 6 hours		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2470	340,158	969	33.7	31.2-36.2	520	22.7	20.3-25.1	333	14.3	12.3-16.3	296	13.9	11.9-15.9	197	8.9	07.3-10.5	155	6.5	05.1-07.9
White/Non-Hisp	1704	223,580	661	32.7	30.0-35.4	356	20.8	18.3-23.3	226	14.7	12.3-17.1	215	15.4	12.9-17.9	140	9.3	07.5-11.1	106	7.1	05.3-08.9
Black or Afr. Am./Non-Hisp	348	68,194	151	39.3	32.4-46.2	75	24.2	18.1-30.3	44	12.4	08.1-16.7	35	10.3	05.4-15.2	24	8.1	04.0-12.2	19	5.8	02.7-08.9
Oth. Race/Non-Hisp.	67	11,673	28	27.4	12.5-42.3	16	44.3	24.5-64.1	10	12.6	01.4-23.8	5	5.4	00.0-11.3	5	9.0	00.0-18.6	3	1.3	00.0-02.9
Hispanic	250	27,178	78	24.7	17.8-31.6	51	24.6	15.0-34.2	45	18.8	12.3-25.3	34	16.2	09.9-22.5	26	10.7	05.8-15.6	16	5.1	02.0-08.2
18-24	125	34,011	15	12.7	04.9-20.5	25	19.5	10.1-28.9	26	18.8	10.4-27.2	16	17.9	06.1-29.7	28	22.3	12.9-31.7	15	8.8	02.9-14.7
25-34	242	53,497	47	17.2	10.7-23.7	54	26.9	18.9-34.9	45	18.4	12.1-24.7	46	18.8	12.5-25.1	27	8.8	05.1-12.5	23	9.7	04.6-14.8
35-44	288	50,897	76	25.6	19.1-32.1	54	19.8	13.9-25.7	49	16.1	10.8-21.4	55	19.2	13.5-24.9	29	9.3	05.4-13.2	25	10.1	05.8-14.4
45-54	384	53,956	118	30.0	24.3-35.7	80	23.5	17.6-29.4	57	13.6	09.5-17.7	55	14.0	09.9-18.1	43	12.6	08.1-17.1	31	6.2	03.7-08.7
55-64	529	63,347	212	40.2	34.9-45.5	115	23.5	18.8-28.2	62	12.5	08.8-16.2	67	12.4	09.1-15.7	37	6.5	04.0-09.0	36	4.9	03.1-06.7
65+	902	84,450	501	54.8	50.7-58.9	192	22.2	18.7-25.7	94	10.4	08.0-12.8	57	6.9	04.7-09.1	33	2.8	01.6-04.0	25	2.9	01.5-04.3
Less Than H.S.	242	39,963	111	40.6	31.8-49.4	49	19.9	12.1-27.7	28	11.9	05.4-18.4	24	13.5	04.9-22.1	21	8.7	04.2-13.2	9	5.4	00.9-09.9
H.S. or G.E.D.	668	98,969	285	37.2	32.3-42.1	124	19.6	15.3-23.9	88	14.8	11.1-18.5	74	13.4	09.5-17.3	52	8.2	05.3-11.1	45	6.7	04.2-09.2
Some Post-H.S.	661	99,085	273	34.4	29.7-39.1	146	25.4	20.5-30.3	80	12.0	08.9-15.1	63	10.5	07.4-13.6	52	9.9	06.8-13.0	47	7.8	04.9-10.7
College Graduate	891	101,208	298	26.9	23.4-30.4	198	24.0	20.3-27.7	136	16.9	13.6-20.2	134	17.8	14.3-21.3	71	8.8	06.3-11.3	54	5.6	03.6-07.6
Less than \$15,000	208	22,837	105	42.7	33.5-51.9	35	21.7	11.7-31.7	23	11.8	06.1-17.5	23	14.9	08.0-21.8	12	5.5	01.4-09.6	10	3.4	01.0-05.8
\$15,000- 24,999	408	56,796	164	36.2	29.9-42.5	94	24.0	17.9-30.1	50	9.8	06.5-13.1	48	13.6	09.1-18.1	28	7.7	04.2-11.2	24	8.6	04.1-13.1
\$25,000- 34,999	210	26,523	94	37.5	29.3-45.7	46	24.7	16.5-32.9	29	18.1	10.3-25.9	12	4.0	01.3-06.7	14	9.2	03.7-14.7	15	6.5	02.4-10.6
\$35,000- 49,999	276	36,638	126	37.4	29.6-45.2	63	23.8	16.9-30.7	25	7.7	04.2-11.2	34	18.6	10.4-26.8	15	7.8	01.9-13.7	13	4.8	01.7-07.9
\$50,000- 74,999	313	40,940	103	29.3	22.6-36.0	70	27.0	19.6-34.4	56	18.8	13.3-24.3	31	9.6	05.5-13.7	28	9.5	05.8-13.2	25	5.8	03.1-08.5
\$75,000+	625	97,656	183	26.8	22.3-31.3	136	21.6	17.3-25.9	94	16.2	12.1-20.3	102	16.3	12.6-20.0	68	11.8	08.5-15.1	42	7.2	04.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018

MODULE 13: Lung Cancer Screening CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)	
1	MALES AND FEMALES	53
2	MALES ONLY	54
3	FEMALES ONLY	55
	HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)	
4	MALES AND FEMALES	56
5	MALES ONLY	57
6	FEMALES ONLY	58
	ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)	
7	MALES AND FEMALES	59
8	MALES ONLY	60
9	FEMALES ONLY	61
	IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSCTSCN)	
10	MALES AND FEMALES	62
11	MALES ONLY	63
12	FEMALES ONLY	64

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 1: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old			55-64 years old			65-100 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2005	278,136	33	1.5	00.9-02.1	1100	56.4	53.5-59.3	864	41.8	38.9-44.7	4	0.1	00.0-00.3	2	0.1	00.0-00.3	2	0.1	00.0-00.3
Male	961	141,913	20	2.0	00.8-03.2	532	55.6	51.5-59.7	405	42.1	38.0-46.2	2	0.1	00.0-00.3				2	0.2	00.0-00.6
Female	1044	136,223	13	0.9	00.3-01.5	568	57.2	53.3-61.1	459	41.6	37.7-45.5	2	0.1	00.1-00.1	2	0.2	00.0-00.6			
White/Non-Hisp	1535	208,010	26	1.6	00.8-02.4	868	58.7	55.6-61.8	634	39.3	36.2-42.4	3	0.1	00.0-00.3	2	0.1	00.0-00.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	222	44,092	2	0.9	00.0-02.1	107	51.5	42.7-60.3	112	47.5	38.7-56.3	1	0.1	00.0-00.3						
Oth. Race/Non-Hisp.	56	6,420				27	32.2	15.1-49.3	29	67.8	50.7-84.9									
Hispanic	111	11,647	3	2.1	00.0-04.6	56	49.0	36.3-61.7	52	48.9	36.2-61.6									
25-34	148	41,333	1	0.2	00.0-00.6	72	52.3	42.1-62.5	75	47.5	37.3-57.7									
35-44	221	41,342	1	0.2	00.0-00.6	128	56.1	47.7-64.5	92	43.8	35.4-52.2									
45-54	292	43,116	6	2.7	00.0-05.6	178	61.6	54.5-68.7	106	35.2	28.3-42.1	2	0.5	00.0-01.3						
55-64	488	59,368	7	1.0	00.2-01.8	297	63.2	57.9-68.5	182	35.3	30.2-40.4	1	0.1	00.0-00.3	1	0.4	00.0-01.2			
65+	812	80,297	18	2.7	01.3-04.1	398	49.9	45.6-54.2	392	46.9	42.6-51.2	1	0.0	00.0-00.0	1	0.1	00.0-00.3	2	0.4	00.0-01.0
Less Than H.S.	209	36,038	2	0.5	00.0-01.3	140	68.8	60.6-77.0	66	30.5	22.3-38.7				1	0.2	00.0-00.6			
H.S. or G.E.D.	634	95,372	6	0.7	00.1-01.3	381	60.3	55.2-65.4	244	38.4	33.3-43.5				1	0.2	00.0-00.6	1	0.2	00.0-00.6
Some Post-H.S.	572	86,029	9	2.1	00.3-03.9	322	56.5	51.2-61.8	239	41.3	36.0-46.6	1	0.1	00.0-00.3				1	0.1	00.0-00.3
College Graduate	584	60,140	16	2.4	01.0-03.8	252	42.6	37.3-47.9	314	54.9	49.6-60.2	2	0.1	00.0-00.3						
Less than \$15,000	185	22,907	1	0.1	00.0-00.3	109	59.6	50.0-69.2	73	39.0	29.4-48.6	1	0.3	00.0-00.9	1	1.0	00.0-03.0			
\$15,000- 24,999	348	52,020	2	0.4	00.0-01.0	212	57.3	50.2-64.4	134	42.4	35.3-49.5									
\$25,000- 34,999	161	18,309	2	1.4	00.0-03.6	82	52.0	42.4-61.6	77	46.6	37.0-56.2									
\$35,000- 49,999	245	31,912	4	1.7	00.0-03.5	139	62.6	54.6-70.6	101	35.6	27.8-43.4							1	0.2	00.0-00.6
\$50,000- 74,999	275	35,884	3	0.4	00.0-01.0	163	61.1	53.5-68.7	109	38.4	31.0-45.8									
\$75,000+	528	83,997	13	2.0	00.4-03.6	274	54.7	49.2-60.2	238	42.7	37.2-48.2	2	0.3	00.0-00.7				1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 13: Lung Cancer Screening**

**TABLE 2: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old			65-100 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	961	141,913	20	2.0	00.8-03.2	532	55.6	51.5-59.7	405	42.1	38.0-46.2	2	0.1	00.0-00.3	2	0.2	00.0-00.6
White/Non-Hisp	720	105,568	14	2.0	00.6-03.4	411	57.2	52.5-61.9	292	40.5	35.8-45.2	1	0.1	00.0-00.3	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	92	20,108	2	2.0	00.0-04.7	50	56.2	42.7-69.7	39	41.5	28.2-54.8	1	0.3	00.0-00.9			
Hispanic	77	7,787	3	3.2	00.0-06.9	39	49.7	34.0-65.4	35	47.2	31.3-63.1						
25-34	77	22,424				36	50.6	36.5-64.7	41	49.4	35.3-63.5						
35-44	118	22,848				59	47.7	36.1-59.3	59	52.3	40.7-63.9						
45-54	132	20,569	5	5.0	00.0-10.9	72	54.1	43.5-64.7	54	40.2	29.8-50.6	1	0.7	00.0-02.1			
55-64	224	28,062	4	1.0	00.0-02.2	138	67.0	59.7-74.3	81	31.8	24.5-39.1	1	0.2	00.0-00.6			
65+	384	40,774	11	3.6	01.2-06.0	212	53.9	47.8-60.0	159	41.8	35.7-47.9				2	0.7	00.0-01.9
Less Than H.S.	108	17,508	1	0.4	00.0-01.2	75	71.2	60.2-82.2	32	28.4	17.4-39.4						
H.S. or G.E.D.	311	50,354	4	1.0	00.0-02.0	187	59.4	52.1-66.7	118	38.9	31.8-46.0	1	0.3	00.0-00.9	1	0.4	00.0-01.2
Some Post-H.S.	276	44,124	4	2.7	00.0-05.8	152	55.2	47.4-63.0	118	41.9	34.1-49.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3
College Graduate	264	29,877	11	3.4	01.0-05.8	116	40.7	33.1-48.3	137	55.9	48.3-63.5						
Less than \$15,000	81	9,788				48	58.9	45.2-72.6	32	40.5	26.8-54.2	1	0.6	00.0-01.8			
\$15,000- 24,999	147	21,608	1	0.4	00.0-01.2	95	55.4	44.0-66.8	51	44.2	32.8-55.6						
\$25,000- 34,999	66	8,125				38	58.9	44.8-73.0	28	41.1	27.0-55.2						
\$35,000- 49,999	128	18,095	2	1.5	00.0-03.7	66	56.0	44.0-68.0	59	42.1	30.3-53.9				1	0.3	00.0-00.9
\$50,000- 74,999	137	18,981	2	0.5	00.0-01.3	87	66.5	56.3-76.7	48	33.0	22.8-43.2						
\$75,000+	298	51,498	11	3.0	00.5-05.5	152	53.5	46.2-60.8	133	42.8	35.5-50.1	1	0.3	00.0-00.9	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 3: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old			55-64 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1044	136,223	13	0.9	00.3-01.5	568	57.2	53.3-61.1	459	41.6	37.7-45.5	2	0.1	00.1-00.1	2	0.2	00.0-00.6
White/Non-Hisp	815	102,442	12	1.2	00.4-02.0	457	60.3	56.0-64.6	342	38.1	33.8-42.4	2	0.1	00.0-00.3	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	130	23,984				57	47.5	36.1-58.9	73	52.5	41.1-63.9						
25-34	71	18,910	1	0.4	00.0-01.2	36	54.5	39.8-69.2	34	45.2	30.5-59.9						
35-44	103	18,494	1	0.4	00.0-01.2	69	66.5	55.1-77.9	33	33.2	21.8-44.6						
45-54	160	22,547	1	0.5	00.0-01.5	106	68.5	59.7-77.3	52	30.7	21.9-39.5	1	0.3	00.0-00.9			
55-64	264	31,307	3	1.0	00.0-02.2	159	59.8	52.5-67.1	101	38.5	31.2-45.8				1	0.7	00.0-02.1
65+	428	39,522	7	1.8	00.2-03.4	186	45.8	39.5-52.1	233	52.1	45.8-58.4	1	0.0	00.0-00.0	1	0.2	00.0-00.6
Less Than H.S.	101	18,530	1	0.6	00.0-01.8	65	66.5	54.2-78.8	34	32.5	20.3-44.7				1	0.4	00.0-01.2
H.S. or G.E.D.	323	45,018	2	0.3	00.0-00.7	194	61.4	54.3-68.5	126	37.9	31.0-44.8				1	0.5	00.0-01.5
Some Post-H.S.	296	41,905	5	1.5	00.1-02.9	170	57.8	50.5-65.1	121	40.7	33.4-48.0						
College Graduate	320	30,263	5	1.3	00.1-02.5	136	44.5	37.4-51.6	177	53.9	46.8-61.0	2	0.3	00.0-00.7			
Less than \$15,000	104	13,119	1	0.2	00.0-00.6	61	60.2	46.9-73.5	41	37.9	24.8-51.0				1	1.7	00.0-05.0
\$15,000- 24,999	201	30,412	1	0.4	00.0-01.2	117	58.6	49.6-67.6	83	41.1	32.1-50.1						
\$25,000- 34,999	95	10,184	2	2.5	00.0-06.4	44	46.5	33.6-59.4	49	51.0	38.1-63.9						
\$35,000- 49,999	117	13,818	2	1.9	00.0-04.6	73	71.2	61.4-81.0	42	26.9	17.3-36.5						
\$50,000- 74,999	138	16,903	1	0.3	00.0-00.9	76	55.1	44.3-65.9	61	44.5	33.7-55.3						
\$75,000+	230	32,499	2	0.4	00.0-01.0	122	56.7	48.5-64.9	105	42.7	34.5-50.9	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-100 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1880	261,446	18	0.9	00.3-01.5	1028	62.3	59.6-65.0	346	16.4	14.4-18.4	330	14.4	12.6-16.2	158	6.0	04.8-07.2
Male	902	133,104	12	1.1	00.3-01.9	504	63.7	59.8-67.6	169	16.5	13.6-19.4	150	13.7	11.2-16.2	67	5.0	03.6-06.4
Female	978	128,342	6	0.8	00.0-01.6	524	60.8	56.9-64.7	177	16.4	13.5-19.3	180	15.1	12.4-17.8	91	7.0	05.2-08.8
White/Non-Hisp	1455	198,043	16	1.0	00.4-01.6	782	62.0	58.9-65.1	264	16.3	14.1-18.5	261	14.3	12.3-16.3	132	6.4	05.0-07.8
Black or Afr. Am./Non-Hisp	199	39,689	2	1.2	00.0-03.4	96	54.6	45.2-64.0	45	19.5	12.2-26.8	42	18.6	12.1-25.1	14	6.1	02.2-10.0
Hispanic	101	10,498				75	79.6	70.4-88.8	15	10.9	04.4-17.4	10	9.2	02.1-16.3	1	0.2	00.0-00.6
25-34	139	39,405	2	1.7	00.0-04.1	137	98.3	95.9-100.0									
35-44	209	39,662	3	1.3	00.0-02.9	206	98.7	97.1-100.0									
45-54	272	40,294	2	0.5	00.0-01.3	118	44.4	37.0-51.8	152	55.1	47.7-62.5						
55-64	465	56,514	6	1.0	00.0-02.0	163	36.8	31.3-42.3	77	15.4	11.5-19.3	219	46.8	41.1-52.5			
65+	752	73,304	4	0.5	00.0-01.1	362	46.6	42.1-51.1	117	16.4	13.1-19.7	111	15.1	11.8-18.4	158	21.4	17.7-25.1
Less Than H.S.	193	33,436	1	0.2	00.0-00.6	107	66.6	58.8-74.4	39	17.5	11.4-23.6	31	10.2	06.1-14.3	15	5.5	02.2-08.8
H.S. or G.E.D.	589	89,089	10	1.7	00.3-03.1	270	54.4	49.1-59.7	126	19.2	15.3-23.1	126	17.4	13.9-20.9	57	7.2	04.8-09.6
Some Post-H.S.	542	81,658	3	0.2	00.0-00.4	305	64.4	59.5-69.3	95	15.0	11.5-18.5	95	15.3	11.8-18.8	44	5.2	03.4-07.0
College Graduate	552	56,888	4	1.2	00.0-02.6	345	69.1	64.4-73.8	86	13.7	10.4-17.0	77	10.7	08.0-13.4	40	5.3	03.3-07.3
Less than \$15,000	174	22,020	2	0.7	00.0-01.7	72	48.6	38.2-59.0	42	25.2	15.4-35.0	45	21.5	14.1-28.9	13	4.0	01.5-06.5
\$15,000- 24,999	326	48,521	3	1.1	00.0-02.9	155	56.2	49.1-63.3	59	14.4	10.1-18.7	65	16.9	12.0-21.8	44	11.3	07.2-15.4
\$25,000- 34,999	155	17,447	1	1.2	00.0-03.6	86	58.8	49.2-68.4	26	15.9	08.6-23.2	26	15.9	09.2-22.6	16	8.2	03.7-12.7
\$35,000- 49,999	229	29,798				114	56.9	48.3-65.5	46	16.5	10.8-22.2	50	20.6	14.1-27.1	19	6.0	02.5-09.5
\$50,000- 74,999	265	34,663	4	0.9	00.0-01.9	155	65.6	58.7-72.5	44	15.1	10.0-20.2	43	13.4	08.7-18.1	19	5.0	02.5-07.5
\$75,000+	502	79,712	4	0.8	00.0-01.6	335	73.3	68.8-77.8	86	15.6	11.9-19.3	56	7.5	05.1-09.9	21	2.8	01.2-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-100 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	902	133,104	12	1.1	00.3-01.9	504	63.7	59.8-67.6	169	16.5	13.6-19.4	150	13.7	11.2-16.2	67	5.0	03.6-06.4
White/Non-Hisp	681	99,960	11	1.4	00.4-02.4	376	63.3	59.0-67.6	126	16.4	13.3-19.5	112	13.2	10.5-15.9	56	5.7	03.9-07.5
Black or Afr. Am./Non-Hisp	85	18,101	1	0.3	00.0-00.9	37	53.1	38.6-67.6	22	21.4	11.0-31.8	19	20.6	10.4-30.8	6	4.6	00.5-08.7
Hispanic	68	6,859				51	80.3	68.7-91.9	9	9.8	02.7-16.9	7	9.6	00.2-19.0	1	0.3	00.0-00.9
25-34	72	21,177				72	100.0	0100-0100									
35-44	111	21,716	3	2.3	00.0-05.0	108	97.7	95.0-0100									
45-54	123	19,164				51	43.3	32.5-54.1	72	56.7	45.9-67.5						
55-64	214	27,103	5	1.8	00.0-03.6	74	36.5	28.3-44.7	36	15.6	09.7-21.5	99	46.2	38.0-54.4			
65+	357	37,119	3	0.8	00.0-02.0	175	47.4	41.1-53.7	61	18.4	13.5-23.3	51	15.3	10.6-20.0	67	18.1	13.4-22.8
Less Than H.S.	99	16,025	1	0.4	00.0-01.2	60	69.9	59.7-80.1	16	15.1	07.1-23.1	16	11.0	04.7-17.3	6	3.6	00.3-06.9
H.S. or G.E.D.	289	46,633	6	1.4	00.0-02.8	139	56.8	49.5-64.1	63	18.7	13.6-23.8	58	17.2	12.1-22.3	23	5.8	03.1-08.5
Some Post-H.S.	261	41,871	1	0.2	00.0-00.6	152	66.6	59.5-73.7	50	16.5	11.0-22.0	41	12.4	07.9-16.9	17	4.2	01.8-06.6
College Graduate	252	28,548	4	2.3	00.0-04.8	153	67.1	60.2-74.0	40	13.6	08.9-18.3	35	11.1	07.0-15.2	20	5.7	02.8-08.6
Less than \$15,000	79	9,630	2	1.5	00.0-03.7	36	54.5	41.0-68.0	21	24.3	13.5-35.1	16	17.3	07.5-27.1	4	2.5	00.0-05.0
\$15,000- 24,999	137	19,900	1	0.3	00.0-00.9	61	52.4	41.2-63.6	29	17.6	10.0-25.2	30	20.7	12.3-29.1	16	9.0	04.1-13.9
\$25,000- 34,999	65	7,894	1	2.6	00.0-07.5	38	56.9	42.4-71.4	9	13.0	02.4-23.6	8	16.2	04.8-27.6	9	11.3	03.1-19.5
\$35,000- 49,999	118	16,835				61	56.5	44.0-69.0	26	20.5	11.5-29.5	25	18.1	09.5-26.7	6	4.8	00.3-09.3
\$50,000- 74,999	131	18,253	2	1.1	00.0-02.7	76	66.0	56.0-76.0	19	13.0	06.1-19.9	22	14.0	06.9-21.1	12	5.8	01.9-09.7
\$75,000+	280	48,205	4	1.3	00.0-02.7	190	75.1	69.4-80.8	44	13.9	09.2-18.6	29	6.8	04.1-09.5	13	2.9	00.9-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-100 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	978	128,342	6	0.8	00.0-01.6	524	60.8	56.9-64.7	177	16.4	13.5-19.3	180	15.1	12.4-17.8	91	7.0	05.2-08.8
White/Non-Hisp	774	98,083	5	0.6	00.0-01.2	406	60.6	56.3-64.9	138	16.2	13.1-19.3	149	15.5	12.6-18.4	76	7.1	05.1-09.1
Black or Afr. Am./Non-Hisp	114	21,587	1	2.0	00.0-05.7	59	56.0	43.8-68.2	23	17.9	07.5-28.3	23	16.8	08.6-25.0	8	7.4	01.3-13.5
25-34	67	18,228	2	3.7	00.0-09.0	65	96.3	91.0-0100									
35-44	98	17,945				98	100.0	0100-0100									
45-54	149	21,130	2	0.9	00.0-02.3	67	45.5	35.1-55.9	80	53.6	43.2-64.0						
55-64	251	29,411	1	0.3	00.0-00.9	89	37.1	29.7-44.5	41	15.3	10.2-20.4	120	47.4	40.0-54.8			
65+	395	36,184	1	0.1	00.0-00.3	187	45.9	39.4-52.4	56	14.3	10.0-18.6	60	15.0	10.3-19.7	91	24.7	19.0-30.4
Less Than H.S.	94	17,411				47	63.7	51.7-75.7	23	19.7	10.5-28.9	15	9.3	03.6-15.0	9	7.3	01.6-13.0
H.S. or G.E.D.	300	42,455	4	2.1	00.0-04.5	131	51.8	44.4-59.2	63	19.8	13.7-25.9	68	17.6	12.7-22.5	34	8.8	04.9-12.7
Some Post-H.S.	281	39,786	2	0.2	00.0-00.6	153	62.0	54.9-69.1	45	13.3	09.0-17.6	54	18.3	12.6-24.0	27	6.1	03.4-08.8
College Graduate	300	28,340				192	71.0	64.9-77.1	46	13.7	08.8-18.6	42	10.4	06.9-13.9	20	4.9	02.4-07.4
Less than \$15,000	95	12,390				36	44.0	29.3-58.7	21	26.0	10.7-41.3	29	24.8	13.6-36.0	9	5.3	01.0-09.6
\$15,000- 24,999	189	28,621	2	1.7	00.0-04.6	94	58.9	49.9-67.9	30	12.2	07.1-17.3	35	14.2	08.5-19.9	28	13.0	07.1-18.9
\$25,000- 34,999	90	9,553				48	60.4	47.9-72.9	17	18.4	08.6-28.2	18	15.7	07.7-23.7	7	5.6	00.9-10.3
\$35,000- 49,999	111	12,963				53	57.4	45.6-69.2	20	11.2	05.5-16.9	25	23.7	13.9-33.5	13	7.6	02.1-13.1
\$50,000- 74,999	134	16,410	2	0.7	00.0-01.7	79	65.2	55.8-74.6	25	17.5	10.2-24.8	21	12.6	06.5-18.7	7	4.1	00.6-07.6
\$75,000+	222	31,507				145	70.4	63.3-77.5	42	18.1	12.0-24.2	27	8.6	04.9-12.3	8	2.8	00.4-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 13: Lung Cancer Screening**

**TABLE 7: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes			21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1894	265,488	911	51.0	48.1-53.9	703	36.7	33.8-39.6	225	9.8	08.2-11.4	41	1.8	01.2-02.4	4	0.1	00.1-00.1	10	0.6	00.2-01.0
Male	914	136,256	381	43.9	39.6-48.2	358	41.1	36.8-45.4	142	12.3	09.9-14.7	24	1.8	00.8-02.8	2	0.1	00.0-00.3	7	0.8	00.2-01.4
Female	980	129,232	530	58.5	54.4-62.6	345	32.1	28.4-35.8	83	7.2	05.2-09.2	17	1.7	00.7-02.7	2	0.0	00.0-00.0	3	0.4	00.0-01.0
White/Non-Hisp	1453	198,646	605	43.4	40.1-46.7	606	42.3	39.0-45.6	193	11.3	09.3-13.3	39	2.3	01.5-03.1	2	0.0	00.0-00.0	8	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	209	42,191	161	76.9	68.5-85.3	38	18.3	10.3-26.3	10	4.9	01.2-08.6									
Oth. Race/Non-Hisp.	52	6,153	34	73.1	55.9-90.3	12	22.4	05.3-39.5	5	3.8	00.3-07.3				1	0.7	00.0-02.1			
Hispanic	104	10,749	79	80.1	70.9-89.3	15	10.6	03.9-17.3	8	6.5	01.2-11.8				1	0.6	00.0-02.0	1	2.1	00.0-06.2
25-34	145	40,893	83	54.1	43.7-64.5	50	40.5	30.1-50.9	10	4.2	01.5-06.9	2	1.2	00.0-03.2						
35-44	216	40,228	134	59.3	51.1-67.5	63	31.9	24.1-39.7	18	7.7	03.4-12.0							1	1.1	00.0-03.3
45-54	275	40,660	144	54.8	47.5-62.1	107	35.9	29.0-42.8	21	8.2	04.1-12.3	2	0.9	00.0-02.1	1	0.2	00.0-00.6			
55-64	466	56,811	215	49.2	43.5-54.9	182	38.7	33.4-44.0	58	10.4	07.1-13.7	8	1.5	00.1-02.9				3	0.3	00.0-00.7
65+	748	74,218	302	40.9	36.4-45.4	292	37.9	33.6-42.2	117	16.0	12.7-19.3	29	4.0	02.2-05.8	3	0.1	00.0-00.3	5	1.1	00.1-02.1
Less Than H.S.	196	34,175	107	57.7	48.9-66.5	58	30.8	22.6-39.0	23	8.2	04.3-12.1	4	1.8	00.0-03.8	2	0.3	00.0-00.7	2	1.2	00.0-02.8
H.S. or G.E.D.	607	91,754	265	45.8	40.5-51.1	244	42.0	36.7-47.3	82	10.6	07.7-13.5	12	1.3	00.5-02.1	1	0.0	00.0-00.0	3	0.3	00.0-00.7
Some Post-H.S.	547	82,229	251	49.5	44.0-55.0	203	35.4	30.1-40.7	72	11.1	08.0-14.2	17	2.9	01.3-04.5	1	0.1	00.0-00.3	3	1.0	00.0-02.2
College Graduate	539	56,799	286	57.5	52.0-63.0	195	33.7	28.6-38.8	48	7.8	05.3-10.3	8	0.8	00.2-01.4				2	0.2	00.0-00.4
Less than \$15,000	178	22,300	93	55.7	45.9-65.5	61	34.4	25.2-43.6	18	7.6	03.5-11.7	5	2.1	00.0-04.5	1	0.1	00.0-00.3			
\$15,000- 24,999	331	50,076	175	55.7	48.6-62.8	97	29.7	23.0-36.4	49	12.1	08.0-16.2	6	1.8	00.0-03.6	2	0.2	00.0-00.4	2	0.6	00.0-01.6
\$25,000- 34,999	154	17,649	90	62.0	52.8-71.2	51	29.1	20.9-37.3	11	5.3	01.8-08.8							2	3.6	00.0-08.7
\$35,000- 49,999	235	31,024	95	44.4	35.6-53.2	94	39.3	30.1-48.5	36	12.3	07.4-17.2	8	2.9	00.5-05.3				2	1.1	00.0-02.7
\$50,000- 74,999	261	34,828	110	38.5	31.1-45.9	112	49.1	41.1-57.1	31	10.5	06.2-14.8	6	1.3	00.3-02.3	1	0.2	00.0-00.6	1	0.4	00.0-01.2
\$75,000+	500	80,316	248	52.8	47.1-58.5	185	36.1	30.6-41.6	54	9.3	06.4-12.2	11	1.8	00.4-03.2				2	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 13: Lung Cancer Screening**

**TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes			21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	914	136,256	381	43.9	39.6-48.2	358	41.1	36.8-45.4	142	12.3	09.9-14.7	24	1.8	00.8-02.8	2	0.1	00.0-00.3	7	0.8	00.2-01.4
White/Non-Hisp	685	100,979	231	35.1	30.4-39.8	308	47.7	42.8-52.6	118	13.9	11.2-16.6	23	2.4	01.2-03.6				5	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	87	19,470	62	68.0	53.3-82.7	19	25.5	10.8-40.2	6	6.5	00.6-12.4									
Hispanic	73	7,479	51	74.0	61.5-86.5	13	13.1	04.1-22.1	7	8.8	01.4-16.2				1	0.9	00.0-02.7	1	3.1	00.0-09.0
25-34	75	22,057	37	39.8	26.3-53.3	31	53.5	39.4-67.6	6	5.0	00.9-09.1	1	1.7	00.0-05.0						
35-44	116	22,423	67	55.4	43.8-67.0	38	37.3	25.9-48.7	11	7.3	01.8-12.8									
45-54	124	19,369	55	44.5	33.7-55.3	55	43.3	32.7-53.9	12	10.7	04.4-17.0	1	1.1	00.0-03.3	1	0.4	00.0-01.2			
55-64	216	27,316	84	45.3	36.9-53.7	85	37.4	29.6-45.2	40	15.5	10.0-21.0	6	1.7	00.3-03.1				1	0.1	00.0-00.3
65+	357	37,856	119	34.8	28.7-40.9	143	38.7	32.6-44.8	73	20.4	15.5-25.3	16	3.8	01.6-06.0	1	0.1	00.0-00.3	5	2.2	00.0-04.4
Less Than H.S.	102	16,886	56	54.3	42.3-66.3	24	29.0	17.2-40.8	16	10.7	04.8-16.6	3	3.2	00.0-06.9	1	0.4	00.0-01.2	2	2.3	00.0-05.6
H.S. or G.E.D.	301	49,220	113	38.1	31.0-45.2	130	47.4	40.0-54.8	50	13.0	08.7-17.3	6	1.0	00.2-01.8				2	0.5	00.0-01.3
Some Post-H.S.	264	41,859	104	41.8	33.6-50.0	109	42.3	34.3-50.3	39	12.1	07.8-16.4	9	2.8	00.4-05.2	1	0.1	00.0-00.3	2	1.0	00.0-02.4
College Graduate	246	28,267	108	51.0	43.0-59.0	94	35.4	27.6-43.2	37	12.4	07.9-16.9	6	1.0	00.0-02.0				1	0.2	00.0-00.6
Less than \$15,000	79	9,614	38	45.9	32.0-59.8	27	38.5	24.8-52.2	12	12.7	04.5-20.9	2	3.0	00.0-07.5						
\$15,000- 24,999	140	21,070	67	51.5	40.1-62.9	37	26.3	15.9-36.7	29	18.3	10.7-25.9	5	2.6	00.1-05.1	1	0.2	00.0-00.6	1	1.1	00.0-03.3
\$25,000- 34,999	65	8,011	32	55.8	41.7-69.9	27	37.6	23.9-51.3	5	4.1	00.2-08.0							1	2.5	00.0-07.4
\$35,000- 49,999	123	17,624	48	39.7	27.7-51.7	51	45.1	32.0-58.2	20	12.9	06.2-19.6	3	1.0	00.0-02.2				1	1.4	00.0-04.1
\$50,000- 74,999	133	18,544	47	29.9	20.5-39.3	59	56.0	45.2-66.8	20	10.8	05.5-16.1	5	2.1	00.1-04.1	1	0.4	00.0-01.2	1	0.8	00.0-02.4
\$75,000+	279	48,867	116	46.2	38.6-53.8	111	40.7	33.3-48.1	42	10.9	07.0-14.8	8	2.0	00.0-04.0				2	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes			21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	980	129,232	530	58.5	54.4-62.6	345	32.1	28.4-35.8	83	7.2	05.2-09.2	17	1.7	00.7-02.7	2	0.0	00.0-00.0	3	0.4	00.0-01.0
White/Non-Hisp	768	97,668	374	52.0	47.3-56.7	298	36.7	32.4-41.0	75	8.5	06.0-11.0	16	2.2	01.0-03.4	2	0.1	00.1-00.1	3	0.6	00.0-01.6
Black or Afr. Am./Non-Hisp	122	22,721	99	84.4	76.6-92.2	19	12.1	05.4-18.8	4	3.4	00.0-08.1									
25-34	70	18,836	46	70.9	58.2-83.6	19	25.2	12.9-37.5	4	3.3	00.0-06.8	1	0.6	00.0-01.8						
35-44	100	17,805	67	64.1	52.5-75.7	25	25.2	15.0-35.4	7	8.3	01.6-15.0				1	2.4	00.0-07.1			
45-54	151	21,291	89	64.2	54.8-73.6	52	29.2	21.0-37.4	9	5.9	00.4-11.4	1	0.7	00.0-02.1						
55-64	250	29,495	131	52.7	45.1-60.3	97	39.8	32.4-47.2	18	5.7	02.2-09.2	2	1.3	00.0-03.5				2	0.5	00.0-01.1
65+	391	36,362	183	47.1	40.6-53.6	149	37.2	31.1-43.3	44	11.3	07.2-15.4	13	4.2	01.7-06.7	2	0.2	00.0-00.4			
Less Than H.S.	94	17,289	51	61.0	48.3-73.7	34	32.5	20.7-44.3	7	5.9	00.8-11.0	1	0.5	00.0-01.5	1	0.1	00.0-00.3			
H.S. or G.E.D.	306	42,534	152	54.6	47.2-62.0	114	35.7	28.6-42.8	32	7.8	04.1-11.5	6	1.6	00.0-03.2	1	0.1	00.0-00.3	1	0.2	00.0-00.6
Some Post-H.S.	283	40,370	147	57.6	50.3-64.9	94	28.2	21.9-34.5	33	10.1	05.6-14.6	8	3.0	00.6-05.4				1	1.1	00.0-03.3
College Graduate	293	28,532	178	63.8	56.7-70.9	101	32.0	25.3-38.7	11	3.3	00.8-05.8	2	0.6	00.0-01.6				1	0.2	00.0-00.6
Less than \$15,000	99	12,687	55	63.1	50.4-75.8	34	31.3	19.3-43.3	6	3.8	00.3-07.3	3	1.5	00.0-03.5	1	0.2	00.0-00.6			
\$15,000- 24,999	191	29,006	108	58.8	49.6-68.0	60	32.2	23.6-40.8	20	7.5	02.8-12.2	1	1.1	00.0-03.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6
\$25,000- 34,999	89	9,638	58	67.2	55.0-79.4	24	22.1	12.7-31.5	6	6.2	00.5-11.9							1	4.5	00.0-12.9
\$35,000- 49,999	112	13,400	47	50.5	38.3-62.7	43	31.8	21.4-42.2	16	11.6	04.3-18.9	5	5.5	00.2-10.8				1	0.6	00.0-01.8
\$50,000- 74,999	128	16,284	63	48.2	37.2-59.2	53	41.3	30.1-52.5	11	10.2	03.3-17.1	1	0.3	00.0-00.9						
\$75,000+	221	31,449	132	63.0	55.0-71.0	74	28.9	21.8-36.0	12	6.8	02.1-11.5	3	1.3	00.0-02.9						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 10: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1987	277,747	220	9.0	07.6-10.4	1387	72.9	70.4-75.4	380	18.2	16.0-20.4
Male	955	141,514	106	8.1	06.3-09.9	673	73.9	70.4-77.4	176	18.0	14.9-21.1
Female	1032	136,233	114	9.8	07.4-12.2	714	71.9	68.4-75.4	204	18.3	15.2-21.4
White/Non-Hisp	1515	206,583	176	9.2	07.6-10.8	1052	73.1	70.4-75.8	287	17.8	15.4-20.2
Black or Afr. Am./Non-Hisp	221	44,325	28	10.4	05.5-15.3	145	67.1	58.9-75.3	48	22.5	15.1-29.9
Oth. Race/Non-Hisp.	57	6,500	6	4.4	00.1-08.7	40	79.8	64.7-94.9	11	15.8	00.9-30.7
Hispanic	108	11,830	4	4.0	00.0-09.1	89	84.2	75.4-93.0	15	11.9	04.3-19.5
25-34	147	40,853	6	3.7	00.0-07.6	126	87.6	80.9-94.3	15	8.6	03.1-14.1
35-44	222	41,754	10	4.8	01.5-08.1	179	79.5	72.8-86.2	33	15.7	09.6-21.8
45-54	287	43,414	23	7.5	04.2-10.8	213	75.6	69.5-81.7	51	16.9	11.4-22.4
55-64	489	60,315	67	12.7	09.4-16.0	322	67.0	61.7-72.3	100	20.3	15.6-25.0
65+	801	79,482	112	12.6	09.9-15.3	515	64.3	60.2-68.4	174	23.1	19.4-26.8
Less Than H.S.	205	36,528	26	11.9	06.2-17.6	134	63.9	55.3-72.5	45	24.3	16.5-32.1
H.S. or G.E.D.	631	95,474	65	7.6	05.4-09.8	434	74.7	70.8-78.6	132	17.7	14.2-21.2
Some Post-H.S.	564	85,514	69	10.1	07.4-12.8	387	71.6	66.9-76.3	108	18.3	14.0-22.6
College Graduate	580	59,358	58	7.4	05.0-09.8	427	77.3	73.0-81.6	95	15.2	11.3-19.1
Less than \$15,000	181	23,257	20	9.8	04.7-14.9	104	61.5	51.9-71.1	57	28.7	19.9-37.5
\$15,000- 24,999	343	51,665	41	10.8	06.5-15.1	227	67.0	60.3-73.7	75	22.3	16.4-28.2
\$25,000- 34,999	157	18,113	18	7.4	03.7-11.1	105	69.6	60.6-78.6	34	23.0	14.4-31.6
\$35,000- 49,999	248	32,206	31	11.2	06.3-16.1	171	71.8	64.7-78.9	46	17.0	11.3-22.7
\$50,000- 74,999	271	35,529	29	7.8	04.5-11.1	196	76.9	70.4-83.4	46	15.3	09.4-21.2
\$75,000+	525	83,098	50	7.0	04.8-09.2	401	80.2	76.3-84.1	74	12.8	09.3-16.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 13: Lung Cancer Screening**

**TABLE 11: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	955	141,514	106	8.1	06.3-09.9	673	73.9	70.4-77.4	176	18.0	14.9-21.1
White/Non-Hisp	710	103,679	86	8.9	06.7-11.1	488	73.1	69.4-76.8	136	18.0	14.7-21.3
Black or Afr. Am./Non-Hisp	95	20,979	13	9.8	03.5-16.1	64	65.2	52.1-78.3	18	25.1	12.6-37.6
Hispanic	76	8,029	2	1.2	00.0-03.0	64	86.5	76.7-96.3	10	12.3	02.5-22.1
25-34	76	21,943	2	1.4	00.0-03.6	68	89.8	80.8-98.8	6	8.8	00.0-17.6
35-44	117	23,109	2	1.3	00.0-03.3	98	83.6	75.2-92.0	17	15.1	06.9-23.3
45-54	132	21,010	9	5.6	01.9-09.3	100	78.8	71.0-86.6	23	15.7	08.4-23.0
55-64	225	28,361	29	11.5	06.8-16.2	147	62.6	54.4-70.8	49	25.9	17.9-33.9
65+	381	40,418	63	15.8	11.5-20.1	239	62.4	56.5-68.3	79	21.8	16.7-26.9
Less Than H.S.	109	18,015	10	7.6	02.3-12.9	79	72.0	61.4-82.6	20	20.4	10.4-30.4
H.S. or G.E.D.	312	50,353	32	7.4	04.7-10.1	218	75.9	70.4-81.4	62	16.7	12.0-21.4
Some Post-H.S.	271	43,709	35	9.9	06.0-13.8	184	70.3	63.0-77.6	52	19.8	13.1-26.5
College Graduate	261	29,129	29	7.2	04.3-10.1	190	76.7	70.0-83.4	42	16.1	09.8-22.4
Less than \$15,000	81	10,407	6	6.2	00.9-11.5	50	62.2	48.3-76.1	25	31.6	17.9-45.3
\$15,000- 24,999	145	21,583	18	8.7	04.0-13.4	102	74.0	65.2-82.8	25	17.3	09.5-25.1
\$25,000- 34,999	63	7,944	3	3.3	00.0-07.0	40	64.7	50.2-79.2	20	32.0	17.5-46.5
\$35,000- 49,999	131	18,465	14	9.7	03.4-16.0	100	76.9	67.7-86.1	17	13.4	06.1-20.7
\$50,000- 74,999	135	18,794	18	7.5	03.4-11.6	91	73.1	63.1-83.1	26	19.4	09.8-29.0
\$75,000+	294	50,095	33	8.1	05.0-11.2	216	78.2	72.7-83.7	45	13.7	09.0-18.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 13: Lung Cancer Screening**

**TABLE 12: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1032	136,233	114	9.8	07.4-12.2	714	71.9	68.4-75.4	204	18.3	15.2-21.4
White/Non-Hisp	805	102,904	90	9.5	07.1-11.9	564	73.0	69.1-76.9	151	17.6	14.3-20.9
Black or Afr. Am./Non-Hisp	126	23,346	15	10.9	03.5-18.3	81	68.9	58.3-79.5	30	20.2	11.4-29.0
25-34	71	18,910	4	6.5	00.0-14.5	58	85.1	75.3-94.9	9	8.4	02.1-14.7
35-44	105	18,646	8	9.1	02.0-16.2	81	74.4	63.8-85.0	16	16.5	07.5-25.5
45-54	155	22,404	14	9.3	03.8-14.8	113	72.6	63.4-81.8	28	18.1	09.9-26.3
55-64	264	31,954	38	13.8	08.9-18.7	175	70.9	64.4-77.4	51	15.4	10.5-20.3
65+	420	39,064	49	9.3	06.4-12.2	276	66.4	60.5-72.3	95	24.4	18.9-29.9
Less Than H.S.	96	18,513	16	16.1	06.3-25.9	55	55.9	42.4-69.4	25	28.0	16.0-40.0
H.S. or G.E.D.	319	45,121	33	7.8	04.5-11.1	216	73.3	67.4-79.2	70	18.9	13.6-24.2
Some Post-H.S.	293	41,805	34	10.3	06.2-14.4	203	73.0	66.7-79.3	56	16.6	11.3-21.9
College Graduate	319	30,228	29	7.7	04.2-11.2	237	78.0	72.5-83.5	53	14.4	09.9-18.9
Less than \$15,000	100	12,850	14	12.7	04.7-20.7	54	61.0	47.7-74.3	32	26.3	15.1-37.5
\$15,000- 24,999	198	30,083	23	12.3	05.6-19.0	125	61.9	52.7-71.1	50	25.9	17.9-33.9
\$25,000- 34,999	94	10,169	15	10.6	04.5-16.7	65	73.5	62.5-84.5	14	15.9	05.9-25.9
\$35,000- 49,999	117	13,741	17	13.1	05.7-20.5	71	65.0	54.2-75.8	29	21.9	13.3-30.5
\$50,000- 74,999	136	16,736	11	8.1	02.6-13.6	105	81.2	73.8-88.6	20	10.7	05.4-16.0
\$75,000+	231	33,004	17	5.3	02.4-08.2	185	83.3	77.6-89.0	29	11.4	06.5-16.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 14: CANCER SURVIVORSHIP CONTENTS**

\* NOTE \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)	
1 MALES AND FEMALES	67
2 MALES ONLY	68
3 FEMALES ONLY	69
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	70
5 MALES ONLY	71
6 FEMALES ONLY	72
WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7 MALES AND FEMALES	73
8 MALES ONLY	74
9 FEMALES ONLY	75
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.] (CSRVRT2)	
10 MALES AND FEMALES	76
11 MALES ONLY	77
12 FEMALES ONLY	78
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)	
13 MALES AND FEMALES	79
14 MALES ONLY	80
15 FEMALES ONLY	81
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
16 MALES AND FEMALES	82
17 MALES ONLY	83
18 FEMALES ONLY	84
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
19 MALES AND FEMALES	85
20 MALES ONLY	86
21 FEMALES ONLY	87



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

**MODULE 14: CANCER SURVIVORSHIP CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
22 MALES AND FEMALES	88
23 MALES ONLY	89
24 FEMALES ONLY	90
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
25 MALES AND FEMALES	91
26 MALES ONLY	92
27 FEMALES ONLY	93
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
28 MALES AND FEMALES	94
29 MALES ONLY	95
30 FEMALES ONLY	96
DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
31 MALES AND FEMALES	97
32 MALES ONLY	98
33 FEMALES ONLY	99
DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
34 MALES AND FEMALES	100
35 MALES ONLY	101
36 FEMALES ONLY	102
IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)	
37 MALES AND FEMALES	103
38 MALES ONLY	104
39 FEMALES ONLY	105

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	808	84,070	632	78.7	75.2-82.2	143	16.6	13.5-19.7	33	4.7	02.7-06.7
Male	323	35,073	247	76.2	70.5-81.9	63	19.8	14.5-25.1	13	4.1	01.6-06.6
Female	485	48,997	385	80.6	76.1-85.1	80	14.3	10.8-17.8	20	5.1	02.2-08.0
White/Non-Hisp	708	73,230	550	78.1	74.4-81.8	130	17.7	14.4-21.0	28	4.2	02.2-06.2
45-54	66	9,344	54	81.6	70.6-92.6	8	9.8	02.7-16.9	4	8.6	00.0-17.8
55-64	185	20,965	153	80.4	73.1-87.7	26	14.8	08.3-21.3	6	4.8	00.5-09.1
65+	522	47,770	392	75.1	70.6-79.6	108	20.5	16.2-24.8	22	4.3	01.9-06.7
H.S. or G.E.D.	215	25,249	166	78.2	71.7-84.7	40	18.7	12.4-25.0	9	3.1	00.9-05.3
Some Post-H.S.	227	26,002	173	76.0	68.9-83.1	41	16.4	10.7-22.1	13	7.6	02.7-12.5
College Graduate	325	27,496	259	81.0	75.7-86.3	55	14.8	10.5-19.1	11	4.2	00.9-07.5
\$15,000- 24,999	116	11,931	83	69.6	58.4-80.8	26	23.5	13.5-33.5	7	6.9	00.2-13.6
\$25,000- 34,999	62	5,157	52	83.9	71.9-95.9	6	11.1	00.0-22.5	4	4.9	00.0-10.0
\$35,000- 49,999	105	12,193	87	86.3	78.9-93.7	13	10.3	03.6-17.0	5	3.4	00.0-06.9
\$50,000- 74,999	117	10,650	89	75.4	66.0-84.8	22	17.6	09.8-25.4	6	7.0	00.5-13.5
\$75,000+	231	27,430	183	81.4	75.5-87.3	42	15.5	10.2-20.8	6	3.2	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	323	35,073	247	76.2	70.7-81.7	63	19.8	14.5-25.1	13	4.1	01.6-06.6
Female	316	32,484	235	76.7	70.8-82.6	63	16.0	11.5-20.5	18	7.3	03.0-11.6
White/Non-Hisp	548	57,532	408	75.4	70.9-79.9	114	19.5	15.6-23.4	26	5.1	02.6-07.6
45-54	51	7,279	40	78.8	65.3-92.3	7	10.2	02.2-18.2	4	11.1	00.0-22.7
55-64	150	17,392	121	79.1	70.9-87.3	24	15.7	08.6-22.8	5	5.2	00.1-10.3
65+	409	38,013	294	72.2	66.9-77.5	94	22.5	17.6-27.4	21	5.3	02.4-08.2
H.S. or G.E.D.	175	21,105	133	78.1	71.0-85.2	35	18.9	12.0-25.8	7	3.0	00.5-05.5
Some Post-H.S.	177	20,600	127	71.0	62.6-79.4	37	19.3	12.2-26.4	13	9.7	03.6-15.8
College Graduate	254	21,486	195	78.5	72.2-84.8	48	16.0	10.9-21.1	11	5.4	01.1-09.7
\$15,000- 24,999	94	10,126	65	67.7	55.2-80.2	22	24.1	12.9-35.3	7	8.2	00.4-16.0
\$35,000- 49,999	88	10,685	70	84.4	76.0-92.8	13	11.8	04.4-19.2	5	3.8	00.0-07.9
\$50,000- 74,999	89	7,898	64	71.0	59.4-82.6	20	20.7	11.1-30.3	5	8.3	00.0-16.7
\$75,000+	185	22,010	144	79.7	72.6-86.8	35	16.4	10.3-22.5	6	3.9	00.0-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	20,007	129	68.4	60.4-76.4	48	26.0	18.4-33.6	9	5.6	01.3-09.9
Female	485	48,997	385	80.6	76.1-85.1	80	14.3	10.8-17.8	20	5.1	02.2-08.0
White/Non-Hisp	574	58,318	435	76.0	71.7-80.3	115	19.3	15.4-23.2	24	4.7	02.3-07.1
45-54	55	7,635	44	79.6	66.7-92.5	7	9.9	02.1-17.7	4	10.5	00.0-21.7
55-64	147	16,553	121	79.2	70.8-87.6	21	15.0	07.9-22.1	5	5.7	00.2-11.2
65+	437	39,422	319	72.9	67.6-78.2	99	22.5	17.6-27.4	19	4.6	01.9-07.3
H.S. or G.E.D.	182	20,055	137	76.6	69.3-83.9	36	19.5	12.6-26.4	9	3.9	01.2-06.6
Some Post-H.S.	196	22,722	148	74.8	67.0-82.6	36	17.0	10.5-23.5	12	8.2	02.7-13.7
College Graduate	255	21,184	198	78.7	72.4-85.0	49	16.7	11.6-21.8	8	4.6	00.5-08.7
\$15,000- 24,999	106	10,957	76	71.1	59.5-82.7	23	21.3	11.1-31.5	7	7.5	00.2-14.8
\$25,000- 34,999	56	4,682	47	83.5	70.6-96.4	6	12.3	00.0-24.6	3	4.3	00.0-09.2
\$35,000- 49,999	89	10,023	72	84.5	75.7-93.3	12	11.4	03.8-19.0	5	4.1	00.0-08.4
\$50,000- 74,999	96	8,772	72	73.8	63.0-84.6	19	19.2	10.0-28.4	5	7.0	00.0-14.4
\$75,000+	169	19,885	130	79.5	72.2-86.8	35	16.8	10.7-22.9	4	3.7	00.0-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	776	81,307	10	1.4	00.4-02.4	68	10.3	07.2-13.4	214	30.4	26.3-34.5	299	36.1	32.0-40.2	180	20.9	17.4-24.4	5	1.0	00.0-02.0
Male	316	34,717	3	1.0	00.0-02.2	14	4.6	01.7-07.5	75	26.2	20.3-32.1	132	39.6	33.1-46.1	90	28.2	22.1-34.3	2	0.5	00.0-01.1
Female	460	46,591	7	1.7	00.3-03.1	54	14.6	09.7-19.5	139	33.6	27.7-39.5	167	33.4	27.9-38.9	90	15.4	11.7-19.1	3	1.3	00.0-03.1
White/Non-Hisp	679	71,020	8	1.2	00.2-02.2	53	9.6	06.3-12.9	188	31.1	26.6-35.6	263	36.5	32.0-41.0	162	20.6	17.1-24.1	5	1.1	00.0-02.3
45-54	66	9,344	3	3.3	00.0-07.4	9	11.8	03.2-20.4	48	72.5	59.6-85.4	5	10.6	00.4-20.8	1	1.7	00.0-05.0			
55-64	180	20,744	1	0.4	00.0-01.2	17	9.6	04.3-14.9	67	36.8	28.2-45.4	94	52.8	43.8-61.8	1	0.4	00.0-01.2			
65+	495	45,229	1	0.2	00.0-00.6	25	4.2	02.2-06.2	86	18.5	14.2-22.8	200	38.4	33.1-43.7	178	37.0	31.7-42.3	5	1.7	00.0-03.5
H.S. or G.E.D.	207	24,769	4	1.7	00.0-03.5	22	9.7	05.2-14.2	58	27.5	20.2-34.8	74	36.9	28.7-45.1	47	22.3	15.0-29.6	2	1.9	00.0-04.8
Some Post-H.S.	218	25,112	4	2.1	00.0-04.5	17	12.5	04.9-20.1	50	27.3	19.7-34.9	88	35.6	28.2-43.0	58	21.7	15.4-28.0	1	0.7	00.0-02.1
College Graduate	313	26,784	1	0.3	00.0-00.9	26	9.5	05.2-13.8	96	35.3	28.4-42.2	125	37.1	30.4-43.8	63	17.3	12.4-22.2	2	0.5	00.0-01.1
\$15,000- 24,999	111	11,260	3	3.2	00.0-07.3	11	11.1	03.5-18.7	24	26.4	15.2-37.6	43	34.9	24.1-45.7	30	24.5	14.3-34.7			
\$25,000- 34,999	59	4,900	1	1.9	00.0-05.6	5	11.9	00.0-24.2	23	38.0	22.5-53.5	15	25.0	11.1-38.9	15	23.2	10.7-35.7			
\$35,000- 49,999	102	11,949	1	0.6	00.0-01.8	12	16.3	03.8-28.8	22	15.4	08.1-22.7	42	39.3	27.0-51.6	24	26.9	15.3-38.5	1	1.5	00.0-04.4
\$50,000- 74,999	114	10,433	1	1.7	00.0-04.8	10	10.6	03.3-17.9	26	24.4	15.0-33.8	46	40.9	30.3-51.5	29	21.2	12.8-29.6	2	1.3	00.0-03.1
\$75,000+	227	26,823	2	0.9	00.0-02.3	17	8.9	03.8-14.0	74	35.3	27.7-42.9	94	38.2	30.6-45.8	40	16.6	11.1-22.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	316	34,717	3	1.0	00.0-02.2	14	4.6	01.7-07.5	75	26.2	20.3-32.1	132	39.6	33.1-46.1	90	28.2	22.1-34.3	2	0.5	00.0-01.1			
White/Non-Hisp	283	31,150	3	1.1	00.0-02.5	12	4.5	01.4-07.6	69	27.9	21.6-34.2	118	40.9	34.0-47.8	79	25.1	19.4-30.8	2	0.5	00.0-01.3			
55-64	72	8,115				6	6.9	01.2-12.6	23	30.2	18.0-42.4	42	62.1	49.4-74.8	1	0.9	00.0-02.7						
65+	219	22,670	1	0.4	00.0-01.2	4	1.4	00.0-03.0	34	17.1	11.0-23.2	89	37.6	30.2-45.0	89	42.8	35.0-50.6	2	0.7	00.0-01.7			
H.S. or G.E.D.	81	11,286	2	2.3	00.0-05.6	5	3.3	00.2-06.4	22	27.2	16.0-38.4	28	34.9	22.6-47.2	23	31.5	19.0-44.0	1	0.8	00.0-02.4			
Some Post-H.S.	85	10,323				3	5.6	00.0-13.0	15	20.5	09.9-31.1	45	50.2	38.2-62.2	22	23.7	13.9-33.5						
College Graduate	136	11,444	1	0.7	00.0-02.1	6	5.6	01.1-10.1	32	28.7	19.3-38.1	55	36.0	26.6-45.4	41	28.4	19.4-37.4	1	0.6	00.0-01.8			
\$50,000- 74,999	54	5,100				3	4.2	00.0-09.3	9	18.9	07.1-30.7	24	48.9	33.8-64.0	17	26.6	13.5-39.7	1	1.4	00.0-04.1			
\$75,000+	122	13,660	2	1.9	00.0-04.6	6	4.5	00.6-08.4	33	29.6	19.8-39.4	55	43.3	32.9-53.7	26	20.7	12.7-28.7						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	460	46,591	7	1.7	00.3-03.1	54	14.6	09.7-19.5	139	33.6	27.7-39.5	167	33.4	27.9-38.9	90	15.4	11.7-19.1	3	1.3	00.0-03.1			
White/Non-Hisp	396	39,870	5	1.3	00.0-02.7	41	13.6	08.1-19.1	119	33.5	27.2-39.8	145	33.0	27.3-38.7	83	17.0	12.7-21.3	3	1.5	00.0-03.5			
55-64	108	12,629	1	0.7	00.0-02.1	11	11.4	03.6-19.2	44	41.1	29.3-52.9	52	46.9	34.9-58.9									
65+	276	22,559				21	7.1	03.6-10.6	52	19.9	14.0-25.8	111	39.2	31.9-46.5	89	31.1	24.2-38.0	3	2.7	00.0-06.2			
H.S. or G.E.D.	126	13,482	2	1.2	00.0-03.0	17	15.1	07.5-22.7	36	27.8	18.2-37.4	46	38.6	27.8-49.4	24	14.6	07.9-21.3	1	2.8	00.0-08.1			
Some Post-H.S.	133	14,789	4	3.6	00.0-07.5	14	17.2	05.8-28.6	35	32.2	21.4-43.0	43	25.4	17.2-33.6	36	20.3	12.3-28.3	1	1.2	00.0-03.6			
College Graduate	177	15,340				20	12.5	05.8-19.2	64	40.2	30.6-49.8	70	37.9	28.7-47.1	22	9.0	04.5-13.5	1	0.4	00.0-01.2			
\$15,000- 24,999	76	7,229	3	4.9	00.0-11.2	9	15.5	04.3-26.7	15	25.4	12.3-38.5	30	34.4	22.1-46.7	19	19.7	09.3-30.1						
\$35,000- 49,999	66	7,155	1	0.9	00.0-02.7	10	20.4	02.6-38.2	17	19.6	09.0-30.2	28	47.8	30.7-64.9	9	8.7	01.8-15.6	1	2.5	00.0-07.4			
\$50,000- 74,999	60	5,333	1	3.2	00.0-09.5	7	16.7	03.8-29.6	17	29.8	15.5-44.1	22	33.2	19.5-46.9	12	16.0	05.6-26.4	1	1.1	00.0-03.5			
\$75,000+	105	13,162				11	13.5	04.3-22.7	41	41.2	29.2-53.2	39	32.9	21.7-44.1	14	12.3	05.0-19.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 14: CANCER SURVIVORSHIP  
 TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	801	83,056	179	23.2	19.5-26.9	47	6.5	04.1-08.9	10	1.1	00.3-01.9	100	12.9	10.0-15.8	382	46.2	41.9-50.5	83	10.2	07.5-12.9
Male	321	34,899	1	0.9	00.0-02.7	15	4.5	02.0-07.0	5	1.7	00.0-03.5	96	29.8	23.7-35.9	173	54.3	47.8-60.8	31	8.8	05.1-12.5
Female	480	48,158	178	39.4	33.7-45.1	32	7.9	04.6-11.2	5	0.7	00.1-01.3	4	0.6	00.0-01.2	209	40.3	34.8-45.8	52	11.1	07.2-15.0
White/Non-Hisp	700	72,116	148	21.8	17.9-25.7	40	6.2	03.8-08.6	8	1.2	00.2-02.2	76	10.6	07.9-13.3	361	50.9	46.4-55.4	67	9.4	06.7-12.1
45-54	65	8,676	12	20.5	08.2-32.8	7	13.0	01.8-24.2				5	6.2	00.5-11.9	30	47.7	33.6-61.8	11	12.7	04.5-20.9
55-64	185	20,965	47	27.1	19.3-34.9	12	9.0	03.3-14.7	5	1.4	00.0-02.8	15	5.4	02.5-08.3	90	46.1	37.3-54.9	16	11.0	04.9-17.1
65+	516	47,425	103	18.7	14.6-22.8	27	4.8	02.6-07.0	5	1.4	00.0-02.8	77	18.4	13.9-22.9	251	47.7	42.4-53.0	53	9.1	06.0-12.2
H.S. or G.E.D.	212	25,152	47	20.7	14.4-27.0	13	8.1	02.8-13.4	4	1.8	00.0-03.8	28	14.7	08.4-21.0	96	44.7	36.5-52.9	24	10.0	05.1-14.9
Some Post-H.S.	225	25,809	55	26.5	18.7-34.3	16	7.5	03.2-11.8	2	0.5	00.0-01.3	22	11.1	06.0-16.2	103	43.5	35.5-51.5	27	10.9	06.0-15.8
College Graduate	324	27,443	63	20.4	14.7-26.1	17	4.5	02.0-07.0	1	0.2	00.0-00.6	45	12.9	08.8-17.0	167	51.2	44.3-58.1	31	10.8	05.9-15.7
\$15,000- 24,999	116	11,987	36	36.3	24.7-47.9	7	5.4	00.3-10.5	3	1.5	00.0-03.3	14	15.8	05.8-25.8	46	34.7	23.9-45.5	10	6.3	02.0-10.6
\$25,000- 34,999	58	4,893	18	33.7	18.2-49.2	4	5.9	00.0-12.0	1	4.4	00.0-12.6	5	14.3	01.2-27.4	22	31.0	17.3-44.7	8	10.7	02.3-19.1
\$35,000- 49,999	105	12,193	27	27.5	15.2-39.8	8	9.9	00.9-18.9				15	15.9	06.3-25.5	43	35.2	24.0-46.4	12	11.6	03.8-19.4
\$50,000- 74,999	117	10,681	18	13.6	06.5-20.7	5	6.6	00.3-12.9	2	1.5	00.0-03.7	19	15.5	08.2-22.8	62	54.7	43.9-65.5	11	8.1	01.6-14.6
\$75,000+	232	27,480	35	17.0	10.7-23.3	11	4.1	01.4-06.8	3	1.2	00.0-03.0	35	12.8	07.9-17.7	123	53.1	45.3-60.9	25	11.8	06.1-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 14: CANCER SURVIVORSHIP  
 TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	321	34,899	1	0.9	00.0-02.7	15	4.5	02.0-07.0	5	1.7	00.0-03.5	96	29.8	23.7-35.9	173	54.3	47.8-60.8	31	8.8	05.1-12.5
White/Non-Hisp	288	31,331	1	1.0	00.0-03.0	15	5.0	02.1-07.9	4	1.8	00.0-03.8	72	23.4	17.7-29.1	166	59.0	52.3-65.7	30	9.8	05.7-13.9
55-64	75	8,254				5	6.9	00.0-13.8	2	1.1	00.0-02.7	15	13.8	06.4-21.2	46	68.9	57.3-80.5	7	9.4	01.8-17.0
65+	221	22,713	1	1.4	00.0-04.1	8	2.8	00.4-05.2	3	2.2	00.0-04.9	76	38.1	30.1-46.1	112	48.0	40.2-55.8	21	7.4	03.9-10.9
H.S. or G.E.D.	83	11,371				4	4.6	00.0-09.5	2	2.5	00.0-06.4	26	31.4	19.1-43.7	43	54.1	41.2-67.0	8	7.5	01.8-13.2
Some Post-H.S.	84	10,123	1	3.1	00.0-09.0	6	6.8	00.7-12.9	1	0.7	00.0-02.1	21	27.7	16.1-39.3	44	49.7	37.5-61.9	11	12.1	03.3-20.9
College Graduate	140	11,741				5	3.0	00.0-06.1				44	29.3	20.7-37.9	80	60.2	51.0-69.4	11	7.4	02.7-12.1
\$50,000- 74,999	55	5,105				3	9.0	00.0-19.6				19	32.4	18.7-46.1	28	53.7	38.4-69.0	5	4.9	00.4-09.4
\$75,000+	125	13,952				6	4.4	00.3-08.5	2	2.1	00.0-05.4	34	24.6	16.0-33.2	71	60.6	50.6-70.6	12	8.3	03.2-13.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 14: CANCER SURVIVORSHIP  
 TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	480	48,158	178	39.4	33.7-45.1	32	7.9	04.6-11.2	5	0.7	00.1-01.3	4	0.6	00.0-01.2	209	40.3	34.8-45.8	52	11.1	07.2-15.0
White/Non-Hisp	412	40,784	147	37.8	31.7-43.9	25	7.1	03.8-10.4	4	0.7	00.0-01.5	4	0.7	00.0-01.5	195	44.7	38.4-51.0	37	9.1	05.6-12.6
55-64	110	12,711	47	44.7	33.1-56.3	7	10.3	02.1-18.5	3	1.7	00.0-03.7				44	31.2	20.8-41.6	9	12.1	03.3-20.9
65+	295	24,712	102	34.6	27.7-41.5	19	6.6	03.1-10.1	2	0.6	00.0-01.4	1	0.2	00.0-00.6	139	47.4	40.1-54.7	32	10.6	05.5-15.7
H.S. or G.E.D.	129	13,781	47	37.7	27.5-47.9	9	11.0	02.6-19.4	2	1.2	00.0-02.8	2	1.0	00.0-02.6	53	37.0	26.8-47.2	16	12.1	04.7-19.5
Some Post-H.S.	141	15,686	54	41.6	30.6-52.6	10	7.9	02.2-13.6	1	0.5	00.0-01.5	1	0.4	00.0-01.2	59	39.6	29.2-50.0	16	10.1	04.2-16.0
College Graduate	184	15,702	63	35.7	26.7-44.7	12	5.6	01.9-09.3	1	0.3	00.0-00.9	1	0.6	00.0-01.8	87	44.4	35.2-53.6	20	13.4	05.8-21.0
\$15,000- 24,999	80	7,923	36	55.0	41.1-68.9	6	7.9	00.3-15.5	2	1.9	00.0-04.4	1	0.5	00.0-01.5	28	28.3	16.3-40.3	7	6.4	00.9-11.9
\$35,000- 49,999	69	7,399	27	45.2	28.5-61.9	7	15.5	01.4-29.6						26	28.8	16.3-41.3	9	10.5	03.1-17.9	
\$50,000- 74,999	62	5,576	18	26.0	13.3-38.7	2	4.4	00.0-11.3	2	2.9	00.0-07.0			34	55.6	40.5-70.7	6	11.0	00.0-22.2	
\$75,000+	107	13,527	35	34.4	23.0-45.8	5	3.8	00.0-07.7	1	0.3	00.0-00.9	1	0.7	00.0-02.1	52	45.3	33.5-57.1	13	15.4	05.4-25.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 10: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]  
(CSRVRT2)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	784	81,886	90	11.1	08.4-13.8	485	59.9	55.6-64.2	4	0.4	00.0-00.8	30	3.8	02.2-05.4	175	24.9	20.8-29.0
Male	312	33,863	34	10.6	06.5-14.7	197	59.7	53.0-66.4				12	3.3	01.3-05.3	69	26.4	20.1-32.7
Female	472	48,024	56	11.4	07.7-15.1	288	60.0	54.1-65.9	4	0.6	00.0-01.4	18	4.1	01.9-06.3	106	23.8	18.5-29.1
White/Non-Hisp	685	71,211	79	10.8	08.1-13.5	418	59.3	54.6-64.0	4	0.4	00.0-00.8	29	4.2	02.4-06.0	155	25.3	21.0-29.6
45-54	65	9,179	8	10.5	02.3-18.7	43	62.1	46.8-77.4				1	0.7	00.0-02.1	13	26.7	11.4-42.0
55-64	180	20,516	24	14.6	08.1-21.1	108	57.4	48.4-66.4				4	1.5	00.0-03.3	44	26.5	18.1-34.9
65+	504	46,200	57	10.7	07.2-14.2	312	58.7	53.2-64.2	4	0.7	00.0-01.5	21	4.8	02.6-07.0	110	25.2	20.3-30.1
H.S. or G.E.D.	209	24,821	22	11.9	06.4-17.4	118	49.3	40.9-57.7	1	0.4	00.0-01.2	10	5.3	01.8-08.8	58	33.1	24.9-41.3
Some Post-H.S.	221	24,838	29	11.7	06.8-16.6	129	61.2	53.4-69.0	2	0.6	00.0-01.6	11	3.7	01.2-06.2	50	22.8	15.9-29.7
College Graduate	314	26,984	38	11.2	06.3-16.1	212	68.3	61.8-74.8	1	0.2	00.0-00.6	7	2.1	00.3-03.9	56	18.2	13.1-23.3
\$15,000- 24,999	111	11,261	19	15.7	07.7-23.7	61	53.1	41.1-65.1	1	1.0	00.0-03.0	5	4.4	00.1-08.7	25	25.8	14.6-37.0
\$25,000- 34,999	60	5,029	5	4.1	00.2-08.0	35	55.3	39.2-71.4				3	4.9	00.0-11.0	17	35.7	19.4-52.0
\$35,000- 49,999	105	12,193	16	13.4	05.8-21.0	64	61.7	49.7-73.7	1	1.1	00.0-03.3	5	4.0	00.1-07.9	19	19.9	09.7-30.1
\$50,000- 74,999	110	10,099	8	8.6	01.7-15.5	75	68.1	57.7-78.5				5	4.8	00.3-09.3	22	18.5	10.3-26.7
\$75,000+	226	26,968	21	11.3	05.6-17.0	146	62.2	54.4-70.0	1	0.1	00.0-00.3	3	1.6	00.0-03.6	55	24.9	18.2-31.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 11: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]  
(CSRVRT2)**

**Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	312	33,863	34	10.6	06.5-14.7	197	59.7	53.0-66.4	12	3.3	01.3-05.3	69	26.4	20.1-32.7
White/Non-Hisp	280	30,396	32	11.3	06.8-15.8	176	60.3	53.4-67.2	12	3.7	01.3-06.1	60	24.7	18.6-30.8
55-64	73	8,125	8	14.6	03.6-25.6	46	57.1	43.4-70.8	2	2.6	00.0-06.7	17	25.6	13.4-37.8
65+	214	21,806	26	11.0	06.3-15.7	133	58.7	50.7-66.7	9	3.5	01.0-06.0	46	26.8	19.2-34.4
H.S. or G.E.D.	80	11,125	8	13.0	03.8-22.2	41	42.2	29.5-54.9	2	1.9	00.0-04.8	29	42.9	29.6-56.2
Some Post-H.S.	83	9,588	10	9.4	02.9-15.9	49	65.6	54.8-76.4	7	5.9	01.2-10.6	17	19.2	10.2-28.2
College Graduate	135	11,486	16	10.7	04.8-16.6	96	68.5	59.1-77.9	2	1.6	00.0-04.1	21	19.1	10.7-27.5
\$50,000- 74,999	53	4,917	6	11.7	00.7-22.7	33	62.5	47.0-78.0	2	4.1	00.0-10.4	12	21.7	08.8-34.6
\$75,000+	120	13,606	8	8.3	01.8-14.8	85	64.6	54.2-75.0	2	1.4	00.0-03.4	25	25.7	16.3-35.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 12: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]  
(CSRVRT2)**

**Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	472	48,024	56	11.4	07.7-15.1	288	60.0	54.1-65.9	4	0.6	00.0-01.4	18	4.1	01.9-06.3	106	23.8	18.5-29.1
White/Non-Hisp	405	40,816	47	10.5	07.0-14.0	242	58.5	52.2-64.8	4	0.8	00.0-01.6	17	4.6	02.1-07.1	95	25.7	19.8-31.6
55-64	107	12,392	16	14.5	06.5-22.5	62	57.6	45.6-69.6				2	0.7	00.0-01.7	27	27.1	15.7-38.5
65+	290	24,394	31	10.4	05.3-15.5	179	58.8	51.5-66.1	4	1.3	00.0-02.7	12	5.9	02.4-09.4	64	23.7	17.2-30.2
H.S. or G.E.D.	129	13,696	14	11.0	04.7-17.3	77	55.1	44.3-65.9	1	0.8	00.0-02.4	8	8.0	02.1-13.9	29	25.1	14.9-35.3
Some Post-H.S.	138	15,250	19	13.1	06.0-20.2	80	58.4	47.4-69.4	2	1.0	00.0-02.8	4	2.4	00.0-05.3	33	25.1	15.5-34.7
College Graduate	179	15,498	22	11.6	04.5-18.7	116	68.1	59.3-76.9	1	0.3	00.0-00.9	5	2.5	00.1-04.9	35	17.6	11.1-24.1
\$15,000- 24,999	77	7,728	16	20.1	09.3-30.9	42	54.4	40.3-68.5	1	1.4	00.0-04.1	3	4.1	00.0-09.0	15	20.0	08.2-31.8
\$35,000- 49,999	69	7,399	10	10.5	02.5-18.5	41	63.5	48.8-78.2	1	1.8	00.0-05.3	4	5.7	00.0-12.0	13	18.6	06.6-30.6
\$50,000- 74,999	57	5,183	2	5.6	00.0-13.6	42	73.4	60.1-86.7				3	5.5	00.0-12.0	10	15.4	05.2-25.6
\$75,000+	106	13,362	13	14.3	04.9-23.7	61	59.7	47.9-71.5	1	0.2	00.0-00.6	1	1.8	00.0-05.1	30	24.0	14.8-33.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 13: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	47,817	57	12.1	08.6-15.6	285	58.4	52.7-64.1	14	5.8	01.9-09.7	5	1.0	00.0-02.0	21	5.2	02.5-07.9	92	17.5	13.6-21.4
Male	196	20,023	26	15.1	08.8-21.4	115	56.0	47.6-64.4							12	7.6	02.5-12.7	43	21.2	14.5-27.9
Female	278	27,793	31	9.9	06.0-13.8	170	60.1	52.5-67.7	14	10.0	03.5-16.5	5	1.7	00.0-03.5	9	3.5	01.0-06.0	49	14.9	10.2-19.6
White/Non-Hisp	413	41,762	46	10.6	07.3-13.9	254	60.2	54.3-66.1	10	4.8	00.9-08.7	5	1.1	00.0-02.3	17	5.1	02.2-08.0	81	18.1	13.8-22.4
55-64	105	11,509	13	12.7	05.4-20.0	62	61.2	50.2-72.2	2	0.9	00.0-02.3	1	0.6	00.0-01.8	5	5.5	00.2-10.8	22	19.0	10.6-27.4
65+	304	26,196	36	12.7	08.0-17.4	194	64.1	57.6-70.6	5	1.4	00.0-03.0	3	1.0	00.0-02.4	10	3.2	00.8-05.6	56	17.6	12.7-22.5
H.S. or G.E.D.	118	12,240	22	18.3	09.5-27.1	62	49.9	38.7-61.1	4	5.5	00.0-12.2	1	0.6	00.0-01.8	4	4.1	00.0-08.4	25	21.5	12.5-30.5
Some Post-H.S.	128	15,150	18	9.9	04.8-15.0	76	60.5	49.3-71.7	4	7.5	00.0-16.9	3	2.4	00.0-05.3	8	7.8	01.3-14.3	19	12.0	05.9-18.1
College Graduate	206	18,018	12	6.9	02.8-11.0	134	63.2	55.0-71.4	6	5.4	00.1-10.7	1	0.2	00.0-00.6	6	3.1	00.2-06.0	47	21.3	14.8-27.8
\$15,000- 24,999	58	5,455	9	11.5	03.7-19.3	32	58.2	43.1-73.3	3	5.8	00.0-12.7				3	9.2	00.0-19.6	11	15.3	05.1-25.5
\$35,000- 49,999	64	7,526	4	10.3	00.0-21.5	40	46.7	30.2-63.2	2	15.0	00.0-34.0	1	2.4	00.0-07.1	3	6.9	00.0-16.7	14	18.6	07.2-30.0
\$50,000- 74,999	75	6,877	10	15.2	05.8-24.6	47	63.7	50.8-76.6	1	2.5	00.0-07.4				3	1.9	00.0-04.3	14	16.7	06.7-26.7
\$75,000+	147	16,816	13	8.4	03.3-13.5	88	60.9	51.5-70.3	4	5.8	00.0-11.7	2	1.2	00.0-03.0	6	4.3	00.4-08.2	34	19.3	12.4-26.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 14: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	196	20,023	26	15.1	08.8-21.4	115	56.0	47.8-64.2	12	7.6	02.5-12.7	43	21.2	14.5-27.9
White/Non-Hisp	175	18,142	20	12.0	06.5-17.5	109	60.2	51.8-68.6	9	7.0	01.5-12.5	37	20.9	14.0-27.8
65+	134	12,852	17	16.5	08.1-24.9	85	60.4	50.2-70.6	5	3.2	00.0-06.7	27	20.0	12.0-28.0
College Graduate	96	7,848	7	6.9	02.4-11.4	60	63.0	52.0-74.0	4	4.4	00.0-09.1	25	25.8	15.8-35.8
\$75,000+	86	8,837	9	10.0	02.6-17.4	52	60.7	48.7-72.7	5	6.2	00.0-12.5	20	23.1	12.9-33.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 15: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	278	27,793	31	9.9	06.0-13.8	170	60.1	52.5-67.7	14	10.0	03.5-16.5	5	1.7	00.0-03.5	9	3.5	01.0-06.0	49	14.9	10.2-19.6
White/Non-Hisp	238	23,620	26	9.5	05.6-13.4	145	60.3	52.1-68.5	10	8.6	01.9-15.3	5	2.0	00.0-04.0	8	3.6	00.9-06.3	44	16.1	10.8-21.4
55-64	61	7,110	7	11.9	02.7-21.1	38	66.4	52.5-80.3	2	1.5	00.0-03.7	1	1.0	00.0-03.2	2	3.4	00.0-08.5	11	15.8	05.6-26.0
65+	170	13,344	19	9.0	04.9-13.1	109	67.7	59.7-75.7	5	2.8	00.0-05.7	3	2.0	00.0-04.7	5	3.2	00.0-06.5	29	15.3	09.2-21.4
H.S. or G.E.D.	77	7,540	11	9.8	03.1-16.5	39	50.7	36.6-64.8	4	8.8	00.0-19.4	1	1.0	00.0-03.0	4	6.7	00.0-13.8	18	23.0	11.8-34.2
Some Post-H.S.	79	8,865	13	10.7	04.6-16.8	48	63.8	48.7-78.9	4	12.7	00.0-28.0	3	4.1	00.0-09.2	2	2.1	00.0-05.2	9	6.6	01.9-11.3
College Graduate	110	10,170	5	6.9	00.6-13.2	74	63.3	51.3-75.3	6	9.5	00.3-18.7	1	0.3	00.0-00.9	2	2.1	00.0-05.6	22	17.8	09.2-26.4
\$75,000+	61	7,979	4	6.5	00.0-13.4	36	61.2	46.1-76.3	4	12.3	00.3-24.3	2	2.6	00.0-06.3	1	2.3	00.0-06.6	14	15.1	06.3-23.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 16: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	447	45,420	222	50.5	44.6-56.4	225	49.5	43.6-55.4
Male	184	19,001	94	49.2	40.6-57.8	90	50.8	42.2-59.4
Female	263	26,418	128	51.5	43.5-59.5	135	48.5	40.5-56.5
White/Non-Hisp	383	38,732	184	49.1	42.8-55.4	199	50.9	44.6-57.2
55-64	102	10,869	55	53.2	41.4-65.0	47	46.8	35.0-58.6
65+	282	24,694	127	44.5	37.2-51.8	155	55.5	48.2-62.8
H.S. or G.E.D.	109	11,381	43	42.0	30.4-53.6	66	58.0	46.4-69.6
Some Post-H.S.	115	13,787	60	53.8	42.2-65.4	55	46.2	34.6-57.8
College Graduate	200	17,370	109	54.7	46.1-63.3	91	45.3	36.7-53.9
\$15,000- 24,999	52	5,139	26	46.7	30.2-63.2	26	53.3	36.8-69.8
\$35,000- 49,999	62	7,283	23	44.6	26.6-62.6	39	55.4	37.4-73.4
\$50,000- 74,999	70	6,186	41	61.2	47.9-74.5	29	38.8	25.5-52.1
\$75,000+	139	16,079	75	51.6	41.4-61.8	64	48.4	38.2-58.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 17: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	184	19,001	94	49.2	40.4-58.0	90	50.8	42.0-59.6
White/Non-Hisp	163	17,120	83	48.5	39.5-57.5	80	51.5	42.5-60.5
65+	124	12,016	64	52.1	41.3-62.9	60	47.9	37.1-58.7
College Graduate	92	7,572	47	46.1	34.1-58.1	45	53.9	41.9-65.9
\$75,000+	82	8,593	40	44.8	32.1-57.5	42	55.2	42.5-67.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 18: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	263	26,418	128	51.5	43.5-59.5	135	48.5	40.5-56.5
White/Non-Hisp	220	21,612	101	49.6	41.0-58.2	119	50.4	41.8-59.0
55-64	59	6,572	34	60.1	45.2-75.0	25	39.9	25.0-54.8
65+	158	12,678	63	37.3	27.9-46.7	95	62.7	53.3-72.1
H.S. or G.E.D.	72	6,977	25	36.6	22.5-50.7	47	63.4	49.3-77.5
Some Post-H.S.	70	7,951	37	56.8	41.7-71.9	33	43.2	28.1-58.3
College Graduate	108	9,799	62	61.4	49.8-73.0	46	38.6	27.0-50.2
\$75,000+	57	7,486	35	59.5	43.2-75.8	22	40.5	24.2-56.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 19: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	48,199	363	78.8	74.5-83.1	111	21.2	16.9-25.5
Male	194	19,996	150	75.9	68.6-83.2	44	24.1	16.8-31.4
Female	280	28,203	213	80.9	75.6-86.2	67	19.1	13.8-24.4
White/Non-Hisp	408	41,400	304	76.8	71.9-81.7	104	23.2	18.3-28.1
55-64	103	11,351	87	82.4	73.0-91.8	16	17.6	08.2-27.0
65+	307	26,801	221	73.5	67.8-79.2	86	26.5	20.8-32.2
H.S. or G.E.D.	116	12,035	83	77.4	68.8-86.0	33	22.6	14.0-31.2
Some Post-H.S.	126	15,014	92	75.8	67.0-84.6	34	24.2	15.4-33.0
College Graduate	206	17,970	169	83.6	77.7-89.5	37	16.4	10.5-22.3
\$15,000- 24,999	60	5,953	43	74.1	60.2-88.0	17	25.9	12.0-39.8
\$35,000- 49,999	62	7,312	48	82.0	71.0-93.0	14	18.0	07.0-29.0
\$50,000- 74,999	75	6,877	66	86.6	77.4-95.8	9	13.4	04.2-22.6
\$75,000+	143	16,434	120	84.5	77.4-91.6	23	15.5	08.4-22.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 20: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

**Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	194	19,996	150	75.9	68.6-83.2	44	24.1	16.8-31.4
White/Non-Hisp	173	18,114	131	74.6	67.0-82.2	42	25.4	17.8-33.0
65+	131	12,652	98	73.2	64.4-82.0	33	26.8	18.0-35.6
College Graduate	94	7,686	78	78.1	67.3-88.9	16	21.9	11.1-32.7
\$75,000+	84	8,644	67	75.7	64.3-87.1	17	24.3	12.9-35.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 21: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)**

**Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	280	28,203	213	80.9	75.6-86.2	67	19.1	13.8-24.4
White/Non-Hisp	235	23,285	173	78.5	72.4-84.6	62	21.5	15.4-27.6
55-64	58	6,779	49	83.2	70.7-95.7	9	16.8	04.3-29.3
65+	176	14,149	123	73.9	66.5-81.3	53	26.1	18.7-33.5
H.S. or G.E.D.	76	7,371	53	75.9	64.9-86.9	23	24.1	13.1-35.1
Some Post-H.S.	77	8,729	58	78.1	66.7-89.5	19	21.9	10.5-33.3
College Graduate	112	10,284	91	87.6	81.5-93.7	21	12.4	06.3-18.5
\$75,000+	59	7,790	53	94.2	88.7-99.7	6	5.8	00.3-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 22: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	344	36,155	283	84.2	79.9-88.5	61	15.8	11.5-20.1
Male	146	14,906	127	87.4	81.3-93.5	19	12.6	06.5-18.7
Female	198	21,249	156	82.0	75.9-88.1	42	18.0	11.9-24.1
White/Non-Hisp	287	30,427	234	83.1	78.2-88.0	53	16.9	12.0-21.8
55-64	83	9,041	68	81.2	71.0-91.4	15	18.8	08.6-29.0
65+	207	18,423	167	81.8	75.7-87.9	40	18.2	12.1-24.3
H.S. or G.E.D.	82	9,273	67	82.9	73.5-92.3	15	17.1	07.7-26.5
Some Post-H.S.	90	11,194	74	86.3	78.9-93.7	16	13.7	06.3-21.1
College Graduate	156	14,031	128	83.3	76.6-90.0	28	16.7	10.0-23.4
\$50,000- 74,999	64	5,880	55	87.1	77.9-96.3	9	12.9	03.7-22.1
\$75,000+	114	13,351	94	83.4	75.6-91.2	20	16.6	08.8-24.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 23: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	146	14,906	127	87.4	81.3-93.5	19	12.6	06.5-18.7
White/Non-Hisp	127	13,249	109	86.2	79.5-92.9	18	13.8	07.1-20.5
65+	96	9,193	83	87.2	79.8-94.6	13	12.8	05.4-20.2
College Graduate	75	5,788	63	82.3	72.1-92.5	12	17.7	07.5-27.9
\$75,000+	65	6,352	56	85.3	75.3-95.3	9	14.7	04.7-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 24: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	198	21,249	156	82.0	75.7-88.3	42	18.0	11.7-24.3
White/Non-Hisp	160	17,178	125	80.7	73.4-88.0	35	19.3	12.0-26.6
65+	111	9,230	84	76.4	67.0-85.8	27	23.6	14.2-33.0
H.S. or G.E.D.	53	5,591	40	76.9	63.4-90.4	13	23.1	09.6-36.6
Some Post-H.S.	56	6,632	44	82.7	71.5-93.9	12	17.3	06.1-28.5
College Graduate	81	8,243	65	84.0	75.0-93.0	16	16.0	07.0-25.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 25: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	479	48,338	471	98.6	97.4-99.8	8	1.4	00.2-02.6
Male	196	19,863	194	99.2	98.0-0100	2	0.8	00.0-02.0
Female	283	28,476	277	98.1	96.1-0100	6	1.9	00.0-03.9
White/Non-Hisp	413	41,520	406	98.9	98.1-99.7	7	1.1	00.3-01.9
55-64	107	11,727	103	97.6	95.1-0100	4	2.4	00.0-04.9
65+	309	26,885	306	99.4	98.6-0100	3	0.6	00.0-01.4
H.S. or G.E.D.	117	12,044	115	99.2	98.0-0100	2	0.8	00.0-02.0
Some Post-H.S.	127	15,047	123	98.0	95.8-0100	4	2.0	00.0-04.2
College Graduate	209	18,069	208	99.7	99.1-0100	1	0.3	00.0-00.9
\$15,000- 24,999	59	5,880	57	97.1	93.0-0100	2	2.9	00.0-07.0
\$35,000- 49,999	63	7,516	63	100.0	0100-0100			
\$50,000- 74,999	73	6,625	73	100.0	0100-0100			
\$75,000+	146	16,496	146	100.0	0100-0100			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 26: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	196	19,863	194	99.2	98.0-0100	2	0.8	00.0-02.0
White/Non-Hisp	175	17,982	173	99.1	97.7-0100	2	0.9	00.0-02.3
65+	133	12,770	133	100.0	0100-0100			
College Graduate	96	7,601	96	100.0	0100-0100			
\$75,000+	85	8,517	85	100.0	0100-0100			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 27: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	283	28,476	277	98.1	96.1-0100	6	1.9	00.0-03.9
White/Non-Hisp	238	23,539	233	98.7	97.5-99.9	5	1.3	00.1-02.5
55-64	61	7,086	59	98.1	95.4-0100	2	1.9	00.0-04.6
65+	176	14,115	173	98.8	97.4-0100	3	1.2	00.0-02.6
H.S. or G.E.D.	76	7,345	75	99.3	97.9-0100	1	0.7	00.0-02.1
Some Post-H.S.	79	8,844	76	97.8	95.1-0100	3	2.2	00.0-04.9
College Graduate	113	10,468	112	99.5	98.5-0100	1	0.5	00.0-01.5
\$75,000+	61	7,979	61	100.0	0100-0100			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 28: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	48,934	27	6.3	03.6-09.0	457	93.7	91.0-96.4
Male	198	20,265	11	6.9	02.2-11.6	187	93.1	88.4-97.8
Female	286	28,669	16	5.9	02.4-09.4	270	94.1	90.6-97.6
White/Non-Hisp	417	42,106	19	5.5	02.6-08.4	398	94.5	91.6-97.4
55-64	108	11,784	8	10.7	02.9-18.5	100	89.3	81.5-97.1
65+	312	27,104	12	4.1	01.6-06.6	300	95.9	93.4-98.4
H.S. or G.E.D.	118	12,240	8	6.6	01.5-11.7	110	93.4	88.3-98.5
Some Post-H.S.	127	15,042	7	7.0	01.1-12.9	120	93.0	87.1-98.9
College Graduate	213	18,474	10	5.6	01.3-09.9	203	94.4	90.1-98.7
\$15,000- 24,999	61	5,981	7	10.7	01.5-19.9	54	89.3	80.1-98.5
\$35,000- 49,999	64	7,526	4	7.4	00.0-15.2	60	92.6	84.8-0100
\$50,000- 74,999	75	6,877	8	13.8	03.0-24.6	67	86.2	75.4-97.0
\$75,000+	147	16,816	5	4.5	00.0-09.0	142	95.5	91.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 29: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	198	20,265	11	6.9	02.2-11.6	187	93.1	88.4-97.8
White/Non-Hisp	177	18,384	8	6.5	01.6-11.4	169	93.5	88.6-98.4
65+	134	12,852	7	5.2	01.1-09.3	127	94.8	90.7-98.9
College Graduate	97	7,921	5	8.6	00.0-17.4	92	91.4	82.6-0100
\$75,000+	86	8,837	2	5.3	00.0-12.9	84	94.7	87.1-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 30: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	28,669	16	5.9	02.4-09.4	270	94.1	90.6-97.6
White/Non-Hisp	240	23,722	11	4.8	01.5-08.1	229	95.2	91.9-98.5
55-64	62	7,143	6	13.2	02.0-24.4	56	86.8	75.6-98.0
65+	178	14,252	5	3.1	00.0-06.4	173	96.9	93.6-0100
H.S. or G.E.D.	77	7,540	4	5.9	00.0-12.8	73	94.1	87.2-0100
Some Post-H.S.	78	8,756	6	9.5	00.7-18.3	72	90.5	81.7-99.3
College Graduate	116	10,553	5	3.4	00.0-07.1	111	96.6	92.9-0100
\$75,000+	61	7,979	3	3.6	00.0-08.3	58	96.4	91.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 31: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	482	48,906	36	8.7	05.2-12.2	446	91.3	87.8-94.8
Male	197	20,196	17	9.0	04.1-13.9	180	91.0	86.1-95.9
Female	285	28,711	19	8.5	03.6-13.4	266	91.5	86.6-96.4
White/Non-Hisp	415	42,078	26	6.6	03.5-09.7	389	93.4	90.3-96.5
55-64	108	11,784	7	7.3	01.2-13.4	101	92.7	86.6-98.8
65+	310	27,076	18	6.0	02.7-09.3	292	94.0	90.7-97.3
H.S. or G.E.D.	117	12,170	10	10.6	02.8-18.4	107	89.4	81.6-97.2
Some Post-H.S.	128	15,129	9	8.1	02.2-14.0	119	91.9	86.0-97.8
College Graduate	212	18,454	15	7.6	02.5-12.7	197	92.4	87.3-97.5
\$15,000- 24,999	61	5,981	4	7.6	00.0-16.0	57	92.4	84.0-0100
\$35,000- 49,999	64	7,526	7	12.4	00.4-24.4	57	87.6	75.6-99.6
\$50,000- 74,999	73	6,787	4	5.8	00.0-12.7	69	94.2	87.3-0100
\$75,000+	147	16,816	10	7.7	01.8-13.6	137	92.3	86.4-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 32: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	197	20,196	17	9.0	04.1-13.9	180	91.0	86.1-95.9
White/Non-Hisp	176	18,314	12	7.0	02.5-11.5	164	93.0	88.5-97.5
65+	133	12,783	10	7.1	01.8-12.4	123	92.9	87.6-98.2
College Graduate	97	7,921	7	6.0	01.3-10.7	90	94.0	89.3-98.7
\$75,000+	86	8,837	5	3.8	00.3-07.3	81	96.2	92.7-99.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 33: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	285	28,711	19	8.5	03.6-13.4	266	91.5	86.6-96.4
White/Non-Hisp	239	23,764	14	6.4	02.1-10.7	225	93.6	89.3-97.9
55-64	62	7,143	3	3.1	00.0-07.0	59	96.9	93.0-100
65+	177	14,293	8	5.0	01.1-08.9	169	95.0	91.1-98.9
H.S. or G.E.D.	77	7,540	6	10.5	00.0-21.3	71	89.5	78.7-0100
Some Post-H.S.	79	8,844	4	5.4	00.0-11.3	75	94.6	88.7-0100
College Graduate	115	10,533	8	8.8	00.6-17.0	107	91.2	83.0-99.4
\$75,000+	61	7,979	5	11.9	00.5-23.3	56	88.1	76.7-99.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 34: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	483	48,785	36	8.4	05.3-11.5	447	91.6	88.5-94.7
Male	197	20,124	8	5.6	00.7-10.5	189	94.4	89.5-99.3
Female	286	28,661	28	10.4	06.3-14.5	258	89.6	85.5-93.7
White/Non-Hisp	416	41,957	29	8.2	04.9-11.5	387	91.8	88.5-95.1
55-64	108	11,784	15	14.8	06.8-22.8	93	85.2	77.2-93.2
65+	312	27,050	11	3.4	01.0-05.8	301	96.6	94.2-99.0
H.S. or G.E.D.	116	12,003	8	9.0	02.3-15.7	108	91.0	84.3-97.7
Some Post-H.S.	128	15,129	11	9.0	02.7-15.3	117	91.0	84.7-97.3
College Graduate	213	18,474	15	7.4	03.1-11.7	198	92.6	88.3-96.9
\$15,000- 24,999	61	5,981	5	11.4	01.0-21.8	56	88.6	78.2-99.0
\$35,000- 49,999	64	7,526	7	11.8	00.4-23.2	57	88.2	76.8-99.6
\$50,000- 74,999	75	6,877	5	6.6	00.9-12.3	70	93.4	87.7-99.1
\$75,000+	147	16,816	9	5.3	01.4-09.2	138	94.7	90.8-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 35: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	197	20,124	8	5.6	00.7-10.5	189	94.4	89.5-99.3
White/Non-Hisp	176	18,243	6	6.0	00.7-11.3	170	94.0	88.7-99.3
65+	133	12,711	3	2.1	00.0-05.6	130	97.9	94.4-0100
College Graduate	97	7,921	4	2.5	00.0-05.2	93	97.5	94.8-0100
\$75,000+	86	8,837	3	3.6	00.0-08.7	83	96.4	91.3-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 14: CANCER SURVIVORSHIP**

**TABLE 36: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)**  
 Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	28,661	28	10.4	06.3-14.5	258	89.6	85.5-93.7
White/Non-Hisp	240	23,714	23	9.8	05.5-14.1	217	90.2	85.9-94.5
55-64	62	7,143	11	17.6	06.6-28.6	51	82.4	71.4-93.4
65+	179	14,339	8	4.6	01.5-07.7	171	95.4	92.3-98.5
H.S. or G.E.D.	76	7,445	6	10.0	01.4-18.6	70	90.0	81.4-98.6
Some Post-H.S.	79	8,844	9	8.4	02.7-14.1	70	91.6	85.9-97.3
College Graduate	116	10,553	11	11.1	04.0-18.2	105	88.9	81.8-96.0
\$75,000+	61	7,979	6	7.2	00.9-13.5	55	92.8	86.5-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP  
TABLE 37: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)  
Denominator excludes: Respondents with refused/missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP

TABLE 38: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 14: CANCER SURVIVORSHIP

TABLE 39: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018

MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE P.S.A. TEST DONE? (PCPSADE1)	
1	MALES ONLY	107
	WHO MADE THE DECISION WITH YOU? (PCDMDEc1)	
2	MALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE  
 TABLE 1: WHICH OF THE FOLLOWING BEST DESCRIBES THE DECISION TO HAVE THE P.S.A. TEST DONE? (PCPSADE1)  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 40 years old.  
 Denominator excludes: Respondents that have never had a digital rectal exam.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You made decision			Your doctor, nurse, health care provider alone			Your and one other person made decision together			You don't remember how decision was made		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	87,145	118	16.7	13.2-20.2	312	43.0	38.5-47.5	217	26.8	22.9-30.7	90	13.5	10.2-16.8
White/Non-Hisp	593	67,172	88	15.3	11.6-19.0	255	43.0	38.1-47.9	181	29.9	25.4-34.4	69	11.8	08.9-14.7
Black or Afr. Am./Non-Hisp	73	14,310	15	18.5	07.7-29.3	32	46.1	30.8-61.4	13	12.9	05.3-20.5	13	22.4	08.7-36.1
45-54	64	11,689	11	19.4	06.9-31.9	23	45.6	29.1-62.1	20	24.4	12.4-36.4	10	10.6	03.0-18.2
55-64	213	27,172	34	16.0	10.1-21.9	90	40.5	32.3-48.7	68	28.5	21.2-35.8	21	15.0	07.2-22.8
65+	451	45,855	71	15.7	11.6-19.8	195	43.3	37.8-48.8	126	26.8	21.9-31.7	59	14.1	10.2-18.0
H.S. or G.E.D.	162	25,235	19	11.7	05.8-17.6	70	46.3	36.3-56.3	34	17.0	10.3-23.7	39	25.1	16.3-33.9
Some Post-H.S.	196	25,613	29	15.9	09.4-22.4	81	41.2	32.8-49.6	63	30.5	23.1-37.9	23	12.5	06.8-18.2
College Graduate	348	32,376	59	18.4	12.7-24.1	150	43.3	36.8-49.8	113	32.2	26.1-38.3	26	6.1	03.6-08.6
\$15,000- 24,999	63	7,634	8	11.1	02.7-19.5	31	60.1	45.2-75.0	13	17.3	06.5-28.1	11	11.5	02.9-20.1
\$35,000- 49,999	89	10,809	14	13.9	05.1-22.7	34	32.1	20.5-43.7	24	25.0	13.8-36.2	17	29.0	13.7-44.3
\$50,000- 74,999	111	11,183	15	9.2	03.7-14.7	46	41.1	30.1-52.1	39	39.6	28.2-51.0	11	10.1	03.0-17.2
\$75,000+	305	38,994	52	19.5	13.6-25.4	134	46.6	39.3-53.9	94	25.7	19.8-31.6	25	8.2	04.7-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 15: PROSTATE CANCER SCREENING DECISION MAKING MODULE  
 TABLE 2: WHO MADE THE DECISION WITH YOU? (PCDMDEC1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Doctor, nurse health care provider			Spouse significant other			Other family member		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	23,358	195	91.3	87.0-95.6	17	7.5	03.2-11.8	5	1.1	00.1-02.1
White/Non-Hisp	181	20,061	165	91.3	86.4-96.2	12	7.5	02.8-12.2	4	1.1	00.0-02.3
55-64	68	7,742	60	91.4	84.3-98.5	5	7.1	00.4-13.8	3	1.5	00.0-03.3
65+	126	12,301	115	92.5	87.0-98.0	11	7.5	02.0-13.0			
Some Post-H.S.	63	7,807	58	90.8	81.8-99.8	4	8.6	00.0-17.6	1	0.6	00.0-01.8
College Graduate	113	10,416	102	92.8	87.7-97.9	8	5.4	00.9-09.9	3	1.7	00.0-03.9
\$75,000+	94	10,032	85	93.4	88.7-98.1	6	4.8	00.7-08.9	3	1.8	00.0-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	M21.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	110
2	MALES ONLY	111
3	FEMALES ONLY	112
	M21.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	113
5	MALES ONLY	114
6	FEMALES ONLY	115
	M21.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	116
8	MALES ONLY	117
9	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY**

**TABLE 1: M21.01.a Which of the following best represents how you think of yourself? (SOMALE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay		Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1922	308,352	50	2.1	01.5-02.7	1802	94.4	93.2-95.6	50	2.6	01.6-03.6	20	0.9	00.3-01.5
White/Non-Hisp	1340	203,104	34	2.1	01.3-02.9	1265	95.4	94.2-96.6	31	2.0	01.0-03.0	10	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	223	58,661	5	2.1	00.1-04.1	209	93.6	89.9-97.3	7	2.6	00.4-04.8	2	1.7	00.0-04.1
Oth. Race/Non-Hisp.	89	14,817				82	92.3	85.4-99.2	4	4.7	00.0-10.8	3	2.9	00.0-06.4
Hispanic	186	21,580	11	4.1	01.4-06.8	164	87.0	79.6-94.4	7	7.1	00.2-14.0	4	1.8	00.0-04.0
18-24	130	38,526	6	2.4	00.2-04.6	115	90.4	84.9-95.9	7	5.3	00.8-09.8	2	1.9	00.0-04.8
25-34	202	54,547	6	1.6	00.0-03.2	184	93.7	90.2-97.2	9	3.8	00.9-06.7	3	0.8	00.0-02.0
35-44	234	44,155	7	2.7	00.5-04.9	218	93.7	90.4-97.0	7	2.9	00.4-05.4	2	0.7	00.0-01.7
45-54	293	47,938	5	2.2	00.0-04.4	279	95.9	93.4-98.4	6	1.1	00.1-02.1	3	0.8	00.0-01.8
55-64	427	55,079	14	2.1	00.9-03.3	403	95.8	93.6-98.0	9	1.4	00.4-02.4	1	0.8	00.0-02.4
65+	636	68,106	12	1.8	00.6-03.0	603	95.6	93.6-97.6	12	1.8	00.4-03.2	9	0.7	00.1-01.3
Less Than H.S.	177	30,683	7	2.5	00.3-04.7	162	91.4	85.9-96.9	4	4.3	00.0-09.2	4	1.8	00.0-03.6
H.S. or G.E.D.	546	102,140	7	1.6	00.2-03.0	517	95.0	92.8-97.2	16	2.4	01.0-03.8	6	0.9	00.0-01.9
Some Post-H.S.	491	88,449	7	0.9	00.1-01.7	473	95.9	93.5-98.3	10	2.6	00.6-04.6	1	0.6	00.0-01.8
College Graduate	699	85,922	29	3.7	02.1-05.3	642	93.3	91.1-95.5	20	2.2	01.0-03.4	8	0.9	00.1-01.7
Less than \$15,000	124	16,689	4	3.1	00.0-06.4	113	89.2	81.4-97.0	5	6.1	00.0-13.0	2	1.6	00.0-04.1
\$15,000- 24,999	248	35,429	7	3.3	00.2-06.4	230	92.6	88.5-96.7	6	2.5	00.1-04.9	5	1.6	00.2-03.0
\$25,000- 34,999	128	18,302	3	2.7	00.0-06.2	122	96.6	93.1-0100	1	0.4	00.0-01.2	2	0.3	00.0-00.7
\$35,000- 49,999	233	35,308	7	2.2	00.4-04.0	221	95.0	91.7-98.3	4	2.5	00.0-05.2	1	0.3	00.0-00.9
\$50,000- 74,999	254	41,920	6	1.7	00.1-03.3	238	94.3	90.8-97.8	5	1.8	00.0-03.6	5	2.2	00.0-04.7
\$75,000+	667	115,297	20	2.1	00.9-03.3	626	95.5	93.5-97.5	19	2.3	00.7-03.9	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY**

**TABLE 2: M21.01.b Which of the following best represents how you think of yourself? (SOFEMALE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2469	341,062	53	2.5	01.5-03.5	2268	89.6	87.6-91.6	110	6.5	04.9-08.1	38	1.4	00.8-02.0
White/Non-Hisp	1727	225,209	37	1.8	01.2-02.4	1598	91.5	89.7-93.3	74	5.8	04.2-07.4	18	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	364	71,250	11	4.7	01.2-08.2	334	85.6	79.7-91.5	16	8.5	03.4-13.6	3	1.1	00.0-02.5
Oth. Race/Non-Hisp.	67	11,964	3	5.0	00.0-13.2	57	78.4	61.0-95.8	5	12.2	00.0-27.9	2	4.4	00.0-11.5
Hispanic	219	24,216	2	1.5	00.0-03.7	197	89.5	84.2-94.8	9	3.4	00.7-06.1	11	5.7	01.6-09.8
18-24	125	33,346	8	9.4	02.0-16.8	92	70.6	59.8-81.4	20	17.6	08.8-26.4	5	2.4	00.0-04.8
25-34	236	53,872	4	2.0	00.0-04.2	194	79.9	72.8-87.0	33	16.4	09.5-23.3	5	1.7	00.0-03.7
35-44	274	49,480	6	2.0	00.2-03.8	248	91.8	87.9-95.7	14	4.7	01.4-08.0	6	1.5	00.1-02.9
45-54	390	55,080	7	1.1	00.3-01.9	363	93.3	90.0-96.6	17	4.9	01.8-08.0	3	0.7	00.0-01.9
55-64	532	63,803	11	1.6	00.6-02.6	499	95.1	93.1-97.1	15	2.4	00.8-04.0	7	0.8	00.0-01.6
65+	912	85,480	17	1.9	00.9-02.9	872	95.5	93.7-97.3	11	1.0	00.4-01.6	12	1.7	00.3-03.1
Less Than H.S.	215	37,470	5	3.1	00.0-06.4	187	83.5	76.4-90.6	11	8.2	02.7-13.7	12	5.3	01.6-09.0
H.S. or G.E.D.	674	98,397	14	2.8	01.0-04.6	615	87.7	83.6-91.8	33	8.0	04.3-11.7	12	1.5	00.3-02.7
Some Post-H.S.	667	102,814	10	2.3	00.1-04.5	614	89.5	85.8-93.2	36	7.5	04.4-10.6	7	0.6	00.0-01.2
College Graduate	903	101,531	24	2.1	01.1-03.1	843	93.8	91.8-95.8	29	3.4	01.8-05.0	7	0.7	00.1-01.3
Less than \$15,000	204	23,134	4	2.8	00.0-06.5	180	86.8	80.3-93.3	13	6.9	02.4-11.4	7	3.5	00.2-06.8
\$15,000- 24,999	411	57,699	13	4.5	01.8-07.2	365	84.8	79.7-89.9	21	8.3	04.2-12.4	12	2.4	00.8-04.0
\$25,000- 34,999	202	25,508	4	4.6	00.0-09.9	183	85.7	78.3-93.1	13	7.7	02.6-12.8	2	2.0	00.0-05.3
\$35,000- 49,999	273	35,452	3	0.7	00.0-01.5	256	90.5	84.0-97.0	12	7.4	01.1-13.7	2	1.4	00.0-03.6
\$50,000- 74,999	317	41,181	10	2.1	00.5-03.7	291	91.6	87.3-95.9	13	5.3	01.4-09.2	3	1.0	00.0-02.6
\$75,000+	636	99,032	13	1.3	00.5-02.1	590	91.8	88.3-95.3	27	6.4	02.9-09.9	6	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 3: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4482	659,207	11	0.3	00.1-00.5	20	0.5	00.1-00.9	11	0.2	00.0-00.4	4440	99.0	98.6-99.4
Male	1956	312,081	8	0.4	00.0-00.8	6	0.3	00.1-00.5	3	0.1	00.0-00.3	1939	99.1	98.5-99.7
Female	2526	347,126	3	0.2	00.0-00.6	14	0.7	00.1-01.3	8	0.3	00.1-00.5	2501	98.8	98.2-99.4
White/Non-Hisp	3102	432,421	8	0.3	00.1-00.5	12	0.6	00.2-01.0	4	0.1	00.0-00.3	3078	99.0	98.4-99.6
Black or Afr. Am./Non-Hisp	594	130,747	1	0.1	00.0-00.3	3	0.4	00.0-01.0	2	0.1	00.0-00.3	588	99.4	98.8-0100
Oth. Race/Non-Hisp.	160	27,083	2	3.1	00.0-07.4							158	96.9	92.6-0100
MultiRacial/Non-Hisp.	74	5,242				1	0.4	00.0-01.2				73	99.6	98.8-0100
Hispanic	445	49,845				4	0.8	00.0-01.8	4	1.0	00.0-02.0	437	98.2	96.6-99.8
18-24	255	71,814	1	0.7	00.0-02.1	4	1.8	00.0-04.2	6	1.2	00.2-02.2	244	96.3	93.4-99.2
25-34	450	109,970	1	0.1	00.0-00.3	1	0.1	00.0-00.3				448	99.7	99.3-0100
35-44	527	95,659	2	0.5	00.0-01.5	3	0.3	00.0-00.7	2	0.3	00.0-00.7	520	98.9	97.9-99.9
45-54	690	103,810	1	0.1	00.0-00.3	2	0.4	00.0-01.0				687	99.5	98.7-0100
55-64	972	120,683	3	0.3	00.0-00.7	7	0.6	00.0-01.2	1	0.1	00.0-00.3	961	99.0	98.4-99.6
65+	1588	157,269	3	0.3	00.0-00.7	3	0.3	00.0-00.9	2	0.1	00.0-00.3	1580	99.3	98.7-99.9
Less Than H.S.	419	70,627	2	0.8	00.0-02.2	2	0.2	00.0-00.4	4	0.6	00.0-01.2	411	98.4	96.8-0100
H.S. or G.E.D.	1245	203,400	4	0.5	00.0-01.1	9	0.8	00.2-01.4	3	0.2	00.0-00.4	1229	98.5	97.5-99.5
Some Post-H.S.	1179	193,749	3	0.1	00.0-00.3	5	0.7	00.0-01.7	3	0.2	00.0-00.4	1168	99.0	98.0-0100
College Graduate	1620	189,120	2	0.1	00.0-00.3	4	0.2	00.0-00.4	1	0.1	00.0-00.3	1613	99.7	99.5-99.9
Less than \$15,000	342	41,168	1	0.4	00.0-01.2	2	0.4	00.0-01.0	2	0.4	00.0-01.0	337	98.8	97.6-0100
\$15,000- 24,999	675	95,380	1	0.5	00.0-01.5	5	1.1	00.0-02.3	3	0.4	00.0-01.0	666	97.9	96.1-99.7
\$25,000- 34,999	337	44,602				2	0.1	00.0-00.3	1	0.3	00.0-00.9	334	99.6	99.0-0100
\$35,000- 49,999	515	71,613	1	0.1	00.0-00.3				1	0.2	00.0-00.6	513	99.7	99.3-0100
\$50,000- 74,999	578	84,065	4	0.8	00.0-02.0	1	0.1	00.0-00.3	1	0.2	00.0-00.6	572	98.9	97.7-0100
\$75,000+	1309	215,348				5	0.3	00.1-00.5	1	0.0	00.0-00.0	1303	99.7	99.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 5: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1956	312,081	8	0.4	00.0-00.8	6	0.3	00.1-00.5	3	0.1	00.0-00.3	1939	99.1	98.5-99.7
White/Non-Hisp	1359	205,914	6	0.5	00.1-00.9	4	0.3	00.1-00.5	1	0.1	00.0-00.3	1348	99.2	98.6-99.8
Black or Afr. Am./Non-Hisp	227	58,893	1	0.2	00.0-00.6	2	0.8	00.0-02.0				224	99.0	97.6-0100
Oth. Race/Non-Hisp.	90	14,900	1	2.2	00.0-06.3							89	97.8	93.7-0100
Hispanic	197	22,173							2	1.1	00.0-02.9	195	98.9	97.1-0100
18-24	129	38,199				1	0.3	00.0-00.9	2	0.7	00.0-01.7	126	99.1	97.9-0100
25-34	202	54,420										202	100.0	0100-0100
35-44	241	44,806	2	1.2	00.0-03.2	1	0.4	00.0-01.2	1	0.3	00.0-00.9	237	98.1	95.9-0100
45-54	299	49,169	1	0.2	00.0-00.6	1	0.7	00.0-02.1				297	99.1	97.5-0100
55-64	433	55,647	2	0.5	00.0-01.3	2	0.5	00.0-01.3				429	99.0	98.0-0100
65+	652	69,840	3	0.7	00.0-01.7	1	0.1	00.0-00.3				648	99.2	98.2-0100
Less Than H.S.	180	30,792	1	0.2	00.0-00.6				1	0.2	00.0-00.6	178	99.6	99.0-0100
H.S. or G.E.D.	559	103,542	3	0.9	00.0-02.1	4	0.8	00.0-01.6	1	0.2	00.0-00.6	551	98.1	96.7-99.5
Some Post-H.S.	502	89,991	3	0.3	00.0-00.7	1	0.1	00.0-00.3				498	99.6	99.2-0100
College Graduate	706	86,596	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	703	99.6	99.2-0100
Less than \$15,000	125	16,754	1	1.0	00.0-03.0	1	0.6	00.0-01.8				123	98.4	96.2-0100
\$15,000- 24,999	260	36,753				1	1.0	00.0-03.0	1	0.5	00.0-01.5	258	98.5	96.3-0100
\$25,000- 34,999	128	18,500							1	0.8	00.0-02.4	127	99.2	97.6-0100
\$35,000- 49,999	239	36,068	1	0.2	00.0-00.6							238	99.8	99.4-0100
\$50,000- 74,999	258	42,198	3	1.5	00.0-03.7							255	98.5	96.3-0100
\$75,000+	671	115,807				3	0.3	00.0-00.7	1	0.1	00.0-00.3	667	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018  
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
TABLE 6: M21.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2526	347,126	3	0.2	00.0-00.6	14	0.7	00.1-01.3	8	0.3	00.1-00.5	2501	98.8	98.2-99.4
White/Non-Hisp	1743	226,507	2	0.1	00.0-00.3	8	0.9	00.1-01.7	3	0.2	00.0-00.4	1730	98.9	97.9-99.9
Black or Afr. Am./Non-Hisp	367	71,854				1	0.0	00.0-00.0	2	0.2	00.0-00.6	364	99.7	99.3-0100
Oth. Race/Non-Hisp.	70	12,183	1	4.2	00.0-12.2							69	95.8	87.8-0100
Hispanic	248	27,671				4	1.5	00.0-03.5	2	0.8	00.0-02.0	242	97.7	95.3-0100
18-24	126	33,616	1	1.5	00.0-04.4	3	3.5	00.0-08.6	4	1.8	00.0-03.6	118	93.2	87.1-99.3
25-34	248	55,550	1	0.2	00.0-00.6	1	0.3	00.0-00.9				246	99.5	98.7-0100
35-44	286	50,854				2	0.2	00.0-00.6	1	0.2	00.0-00.6	283	99.6	99.0-0100
45-54	391	54,641				1	0.1	00.0-00.3				390	99.9	99.7-0100
55-64	539	65,036	1	0.1	00.0-00.3	5	0.7	00.0-01.5	1	0.1	00.0-00.3	532	99.1	98.1-0100
65+	936	87,429				2	0.5	00.0-01.5	2	0.2	00.0-00.6	932	99.3	98.3-0100
Less Than H.S.	239	39,835	1	1.3	00.0-03.8	2	0.3	00.0-00.7	3	0.9	00.0-01.9	233	97.5	94.8-0100
H.S. or G.E.D.	686	99,858	1	0.1	00.0-00.3	5	0.8	00.0-01.8	2	0.2	00.0-00.6	678	98.9	97.9-99.9
Some Post-H.S.	677	103,758				4	1.2	00.0-03.0	3	0.4	00.0-00.8	670	98.4	96.6-0100
College Graduate	914	102,524	1	0.1	00.0-00.3	3	0.2	00.0-00.6				910	99.7	99.3-0100
Less than \$15,000	217	24,415				1	0.2	00.0-00.6	2	0.7	00.0-01.7	214	99.1	98.1-0100
\$15,000- 24,999	415	58,626	1	0.9	00.0-02.7	4	1.2	00.0-02.8	2	0.4	00.0-01.0	408	97.5	95.1-99.9
\$25,000- 34,999	209	26,102				2	0.2	00.0-00.6				207	99.8	99.4-0100
\$35,000- 49,999	276	35,544							1	0.3	00.0-00.9	275	99.7	99.1-0100
\$50,000- 74,999	320	41,867	1	0.1	00.0-00.3	1	0.2	00.0-00.6	1	0.4	00.0-01.2	317	99.2	98.2-0100
\$75,000+	638	99,541				2	0.2	00.0-00.6				636	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2018**

End of Module Data Report