

DELAWARE

2016 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4048	751,883	3284	83.6	82.0-85.2	764	16.4	14.8-18.0
Male	1803	358,809	1477	84.5	82.3-86.7	326	15.5	13.3-17.7
Female	2245	393,074	1807	82.7	80.7-84.7	438	17.3	15.3-19.3
White/Non-Hisp	2815	482,922	2332	84.8	83.0-86.6	483	15.2	13.4-17.0
Black or Afr. Am./Non-Hisp	572	150,685	457	84.4	81.1-87.7	115	15.6	12.3-18.9
Oth. Race/Non-Hisp.	133	29,688	113	88.9	82.0-95.8	20	11.1	4.2-18.0
MultiRacial/Non-Hisp.	67	13,753	53	79.1	65.4-92.8	14	20.9	7.2-34.6
Hispanic	358	58,095	250	72.8	66.9-78.7	108	27.2	21.3-33.1
18-24	262	90,343	238	93.0	89.3-96.7	24	7.0	3.3-10.7
25-34	452	125,020	387	85.8	81.1-90.5	65	14.2	9.5-18.9
35-44	424	112,681	361	87.3	83.6-91.0	63	12.7	9.0-16.4
45-54	645	123,121	520	82.6	78.7-86.5	125	17.4	13.5-21.3
55-64	854	128,590	652	77.8	74.3-81.3	202	22.2	18.7-25.7
65+	1368	167,408	1087	79.3	76.6-82.0	281	20.7	18.0-23.4
Less Than H.S.	401	92,813	228	59.0	52.3-65.7	173	41.0	34.3-47.7
H.S. or G.E.D.	1248	232,613	981	83.6	81.1-86.1	267	16.4	13.9-18.9
Some Post-H.S.	987	218,637	794	85.4	82.7-88.1	193	14.6	11.9-17.3
College Graduate	1397	204,793	1269	92.9	91.3-94.5	128	7.1	5.5- 8.7
Less than \$15,000	314	52,673	173	63.7	56.4-71.0	141	36.3	29.0-43.6
\$15,000- 24,999	601	100,517	413	68.2	63.3-73.1	188	31.8	26.9-36.7
\$25,000- 34,999	382	63,442	292	78.2	72.7-83.7	90	21.8	16.3-27.3
\$35,000- 49,999	507	90,224	422	83.5	79.4-87.6	85	16.5	12.4-20.6
\$50,000- 74,999	513	103,851	457	90.9	87.4-94.4	56	9.1	5.6-12.6
\$75,000+	1010	212,157	953	95.2	93.6-96.8	57	4.8	3.2- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1803	358,809	1477	84.5	82.3-86.7	326	15.5	13.3-17.7
White/Non-Hisp	1245	228,120	1036	85.8	83.1-88.5	209	14.2	11.5-16.9
Black or Afr. Am./Non-Hisp	218	69,172	175	85.0	79.7-90.3	43	15.0	9.7-20.3
Oth. Race/Non-Hisp.	83	19,110	73	91.1	83.5-98.7	10	8.9	1.3-16.5
Hispanic	165	26,190	119	72.2	63.4-81.0	46	27.8	19.0-36.6
18-24	148	45,780	138	95.9	92.8-99.0	10	4.1	1.0- 7.2
25-34	202	62,183	177	85.3	77.5-93.1	25	14.7	6.9-22.5
35-44	203	55,009	181	90.2	85.5-94.9	22	9.8	5.1-14.5
45-54	302	59,413	244	83.7	78.4-89.0	58	16.3	11.0-21.6
55-64	364	60,879	279	78.2	72.9-83.5	85	21.8	16.5-27.1
65+	572	74,635	447	78.7	74.6-82.8	125	21.3	17.2-25.4
Less Than H.S.	188	45,672	106	57.7	47.5-67.9	82	42.3	32.1-52.5
H.S. or G.E.D.	562	117,572	455	85.8	82.3-89.3	107	14.2	10.7-17.7
Some Post-H.S.	415	98,296	333	86.9	83.4-90.4	82	13.1	9.6-16.6
College Graduate	632	95,961	578	93.9	91.9-95.9	54	6.1	4.1- 8.1
Less than \$15,000	105	17,940	58	62.5	49.8-75.2	47	37.5	24.8-50.2
\$15,000- 24,999	259	45,302	174	68.3	60.9-75.7	85	31.7	24.3-39.1
\$25,000- 34,999	134	24,392	95	76.8	67.8-85.8	39	23.2	14.2-32.2
\$35,000- 49,999	238	43,444	200	81.9	75.2-88.6	38	18.1	11.4-24.8
\$50,000- 74,999	264	55,918	232	92.2	88.7-95.7	32	7.8	4.3-11.3
\$75,000+	519	111,728	489	95.4	93.2-97.6	30	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2245	393,074	1807	82.7	80.7-84.7	438	17.3	15.3-19.3
White/Non-Hisp	1570	254,802	1296	84.0	81.6-86.4	274	16.0	13.6-18.4
Black or Afr. Am./Non-Hisp	354	81,514	282	84.0	79.5-88.5	72	16.0	11.5-20.5
Oth. Race/Non-Hisp.	50	10,578	40	84.9	72.0-97.8	10	15.1	2.2-28.0
Hispanic	193	31,904	131	73.3	65.7-80.9	62	26.7	19.1-34.3
18-24	114	44,563	100	90.1	83.2-97.0	14	9.9	3.0-16.8
25-34	250	62,837	210	86.4	81.5-91.3	40	13.6	8.7-18.5
35-44	221	57,672	180	84.4	78.7-90.1	41	15.6	9.9-21.3
45-54	343	63,708	276	81.7	76.0-87.4	67	18.3	12.6-24.0
55-64	490	67,711	373	77.4	72.7-82.1	117	22.6	17.9-27.3
65+	796	92,773	640	79.8	76.3-83.3	156	20.2	16.7-23.7
Less Than H.S.	213	47,141	122	60.2	51.4-69.0	91	39.8	31.0-48.6
H.S. or G.E.D.	686	115,040	526	81.3	77.8-84.8	160	18.7	15.2-22.2
Some Post-H.S.	572	120,341	461	84.1	80.2-88.0	111	15.9	12.0-19.8
College Graduate	765	108,832	691	92.1	89.7-94.5	74	7.9	5.5-10.3
Less than \$15,000	209	34,733	115	64.2	55.4-73.0	94	35.8	27.0-44.6
\$15,000- 24,999	342	55,215	239	68.0	61.1-74.9	103	32.0	25.1-38.9
\$25,000- 34,999	248	39,050	197	79.0	71.9-86.1	51	21.0	13.9-28.1
\$35,000- 49,999	269	46,781	222	85.0	80.1-89.9	47	15.0	10.1-19.9
\$50,000- 74,999	249	47,934	225	89.4	82.9-95.9	24	10.6	4.1-17.1
\$75,000+	491	100,429	464	94.9	92.7-97.1	27	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3951	736,279	2649	67.0	64.8-69.2	822	22.5	20.5-24.5	480	10.5	9.1-11.9
Male	1774	354,264	1225	67.9	64.8-71.0	352	22.3	19.6-25.0	197	9.9	7.9-11.9
Female	2177	382,015	1424	66.2	63.5-68.9	470	22.8	20.3-25.3	283	11.1	9.3-12.9
White/Non-Hisp	2750	474,268	1832	66.1	63.6-68.6	571	22.9	20.5-25.3	347	11.0	9.4-12.6
Black or Afr. Am./Non-Hisp	552	145,160	374	68.1	62.8-73.4	120	22.8	17.9-27.7	58	9.2	6.3-12.1
Oth. Race/Non-Hisp.	131	29,534	81	65.5	55.1-75.9	33	24.8	15.2-34.4	17	9.6	3.3-15.9
MultiRacial/Non-Hisp.	66	13,649	39	58.7	42.8-74.6	17	21.2	9.0-33.4	10	20.2	6.3-34.1
Hispanic	353	57,361	251	73.9	68.0-79.8	63	18.2	12.9-23.5	39	8.0	4.9-11.1
18-24	259	89,719	176	62.3	54.3-70.3	71	35.2	27.2-43.2	12	2.5	0.9- 4.1
25-34	448	124,207	322	70.4	64.5-76.3	99	22.3	17.2-27.4	27	7.2	3.1-11.3
35-44	415	110,167	289	68.9	63.2-74.6	85	22.6	17.5-27.7	41	8.5	5.4-11.6
45-54	642	122,498	424	65.4	60.5-70.3	125	19.6	15.5-23.7	93	15.1	11.2-19.0
55-64	830	124,574	539	67.7	63.8-71.6	167	19.1	15.8-22.4	124	13.2	10.5-15.9
65+	1315	160,510	865	66.2	62.9-69.5	267	20.3	17.6-23.0	183	13.5	11.3-15.7
Less Than H.S.	385	88,676	234	58.7	51.6-65.8	71	20.3	14.6-26.0	80	21.0	14.7-27.3
H.S. or G.E.D.	1212	227,729	789	67.3	63.8-70.8	254	21.6	18.3-24.9	169	11.1	8.9-13.3
Some Post-H.S.	955	213,275	613	65.1	60.8-69.4	205	24.7	20.6-28.8	137	10.2	8.0-12.4
College Graduate	1384	203,572	1004	72.6	69.5-75.7	289	22.2	19.3-25.1	91	5.2	3.8- 6.6
Less than \$15,000	301	49,971	151	56.6	48.6-64.6	64	18.1	11.8-24.4	86	25.2	18.7-31.7
\$15,000- 24,999	583	98,068	341	57.1	51.6-62.6	122	23.8	18.9-28.7	120	19.1	15.0-23.2
\$25,000- 34,999	369	61,474	240	67.9	61.0-74.8	78	19.5	14.2-24.8	51	12.6	8.1-17.1
\$35,000- 49,999	498	88,756	341	66.0	60.5-71.5	101	23.2	17.9-28.5	56	10.8	7.5-14.1
\$50,000- 74,999	501	101,863	337	69.0	63.3-74.7	125	24.7	19.4-30.0	39	6.4	3.7- 9.1
\$75,000+	1002	210,764	768	74.3	70.6-78.0	195	22.6	18.9-26.3	39	3.2	2.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1774	354,264	1225	67.9	64.8-71.0	352	22.3	19.6-25.0	197	9.9	7.9-11.9
White/Non-Hisp	1231	226,270	853	67.6	63.9-71.3	240	22.5	19.2-25.8	138	10.0	7.5-12.5
Black or Afr. Am./Non-Hisp	208	66,862	146	69.8	61.6-78.0	45	21.3	13.9-28.7	17	8.8	4.1-13.5
Oth. Race/Non-Hisp.	82	19,020	49	61.8	48.1-75.5	23	29.5	16.6-42.4	10	8.7	0.9-16.5
Hispanic	163	26,043	117	72.0	63.2-80.8	26	17.0	9.6-24.4	20	11.0	4.9-17.1
18-24	147	45,706	104	66.2	56.4-76.0	38	31.4	21.6-41.2	5	2.4	0.0- 4.8
25-34	201	62,101	145	67.8	58.4-77.2	47	26.2	17.8-34.6	9	6.0	0.0-12.7
35-44	201	54,435	140	68.0	60.0-76.0	40	21.6	14.3-28.9	21	10.4	5.3-15.5
45-54	302	59,432	203	65.6	58.2-73.0	52	18.2	12.1-24.3	47	16.1	10.2-22.0
55-64	354	59,345	245	71.5	65.8-77.2	60	16.1	11.4-20.8	49	12.4	8.5-16.3
65+	557	72,335	379	67.7	62.8-72.6	112	21.8	17.3-26.3	66	10.5	7.6-13.4
Less Than H.S.	182	44,348	108	56.4	45.8-67.0	31	21.2	12.6-29.8	43	22.3	12.5-32.1
H.S. or G.E.D.	549	115,486	385	70.1	64.8-75.4	102	20.1	15.4-24.8	62	9.8	6.7-12.9
Some Post-H.S.	407	97,325	262	64.8	58.7-70.9	94	26.2	20.3-32.1	51	9.0	5.9-12.1
College Graduate	630	95,797	467	74.3	69.6-79.0	124	21.6	17.1-26.1	39	4.1	2.5- 5.7
Less than \$15,000	100	17,450	55	59.7	45.4-74.0	17	14.5	3.3-25.7	28	25.8	14.6-37.0
\$15,000- 24,999	251	44,033	147	57.5	49.3-65.7	53	24.4	16.8-32.0	51	18.1	12.2-24.0
\$25,000- 34,999	130	23,811	86	70.5	60.1-80.9	25	17.2	9.0-25.4	19	12.3	4.9-19.7
\$35,000- 49,999	237	43,282	171	66.3	57.9-74.7	41	23.5	15.5-31.5	25	10.2	5.5-14.9
\$50,000- 74,999	260	55,011	174	67.3	59.3-75.3	67	26.8	19.4-34.2	19	5.9	2.0- 9.8
\$75,000+	515	111,109	405	75.5	70.2-80.8	94	22.0	16.9-27.1	16	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2177	382,015	1424	66.2	63.5-68.9	470	22.8	20.3-25.3	283	11.1	9.3-12.9
White/Non-Hisp	1519	247,997	979	64.8	61.3-68.3	331	23.2	20.1-26.3	209	12.0	9.8-14.2
Black or Afr. Am./Non-Hisp	344	78,298	228	66.5	59.6-73.4	75	24.0	17.3-30.7	41	9.4	5.9-12.9
Hispanic	190	31,318	134	75.4	67.6-83.2	37	19.1	11.7-26.5	19	5.5	2.6- 8.4
18-24	112	44,013	72	58.2	45.3-71.1	33	39.2	26.3-52.1	7	2.6	0.4- 4.8
25-34	247	62,106	177	73.0	66.1-79.9	52	18.5	12.8-24.2	18	8.5	3.8-13.2
35-44	214	55,732	149	69.7	61.9-77.5	45	23.6	16.2-31.0	20	6.7	2.8-10.6
45-54	340	63,066	221	65.1	58.4-71.8	73	20.8	15.3-26.3	46	14.1	9.0-19.2
55-64	476	65,229	294	64.3	59.0-69.6	107	21.8	17.3-26.3	75	13.9	10.2-17.6
65+	758	88,175	486	64.9	60.6-69.2	155	19.1	15.6-22.6	117	16.0	12.7-19.3
Less Than H.S.	203	44,328	126	61.0	52.0-70.0	40	19.3	12.2-26.4	37	19.7	11.9-27.5
H.S. or G.E.D.	663	112,242	404	64.5	59.6-69.4	152	23.1	18.6-27.6	107	12.4	9.5-15.3
Some Post-H.S.	548	115,949	351	65.3	59.4-71.2	111	23.5	18.0-29.0	86	11.2	8.3-14.1
College Graduate	754	107,775	537	71.2	66.9-75.5	165	22.7	18.8-26.6	52	6.1	3.9- 8.3
Less than \$15,000	201	32,521	96	55.0	45.4-64.6	47	20.1	12.7-27.5	58	25.0	17.0-33.0
\$15,000- 24,999	332	54,035	194	56.7	49.4-64.0	69	23.3	17.0-29.6	69	19.9	13.8-26.0
\$25,000- 34,999	239	37,662	154	66.3	57.3-75.3	53	21.0	13.9-28.1	32	12.8	7.1-18.5
\$35,000- 49,999	261	45,474	170	65.7	58.3-73.1	60	22.9	16.2-29.6	31	11.4	6.9-15.9
\$50,000- 74,999	241	46,852	163	70.9	62.9-78.9	58	22.2	14.6-29.8	20	6.9	3.2-10.6
\$75,000+	487	99,655	363	72.9	67.4-78.4	101	23.1	17.8-28.4	23	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	742,145	2883	70.3	68.3-72.3	684	18.5	16.7-20.3	414	11.1	9.7-12.5
Male	1771	353,554	1368	74.8	71.9-77.7	251	16.0	13.5-18.5	152	9.2	7.2-11.2
Female	2210	388,591	1515	66.2	63.5-68.9	433	20.9	18.5-23.3	262	12.9	10.7-15.1
White/Non-Hisp	2770	476,864	1996	69.4	66.9-71.9	478	19.1	16.9-21.3	296	11.6	9.8-13.4
Black or Afr. Am./Non-Hisp	562	148,409	429	75.3	70.6-80.0	93	16.6	12.7-20.5	40	8.1	5.2-11.0
Oth. Race/Non-Hisp.	129	29,185	86	65.7	54.9-76.5	26	25.8	15.2-36.4	17	8.5	3.4-13.6
MultiRacial/Non-Hisp.	67	13,753	49	68.5	52.2-84.8	14	18.7	5.8-31.6	4	12.8	0.0-26.3
Hispanic	354	57,416	242	67.3	60.6-74.0	67	19.2	13.9-24.5	45	13.5	8.0-19.0
18-24	262	90,343	154	60.3	52.3-68.3	79	27.2	20.3-34.1	29	12.6	6.9-18.3
25-34	447	123,801	298	66.6	60.7-72.5	99	21.3	16.0-26.6	50	12.2	8.1-16.3
35-44	422	111,998	269	62.9	57.0-68.8	99	24.1	19.0-29.2	54	13.0	8.9-17.1
45-54	637	120,925	426	69.5	64.8-74.2	120	17.3	13.8-20.8	91	13.2	9.7-16.7
55-64	836	127,022	623	73.9	70.0-77.8	122	15.3	12.0-18.6	91	10.8	8.3-13.3
65+	1335	163,333	1077	81.4	78.9-83.9	160	11.4	9.4-13.4	98	7.2	5.4- 9.0
Less Than H.S.	391	91,139	253	62.9	56.0-69.8	64	17.6	11.7-23.5	74	19.5	14.0-25.0
H.S. or G.E.D.	1228	229,833	907	74.7	71.4-78.0	202	16.8	13.9-19.7	119	8.5	6.5-10.5
Some Post-H.S.	967	215,747	679	66.8	62.5-71.1	162	18.3	15.0-21.6	126	14.9	11.6-18.2
College Graduate	1381	203,087	1035	72.9	69.8-76.0	253	20.8	17.9-23.7	93	6.3	4.5- 8.1
Less than \$15,000	300	51,200	172	60.5	52.5-68.5	59	19.8	13.3-26.3	69	19.7	13.8-25.6
\$15,000- 24,999	590	99,021	380	61.2	55.9-66.5	111	21.0	16.5-25.5	99	17.8	13.5-22.1
\$25,000- 34,999	378	62,854	270	69.4	62.5-76.3	57	16.1	11.0-21.2	51	14.5	9.4-19.6
\$35,000- 49,999	499	89,373	360	70.9	65.8-76.0	94	19.5	15.0-24.0	45	9.7	6.4-13.0
\$50,000- 74,999	509	103,222	388	72.9	67.2-78.6	84	16.0	11.7-20.3	37	11.1	6.4-15.8
\$75,000+	1006	211,724	768	72.9	69.0-76.8	182	19.7	16.4-23.0	56	7.4	4.9- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1771	353,554	1368	74.8	71.9-77.7	251	16.0	13.5-18.5	152	9.2	7.2-11.2
White/Non-Hisp	1225	225,176	957	74.3	70.8-77.8	171	16.9	13.8-20.0	97	8.8	6.4-11.2
Black or Afr. Am./Non-Hisp	212	67,465	169	78.8	71.5-86.1	29	13.7	7.6-19.8	14	7.5	3.0-12.0
Oth. Race/Non-Hisp.	81	18,774	54	68.9	55.6-82.2	16	21.2	8.5-33.9	11	9.9	2.6-17.2
Hispanic	164	26,101	114	70.8	61.8-79.8	28	16.8	9.4-24.2	22	12.4	5.9-18.9
18-24	148	45,780	95	67.0	57.2-76.8	35	19.9	11.7-28.1	18	13.1	6.0-20.2
25-34	202	62,271	144	69.8	60.8-78.8	37	19.7	11.3-28.1	21	10.5	5.0-16.0
35-44	203	55,009	137	65.8	57.6-74.0	43	21.5	14.2-28.8	23	12.7	6.6-18.8
45-54	296	57,389	211	75.2	69.1-81.3	49	15.3	10.2-20.4	36	9.5	5.6-13.4
55-64	353	59,829	294	80.8	75.1-86.5	35	13.1	8.0-18.2	24	6.1	3.2- 9.0
65+	559	72,501	478	85.6	82.1-89.1	51	9.1	6.2-12.0	30	5.3	2.9- 7.7
Less Than H.S.	182	44,243	118	66.8	56.6-77.0	34	22.4	12.2-32.6	30	10.8	6.3-15.3
H.S. or G.E.D.	555	116,621	441	80.0	75.3-84.7	75	13.6	9.5-17.7	39	6.5	3.8- 9.2
Some Post-H.S.	405	97,088	293	68.0	61.7-74.3	60	17.0	12.1-21.9	52	15.0	10.1-19.9
College Graduate	624	94,984	514	79.6	75.3-83.9	81	14.9	11.0-18.8	29	5.5	3.0- 8.0
Less than \$15,000	96	16,885	58	66.0	51.9-80.1	19	17.6	5.6-29.6	19	16.4	7.2-25.6
\$15,000- 24,999	253	44,365	168	66.5	58.9-74.1	43	19.1	12.6-25.6	42	14.4	9.1-19.7
\$25,000- 34,999	133	24,302	101	71.4	60.0-82.8	16	14.9	6.1-23.7	16	13.6	4.4-22.8
\$35,000- 49,999	235	43,132	181	72.6	64.8-80.4	36	17.8	11.1-24.5	18	9.7	4.2-15.2
\$50,000- 74,999	262	55,419	207	76.0	68.6-83.4	40	14.3	8.8-19.8	15	9.7	4.0-15.4
\$75,000+	516	111,368	429	80.2	75.5-84.9	70	14.8	10.7-18.9	17	5.0	2.1- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2210	388,591	1515	66.2	63.5-68.9	433	20.9	18.5-23.3	262	12.9	10.7-15.1
White/Non-Hisp	1545	251,688	1039	65.0	61.5-68.5	307	21.0	18.1-23.9	199	14.0	11.3-16.7
Black or Afr. Am./Non-Hisp	350	80,944	260	72.4	66.3-78.5	64	19.1	13.8-24.4	26	8.5	4.4-12.6
Hispanic	190	31,315	128	64.3	54.7-73.9	39	21.2	13.8-28.6	23	14.5	6.3-22.7
18-24	114	44,563	59	53.3	40.4-66.2	44	34.6	23.0-46.2	11	12.0	3.2-20.8
25-34	245	61,531	154	63.2	55.4-71.0	62	22.9	16.4-29.4	29	13.9	7.8-20.0
35-44	219	56,989	132	60.2	52.0-68.4	56	26.5	19.1-33.9	31	13.3	7.4-19.2
45-54	341	63,537	215	64.3	57.6-71.0	71	19.1	14.0-24.2	55	16.6	10.9-22.3
55-64	483	67,193	329	67.7	62.4-73.0	87	17.3	13.2-21.4	67	14.9	10.8-19.0
65+	776	90,831	599	78.1	74.6-81.6	109	13.2	10.3-16.1	68	8.7	6.2-11.2
Less Than H.S.	209	46,897	135	59.3	50.1-68.5	30	13.0	7.5-18.5	44	27.7	18.7-36.7
H.S. or G.E.D.	673	113,212	466	69.3	64.6-74.0	127	20.2	16.1-24.3	80	10.5	7.6-13.4
Some Post-H.S.	562	118,660	386	65.9	60.0-71.8	102	19.4	14.7-24.1	74	14.8	10.3-19.3
College Graduate	757	108,103	521	66.9	62.4-71.4	172	26.1	21.8-30.4	64	7.0	4.6- 9.4
Less than \$15,000	204	34,316	114	57.8	48.2-67.4	40	20.8	13.2-28.4	50	21.3	13.9-28.7
\$15,000- 24,999	337	54,656	212	57.0	49.7-64.3	68	22.6	16.5-28.7	57	20.5	13.8-27.2
\$25,000- 34,999	245	38,552	169	68.1	59.5-76.7	41	16.8	10.7-22.9	35	15.1	9.0-21.2
\$35,000- 49,999	264	46,241	179	69.3	62.4-76.2	58	21.0	14.9-27.1	27	9.7	5.4-14.0
\$50,000- 74,999	247	47,803	181	69.5	60.7-78.3	44	17.9	11.2-24.6	22	12.6	5.0-20.2
\$75,000+	490	100,356	339	64.8	58.9-70.7	112	25.1	19.8-30.4	39	10.1	5.8-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2632	576,912	2331	89.1	87.3-90.9	301	10.9	9.1-12.7
Male	1219	282,684	1056	88.3	85.8-90.8	163	11.7	9.2-14.2
Female	1413	294,228	1275	89.8	87.4-92.2	138	10.2	7.8-12.6
White/Non-Hisp	1643	348,033	1535	92.6	90.8-94.4	108	7.4	5.6- 9.2
Black or Afr. Am./Non-Hisp	442	124,441	404	88.8	83.7-93.9	38	11.2	6.1-16.3
Oth. Race/Non-Hisp.	110	26,816	103	97.0	94.5-99.5	7	3.0	0.5- 5.5
Hispanic	333	55,005	189	61.3	54.4-68.2	144	38.7	31.8-45.6
18-24	257	87,905	215	84.8	78.3-91.3	42	15.2	8.7-21.7
25-34	452	125,005	361	84.5	80.2-88.8	91	15.5	11.2-19.8
35-44	422	112,129	348	86.0	82.1-89.9	74	14.0	10.1-17.9
45-54	646	123,197	591	92.9	90.2-95.6	55	7.1	4.4- 9.8
55-64	855	128,677	816	95.4	93.6-97.2	39	4.6	2.8- 6.4
Less Than H.S.	302	72,623	185	65.2	57.6-72.8	117	34.8	27.2-42.4
H.S. or G.E.D.	805	176,349	702	89.1	86.2-92.0	103	10.9	8.0-13.8
Some Post-H.S.	619	166,421	571	91.3	88.0-94.6	48	8.7	5.4-12.0
College Graduate	899	160,094	869	97.6	96.6-98.6	30	2.4	1.4- 3.4
Less than \$15,000	241	44,016	197	79.2	70.2-88.2	44	20.8	11.8-29.8
\$15,000- 24,999	410	75,789	300	76.3	71.0-81.6	110	23.7	18.4-29.0
\$25,000- 34,999	221	44,874	193	87.4	81.7-93.1	28	12.6	6.9-18.3
\$35,000- 49,999	307	63,961	270	86.9	82.2-91.6	37	13.1	8.4-17.8
\$50,000- 74,999	317	78,306	306	94.8	90.5-99.1	11	5.2	0.9- 9.5
\$75,000+	738	179,126	720	97.5	96.1-98.9	18	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1219	282,684	1056	88.3	85.8-90.8	163	11.7	9.2-14.2
White/Non-Hisp	755	168,368	695	92.5	90.1-94.9	60	7.5	5.1- 9.9
Black or Afr. Am./Non-Hisp	181	59,862	158	85.3	77.3-93.3	23	14.7	6.7-22.7
Oth. Race/Non-Hisp.	69	17,286	64	96.3	92.6- 100	5	3.7	0.0- 7.4
Hispanic	152	24,430	80	60.2	50.2-70.2	72	39.8	29.8-49.8
18-24	147	45,381	120	84.3	76.1-92.5	27	15.7	7.5-23.9
25-34	203	62,350	161	84.7	78.0-91.4	42	15.3	8.6-22.0
35-44	201	54,457	161	84.6	78.9-90.3	40	15.4	9.7-21.1
45-54	303	59,488	275	92.8	89.3-96.3	28	7.2	3.7-10.7
55-64	365	61,008	339	94.0	91.3-96.7	26	6.0	3.3- 8.7
Less Than H.S.	142	35,598	77	58.3	46.3-70.3	65	41.7	29.7-53.7
H.S. or G.E.D.	409	96,965	346	88.2	84.1-92.3	63	11.8	7.7-15.9
Some Post-H.S.	266	74,944	244	93.2	89.7-96.7	22	6.8	3.3-10.3
College Graduate	396	73,869	385	98.1	96.5-99.7	11	1.9	0.3- 3.5
Less than \$15,000	87	16,333	63	69.2	51.6-86.8	24	30.8	13.2-48.4
\$15,000- 24,999	186	34,151	128	73.6	65.8-81.4	58	26.4	18.6-34.2
\$25,000- 34,999	76	16,580	64	81.3	69.3-93.3	12	18.7	6.7-30.7
\$35,000- 49,999	147	30,838	125	86.1	79.8-92.4	22	13.9	7.6-20.2
\$50,000- 74,999	171	43,706	165	95.8	90.5- 100	6	4.2	0.0- 9.5
\$75,000+	362	92,588	351	97.0	94.8-99.2	11	3.0	0.8- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1413	294,228	1275	89.8	87.4-92.2	138	10.2	7.8-12.6
White/Non-Hisp	888	179,665	840	92.7	90.0-95.4	48	7.3	4.6-10.0
Black or Afr. Am./Non-Hisp	261	64,578	246	92.1	86.0-98.2	15	7.9	1.8-14.0
Hispanic	181	30,575	109	62.2	52.6-71.8	72	37.8	28.2-47.4
18-24	110	42,524	95	85.2	74.8-95.6	15	14.8	4.4-25.2
25-34	249	62,656	200	84.3	78.8-89.8	49	15.7	10.2-21.2
35-44	221	57,672	187	87.4	82.1-92.7	34	12.6	7.3-17.9
45-54	343	63,708	316	93.0	88.9-97.1	27	7.0	2.9-11.1
55-64	490	67,669	477	96.6	94.4-98.8	13	3.4	1.2- 5.6
Less Than H.S.	160	37,024	108	71.9	62.5-81.3	52	28.1	18.7-37.5
H.S. or G.E.D.	396	79,385	356	90.3	86.0-94.6	40	9.7	5.4-14.0
Some Post-H.S.	353	91,477	327	89.7	84.4-95.0	26	10.3	5.0-15.6
College Graduate	503	86,225	484	97.2	95.8-98.6	19	2.8	1.4- 4.2
Less than \$15,000	154	27,683	134	85.1	76.5-93.7	20	14.9	6.3-23.5
\$15,000- 24,999	224	41,638	172	78.6	71.5-85.7	52	21.4	14.3-28.5
\$25,000- 34,999	145	28,294	129	90.9	85.4-96.4	16	9.1	3.6-14.6
\$35,000- 49,999	160	33,123	145	87.7	80.6-94.8	15	12.3	5.2-19.4
\$50,000- 74,999	146	34,600	141	93.6	86.7- 100	5	6.4	0.0-13.3
\$75,000+	376	86,537	369	98.1	96.5-99.7	7	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4053	752,516	2856	73.4	71.6-75.2	1197	26.6	24.8-28.4
Male	1808	359,453	1355	77.6	75.1-80.1	453	22.4	19.9-24.9
Female	2245	393,063	1501	69.5	67.0-72.0	744	30.5	28.0-33.0
White/Non-Hisp	2818	483,340	2026	75.0	72.8-77.2	792	25.0	22.8-27.2
Black or Afr. Am./Non-Hisp	573	150,763	374	69.7	64.8-74.6	199	30.3	25.4-35.2
Oth. Race/Non-Hisp.	133	29,688	96	77.0	68.4-85.6	37	23.0	14.4-31.6
MultiRacial/Non-Hisp.	67	13,753	47	69.4	55.1-83.7	20	30.6	16.3-44.9
Hispanic	358	58,095	243	69.7	63.4-76.0	115	30.3	24.0-36.6
18-24	262	90,343	209	82.5	76.8-88.2	53	17.5	11.8-23.2
25-34	454	125,433	360	77.7	72.2-83.2	94	22.3	16.8-27.8
35-44	424	112,681	314	76.3	71.4-81.2	110	23.7	18.8-28.6
45-54	646	123,197	448	71.7	67.2-76.2	198	28.3	23.8-32.8
55-64	855	128,707	571	68.8	64.9-72.7	284	31.2	27.3-35.1
65+	1368	167,299	920	67.8	64.7-70.9	448	32.2	29.1-35.3
Less Than H.S.	401	92,813	216	55.4	48.5-62.3	185	44.6	37.7-51.5
H.S. or G.E.D.	1248	232,612	767	67.2	63.7-70.7	481	32.8	29.3-36.3
Some Post-H.S.	989	219,033	710	76.6	73.3-79.9	279	23.4	20.1-26.7
College Graduate	1399	205,003	1156	85.3	82.9-87.7	243	14.7	12.3-17.1
Less than \$15,000	315	52,737	171	53.7	45.5-61.9	144	46.3	38.1-54.5
\$15,000- 24,999	602	100,850	349	60.6	55.3-65.9	253	39.4	34.1-44.7
\$25,000- 34,999	382	63,442	242	65.3	58.4-72.2	140	34.7	27.8-41.6
\$35,000- 49,999	507	90,224	346	68.2	62.9-73.5	161	31.8	26.5-37.1
\$50,000- 74,999	514	103,931	409	81.8	77.3-86.3	105	18.2	13.7-22.7
\$75,000+	1010	212,172	853	85.9	83.2-88.6	157	14.1	11.4-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	359,453	1355	77.6	75.1-80.1	453	22.4	19.9-24.9
White/Non-Hisp	1249	228,689	934	77.4	74.3-80.5	315	22.6	19.5-25.7
Black or Afr. Am./Non-Hisp	219	69,247	165	79.6	73.1-86.1	54	20.4	13.9-26.9
Oth. Race/Non-Hisp.	83	19,110	61	76.4	64.8-88.0	22	23.6	12.0-35.2
Hispanic	165	26,190	125	79.2	71.9-86.5	40	20.8	13.5-28.1
18-24	148	45,780	127	87.6	80.9-94.3	21	12.4	5.7-19.1
25-34	204	62,596	173	81.8	73.4-90.2	31	18.2	9.8-26.6
35-44	203	55,009	156	82.2	76.3-88.1	47	17.8	11.9-23.7
45-54	303	59,488	212	73.6	67.3-79.9	91	26.4	20.1-32.7
55-64	365	61,008	257	71.4	65.7-77.1	108	28.6	22.9-34.3
65+	573	74,662	418	72.6	67.9-77.3	155	27.4	22.7-32.1
Less Than H.S.	188	45,672	110	60.2	50.0-70.4	78	39.8	29.6-50.0
H.S. or G.E.D.	563	117,648	384	74.3	69.8-78.8	179	25.7	21.2-30.2
Some Post-H.S.	416	98,629	325	82.9	78.8-87.0	91	17.1	13.0-21.2
College Graduate	634	96,169	534	85.4	81.7-89.1	100	14.6	10.9-18.3
Less than \$15,000	105	17,940	72	69.5	57.7-81.3	33	30.5	18.7-42.3
\$15,000- 24,999	260	45,636	156	64.0	56.4-71.6	104	36.0	28.4-43.6
\$25,000- 34,999	134	24,392	87	68.9	58.7-79.1	47	31.1	20.9-41.3
\$35,000- 49,999	238	43,444	179	74.3	67.2-81.4	59	25.7	18.6-32.8
\$50,000- 74,999	265	55,997	221	85.3	79.2-91.4	44	14.7	8.6-20.8
\$75,000+	520	111,857	443	86.6	82.9-90.3	77	13.4	9.7-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2245	393,063	1501	69.5	67.0-72.0	744	30.5	28.0-33.0
White/Non-Hisp	1569	254,651	1092	72.9	70.0-75.8	477	27.1	24.2-30.0
Black or Afr. Am./Non-Hisp	354	81,516	209	61.3	54.4-68.2	145	38.7	31.8-45.6
Oth. Race/Non-Hisp.	50	10,578	35	78.1	65.8-90.4	15	21.9	9.6-34.2
Hispanic	193	31,904	118	62.0	52.8-71.2	75	38.0	28.8-47.2
18-24	114	44,563	82	77.3	67.9-86.7	32	22.7	13.3-32.1
25-34	250	62,837	187	73.7	66.6-80.8	63	26.3	19.2-33.4
35-44	221	57,672	158	70.6	63.0-78.2	63	29.4	21.8-37.0
45-54	343	63,708	236	69.9	63.4-76.4	107	30.1	23.6-36.6
55-64	490	67,699	314	66.4	60.9-71.9	176	33.6	28.1-39.1
65+	795	92,637	502	63.9	59.6-68.2	293	36.1	31.8-40.4
Less Than H.S.	213	47,141	106	50.8	41.6-60.0	107	49.2	40.0-58.4
H.S. or G.E.D.	685	114,965	383	59.9	55.0-64.8	302	40.1	35.2-45.0
Some Post-H.S.	573	120,404	385	71.3	66.4-76.2	188	28.7	23.8-33.6
College Graduate	765	108,834	622	85.3	82.2-88.4	143	14.7	11.6-17.8
Less than \$15,000	210	34,797	99	45.5	35.7-55.3	111	54.5	44.7-64.3
\$15,000- 24,999	342	55,215	193	57.8	50.7-64.9	149	42.2	35.1-49.3
\$25,000- 34,999	248	39,050	155	63.1	53.7-72.5	93	36.9	27.5-46.3
\$35,000- 49,999	269	46,781	167	62.5	55.1-69.9	102	37.5	30.1-44.9
\$50,000- 74,999	249	47,934	188	77.7	71.0-84.4	61	22.3	15.6-29.0
\$75,000+	490	100,314	410	85.2	80.9-89.5	80	14.8	10.5-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4022	746,053	384	7.0	6.0- 8.0	3638	93.0	92.0-94.0
Male	1786	354,579	199	8.2	6.6- 9.8	1587	91.8	90.2-93.4
Female	2236	391,474	185	6.0	4.8- 7.2	2051	94.0	92.8-95.2
White/Non-Hisp	2802	478,822	300	8.3	7.1- 9.5	2502	91.7	90.5-92.9
Black or Afr. Am./Non-Hisp	570	150,163	37	4.4	2.4- 6.4	533	95.6	93.6-97.6
Oth. Race/Non-Hisp.	131	29,420	11	5.6	0.3-10.9	120	94.4	89.1-99.7
MultiRacial/Non-Hisp.	67	13,753	12	13.0	4.2-21.8	55	87.0	78.2-95.8
Hispanic	354	57,655	16	2.9	1.3- 4.5	338	97.1	95.5-98.7
18-24	262	90,343	3	1.4	0.0- 3.4	259	98.6	96.6- 100
25-34	450	122,630	8	1.1	0.3- 1.9	442	98.9	98.1-99.7
35-44	421	112,346	8	1.0	0.2- 1.8	413	99.0	98.2-99.8
45-54	642	122,710	40	5.8	3.1- 8.5	602	94.2	91.5-96.9
55-64	848	127,444	91	11.0	8.1-13.9	757	89.0	86.1-91.9
65+	1356	165,759	233	16.6	14.1-19.1	1123	83.4	80.9-85.9
Less Than H.S.	391	89,279	45	8.7	5.6-11.8	346	91.3	88.2-94.4
H.S. or G.E.D.	1240	231,216	140	8.3	6.5-10.1	1100	91.7	89.9-93.5
Some Post-H.S.	982	217,914	104	7.2	5.2- 9.2	878	92.8	90.8-94.8
College Graduate	1393	204,589	94	4.9	3.5- 6.3	1299	95.1	93.7-96.5
Less than \$15,000	305	51,646	59	16.1	10.8-21.4	246	83.9	78.6-89.2
\$15,000- 24,999	596	99,839	67	7.9	5.5-10.3	529	92.1	89.7-94.5
\$25,000- 34,999	379	63,088	49	9.4	5.7-13.1	330	90.6	86.9-94.3
\$35,000- 49,999	507	90,224	62	10.4	7.3-13.5	445	89.6	86.5-92.7
\$50,000- 74,999	512	103,751	37	4.5	2.7- 6.3	475	95.5	93.7-97.3
\$75,000+	1008	212,007	46	4.3	2.5- 6.1	962	95.7	93.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	354,579	199	8.2	6.6- 9.8	1587	91.8	90.2-93.4
White/Non-Hisp	1240	225,531	169	10.3	8.3-12.3	1071	89.7	87.7-91.7
Black or Afr. Am./Non-Hisp	216	68,738	9	4.0	0.7- 7.3	207	96.0	92.7-99.3
Oth. Race/Non-Hisp.	81	18,842	8	7.3	0.0-15.1	73	92.7	84.9- 100
Hispanic	161	25,751	6	2.7	0.3- 5.1	155	97.3	94.9-99.7
18-24	148	45,780	2	1.0	0.0- 2.8	146	99.0	97.2- 100
25-34	201	60,246	1	0.2	0.0- 0.6	200	99.8	99.4- 100
35-44	201	54,745	3	0.9	0.0- 2.1	198	99.1	97.9- 100
45-54	300	59,133	22	7.2	2.7-11.7	278	92.8	88.3-97.3
55-64	361	60,304	51	14.4	9.5-19.3	310	85.6	80.7-90.5
65+	563	73,461	120	20.3	16.2-24.4	443	79.7	75.6-83.8
Less Than H.S.	179	42,241	24	9.0	4.5-13.5	155	91.0	86.5-95.5
H.S. or G.E.D.	558	116,851	67	8.5	5.8-11.2	491	91.5	88.8-94.2
Some Post-H.S.	413	98,349	51	9.5	6.0-13.0	362	90.5	87.0-94.0
College Graduate	629	95,803	57	6.1	4.3- 7.9	572	93.9	92.1-95.7
Less than \$15,000	98	17,109	18	15.1	6.9-23.3	80	84.9	76.7-93.1
\$15,000- 24,999	256	44,854	36	10.1	6.0-14.2	220	89.9	85.8-94.0
\$25,000- 34,999	132	24,203	19	11.0	3.9-18.1	113	89.0	81.9-96.1
\$35,000- 49,999	238	43,444	40	14.7	9.2-20.2	198	85.3	79.8-90.8
\$50,000- 74,999	263	55,817	24	4.7	2.3- 7.1	239	95.3	92.9-97.7
\$75,000+	518	111,750	34	6.1	3.2- 9.0	484	93.9	91.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	391,474	185	6.0	4.8- 7.2	2051	94.0	92.8-95.2
White/Non-Hisp	1562	253,292	131	6.5	4.9- 8.1	1431	93.5	91.9-95.1
Black or Afr. Am./Non-Hisp	354	81,426	28	4.7	2.5- 6.9	326	95.3	93.1-97.5
Oth. Race/Non-Hisp.	50	10,578	3	2.5	0.0- 6.0	47	97.5	94.0- 100
Hispanic	193	31,904	10	3.0	0.8- 5.2	183	97.0	94.8-99.2
18-24	114	44,563	1	1.7	0.0- 5.0	113	98.3	95.0- 100
25-34	249	62,384	7	1.9	0.3- 3.5	242	98.1	96.5-99.7
35-44	220	57,601	5	1.1	0.0- 2.3	215	98.9	97.7- 100
45-54	342	63,578	18	4.5	1.6- 7.4	324	95.5	92.6-98.4
55-64	487	67,139	40	7.9	5.0-10.8	447	92.1	89.2-95.0
65+	793	92,298	113	13.7	10.8-16.6	680	86.3	83.4-89.2
Less Than H.S.	212	47,039	21	8.4	3.9-12.9	191	91.6	87.1-96.1
H.S. or G.E.D.	682	114,365	73	8.0	5.6-10.4	609	92.0	89.6-94.4
Some Post-H.S.	569	119,565	53	5.2	3.4- 7.0	516	94.8	93.0-96.6
College Graduate	764	108,786	37	3.9	2.1- 5.7	727	96.1	94.3-97.9
Less than \$15,000	207	34,537	41	16.5	9.8-23.2	166	83.5	76.8-90.2
\$15,000- 24,999	340	54,985	31	6.0	3.5- 8.5	309	94.0	91.5-96.5
\$25,000- 34,999	247	38,885	30	8.4	4.5-12.3	217	91.6	87.7-95.5
\$35,000- 49,999	269	46,781	22	6.4	3.3- 9.5	247	93.6	90.5-96.7
\$50,000- 74,999	249	47,934	13	4.3	1.6- 7.0	236	95.7	93.0-98.4
\$75,000+	490	100,256	12	2.3	0.5- 4.1	478	97.7	95.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4046	750,716	3528	87.2	85.8-88.6	518	12.8	11.4-14.2
Male	1802	358,579	1610	89.2	87.2-91.2	192	10.8	8.8-12.8
Female	2244	392,136	1918	85.4	83.4-87.4	326	14.6	12.6-16.6
White/Non-Hisp	2817	482,688	2479	88.6	87.0-90.2	338	11.4	9.8-13.0
Black or Afr. Am./Non-Hisp	574	150,824	481	83.3	79.2-87.4	93	16.7	12.6-20.8
Oth. Race/Non-Hisp.	131	29,384	113	86.5	78.7-94.3	18	13.5	5.7-21.3
MultiRacial/Non-Hisp.	67	13,753	52	80.7	68.5-92.9	15	19.3	7.1-31.5
Hispanic	355	57,401	316	89.1	85.2-93.0	39	10.9	7.0-14.8
18-24	261	90,269	214	81.4	75.5-87.3	47	18.6	12.7-24.5
25-34	451	124,171	385	87.2	83.3-91.1	66	12.8	8.9-16.7
35-44	424	112,681	363	85.8	81.7-89.9	61	14.2	10.1-18.3
45-54	645	123,140	564	87.5	84.0-91.0	81	12.5	9.0-16.0
55-64	855	128,711	741	88.3	85.8-90.8	114	11.7	9.2-14.2
65+	1366	166,887	1223	90.5	88.5-92.5	143	9.5	7.5-11.5
Less Than H.S.	399	92,683	337	83.5	78.6-88.4	62	16.5	11.6-21.4
H.S. or G.E.D.	1248	232,472	1078	87.2	84.7-89.7	170	12.8	10.3-15.3
Some Post-H.S.	988	218,434	850	87.5	85.0-90.0	138	12.5	10.0-15.0
College Graduate	1395	204,073	1251	89.1	86.7-91.5	144	10.9	8.5-13.3
Less than \$15,000	312	52,534	238	77.8	71.3-84.3	74	22.2	15.7-28.7
\$15,000- 24,999	603	100,884	507	83.5	79.6-87.4	96	16.5	12.6-20.4
\$25,000- 34,999	381	63,351	326	86.1	81.4-90.8	55	13.9	9.2-18.6
\$35,000- 49,999	507	90,224	446	86.7	82.6-90.8	61	13.3	9.2-17.4
\$50,000- 74,999	513	103,368	452	88.2	84.3-92.1	61	11.8	7.9-15.7
\$75,000+	1008	211,915	920	90.5	88.0-93.0	88	9.5	7.0-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	358,579	1610	89.2	87.2-91.2	192	10.8	8.8-12.8
White/Non-Hisp	1249	228,463	1128	91.2	89.2-93.2	121	8.8	6.8-10.8
Black or Afr. Am./Non-Hisp	219	69,247	188	84.4	78.1-90.7	31	15.6	9.3-21.9
Oth. Race/Non-Hisp.	81	18,807	70	86.6	76.6-96.6	11	13.4	3.4-23.4
Hispanic	163	26,059	147	87.5	80.4-94.6	16	12.5	5.4-19.6
18-24	147	45,706	118	78.2	69.6-86.8	29	21.8	13.2-30.4
25-34	203	62,350	178	88.8	83.7-93.9	25	11.2	6.1-16.3
35-44	203	55,009	180	88.2	82.7-93.7	23	11.8	6.3-17.3
45-54	302	59,431	274	92.6	88.7-96.5	28	7.4	3.5-11.3
55-64	365	61,008	329	91.7	88.6-94.8	36	8.3	5.2-11.4
65+	570	74,165	520	92.4	89.9-94.9	50	7.6	5.1-10.1
Less Than H.S.	186	45,542	164	86.9	80.2-93.6	22	13.1	6.4-19.8
H.S. or G.E.D.	563	117,522	496	87.9	84.2-91.6	67	12.1	8.4-15.8
Some Post-H.S.	415	98,369	369	90.3	86.8-93.8	46	9.7	6.2-13.2
College Graduate	631	95,812	574	90.6	87.5-93.7	57	9.4	6.3-12.5
Less than \$15,000	103	17,809	82	79.9	69.5-90.3	21	20.1	9.7-30.5
\$15,000- 24,999	261	45,670	232	88.3	82.8-93.8	29	11.7	6.2-17.2
\$25,000- 34,999	134	24,392	117	87.6	79.2-96.0	17	12.4	4.0-20.8
\$35,000- 49,999	238	43,444	213	87.8	81.7-93.9	25	12.2	6.1-18.3
\$50,000- 74,999	265	55,997	234	92.3	89.0-95.6	31	7.7	4.4-11.0
\$75,000+	517	111,486	476	91.2	87.9-94.5	41	8.8	5.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2244	392,136	1918	85.4	83.4-87.4	326	14.6	12.6-16.6
White/Non-Hisp	1568	254,226	1351	86.1	83.7-88.5	217	13.9	11.5-16.3
Black or Afr. Am./Non-Hisp	355	81,577	293	82.3	76.8-87.8	62	17.7	12.2-23.2
Oth. Race/Non-Hisp.	50	10,578	43	86.3	73.4-99.2	7	13.7	0.8-26.6
Hispanic	192	31,342	169	90.5	86.2-94.8	23	9.5	5.2-13.8
18-24	114	44,563	96	84.6	76.8-92.4	18	15.4	7.6-23.2
25-34	248	61,821	207	85.5	79.8-91.2	41	14.5	8.8-20.2
35-44	221	57,672	183	83.5	77.6-89.4	38	16.5	10.6-22.4
45-54	343	63,708	290	82.8	77.1-88.5	53	17.2	11.5-22.9
55-64	490	67,703	412	85.2	81.3-89.1	78	14.8	10.9-18.7
65+	796	92,721	703	89.0	86.3-91.7	93	11.0	8.3-13.7
Less Than H.S.	213	47,141	173	80.2	72.8-87.6	40	19.8	12.4-27.2
H.S. or G.E.D.	685	114,950	582	86.4	83.1-89.7	103	13.6	10.3-16.9
Some Post-H.S.	573	120,065	481	85.1	81.2-89.0	92	14.9	11.0-18.8
College Graduate	764	108,261	677	87.8	84.3-91.3	87	12.2	8.7-15.7
Less than \$15,000	209	34,725	156	76.8	68.8-84.8	53	23.2	15.2-31.2
\$15,000- 24,999	342	55,215	275	79.6	73.9-85.3	67	20.4	14.7-26.1
\$25,000- 34,999	247	38,959	209	85.2	79.5-90.9	38	14.8	9.1-20.5
\$35,000- 49,999	269	46,781	233	85.6	80.3-90.9	36	14.4	9.1-19.7
\$50,000- 74,999	248	47,371	218	83.4	76.1-90.7	30	16.6	9.3-23.9
\$75,000+	491	100,429	444	89.8	86.1-93.5	47	10.2	6.5-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4031	747,252	3664	91.5	90.3-92.7	367	8.5	7.3- 9.7
Male	1797	357,460	1679	94.1	92.7-95.5	118	5.9	4.5- 7.3
Female	2234	389,793	1985	89.1	87.3-90.9	249	10.9	9.1-12.7
White/Non-Hisp	2806	480,550	2568	92.5	91.3-93.7	238	7.5	6.3- 8.7
Black or Afr. Am./Non-Hisp	572	150,125	505	89.1	86.0-92.2	67	10.9	7.8-14.0
Oth. Race/Non-Hisp.	130	28,871	117	90.8	84.1-97.5	13	9.2	2.5-15.9
MultiRacial/Non-Hisp.	67	13,753	56	85.9	74.9-96.9	11	14.1	3.1-25.1
Hispanic	354	57,288	329	92.4	88.9-95.9	25	7.6	4.1-11.1
18-24	259	88,914	232	89.7	85.4-94.0	27	10.3	6.0-14.6
25-34	449	123,386	406	92.7	90.0-95.4	43	7.3	4.6-10.0
35-44	424	112,681	379	89.3	85.6-93.0	45	10.7	7.0-14.4
45-54	642	122,764	586	91.5	88.6-94.4	56	8.5	5.6-11.4
55-64	852	128,303	769	91.9	89.7-94.1	83	8.1	5.9-10.3
65+	1361	166,348	1254	93.0	91.4-94.6	107	7.0	5.4- 8.6
Less Than H.S.	399	92,683	351	87.8	83.5-92.1	48	12.2	7.9-16.5
H.S. or G.E.D.	1244	231,758	1122	91.6	89.6-93.6	122	8.4	6.4-10.4
Some Post-H.S.	982	217,238	886	91.6	89.4-93.8	96	8.4	6.2-10.6
College Graduate	1390	202,519	1293	93.4	91.6-95.2	97	6.6	4.8- 8.4
Less than \$15,000	311	52,490	250	81.0	74.9-87.1	61	19.0	12.9-25.1
\$15,000- 24,999	603	100,884	529	87.5	84.0-91.0	74	12.5	9.0-16.0
\$25,000- 34,999	381	63,351	341	90.9	87.4-94.4	40	9.1	5.6-12.6
\$35,000- 49,999	504	88,912	466	90.8	87.3-94.3	38	9.2	5.7-12.7
\$50,000- 74,999	511	103,060	472	93.1	90.2-96.0	39	6.9	4.0- 9.8
\$75,000+	1006	211,429	945	94.2	92.4-96.0	61	5.8	4.0- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	357,460	1679	94.1	92.7-95.5	118	5.9	4.5- 7.3
White/Non-Hisp	1247	228,155	1170	95.2	93.8-96.6	77	4.8	3.4- 6.2
Black or Afr. Am./Non-Hisp	217	68,548	200	92.9	88.8-97.0	17	7.1	3.0-11.2
Oth. Race/Non-Hisp.	81	18,807	74	90.9	82.3-99.5	7	9.1	0.5-17.7
Hispanic	162	25,946	153	90.9	84.4-97.4	9	9.1	2.6-15.6
18-24	146	45,179	133	90.8	85.1-96.5	13	9.2	3.5-14.9
25-34	203	62,350	192	95.0	91.7-98.3	11	5.0	1.7- 8.3
35-44	203	55,009	189	92.4	87.7-97.1	14	7.6	2.9-12.3
45-54	301	59,260	285	96.5	93.8-99.2	16	3.5	0.8- 6.2
55-64	364	60,981	337	94.7	92.5-96.9	27	5.3	3.1- 7.5
65+	568	73,772	532	94.3	92.1-96.5	36	5.7	3.5- 7.9
Less Than H.S.	186	45,542	171	93.2	88.9-97.5	15	6.8	2.5-11.1
H.S. or G.E.D.	562	116,995	520	94.1	91.7-96.5	42	5.9	3.5- 8.3
Some Post-H.S.	412	97,804	386	93.9	91.0-96.8	26	6.1	3.2- 9.0
College Graduate	630	95,785	595	94.5	92.1-96.9	35	5.5	3.1- 7.9
Less than \$15,000	103	17,809	86	84.7	75.7-93.7	17	15.3	6.3-24.3
\$15,000- 24,999	261	45,670	242	92.6	88.5-96.7	19	7.4	3.3-11.5
\$25,000- 34,999	134	24,392	122	93.9	89.4-98.4	12	6.1	1.6-10.6
\$35,000- 49,999	237	42,917	223	92.2	86.7-97.7	14	7.8	2.3-13.3
\$50,000- 74,999	263	55,690	247	96.3	94.1-98.5	16	3.7	1.5- 5.9
\$75,000+	516	111,315	491	95.1	92.7-97.5	25	4.9	2.5- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	389,793	1985	89.1	87.3-90.9	249	10.9	9.1-12.7
White/Non-Hisp	1559	252,395	1398	90.1	88.1-92.1	161	9.9	7.9-11.9
Black or Afr. Am./Non-Hisp	355	81,577	305	85.8	81.1-90.5	50	14.2	9.5-18.9
Hispanic	192	31,342	176	93.6	90.3-96.9	16	6.4	3.1- 9.7
18-24	113	43,735	99	88.6	81.9-95.3	14	11.4	4.7-18.1
25-34	246	61,036	214	90.4	86.3-94.5	32	9.6	5.5-13.7
35-44	221	57,672	190	86.4	80.9-91.9	31	13.6	8.1-19.1
45-54	341	63,504	301	86.9	82.0-91.8	40	13.1	8.2-18.0
55-64	488	67,323	432	89.3	85.8-92.8	56	10.7	7.2-14.2
65+	793	92,576	722	92.0	89.6-94.4	71	8.0	5.6-10.4
Less Than H.S.	213	47,141	180	82.6	75.3-89.9	33	17.4	10.1-24.7
H.S. or G.E.D.	682	114,763	602	89.0	86.1-91.9	80	11.0	8.1-13.9
Some Post-H.S.	570	119,435	500	89.7	86.8-92.6	70	10.3	7.4-13.2
College Graduate	760	106,734	698	92.3	89.9-94.7	62	7.7	5.3-10.1
Less than \$15,000	208	34,681	164	79.1	71.1-87.1	44	20.9	12.9-28.9
\$15,000- 24,999	342	55,215	287	83.2	77.9-88.5	55	16.8	11.5-22.1
\$25,000- 34,999	247	38,959	219	88.9	84.0-93.8	28	11.1	6.2-16.0
\$35,000- 49,999	267	45,995	243	89.5	84.8-94.2	24	10.5	5.8-15.2
\$50,000- 74,999	248	47,371	225	89.3	83.6-95.0	23	10.7	5.0-16.4
\$75,000+	490	100,114	454	93.3	90.6-96.0	36	6.7	4.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4031	747,252	367	8.5	7.3- 9.7	136	3.9	2.9- 4.9	3528	87.6	86.2-89.0
Male	1797	357,460	118	5.9	4.5- 7.3	69	4.6	3.2- 6.0	1610	89.5	87.5-91.5
Female	2234	389,793	249	10.9	9.1-12.7	67	3.2	2.0- 4.4	1918	85.9	83.9-87.9
White/Non-Hisp	2806	480,550	238	7.5	6.3- 8.7	89	3.6	2.6- 4.6	2479	89.0	87.4-90.6
Black or Afr. Am./Non-Hisp	572	150,125	67	10.9	7.8-14.0	24	5.4	2.5- 8.3	481	83.7	79.6-87.8
Oth. Race/Non-Hisp.	130	28,871	13	9.2	2.5-15.9	4	2.8	0.0- 6.5	113	88.0	80.6-95.4
MultiRacial/Non-Hisp.	67	13,753	11	14.1	3.1-25.1	4	5.2	0.0-11.5	52	80.7	68.5-92.9
Hispanic	354	57,288	25	7.6	4.1-11.1	13	3.1	1.1- 5.1	316	89.3	85.4-93.2
18-24	259	88,914	27	10.3	6.0-14.6	18	7.1	3.0-11.2	214	82.6	76.9-88.3
25-34	449	123,386	43	7.3	4.6-10.0	21	5.0	2.1- 7.9	385	87.7	84.0-91.4
35-44	424	112,681	45	10.7	7.0-14.4	16	3.5	1.3- 5.7	363	85.8	81.7-89.9
45-54	642	122,764	56	8.5	5.6-11.4	22	3.7	1.3- 6.1	564	87.8	84.3-91.3
55-64	852	128,303	83	8.1	5.9-10.3	28	3.3	1.7- 4.9	741	88.6	86.1-91.1
65+	1361	166,348	107	7.0	5.4- 8.6	31	2.2	1.2- 3.2	1223	90.8	88.8-92.8
Less Than H.S.	399	92,683	48	12.2	7.9-16.5	14	4.3	1.6- 7.0	337	83.5	78.6-88.4
H.S. or G.E.D.	1244	231,758	122	8.4	6.4-10.4	44	4.1	2.3- 5.9	1078	87.5	85.0-90.0
Some Post-H.S.	982	217,238	96	8.4	6.2-10.6	36	3.7	2.1- 5.3	850	87.9	85.4-90.4
College Graduate	1390	202,519	97	6.6	4.8- 8.4	42	3.6	1.8- 5.4	1251	89.8	87.4-92.2
Less than \$15,000	311	52,490	61	19.0	12.9-25.1	12	3.1	0.9- 5.3	238	77.9	71.4-84.4
\$15,000- 24,999	603	100,884	74	12.5	9.0-16.0	22	3.9	1.5- 6.3	507	83.5	79.6-87.4
\$25,000- 34,999	381	63,351	40	9.1	5.6-12.6	15	4.7	1.4- 8.0	326	86.1	81.4-90.8
\$35,000- 49,999	504	88,912	38	9.2	5.7-12.7	20	2.8	1.4- 4.2	446	87.9	84.2-91.6
\$50,000- 74,999	511	103,060	39	6.9	4.0- 9.8	20	4.6	1.7- 7.5	452	88.5	84.6-92.4
\$75,000+	1006	211,429	61	5.8	4.0- 7.6	25	3.5	1.7- 5.3	920	90.7	88.2-93.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	357,460	118	5.9	4.5- 7.3	69	4.6	3.2- 6.0	1610	89.5	87.5-91.5
White/Non-Hisp	1247	228,155	77	4.8	3.4- 6.2	42	3.8	2.2- 5.4	1128	91.4	89.4-93.4
Black or Afr. Am./Non-Hisp	217	68,548	17	7.1	3.0-11.2	12	7.6	2.7-12.5	188	85.3	79.0-91.6
Oth. Race/Non-Hisp.	81	18,807	7	9.1	0.5-17.7	4	4.4	0.0- 9.9	70	86.6	76.6-96.6
Hispanic	162	25,946	9	9.1	2.6-15.6	6	3.1	0.4- 5.8	147	87.8	80.9-94.7
18-24	146	45,179	13	9.2	3.5-14.9	15	11.7	4.6-18.8	118	79.2	70.6-87.8
25-34	203	62,350	11	5.0	1.7- 8.3	14	6.2	2.1-10.3	178	88.8	83.7-93.9
35-44	203	55,009	14	7.6	2.9-12.3	9	4.2	0.9- 7.5	180	88.2	82.7-93.7
45-54	301	59,260	16	3.5	0.8- 6.2	11	3.6	0.7- 6.5	274	92.9	89.0-96.8
55-64	364	60,981	27	5.3	3.1- 7.5	8	2.9	0.5- 5.3	329	91.8	88.7-94.9
65+	568	73,772	36	5.7	3.5- 7.9	12	1.4	0.4- 2.4	520	92.9	90.5-95.3
Less Than H.S.	186	45,542	15	6.8	2.5-11.1	7	6.3	1.2-11.4	164	86.9	80.2-93.6
H.S. or G.E.D.	562	116,995	42	5.9	3.5- 8.3	24	5.8	2.9- 8.7	496	88.3	84.6-92.0
Some Post-H.S.	412	97,804	26	6.1	3.2- 9.0	17	3.1	1.1- 5.1	369	90.8	87.5-94.1
College Graduate	630	95,785	35	5.5	3.1- 7.9	21	3.9	1.7- 6.1	574	90.6	87.5-93.7
Less than \$15,000	103	17,809	17	15.3	6.3-24.3	4	4.8	0.0-10.5	82	79.9	69.5-90.3
\$15,000- 24,999	261	45,670	19	7.4	3.3-11.5	10	4.4	0.5- 8.3	232	88.3	82.8-93.8
\$25,000- 34,999	134	24,392	12	6.1	1.6-10.6	5	6.3	0.0-13.7	117	87.6	79.2-96.0
\$35,000- 49,999	237	42,917	14	7.8	2.3-13.3	10	3.3	0.9- 5.7	213	88.9	83.0-94.8
\$50,000- 74,999	263	55,690	16	3.7	1.5- 5.9	13	3.5	1.0- 6.0	234	92.8	89.5-96.1
\$75,000+	516	111,315	25	4.9	2.5- 7.3	15	3.8	1.4- 6.2	476	91.3	88.0-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	389,793	249	10.9	9.1-12.7	67	3.2	2.0- 4.4	1918	85.9	83.9-87.9
White/Non-Hisp	1559	252,395	161	9.9	7.9-11.9	47	3.4	2.0- 4.8	1351	86.8	84.4-89.2
Black or Afr. Am./Non-Hisp	355	81,577	50	14.2	9.5-18.9	12	3.5	0.2- 6.8	293	82.3	76.8-87.8
Hispanic	192	31,342	16	6.4	3.1- 9.7	7	3.1	0.4- 5.8	169	90.5	86.2-94.8
18-24	113	43,735	14	11.4	4.7-18.1	3	2.4	0.0- 5.5	96	86.2	78.9-93.5
25-34	246	61,036	32	9.6	5.5-13.7	7	3.7	0.0- 7.8	207	86.6	81.1-92.1
35-44	221	57,672	31	13.6	8.1-19.1	7	2.8	0.3- 5.3	183	83.5	77.6-89.4
45-54	341	63,504	40	13.1	8.2-18.0	11	3.9	0.2- 7.6	290	83.1	77.2-89.0
55-64	488	67,323	56	10.7	7.2-14.2	20	3.6	1.6- 5.6	412	85.7	81.8-89.6
65+	793	92,576	71	8.0	5.6-10.4	19	2.8	1.2- 4.4	703	89.2	86.5-91.9
Less Than H.S.	213	47,141	33	17.4	10.1-24.7	7	2.4	0.4- 4.4	173	80.2	72.8-87.6
H.S. or G.E.D.	682	114,763	80	11.0	8.1-13.9	20	2.4	1.0- 3.8	582	86.5	83.2-89.8
Some Post-H.S.	570	119,435	70	10.3	7.4-13.2	19	4.2	1.7- 6.7	481	85.6	81.7-89.5
College Graduate	760	106,734	62	7.7	5.3-10.1	21	3.3	0.8- 5.8	677	89.0	85.7-92.3
Less than \$15,000	208	34,681	44	20.9	12.9-28.9	8	2.3	0.5- 4.1	156	76.9	68.9-84.9
\$15,000- 24,999	342	55,215	55	16.8	11.5-22.1	12	3.6	1.1- 6.1	275	79.6	73.9-85.3
\$25,000- 34,999	247	38,959	28	11.1	6.2-16.0	10	3.7	1.0- 6.4	209	85.2	79.5-90.9
\$35,000- 49,999	267	45,995	24	10.5	5.8-15.2	10	2.4	0.8- 4.0	233	87.1	82.2-92.0
\$50,000- 74,999	248	47,371	23	10.7	5.0-16.4	7	5.9	0.4-11.4	218	83.4	76.1-90.7
\$75,000+	490	100,114	36	6.7	4.0- 9.4	10	3.2	0.3- 6.1	444	90.1	86.4-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4038	748,903	1351	26.7	24.9-28.5	2687	73.3	71.5-75.1
Male	1802	357,499	501	22.4	19.9-24.9	1301	77.6	75.1-80.1
Female	2236	391,404	850	30.6	28.1-33.1	1386	69.4	66.9-71.9
White/Non-Hisp	2810	481,463	1048	30.0	27.8-32.2	1762	70.0	67.8-72.2
Black or Afr. Am./Non-Hisp	573	150,748	185	25.3	21.0-29.6	388	74.7	70.4-79.0
Oth. Race/Non-Hisp.	131	29,022	27	14.9	7.3-22.5	104	85.1	77.5-92.7
MultiRacial/Non-Hisp.	67	13,753	20	26.2	12.1-40.3	47	73.8	59.7-87.9
Hispanic	356	57,356	40	11.0	7.3-14.7	316	89.0	85.3-92.7
18-24	261	89,497	5	2.1	0.0- 4.3	256	97.9	95.7- 100
25-34	451	124,171	37	10.0	5.5-14.5	414	90.0	85.5-94.5
35-44	423	112,505	59	13.9	9.8-18.0	364	86.1	82.0-90.2
45-54	640	122,597	189	26.8	22.5-31.1	451	73.2	68.9-77.5
55-64	853	128,268	340	38.4	34.3-42.5	513	61.6	57.5-65.7
65+	1367	167,112	705	51.6	48.3-54.9	662	48.4	45.1-51.7
Less Than H.S.	399	92,535	138	34.7	28.0-41.4	261	65.3	58.6-72.0
H.S. or G.E.D.	1244	231,376	465	29.2	26.1-32.3	779	70.8	67.7-73.9
Some Post-H.S.	987	218,502	363	27.0	23.7-30.3	624	73.0	69.7-76.3
College Graduate	1392	203,436	380	19.8	17.4-22.2	1012	80.2	77.8-82.6
Less than \$15,000	313	52,604	148	35.6	28.5-42.7	165	64.4	57.3-71.5
\$15,000- 24,999	602	100,782	219	31.5	26.6-36.4	383	68.5	63.6-73.4
\$25,000- 34,999	380	63,256	149	34.3	27.4-41.2	231	65.7	58.8-72.6
\$35,000- 49,999	507	90,224	169	27.7	23.0-32.4	338	72.3	67.6-77.0
\$50,000- 74,999	513	103,368	175	26.2	21.3-31.1	338	73.8	68.9-78.7
\$75,000+	1007	211,562	248	19.1	16.2-22.0	759	80.9	78.0-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	357,499	501	22.4	19.9-24.9	1301	77.6	75.1-80.1
White/Non-Hisp	1248	227,789	396	25.9	22.8-29.0	852	74.1	71.0-77.2
Black or Afr. Am./Non-Hisp	219	69,247	56	19.7	13.2-26.2	163	80.3	73.8-86.8
Oth. Race/Non-Hisp.	81	18,445	13	14.5	3.7-25.3	68	85.5	74.7-96.3
Hispanic	164	26,014	17	11.6	5.5-17.7	147	88.4	82.3-94.5
18-24	147	44,934				147	100.0	100.0- 100
25-34	203	62,350	11	10.2	2.4-18.0	192	89.8	82.0-97.6
35-44	202	54,833	27	11.3	6.2-16.4	175	88.7	83.6-93.8
45-54	303	59,488	78	21.3	15.4-27.2	225	78.7	72.8-84.6
55-64	364	60,589	126	33.5	27.4-39.6	238	66.5	60.4-72.6
65+	571	74,395	255	46.1	40.8-51.4	316	53.9	48.6-59.2
Less Than H.S.	187	45,496	56	33.0	22.8-43.2	131	67.0	56.8-77.2
H.S. or G.E.D.	562	116,676	150	19.2	15.5-22.9	412	80.8	77.1-84.5
Some Post-H.S.	415	98,541	136	24.7	19.6-29.8	279	75.3	70.2-80.4
College Graduate	631	95,450	157	18.5	15.0-22.0	474	81.5	78.0-85.0
Less than \$15,000	105	17,940	36	23.8	14.4-33.2	69	76.2	66.8-85.6
\$15,000- 24,999	261	45,670	79	26.6	19.9-33.3	182	73.4	66.7-80.1
\$25,000- 34,999	134	24,392	52	36.1	24.9-47.3	82	63.9	52.7-75.1
\$35,000- 49,999	238	43,444	63	22.9	16.2-29.6	175	77.1	70.4-83.8
\$50,000- 74,999	265	55,997	77	21.7	15.4-28.0	188	78.3	72.0-84.6
\$75,000+	518	111,385	126	17.7	14.0-21.4	392	82.3	78.6-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	391,404	850	30.6	28.1-33.1	1386	69.4	66.9-71.9
White/Non-Hisp	1562	253,674	652	33.7	30.6-36.8	910	66.3	63.2-69.4
Black or Afr. Am./Non-Hisp	354	81,502	129	30.1	24.0-36.2	225	69.9	63.8-76.0
Oth. Race/Non-Hisp.	50	10,578	14	15.6	6.2-25.0	36	84.4	75.0-93.8
Hispanic	192	31,342	23	10.5	5.8-15.2	169	89.5	84.8-94.2
18-24	114	44,563	5	4.3	0.0- 8.6	109	95.7	91.4- 100
25-34	248	61,821	26	9.7	5.2-14.2	222	90.3	85.8-94.8
35-44	221	57,672	32	16.4	10.1-22.7	189	83.6	77.3-89.9
45-54	337	63,109	111	31.9	25.4-38.4	226	68.1	61.6-74.6
55-64	489	67,679	214	42.8	37.1-48.5	275	57.2	51.5-62.9
65+	796	92,717	450	55.9	51.6-60.2	346	44.1	39.8-48.4
Less Than H.S.	212	47,039	82	36.3	27.7-44.9	130	63.7	55.1-72.3
H.S. or G.E.D.	682	114,700	315	39.3	34.6-44.0	367	60.7	56.0-65.4
Some Post-H.S.	572	119,961	227	28.9	24.2-33.6	345	71.1	66.4-75.8
College Graduate	761	107,985	223	21.0	17.7-24.3	538	79.0	75.7-82.3
Less than \$15,000	208	34,664	112	41.8	32.6-51.0	96	58.2	49.0-67.4
\$15,000- 24,999	341	55,113	140	35.5	28.8-42.2	201	64.5	57.8-71.2
\$25,000- 34,999	246	38,865	97	33.1	24.5-41.7	149	66.9	58.3-75.5
\$35,000- 49,999	269	46,781	106	32.2	25.3-39.1	163	67.8	60.9-74.7
\$50,000- 74,999	248	47,371	98	31.5	24.1-38.9	150	68.5	61.1-75.9
\$75,000+	489	100,177	122	20.7	16.2-25.2	367	79.3	74.8-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3940	735,640	1901	55.5	53.3-57.7	2039	44.5	42.3-46.7
Male	1756	349,914	876	57.0	53.9-60.1	880	43.0	39.9-46.1
Female	2184	385,726	1025	54.2	51.3-57.1	1159	45.8	42.9-48.7
White/Non-Hisp	2745	473,848	1324	55.8	53.3-58.3	1421	44.2	41.7-46.7
Black or Afr. Am./Non-Hisp	556	147,343	248	52.0	46.5-57.5	308	48.0	42.5-53.5
Oth. Race/Non-Hisp.	124	27,851	82	73.7	63.9-83.5	42	26.3	16.5-36.1
MultiRacial/Non-Hisp.	65	13,555	31	54.4	38.3-70.5	34	45.6	29.5-61.7
Hispanic	354	57,778	173	53.4	46.5-60.3	181	46.6	39.7-53.5
18-24	259	89,694	232	90.6	85.9-95.3	27	9.4	4.7-14.1
25-34	449	124,187	309	71.3	65.8-76.8	140	28.7	23.2-34.2
35-44	422	111,721	243	63.9	58.4-69.4	179	36.1	30.6-41.6
45-54	639	122,248	346	54.8	49.7-59.9	293	45.2	40.1-50.3
55-64	832	124,958	360	44.5	40.2-48.8	472	55.5	51.2-59.8
65+	1300	158,542	391	26.9	24.2-29.6	909	73.1	70.4-75.8
Less Than H.S.	392	90,763	145	40.6	33.5-47.7	247	59.4	52.3-66.5
H.S. or G.E.D.	1209	226,514	477	50.4	46.5-54.3	732	49.6	45.7-53.5
Some Post-H.S.	956	214,260	431	54.4	50.1-58.7	525	45.6	41.3-49.9
College Graduate	1368	201,080	840	69.4	66.3-72.5	528	30.6	27.5-33.7
Less than \$15,000	308	52,234	90	39.0	30.2-47.8	218	61.0	52.2-69.8
\$15,000- 24,999	583	97,574	218	44.5	39.0-50.0	365	55.5	50.0-61.0
\$25,000- 34,999	370	61,970	144	47.8	39.6-56.0	226	52.2	44.0-60.4
\$35,000- 49,999	496	88,342	205	45.5	39.8-51.2	291	54.5	48.8-60.2
\$50,000- 74,999	501	101,360	271	61.3	55.6-67.0	230	38.7	33.0-44.4
\$75,000+	997	210,384	630	66.9	63.0-70.8	367	33.1	29.2-37.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	349,914	876	57.0	53.9-60.1	880	43.0	39.9-46.1
White/Non-Hisp	1219	223,645	597	55.9	52.2-59.6	622	44.1	40.4-47.8
Black or Afr. Am./Non-Hisp	210	67,175	103	56.5	47.9-65.1	107	43.5	34.9-52.1
Oth. Race/Non-Hisp.	77	17,938	49	70.4	57.5-83.3	28	29.6	16.7-42.5
Hispanic	164	26,085	86	55.6	45.8-65.4	78	44.4	34.6-54.2
18-24	146	45,377	126	87.9	81.2-94.6	20	12.1	5.4-18.8
25-34	202	61,888	158	79.7	71.9-87.5	44	20.3	12.5-28.1
35-44	201	54,049	116	65.2	57.4-73.0	85	34.8	27.0-42.6
45-54	300	58,888	167	54.5	46.7-62.3	133	45.5	37.7-53.3
55-64	355	59,356	160	44.2	37.9-50.5	195	55.8	49.5-62.1
65+	541	69,486	145	23.3	19.2-27.4	396	76.7	72.6-80.8
Less Than H.S.	182	43,934	78	43.3	32.7-53.9	104	56.7	46.1-67.3
H.S. or G.E.D.	548	114,514	247	56.4	50.9-61.9	301	43.6	38.1-49.1
Some Post-H.S.	399	95,992	178	53.4	47.1-59.7	221	46.6	40.3-52.9
College Graduate	620	94,139	370	67.9	63.4-72.4	250	32.1	27.6-36.6
Less than \$15,000	102	17,686	33	48.1	32.6-63.6	69	51.9	36.4-67.4
\$15,000- 24,999	252	43,665	98	44.8	36.6-53.0	154	55.2	47.0-63.4
\$25,000- 34,999	129	23,622	54	49.5	37.3-61.7	75	50.5	38.3-62.7
\$35,000- 49,999	233	42,916	101	49.5	41.1-57.9	132	50.5	42.1-58.9
\$50,000- 74,999	257	53,841	131	58.8	50.6-67.0	126	41.2	33.0-49.4
\$75,000+	513	110,785	313	64.2	58.9-69.5	200	35.8	30.5-41.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2184	385,726	1025	54.2	51.3-57.1	1159	45.8	42.9-48.7
White/Non-Hisp	1526	250,203	727	55.8	52.3-59.3	799	44.2	40.7-47.7
Black or Afr. Am./Non-Hisp	346	80,168	145	48.3	41.2-55.4	201	51.7	44.6-58.8
Hispanic	190	31,693	87	51.6	42.0-61.2	103	48.4	38.8-58.0
18-24	113	44,317	106	93.4	86.7- 100	7	6.6	0.0-13.3
25-34	247	62,299	151	62.9	55.3-70.5	96	37.1	29.5-44.7
35-44	221	57,672	127	62.7	54.9-70.5	94	37.3	29.5-45.1
45-54	339	63,360	179	55.1	48.2-62.0	160	44.9	38.0-51.8
55-64	477	65,602	200	44.6	38.7-50.5	277	55.4	49.5-61.3
65+	759	89,056	246	29.8	25.9-33.7	513	70.2	66.3-74.1
Less Than H.S.	210	46,829	67	37.9	28.7-47.1	143	62.1	52.9-71.3
H.S. or G.E.D.	661	112,000	230	44.4	39.1-49.7	431	55.6	50.3-60.9
Some Post-H.S.	557	118,268	253	55.2	49.1-61.3	304	44.8	38.7-50.9
College Graduate	748	106,941	470	70.6	66.5-74.7	278	29.4	25.3-33.5
Less than \$15,000	206	34,548	57	34.4	24.4-44.4	149	65.6	55.6-75.6
\$15,000- 24,999	331	53,910	120	44.3	37.0-51.6	211	55.7	48.4-63.0
\$25,000- 34,999	241	38,348	90	46.7	35.5-57.9	151	53.3	42.1-64.5
\$35,000- 49,999	263	45,426	104	41.7	33.9-49.5	159	58.3	50.5-66.1
\$50,000- 74,999	244	47,519	140	64.0	56.2-71.8	104	36.0	28.2-43.8
\$75,000+	484	99,598	317	70.0	64.5-75.5	167	30.0	24.5-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 7: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1300	158,542	1097	83.1	80.6-85.6	203	16.9	14.4-19.4
Male	541	69,486	457	83.4	79.5-87.3	84	16.6	12.7-20.5
Female	759	89,056	640	82.8	79.3-86.3	119	17.2	13.7-20.7
White/Non-Hisp	1104	126,100	939	83.7	81.0-86.4	165	16.3	13.6-19.0
Black or Afr. Am./Non-Hisp	120	23,553	95	80.2	71.4-89.0	25	19.8	11.0-28.6
65+	1300	158,542	1097	83.1	80.6-85.6	203	16.9	14.4-19.4
Less Than H.S.	91	18,223	51	60.9	48.9-72.9	40	39.1	27.1-51.1
H.S. or G.E.D.	406	50,883	316	76.8	71.7-81.9	90	23.2	18.1-28.3
Some Post-H.S.	339	47,738	291	88.0	84.1-91.9	48	12.0	8.1-15.9
College Graduate	459	41,193	436	94.9	92.4-97.4	23	5.1	2.6- 7.6
Less than \$15,000	68	8,304	40	59.6	43.1-76.1	28	40.4	23.9-56.9
\$15,000- 24,999	174	20,936	131	71.9	63.7-80.1	43	28.1	19.9-36.3
\$25,000- 34,999	151	17,497	120	78.3	70.3-86.3	31	21.7	13.7-29.7
\$35,000- 49,999	190	24,830	156	79.1	71.5-86.7	34	20.9	13.3-28.5
\$50,000- 74,999	186	24,188	172	93.2	89.1-97.3	14	6.8	2.7-10.9
\$75,000+	256	30,397	239	93.4	90.1-96.7	17	6.6	3.3- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	541	69,486	457	83.4	79.5-87.3	84	16.6	12.7-20.5
White/Non-Hisp	468	56,234	395	82.9	78.8-87.0	73	17.1	13.0-21.2
65+	541	69,486	457	83.4	79.5-87.3	84	16.6	12.7-20.5
H.S. or G.E.D.	142	18,635	110	77.2	69.0-85.4	32	22.8	14.6-31.0
Some Post-H.S.	136	21,528	110	83.4	76.5-90.3	26	16.6	9.7-23.5
College Graduate	221	20,820	212	95.9	92.8-99.0	9	4.1	1.0- 7.2
\$15,000- 24,999	67	9,592	48	66.3	52.6-80.0	19	33.7	20.0-47.4
\$25,000- 34,999	53	7,180	46	89.9	81.5-98.3	7	10.1	1.7-18.5
\$35,000- 49,999	86	12,176	67	76.3	64.7-87.9	19	23.7	12.1-35.3
\$50,000- 74,999	89	11,383	80	90.0	82.4-97.6	9	10.0	2.4-17.6
\$75,000+	149	17,765	137	92.6	88.1-97.1	12	7.4	2.9-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	759	89,056	640	82.8	79.3-86.3	119	17.2	13.7-20.7
White/Non-Hisp	636	69,866	544	84.3	80.8-87.8	92	15.7	12.2-19.2
Black or Afr. Am./Non-Hisp	86	14,950	67	76.9	65.5-88.3	19	23.1	11.7-34.5
65+	759	89,056	640	82.8	79.3-86.3	119	17.2	13.7-20.7
Less Than H.S.	50	9,748	26	56.0	39.5-72.5	24	44.0	27.5-60.5
H.S. or G.E.D.	264	32,247	206	76.5	70.0-83.0	58	23.5	17.0-30.0
Some Post-H.S.	203	26,211	181	91.7	87.8-95.6	22	8.3	4.4-12.2
College Graduate	238	20,373	224	93.8	89.9-97.7	14	6.2	2.3-10.1
Less than \$15,000	53	6,957	29	56.0	36.8-75.2	24	44.0	24.8-63.2
\$15,000- 24,999	107	11,344	83	76.6	66.6-86.6	24	23.4	13.4-33.4
\$25,000- 34,999	98	10,317	74	70.2	58.8-81.6	24	29.8	18.4-41.2
\$35,000- 49,999	104	12,654	89	81.8	71.6-92.0	15	18.2	8.0-28.4
\$50,000- 74,999	97	12,804	92	96.0	92.1-99.9	5	4.0	0.1- 7.9
\$75,000+	107	12,632	102	94.5	89.2-99.8	5	5.5	0.2-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3996	742,877	2651	66.2	64.2-68.2	1345	33.8	31.8-35.8
Male	1784	354,038	1138	64.1	61.0-67.2	646	35.9	32.8-39.0
Female	2212	388,840	1513	68.2	65.5-70.9	699	31.8	29.1-34.5
White/Non-Hisp	2796	479,866	1960	70.4	68.0-72.8	836	29.6	27.2-32.0
Black or Afr. Am./Non-Hisp	555	146,479	335	60.7	55.2-66.2	220	39.3	33.8-44.8
Oth. Race/Non-Hisp.	131	29,282	77	62.6	52.0-73.2	54	37.4	26.8-48.0
MultiRacial/Non-Hisp.	67	13,753	42	59.0	43.1-74.9	25	41.0	25.1-56.9
Hispanic	349	57,234	170	50.2	43.1-57.3	179	49.8	42.7-56.9
18-24	258	89,410	177	74.0	67.1-80.9	81	26.0	19.1-32.9
25-34	445	123,574	239	58.4	52.3-64.5	206	41.6	35.5-47.7
35-44	418	111,367	261	62.4	56.5-68.3	157	37.6	31.7-43.5
45-54	641	122,578	403	62.9	57.8-68.0	238	37.1	32.0-42.2
55-64	842	126,954	565	69.6	65.7-73.5	277	30.4	26.5-34.3
65+	1353	164,648	977	70.1	66.8-73.4	376	29.9	26.6-33.2
Less Than H.S.	390	91,017	119	29.8	23.5-36.1	271	70.2	63.9-76.5
H.S. or G.E.D.	1221	227,466	702	61.7	58.0-65.4	519	38.3	34.6-42.0
Some Post-H.S.	981	217,512	683	71.8	67.9-75.7	298	28.2	24.3-32.1
College Graduate	1392	204,263	1141	81.9	79.4-84.4	251	18.1	15.6-20.6
Less than \$15,000	309	52,137	122	41.9	33.5-50.3	187	58.1	49.7-66.5
\$15,000- 24,999	587	98,228	252	37.7	32.6-42.8	335	62.3	57.2-67.4
\$25,000- 34,999	374	62,434	211	59.4	52.0-66.8	163	40.6	33.2-48.0
\$35,000- 49,999	503	89,797	341	62.9	57.2-68.6	162	37.1	31.4-42.8
\$50,000- 74,999	513	103,512	397	73.8	68.3-79.3	116	26.2	20.7-31.7
\$75,000+	1009	211,848	857	85.1	82.4-87.8	152	14.9	12.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	354,038	1138	64.1	61.0-67.2	646	35.9	32.8-39.0
White/Non-Hisp	1242	227,192	836	66.9	63.4-70.4	406	33.1	29.6-36.6
Black or Afr. Am./Non-Hisp	209	66,081	122	61.6	53.0-70.2	87	38.4	29.8-47.0
Oth. Race/Non-Hisp.	83	19,110	49	62.2	48.9-75.5	34	37.8	24.5-51.1
Hispanic	160	25,664	72	49.7	39.5-59.9	88	50.3	40.1-60.5
18-24	145	44,910	101	76.2	68.2-84.2	44	23.8	15.8-31.8
25-34	199	61,259	107	58.4	49.2-67.6	92	41.6	32.4-50.8
35-44	198	53,935	113	53.7	44.9-62.5	85	46.3	37.5-55.1
45-54	301	59,281	175	60.1	52.5-67.7	126	39.9	32.3-47.5
55-64	359	59,847	225	66.9	61.0-72.8	134	33.1	27.2-39.0
65+	571	73,936	408	69.8	64.7-74.9	163	30.2	25.1-35.3
Less Than H.S.	183	44,613	53	26.6	17.4-35.8	130	73.4	64.2-82.6
H.S. or G.E.D.	552	114,796	301	61.4	56.1-66.7	251	38.6	33.3-43.9
Some Post-H.S.	412	97,667	282	71.2	65.5-76.9	130	28.8	23.1-34.5
College Graduate	632	95,999	500	78.0	73.7-82.3	132	22.0	17.7-26.3
Less than \$15,000	103	17,717	31	37.9	21.2-54.6	72	62.1	45.4-78.8
\$15,000- 24,999	255	44,629	93	33.8	26.4-41.2	162	66.2	58.8-73.6
\$25,000- 34,999	132	24,149	72	58.3	46.9-69.7	60	41.7	30.3-53.1
\$35,000- 49,999	234	43,017	151	64.1	56.1-72.1	83	35.9	27.9-43.9
\$50,000- 74,999	264	55,579	192	68.5	60.5-76.5	72	31.5	23.5-39.5
\$75,000+	519	111,662	422	81.1	76.8-85.4	97	18.9	14.6-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	388,840	1513	68.2	65.5-70.9	699	31.8	29.1-34.5
White/Non-Hisp	1554	252,674	1124	73.6	70.7-76.5	430	26.4	23.5-29.3
Black or Afr. Am./Non-Hisp	346	80,398	213	59.9	52.8-67.0	133	40.1	33.0-47.2
Hispanic	189	31,571	98	50.6	41.0-60.2	91	49.4	39.8-59.0
18-24	113	44,500	76	71.8	60.8-82.8	37	28.2	17.2-39.2
25-34	246	62,315	132	58.4	50.6-66.2	114	41.6	33.8-49.4
35-44	220	57,432	148	70.7	63.3-78.1	72	29.3	21.9-36.7
45-54	340	63,296	228	65.6	58.7-72.5	112	34.4	27.5-41.3
55-64	483	67,107	340	72.1	66.6-77.6	143	27.9	22.4-33.4
65+	782	90,712	569	70.3	66.2-74.4	213	29.7	25.6-33.8
Less Than H.S.	207	46,403	66	33.0	24.4-41.6	141	67.0	58.4-75.6
H.S. or G.E.D.	669	112,671	401	62.0	57.1-66.9	268	38.0	33.1-42.9
Some Post-H.S.	569	119,844	401	72.4	67.1-77.7	168	27.6	22.3-32.9
College Graduate	760	108,265	641	85.3	82.2-88.4	119	14.7	11.6-17.8
Less than \$15,000	206	34,420	91	44.0	34.2-53.8	115	56.0	46.2-65.8
\$15,000- 24,999	332	53,599	159	40.9	33.8-48.0	173	59.1	52.0-66.2
\$25,000- 34,999	242	38,285	139	60.0	50.2-69.8	103	40.0	30.2-49.8
\$35,000- 49,999	269	46,781	190	61.8	54.0-69.6	79	38.2	30.4-46.0
\$50,000- 74,999	249	47,934	205	79.9	72.5-87.3	44	20.1	12.7-27.5
\$75,000+	490	100,185	435	89.6	86.3-92.9	55	10.4	7.1-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3887	724,338	2993	71.0	68.8-73.2	611	21.7	19.7-23.7	47	1.4	0.8- 2.0	70	2.4	1.8- 3.0	17	0.4	0.2- 0.6	149	3.1	2.5- 3.7
Male	1731	345,306	1338	70.7	67.6-73.8	234	20.5	17.6-23.4	28	1.8	0.8- 2.8	45	3.0	2.0- 4.0	9	0.6	0.0- 1.2	77	3.4	2.4- 4.4
Female	2156	379,032	1655	71.3	68.6-74.0	377	22.8	20.1-25.5	19	1.1	0.5- 1.7	25	1.9	1.1- 2.7	8	0.2	0.0- 0.4	72	2.8	1.8- 3.8
18-24	246	88,365	163	67.8	60.2-75.4	56	25.0	17.7-32.3	6	1.6	0.2- 3.0	6	2.0	0.2- 3.8	2	0.3	0.0- 0.7	13	3.4	0.9- 5.9
25-34	417	116,164	258	61.9	55.6-68.2	87	24.1	18.2-30.0	8	2.1	0.3- 3.9	23	6.4	3.5- 9.3	2	0.5	0.0- 1.3	39	5.0	3.0- 7.0
35-44	398	107,008	254	64.8	58.9-70.7	75	21.7	16.6-26.8	10	2.9	0.4- 5.4	12	2.9	0.7- 5.1	9	1.0	0.2- 1.8	38	6.7	4.0- 9.4
45-54	628	120,525	452	67.2	61.9-72.5	130	27.9	22.6-33.2	7	0.8	0.2- 1.4	10	2.0	0.4- 3.6	1	0.0	0.0- 0.0	28	2.1	1.1- 3.1
55-64	830	124,953	666	76.8	72.7-80.9	129	19.2	15.3-23.1	9	1.0	0.2- 1.8	8	1.0	0.2- 1.8	2	0.6	0.0- 1.8	16	1.5	0.5- 2.5
65+	1342	164,155	1182	82.0	78.9-85.1	130	15.5	12.4-18.6	7	0.7	0.0- 1.5	9	0.7	0.1- 1.3	1	0.0	0.0- 0.0	13	1.1	0.3- 1.9
Less Than H.S.	347	82,345	202	58.2	50.8-65.6	61	24.4	17.3-31.5	7	2.4	0.0- 4.9	2	0.8	0.0- 2.0	2	0.3	0.0- 0.7	73	13.9	9.8-18.0
H.S. or G.E.D.	1209	225,501	926	71.5	67.8-75.2	225	23.7	20.2-27.2	17	1.5	0.5- 2.5	9	1.1	0.1- 2.1	4	0.5	0.1- 0.9	28	1.7	0.9- 2.5
Some Post-H.S.	965	214,019	757	71.9	67.8-76.0	167	24.0	20.1-27.9	8	1.1	0.1- 2.1	3	0.3	0.0- 0.7	2	0.4	0.0- 1.2	28	2.2	1.0- 3.4
College Graduate	1356	200,211	1100	74.5	71.2-77.8	158	16.1	13.2-19.0	15	1.3	0.5- 2.1	55	6.6	4.6- 8.6	9	0.3	0.1- 0.5	19	1.2	0.4- 2.0
Less than \$15,000	300	50,344	168	47.5	39.1-55.9	85	39.8	31.0-48.6	13	3.7	1.3- 6.1	3	1.6	0.0- 3.8	2	0.3	0.0- 0.7	29	7.1	3.8-10.4
\$15,000- 24,999	563	92,878	381	63.4	57.9-68.9	109	26.3	21.0-31.6	4	0.4	0.0- 0.8	12	2.1	0.5- 3.7	5	0.6	0.0- 1.2	52	7.2	4.7- 9.7
\$25,000- 34,999	365	59,547	272	72.1	65.4-78.8	69	20.9	15.2-26.6	2	0.8	0.0- 2.2	7	2.0	0.2- 3.8	2	0.3	0.0- 0.7	13	3.8	1.1- 6.5
\$35,000- 49,999	494	87,516	399	75.7	70.6-80.8	77	19.9	15.2-24.6	4	1.1	0.0- 2.3	3	1.5	0.0- 3.3	2	0.2	0.0- 0.6	9	1.6	0.4- 2.8
\$50,000- 74,999	507	103,148	410	70.9	64.8-77.0	72	22.7	16.8-28.6	6	1.6	0.0- 3.2	10	3.0	0.8- 5.2	2	0.6	0.0- 1.6	7	1.2	0.0- 2.4
\$75,000+	991	209,326	835	78.1	74.4-81.8	116	17.3	13.8-20.8	10	1.2	0.0- 2.4	18	1.8	0.8- 2.8	2	0.4	0.0- 1.2	10	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	345,306	1338	70.7	67.6-73.8	234	20.5	17.6-23.4	28	1.8	0.8- 2.8	45	3.0	2.0- 4.0	9	0.6	0.0- 1.2	77	3.4	2.4- 4.4
18-24	142	45,372	96	67.3	57.3-77.3	27	23.7	14.1-33.3	4	2.4	0.0- 4.9	5	3.0	0.1- 5.9	2	0.6	0.0- 1.6	8	3.0	0.5- 5.5
25-34	187	57,797	117	61.9	52.3-71.5	32	22.9	13.7-32.1	4	2.3	0.0- 4.8	12	6.2	2.3-10.1	2	1.0	0.0- 2.4	20	5.7	2.6- 8.8
35-44	188	51,088	123	65.4	56.8-74.0	26	18.6	11.3-25.9	6	4.0	0.0- 8.3	9	4.0	0.5- 7.5	3	0.9	0.0- 2.1	21	7.0	3.1-10.9
45-54	296	58,408	211	64.3	56.3-72.3	58	29.3	21.3-37.3	4	1.1	0.0- 2.3	8	2.9	0.4- 5.4	1	0.1	0.0- 0.3	14	2.3	0.5- 4.1
55-64	352	59,375	282	76.1	70.2-82.0	51	18.0	12.5-23.5	5	1.3	0.0- 2.9	4	1.1	0.0- 2.3	1	1.2	0.0- 3.6	9	2.1	0.3- 3.9
65+	558	72,609	504	84.3	79.4-89.2	38	13.0	8.3-17.7	5	0.5	0.1- 0.9	6	1.0	0.0- 2.0				5	1.1	0.0- 2.5
Less Than H.S.	165	41,376	99	57.8	46.8-68.8	21	21.8	11.2-32.4	3	2.3	0.0- 5.6	2	1.5	0.0- 3.7	1	0.2	0.0- 0.6	39	16.4	10.1-22.7
H.S. or G.E.D.	545	113,821	421	71.2	65.5-76.9	92	24.1	18.6-29.6	12	1.5	0.5- 2.5	4	1.0	0.0- 2.0	4	0.9	0.0- 1.9	12	1.3	0.3- 2.3
Some Post-H.S.	404	95,552	323	72.3	66.0-78.6	58	21.7	15.8-27.6	5	2.0	0.0- 4.2	2	0.6	0.0- 1.6	1	0.8	0.0- 2.4	15	2.6	0.8- 4.4
College Graduate	612	93,390	492	74.0	68.9-79.1	63	14.7	10.4-19.0	8	1.9	0.3- 3.5	36	8.3	5.0-11.6	3	0.3	0.0- 0.7	10	0.9	0.1- 1.7
Less than \$15,000	99	16,851	56	51.8	36.1-67.5	22	31.5	14.4-48.6	5	3.7	0.4- 7.0	1	1.1	0.0- 3.3	1	0.5	0.0- 1.5	14	11.4	3.4-19.4
\$15,000- 24,999	240	42,018	162	63.6	55.2-72.0	35	21.6	13.6-29.6	2	0.6	0.0- 1.6	9	3.8	0.9- 6.7	1	0.4	0.0- 1.2	31	10.0	5.7-14.3
\$25,000- 34,999	129	22,885	97	71.4	60.6-82.2	19	17.5	8.5-26.5	2	2.1	0.0- 5.8	5	3.3	0.0- 6.6				6	5.6	0.0-11.5
\$35,000- 49,999	233	42,165	193	78.2	70.8-85.6	26	15.0	8.3-21.7	3	2.1	0.0- 4.6	2	1.9	0.0- 4.8	2	0.5	0.0- 1.3	7	2.3	0.1- 4.5
\$50,000- 74,999	258	55,214	203	67.1	58.1-76.1	37	26.3	17.3-35.3	4	1.2	0.0- 2.6	5	1.9	0.0- 3.9	2	1.2	0.0- 3.0	7	2.3	0.3- 4.3
\$75,000+	508	110,082	420	76.3	71.0-81.6	63	18.1	13.2-23.0	8	2.3	0.1- 4.5	11	1.8	0.4- 3.2	1	0.7	0.0- 2.1	5	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2156	379,032	1655	71.3	68.6-74.0	377	22.8	20.1-25.5	19	1.1	0.5- 1.7	25	1.9	1.1- 2.7	8	0.2	0.0- 0.4	72	2.8	1.8- 3.8
18-24	104	42,992	67	68.3	56.5-80.1	29	26.3	15.1-37.5	2	0.8	0.0- 2.0	1	0.9	0.0- 2.7				5	3.8	0.0- 8.3
25-34	230	58,366	141	61.8	53.6-70.0	55	25.4	18.1-32.7	4	2.0	0.0- 4.5	11	6.5	2.2-10.8				19	4.4	2.0- 6.8
35-44	210	55,920	131	64.3	56.3-72.3	49	24.5	17.2-31.8	4	1.8	0.0- 4.3	3	1.9	0.0- 4.3	6	1.0	0.0- 2.0	17	6.4	2.7-10.1
45-54	332	62,117	241	69.9	63.2-76.6	72	26.7	20.0-33.4	3	0.5	0.0- 1.1	2	1.1	0.0- 2.7				14	1.8	0.6- 3.0
55-64	478	65,578	384	77.4	71.9-82.9	78	20.2	14.7-25.7	4	0.6	0.0- 1.2	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	7	0.8	0.0- 1.6
65+	784	91,546	678	80.2	75.9-84.5	92	17.5	13.4-21.6	2	0.9	0.0- 2.1	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	8	1.0	0.2- 1.8
Less Than H.S.	182	40,968	103	58.6	48.6-68.6	40	27.0	17.6-36.4	4	2.6	0.0- 6.1				1	0.3	0.0- 0.9	34	11.5	6.2-16.8
H.S. or G.E.D.	664	111,680	505	71.9	67.2-76.6	133	23.3	18.8-27.8	5	1.4	0.0- 3.0	5	1.3	0.0- 2.9				16	2.0	0.8- 3.2
Some Post-H.S.	561	118,467	434	71.6	66.1-77.1	109	25.8	20.3-31.3	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	13	1.9	0.3- 3.5
College Graduate	744	106,821	608	74.9	70.2-79.6	95	17.4	13.3-21.5	7	0.8	0.0- 1.6	19	5.1	2.6- 7.6	6	0.4	0.0- 0.8	9	1.5	0.3- 2.7
Less than \$15,000	201	33,493	112	45.4	35.6-55.2	63	43.9	33.5-54.3	8	3.7	0.8- 6.6	2	1.8	0.0- 4.7	1	0.2	0.0- 0.6	15	4.9	2.2- 7.6
\$15,000- 24,999	323	50,860	219	63.2	55.9-70.5	74	30.2	23.1-37.3	2	0.2	0.0- 0.6	3	0.7	0.0- 1.7	4	0.7	0.0- 1.5	21	4.9	2.0- 7.8
\$25,000- 34,999	236	36,662	175	72.6	64.4-80.8	50	23.1	15.5-30.7				2	1.2	0.0- 3.2	2	0.4	0.0- 1.0	7	2.7	0.3- 5.1
\$35,000- 49,999	261	45,350	206	73.4	66.3-80.5	51	24.4	17.5-31.3	1	0.1	0.0- 0.3	1	1.1	0.0- 3.3				2	0.9	0.0- 2.3
\$50,000- 74,999	249	47,934	207	75.3	67.5-83.1	35	18.4	11.5-25.3	2	2.0	0.0- 4.9	5	4.3	0.2- 8.4						
\$75,000+	483	99,244	415	80.1	74.8-85.4	53	16.4	11.3-21.5	2	0.1	0.0- 0.3	7	1.7	0.1- 3.3	1	0.1	0.0- 0.3	5	1.6	0.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3887	724,338	2967	70.4	68.2-72.6	594	21.2	19.2-23.2	41	1.2	0.6- 1.8	70	2.4	1.8- 3.0	16	0.4	0.2- 0.6	199	4.5	3.7- 5.3
Male	1731	345,306	1324	69.8	66.7-72.9	225	20.2	17.3-23.1	27	1.8	0.8- 2.8	45	3.0	2.0- 4.0	8	0.6	0.0- 1.2	102	4.5	3.3- 5.7
Female	2156	379,032	1643	70.8	68.1-73.5	369	22.0	19.5-24.5	14	0.6	0.2- 1.0	25	1.9	1.1- 2.7	8	0.2	0.0- 0.4	97	4.5	3.3- 5.7
18-24	246	88,365	160	66.4	58.6-74.2	51	24.1	16.8-31.4	6	1.6	0.2- 3.0	6	2.0	0.2- 3.8	2	0.3	0.0- 0.7	21	5.6	2.5- 8.7
25-34	417	116,164	254	61.1	54.8-67.4	86	24.0	18.1-29.9	7	1.5	0.1- 2.9	23	6.4	3.5- 9.3	2	0.5	0.0- 1.3	45	6.5	4.1- 8.9
35-44	398	107,008	253	64.7	58.8-70.6	73	21.4	16.3-26.5	9	2.8	0.3- 5.3	12	2.9	0.7- 5.1	8	0.9	0.1- 1.7	43	7.1	4.4- 9.8
45-54	628	120,525	450	66.9	61.6-72.2	126	26.5	21.4-31.6	6	0.7	0.1- 1.3	10	2.0	0.4- 3.6	1	0.0	0.0- 0.0	35	3.9	1.9- 5.9
55-64	830	124,953	659	75.8	71.7-79.9	126	18.9	15.0-22.8	9	1.0	0.2- 1.8	8	1.0	0.2- 1.8	2	0.6	0.0- 1.8	26	2.8	1.2- 4.4
65+	1342	164,155	1174	81.5	78.4-84.6	129	15.4	12.3-18.5	4	0.2	0.0- 0.4	9	0.7	0.1- 1.3	1	0.0	0.0- 0.0	25	2.2	1.0- 3.4
Less Than H.S.	347	82,345	198	56.9	49.5-64.3	61	24.4	17.3-31.5	6	1.6	0.0- 3.4	2	0.8	0.0- 2.0	2	0.3	0.0- 0.7	78	16.2	11.5-20.9
H.S. or G.E.D.	1209	225,501	919	70.9	67.2-74.6	215	22.9	19.4-26.4	16	1.3	0.5- 2.1	9	1.1	0.1- 2.1	4	0.5	0.1- 0.9	46	3.4	2.2- 4.6
Some Post-H.S.	965	214,019	750	71.4	67.3-75.5	163	23.4	19.5-27.3	6	1.0	0.0- 2.0	3	0.3	0.0- 0.7	2	0.4	0.0- 1.2	41	3.5	2.1- 4.9
College Graduate	1356	200,211	1092	73.9	70.4-77.4	155	15.8	12.9-18.7	13	1.2	0.4- 2.0	55	6.6	4.6- 8.6	8	0.3	0.1- 0.5	33	2.2	1.2- 3.2
Less than \$15,000	300	50,344	167	47.3	38.9-55.7	85	39.8	31.0-48.6	12	3.1	1.1- 5.1	3	1.6	0.0- 3.8	2	0.3	0.0- 0.7	31	8.0	4.5-11.5
\$15,000- 24,999	563	92,878	379	63.0	57.5-68.5	108	25.6	20.3-30.9	3	0.4	0.0- 0.8	12	2.1	0.5- 3.7	5	0.6	0.0- 1.2	56	8.3	5.4-11.2
\$25,000- 34,999	365	59,547	269	71.6	64.9-78.3	67	20.6	14.9-26.3	2	0.8	0.0- 2.2	7	2.0	0.2- 3.8	2	0.3	0.0- 0.7	18	4.7	1.8- 7.6
\$35,000- 49,999	494	87,516	397	75.5	70.4-80.6	74	19.0	14.3-23.7	3	1.0	0.0- 2.2	3	1.5	0.0- 3.3	1	0.2	0.0- 0.6	16	2.7	0.9- 4.5
\$50,000- 74,999	507	103,148	406	69.7	63.6-75.8	69	22.3	16.4-28.2	6	1.6	0.0- 3.2	10	3.0	0.8- 5.2	2	0.6	0.0- 1.6	14	2.7	0.7- 4.7
\$75,000+	991	209,326	828	77.4	73.7-81.1	112	16.9	13.4-20.4	10	1.2	0.0- 2.4	18	1.8	0.8- 2.8	2	0.4	0.0- 1.2	21	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	345,306	1324	69.8	66.7-72.9	225	20.2	17.3-23.1	27	1.8	0.8- 2.8	45	3.0	2.0- 4.0	8	0.6	0.0- 1.2	102	4.5	3.3- 5.7
18-24	142	45,372	93	64.5	54.5-74.5	24	23.0	13.4-32.6	4	2.4	0.0- 4.9	5	3.0	0.1- 5.9	2	0.6	0.0- 1.6	14	6.5	2.4-10.6
25-34	187	57,797	114	60.7	51.1-70.3	31	22.7	13.5-31.9	4	2.3	0.0- 4.8	12	6.2	2.3-10.1	2	1.0	0.0- 2.4	24	7.1	3.6-10.6
35-44	188	51,088	123	65.4	56.8-74.0	24	18.1	10.8-25.4	6	4.0	0.0- 8.3	9	4.0	0.5- 7.5	2	0.8	0.0- 2.0	24	7.6	3.7-11.5
45-54	296	58,408	210	64.0	56.0-72.0	57	29.1	21.1-37.1	4	1.1	0.0- 2.3	8	2.9	0.4- 5.4	1	0.1	0.0- 0.3	16	2.8	0.8- 4.8
55-64	352	59,375	278	75.5	69.4-81.6	50	17.9	12.4-23.4	5	1.3	0.0- 2.9	4	1.1	0.0- 2.3	1	1.2	0.0- 3.6	14	2.9	1.1- 4.7
65+	558	72,609	502	83.9	79.0-88.8	37	12.9	8.2-17.6	4	0.5	0.1- 0.9	6	1.0	0.0- 2.0				9	1.8	0.2- 3.4
Less Than H.S.	165	41,376	98	57.3	46.3-68.3	21	21.8	11.2-32.4	3	2.3	0.0- 5.6	2	1.5	0.0- 3.7	1	0.2	0.0- 0.6	40	16.9	10.4-23.4
H.S. or G.E.D.	545	113,821	417	70.2	64.5-75.9	86	23.5	18.0-29.0	12	1.5	0.5- 2.5	4	1.0	0.0- 2.0	4	0.9	0.0- 1.9	22	2.9	1.3- 4.5
Some Post-H.S.	404	95,552	318	71.4	65.1-77.7	56	21.5	15.6-27.4	4	1.9	0.0- 4.1	2	0.6	0.0- 1.6	1	0.8	0.0- 2.4	23	3.8	1.8- 5.8
College Graduate	612	93,390	488	73.1	68.0-78.2	62	14.6	10.3-18.9	8	1.9	0.3- 3.5	36	8.3	5.0-11.6	2	0.2	0.0- 0.6	16	1.9	0.5- 3.3
Less than \$15,000	99	16,851	56	51.8	36.1-67.5	22	31.5	14.4-48.6	5	3.7	0.4- 7.0	1	1.1	0.0- 3.3	1	0.5	0.0- 1.5	14	11.4	3.4-19.4
\$15,000- 24,999	240	42,018	161	63.2	54.8-71.6	35	21.6	13.6-29.6	2	0.6	0.0- 1.6	9	3.8	0.9- 6.7	1	0.4	0.0- 1.2	32	10.4	5.9-14.9
\$25,000- 34,999	129	22,885	95	70.3	59.5-81.1	17	16.6	7.6-25.6	2	2.1	0.0- 5.8	5	3.3	0.0- 6.6				10	7.6	1.3-13.9
\$35,000- 49,999	233	42,165	193	78.2	70.8-85.6	24	14.5	7.8-21.2	3	2.1	0.0- 4.6	2	1.9	0.0- 4.8	1	0.4	0.0- 1.2	10	2.9	0.7- 5.1
\$50,000- 74,999	258	55,214	201	66.2	57.2-75.2	35	25.9	16.9-34.9	4	1.2	0.0- 2.6	5	1.9	0.0- 3.9	2	1.2	0.0- 3.0	11	3.5	1.0- 6.0
\$75,000+	508	110,082	414	75.1	69.8-80.4	61	17.9	13.0-22.8	8	2.3	0.1- 4.5	11	1.8	0.4- 3.2	1	0.7	0.0- 2.1	13	2.3	0.7- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2156	379,032	1643	70.8	68.1-73.5	369	22.0	19.5-24.5	14	0.6	0.2- 1.0	25	1.9	1.1- 2.7	8	0.2	0.0- 0.4	97	4.5	3.3- 5.7
18-24	104	42,992	67	68.3	56.5-80.1	27	25.3	14.3-36.3	2	0.8	0.0- 2.0	1	0.9	0.0- 2.7				7	4.7	0.0- 9.4
25-34	230	58,366	140	61.6	53.4-69.8	55	25.4	18.1-32.7	3	0.7	0.0- 1.7	11	6.5	2.2-10.8				21	5.8	2.5- 9.1
35-44	210	55,920	130	64.1	56.1-72.1	49	24.5	17.2-31.8	3	1.8	0.0- 4.3	3	1.9	0.0- 4.3	6	1.0	0.0- 2.0	19	6.7	2.8-10.6
45-54	332	62,117	240	69.6	62.9-76.3	69	24.0	17.7-30.3	2	0.3	0.0- 0.9	2	1.1	0.0- 2.7				19	5.0	1.7- 8.3
55-64	478	65,578	381	76.0	70.3-81.7	76	19.9	14.4-25.4	4	0.6	0.0- 1.2	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	12	2.6	0.2- 5.0
65+	784	91,546	672	79.6	75.3-83.9	92	17.5	13.4-21.6				3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	16	2.5	0.9- 4.1
Less Than H.S.	182	40,968	100	56.5	46.5-66.5	40	27.0	17.6-36.4	3	0.8	0.0- 1.8				1	0.3	0.0- 0.9	38	15.4	8.5-22.3
H.S. or G.E.D.	664	111,680	502	71.5	66.6-76.4	129	22.3	17.8-26.8	4	1.0	0.0- 2.4	5	1.3	0.0- 2.9				24	3.8	1.8- 5.8
Some Post-H.S.	561	118,467	432	71.5	66.0-77.0	107	25.0	19.5-30.5	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	18	3.2	1.2- 5.2
College Graduate	744	106,821	604	74.6	69.9-79.3	93	16.9	12.8-21.0	5	0.7	0.0- 1.5	19	5.1	2.6- 7.6	6	0.4	0.0- 0.8	17	2.4	1.0- 3.8
Less than \$15,000	201	33,493	111	45.0	35.2-54.8	63	43.9	33.5-54.3	7	2.7	0.3- 5.1	2	1.8	0.0- 4.7	1	0.2	0.0- 0.6	17	6.3	2.8- 9.8
\$15,000- 24,999	323	50,860	218	62.9	55.6-70.2	73	29.0	22.1-35.9	1	0.2	0.0- 0.6	3	0.7	0.0- 1.7	4	0.7	0.0- 1.5	24	6.5	2.8-10.2
\$25,000- 34,999	236	36,662	174	72.4	64.2-80.6	50	23.1	15.5-30.7				2	1.2	0.0- 3.2	2	0.4	0.0- 1.0	8	2.9	0.4- 5.4
\$35,000- 49,999	261	45,350	204	73.1	66.0-80.2	50	23.2	16.5-29.9				1	1.1	0.0- 3.3				6	2.5	0.0- 5.0
\$50,000- 74,999	249	47,934	205	73.8	65.8-81.8	34	18.2	11.3-25.1	2	2.0	0.0- 4.9	5	4.3	0.2- 8.4				3	1.8	0.0- 4.5
\$75,000+	483	99,244	414	80.0	74.7-85.3	51	15.8	10.7-20.9	2	0.1	0.0- 0.3	7	1.7	0.1- 3.3	1	0.1	0.0- 0.3	8	2.2	0.2- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3953	735,923	2821	65.7	63.5-67.9	574	20.5	18.5-22.5	45	1.4	0.8- 2.0	67	2.3	1.7- 2.9	88	2.3	1.7- 2.9	358	7.9	6.9- 8.9
Male	1751	348,819	1250	65.6	62.5-68.7	219	19.9	17.0-22.8	31	2.2	1.2- 3.2	42	2.8	1.8- 3.8	44	2.1	1.3- 2.9	165	7.5	6.1- 8.9
Female	2202	387,104	1571	65.8	62.9-68.7	355	21.1	18.6-23.6	14	0.6	0.2- 1.0	25	1.8	1.0- 2.6	44	2.4	1.4- 3.4	193	8.2	6.6- 9.8
18-24	261	89,948	137	58.9	50.9-66.9	48	23.0	15.9-30.1	5	1.4	0.0- 2.8	5	1.5	0.1- 2.9	11	3.8	1.1- 6.5	55	11.3	7.4-15.2
25-34	445	122,295	216	52.1	45.8-58.4	82	22.0	16.5-27.5	9	1.9	0.3- 3.5	22	6.0	3.3- 8.7	14	2.3	0.7- 3.9	102	15.8	11.9-19.7
35-44	413	109,515	222	57.6	51.7-63.5	70	20.7	15.6-25.8	9	3.0	0.6- 5.4	11	2.8	0.8- 4.8	12	1.7	0.5- 2.9	89	14.2	10.5-17.9
45-54	632	120,841	425	63.6	58.3-68.9	123	26.3	21.2-31.4	7	0.7	0.1- 1.3	10	2.0	0.4- 3.6	11	2.2	0.4- 4.0	56	5.2	3.4- 7.0
55-64	836	125,947	648	74.1	70.0-78.2	121	18.5	14.6-22.4	10	1.5	0.1- 2.9	8	1.0	0.2- 1.8	17	2.0	0.6- 3.4	32	3.0	1.8- 4.2
65+	1341	164,244	1157	80.4	77.3-83.5	127	15.3	12.2-18.4	5	0.2	0.0- 0.4	9	0.7	0.1- 1.3	20	1.7	0.7- 2.7	23	1.7	0.9- 2.5
Less Than H.S.	393	91,416	150	41.0	34.1-47.9	59	21.7	15.2-28.2	5	1.3	0.0- 2.9	1	0.3	0.0- 0.9	9	3.0	0.6- 5.4	169	32.7	26.8-38.6
H.S. or G.E.D.	1224	227,253	878	67.6	63.9-71.3	210	22.6	19.1-26.1	17	1.5	0.7- 2.3	9	1.1	0.1- 2.1	28	2.2	1.2- 3.2	82	5.0	3.6- 6.4
Some Post-H.S.	969	214,582	721	68.1	63.8-72.4	157	22.9	19.0-26.8	6	1.3	0.1- 2.5	3	0.3	0.0- 0.7	25	2.4	1.2- 3.6	57	5.0	3.2- 6.8
College Graduate	1355	200,220	1064	72.1	68.6-75.6	148	15.3	12.4-18.2	17	1.4	0.6- 2.2	53	6.5	4.5- 8.5	25	1.8	0.8- 2.8	48	2.9	1.9- 3.9
Less than \$15,000	311	52,128	149	41.8	34.0-49.6	83	38.3	29.5-47.1	12	2.9	1.1- 4.7	3	1.5	0.0- 3.7	8	2.3	0.5- 4.1	56	13.2	8.9-17.5
\$15,000- 24,999	593	99,057	340	52.2	46.7-57.7	101	23.2	18.3-28.1	2	0.3	0.0- 0.7	10	1.5	0.3- 2.7	9	1.3	0.0- 2.7	131	21.6	17.1-26.1
\$25,000- 34,999	372	61,054	248	63.2	55.8-70.6	66	19.7	14.2-25.2	3	0.9	0.0- 2.3	7	1.9	0.1- 3.7	11	2.2	0.8- 3.6	37	12.0	7.1-16.9
\$35,000- 49,999	497	88,024	381	70.7	65.4-76.0	74	18.9	14.2-23.6	4	1.2	0.0- 2.4	3	1.5	0.0- 3.3	12	2.0	0.4- 3.6	23	5.7	3.0- 8.4
\$50,000- 74,999	507	103,291	399	68.6	62.5-74.7	66	21.6	15.7-27.5	7	2.1	0.3- 3.9	9	2.9	0.7- 5.1	12	2.5	0.5- 4.5	14	2.1	0.5- 3.7
\$75,000+	991	209,148	807	75.2	71.3-79.1	108	16.7	13.2-20.2	12	1.6	0.2- 3.0	18	1.8	0.8- 2.8	16	1.5	0.5- 2.5	30	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,819	1250	65.6	62.5-68.7	219	19.9	17.0-22.8	31	2.2	1.2- 3.2	42	2.8	1.8- 3.8	44	2.1	1.3- 2.9	165	7.5	6.1- 8.9
18-24	148	45,780	80	58.3	48.1-68.5	23	22.5	12.9-32.1	4	2.4	0.0- 4.9	4	2.1	0.0- 4.5	8	4.9	1.2- 8.6	29	9.9	5.4-14.4
25-34	196	59,726	100	53.6	44.0-63.2	30	21.9	13.1-30.7	6	3.2	0.3- 6.1	11	5.9	2.2- 9.6	8	2.3	0.3- 4.3	41	13.2	7.9-18.5
35-44	196	52,435	109	59.0	50.4-67.6	23	17.3	10.2-24.4	6	4.3	0.0- 8.6	8	3.8	0.3- 7.3	8	2.0	0.4- 3.6	42	13.6	8.5-18.7
45-54	297	58,492	196	60.4	52.4-68.4	56	28.9	20.9-36.9	5	1.2	0.0- 2.4	8	2.9	0.4- 5.4	4	0.9	0.0- 1.9	28	5.7	2.8- 8.6
55-64	351	59,280	271	74.0	67.9-80.1	49	17.7	12.2-23.2	6	2.6	0.0- 5.3	4	1.1	0.0- 2.3	8	1.8	0.4- 3.2	13	2.8	1.0- 4.6
65+	556	72,488	491	82.3	77.4-87.2	36	12.7	8.0-17.4	4	0.5	0.1- 0.9	6	1.0	0.0- 2.0	7	1.3	0.1- 2.5	12	2.3	0.9- 3.7
Less Than H.S.	183	44,549	74	45.5	34.9-56.1	20	19.9	9.9-29.9	3	2.1	0.0- 5.2	1	0.5	0.0- 1.5	5	2.6	0.2- 5.0	80	29.5	21.5-37.5
H.S. or G.E.D.	547	113,973	397	67.9	62.2-73.6	85	23.4	17.9-28.9	13	2.0	0.8- 3.2	4	1.0	0.0- 2.0	13	2.0	0.6- 3.4	35	3.7	2.3- 5.1
Some Post-H.S.	407	95,987	302	66.4	59.9-72.9	53	21.1	15.2-27.0	5	2.7	0.0- 5.4	2	0.6	0.0- 1.6	14	2.4	1.0- 3.8	31	6.8	3.5-10.1
College Graduate	608	93,070	474	71.2	66.1-76.3	61	14.5	10.2-18.8	10	2.1	0.3- 3.9	34	8.2	4.9-11.5	11	1.6	0.2- 3.0	18	2.4	1.0- 3.8
Less than \$15,000	102	17,369	46	42.9	28.2-57.6	22	30.6	13.7-47.5	5	3.5	0.2- 6.8	1	1.1	0.0- 3.3	2	1.7	0.0- 4.6	26	20.2	10.4-30.0
\$15,000- 24,999	254	44,341	146	55.6	47.4-63.8	33	19.9	12.3-27.5	2	0.6	0.0- 1.4	7	2.5	0.3- 4.7	3	0.7	0.0- 1.7	63	20.6	14.7-26.5
\$25,000- 34,999	129	23,238	85	59.9	47.9-71.9	17	16.4	7.6-25.2	2	2.1	0.0- 5.8	5	3.3	0.2- 6.4	6	3.7	0.6- 6.8	14	14.6	4.4-24.8
\$35,000- 49,999	234	42,342	184	73.8	66.2-81.4	24	14.4	7.7-21.1	4	2.5	0.0- 5.0	2	1.9	0.0- 4.8	7	1.9	0.3- 3.5	13	5.5	2.0- 9.0
\$50,000- 74,999	258	55,358	196	65.4	56.6-74.2	35	25.9	16.9-34.9	5	2.3	0.1- 4.5	4	1.7	0.0- 3.5	9	3.2	0.7- 5.7	9	1.5	0.3- 2.7
\$75,000+	507	109,922	401	72.1	66.6-77.6	58	17.6	12.7-22.5	9	2.9	0.5- 5.3	11	1.8	0.4- 3.2	12	2.1	0.7- 3.5	16	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	387,104	1571	65.8	62.9-68.7	355	21.1	18.6-23.6	14	0.6	0.2- 1.0	25	1.8	1.0- 2.6	44	2.4	1.4- 3.4	193	8.2	6.6- 9.8
18-24	113	44,168	57	59.6	47.3-71.9	25	23.5	12.9-34.1	1	0.5	0.0- 1.5	1	0.9	0.0- 2.7	3	2.7	0.0- 6.4	26	12.8	6.3-19.3
25-34	249	62,570	116	50.6	42.6-58.6	52	22.2	15.3-29.1	3	0.7	0.0- 1.7	11	6.0	2.1- 9.9	6	2.2	0.0- 4.7	61	18.3	12.4-24.2
35-44	217	57,080	113	56.3	48.1-64.5	47	23.9	16.6-31.2	3	1.8	0.0- 4.3	3	1.8	0.0- 4.0	4	1.4	0.0- 3.2	47	14.8	9.5-20.1
45-54	335	62,349	229	66.7	59.8-73.6	67	23.8	17.5-30.1	2	0.3	0.0- 0.9	2	1.1	0.0- 2.7	7	3.5	0.4- 6.6	28	4.6	2.4- 6.8
55-64	485	66,667	377	74.1	68.4-79.8	72	19.1	13.6-24.6	4	0.6	0.0- 1.2	4	0.8	0.0- 1.8	9	2.2	0.0- 4.4	19	3.2	1.6- 4.8
65+	785	91,757	666	78.9	74.6-83.2	91	17.4	13.3-21.5	1	0.1	0.0- 0.3	3	0.4	0.0- 0.8	13	2.1	0.7- 3.5	11	1.3	0.5- 2.1
Less Than H.S.	210	46,867	76	36.8	28.0-45.6	39	23.4	15.0-31.8	2	0.5	0.0- 1.3				4	3.4	0.0- 7.5	89	35.8	27.2-44.4
H.S. or G.E.D.	677	113,280	481	67.2	62.3-72.1	125	21.7	17.4-26.0	4	1.0	0.0- 2.2	5	1.3	0.0- 2.9	15	2.5	0.9- 4.1	47	6.3	4.1- 8.5
Some Post-H.S.	562	118,595	419	69.4	63.7-75.1	104	24.4	19.1-29.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	11	2.4	0.4- 4.4	26	3.6	1.8- 5.4
College Graduate	747	107,149	590	72.9	68.2-77.6	87	15.9	11.8-20.0	7	0.8	0.0- 1.6	19	5.1	2.6- 7.6	14	2.0	0.6- 3.4	30	3.4	1.8- 5.0
Less than \$15,000	209	34,759	103	41.3	31.9-50.7	61	42.1	31.9-52.3	7	2.6	0.4- 4.8	2	1.8	0.0- 4.7	6	2.6	0.2- 5.0	30	9.7	5.4-14.0
\$15,000- 24,999	339	54,716	194	49.4	42.1-56.7	68	25.8	19.3-32.3				3	0.7	0.0- 1.7	6	1.8	0.0- 4.2	68	22.3	15.8-28.8
\$25,000- 34,999	243	37,816	163	65.3	56.3-74.3	49	21.7	14.4-29.0	1	0.1	0.0- 0.3	2	1.1	0.0- 2.9	5	1.3	0.1- 2.5	23	10.4	5.5-15.3
\$35,000- 49,999	263	45,682	197	67.8	60.4-75.2	50	23.1	16.4-29.8				1	1.1	0.0- 3.3	5	2.1	0.0- 4.6	10	5.9	1.6-10.2
\$50,000- 74,999	249	47,934	203	72.4	64.2-80.6	31	16.7	10.0-23.4	2	2.0	0.0- 4.9	5	4.3	0.2- 8.4	3	1.8	0.0- 4.5	5	2.8	0.0- 6.1
\$75,000+	484	99,226	406	78.7	73.4-84.0	50	15.6	10.5-20.7	3	0.2	0.0- 0.4	7	1.7	0.1- 3.3	4	0.8	0.0- 1.8	14	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3953	735,923	2821	65.7	63.5-67.9	1132	34.3	32.1-36.5
Male	1751	348,819	1250	65.6	62.5-68.7	501	34.4	31.3-37.5
Female	2202	387,104	1571	65.8	62.9-68.7	631	34.2	31.3-37.1
18-24	261	89,948	137	58.9	50.9-66.9	124	41.1	33.1-49.1
25-34	445	122,295	216	52.1	45.8-58.4	229	47.9	41.6-54.2
35-44	413	109,515	222	57.6	51.7-63.5	191	42.4	36.5-48.3
45-54	632	120,841	425	63.6	58.3-68.9	207	36.4	31.1-41.7
55-64	836	125,947	648	74.1	70.0-78.2	188	25.9	21.8-30.0
65+	1341	164,244	1157	80.4	77.3-83.5	184	19.6	16.5-22.7
Less Than H.S.	393	91,416	150	41.0	34.1-47.9	243	59.0	52.1-65.9
H.S. or G.E.D.	1224	227,253	878	67.6	63.9-71.3	346	32.4	28.7-36.1
Some Post-H.S.	969	214,582	721	68.1	63.8-72.4	248	31.9	27.6-36.2
College Graduate	1355	200,220	1064	72.1	68.6-75.6	291	27.9	24.4-31.4
Less than \$15,000	311	52,128	149	41.8	34.0-49.6	162	58.2	50.4-66.0
\$15,000- 24,999	593	99,057	340	52.2	46.7-57.7	253	47.8	42.3-53.3
\$25,000- 34,999	372	61,054	248	63.2	55.8-70.6	124	36.8	29.4-44.2
\$35,000- 49,999	497	88,024	381	70.7	65.4-76.0	116	29.3	24.0-34.6
\$50,000- 74,999	507	103,291	399	68.6	62.5-74.7	108	31.4	25.3-37.5
\$75,000+	991	209,148	807	75.2	71.3-79.1	184	24.8	20.9-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,819	1250	65.6	62.5-68.7	501	34.4	31.3-37.5
18-24	148	45,780	80	58.3	48.1-68.5	68	41.7	31.5-51.9
25-34	196	59,726	100	53.6	44.0-63.2	96	46.4	36.8-56.0
35-44	196	52,435	109	59.0	50.4-67.6	87	41.0	32.4-49.6
45-54	297	58,492	196	60.4	52.4-68.4	101	39.6	31.6-47.6
55-64	351	59,280	271	74.0	67.9-80.1	80	26.0	19.9-32.1
65+	556	72,488	491	82.3	77.4-87.2	65	17.7	12.8-22.6
Less Than H.S.	183	44,549	74	45.5	34.9-56.1	109	54.5	43.9-65.1
H.S. or G.E.D.	547	113,973	397	67.9	62.2-73.6	150	32.1	26.4-37.8
Some Post-H.S.	407	95,987	302	66.4	59.9-72.9	105	33.6	27.1-40.1
College Graduate	608	93,070	474	71.2	66.1-76.3	134	28.8	23.7-33.9
Less than \$15,000	102	17,369	46	42.9	28.2-57.6	56	57.1	42.4-71.8
\$15,000- 24,999	254	44,341	146	55.6	47.4-63.8	108	44.4	36.2-52.6
\$25,000- 34,999	129	23,238	85	59.9	47.9-71.9	44	40.1	28.1-52.1
\$35,000- 49,999	234	42,342	184	73.8	66.2-81.4	50	26.2	18.6-33.8
\$50,000- 74,999	258	55,358	196	65.4	56.6-74.2	62	34.6	25.8-43.4
\$75,000+	507	109,922	401	72.1	66.6-77.6	106	27.9	22.4-33.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	387,104	1571	65.8	62.9-68.7	631	34.2	31.3-37.1
18-24	113	44,168	57	59.6	47.3-71.9	56	40.4	28.1-52.7
25-34	249	62,570	116	50.6	42.6-58.6	133	49.4	41.4-57.4
35-44	217	57,080	113	56.3	48.1-64.5	104	43.7	35.5-51.9
45-54	335	62,349	229	66.7	59.8-73.6	106	33.3	26.4-40.2
55-64	485	66,667	377	74.1	68.4-79.8	108	25.9	20.2-31.6
65+	785	91,757	666	78.9	74.6-83.2	119	21.1	16.8-25.4
Less Than H.S.	210	46,867	76	36.8	28.0-45.6	134	63.2	54.4-72.0
H.S. or G.E.D.	677	113,280	481	67.2	62.3-72.1	196	32.8	27.9-37.7
Some Post-H.S.	562	118,595	419	69.4	63.7-75.1	143	30.6	24.9-36.3
College Graduate	747	107,149	590	72.9	68.2-77.6	157	27.1	22.4-31.8
Less than \$15,000	209	34,759	103	41.3	31.9-50.7	106	58.7	49.3-68.1
\$15,000- 24,999	339	54,716	194	49.4	42.1-56.7	145	50.6	43.3-57.9
\$25,000- 34,999	243	37,816	163	65.3	56.3-74.3	80	34.7	25.7-43.7
\$35,000- 49,999	263	45,682	197	67.8	60.4-75.2	66	32.2	24.8-39.6
\$50,000- 74,999	249	47,934	203	72.4	64.2-80.6	46	27.6	19.4-35.8
\$75,000+	484	99,226	406	78.7	73.4-84.0	78	21.3	16.0-26.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3953	735,923	2821	65.7	63.5-67.9	574	20.5	18.5-22.5	133	4.0	3.2- 4.8	67	1.9	1.3- 2.5	358	7.9	6.9- 8.9
Male	1751	348,819	1250	65.6	62.5-68.7	219	19.9	17.0-22.8	83	5.5	3.9- 7.1	34	1.6	1.0- 2.2	165	7.5	6.1- 8.9
Female	2202	387,104	1571	65.8	62.9-68.7	355	21.1	18.6-23.6	50	2.7	1.7- 3.7	33	2.1	1.1- 3.1	193	8.2	6.6- 9.8
18-24	261	89,948	137	58.9	50.9-66.9	48	23.0	15.9-30.1	11	3.2	1.2- 5.2	10	3.6	1.1- 6.1	55	11.3	7.4-15.2
25-34	445	122,295	216	52.1	45.8-58.4	82	22.0	16.5-27.5	36	8.4	5.3-11.5	9	1.7	0.1- 3.3	102	15.8	11.9-19.7
35-44	413	109,515	222	57.6	51.7-63.5	70	20.7	15.6-25.8	23	6.2	3.1- 9.3	9	1.2	0.2- 2.2	89	14.2	10.5-17.9
45-54	632	120,841	425	63.6	58.3-68.9	123	26.3	21.2-31.4	20	3.0	1.4- 4.6	8	1.9	0.3- 3.5	56	5.2	3.4- 7.0
55-64	836	125,947	648	74.1	70.0-78.2	121	18.5	14.6-22.4	21	2.7	1.1- 4.3	14	1.7	0.5- 2.9	32	3.0	1.8- 4.2
65+	1341	164,244	1157	80.4	77.3-83.5	127	15.3	12.2-18.4	19	1.3	0.5- 2.1	15	1.3	0.5- 2.1	23	1.7	0.9- 2.5
Less Than H.S.	393	91,416	150	41.0	34.1-47.9	59	21.7	15.2-28.2	8	2.1	0.3- 3.9	7	2.4	0.0- 4.8	169	32.7	26.8-38.6
H.S. or G.E.D.	1224	227,253	878	67.6	63.9-71.3	210	22.6	19.1-26.1	33	2.9	1.5- 4.3	21	2.0	1.0- 3.0	82	5.0	3.6- 6.4
Some Post-H.S.	969	214,582	721	68.1	63.8-72.4	157	22.9	19.0-26.8	15	2.1	0.7- 3.5	19	1.9	0.7- 3.1	57	5.0	3.2- 6.8
College Graduate	1355	200,220	1064	72.1	68.6-75.6	148	15.3	12.4-18.2	76	8.3	6.1-10.5	19	1.4	0.6- 2.2	48	2.9	1.9- 3.9
Less than \$15,000	311	52,128	149	41.8	34.0-49.6	83	38.3	29.5-47.1	18	5.0	2.3- 7.7	5	1.7	0.0- 3.5	56	13.2	8.9-17.5
\$15,000- 24,999	593	99,057	340	52.2	46.7-57.7	101	23.2	18.3-28.1	17	2.1	0.9- 3.3	4	1.0	0.0- 2.4	131	21.6	17.1-26.1
\$25,000- 34,999	372	61,054	248	63.2	55.8-70.6	66	19.7	14.2-25.2	12	3.2	1.0- 5.4	9	1.9	0.5- 3.3	37	12.0	7.1-16.9
\$35,000- 49,999	497	88,024	381	70.7	65.4-76.0	74	18.9	14.2-23.6	10	3.3	0.9- 5.7	9	1.4	0.0- 2.8	23	5.7	3.0- 8.4
\$50,000- 74,999	507	103,291	399	68.6	62.5-74.7	66	21.6	15.7-27.5	18	5.6	2.9- 8.3	10	2.0	0.2- 3.8	14	2.1	0.5- 3.7
\$75,000+	991	209,148	807	75.2	71.3-79.1	108	16.7	13.2-20.2	33	3.7	1.9- 5.5	13	1.1	0.3- 1.9	30	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,819	1250	65.6	62.5-68.7	219	19.9	17.0-22.8	83	5.5	3.9- 7.1	34	1.6	1.0- 2.2	165	7.5	6.1- 8.9
18-24	148	45,780	80	58.3	48.1-68.5	23	22.5	12.9-32.1	9	5.0	1.5- 8.5	7	4.4	0.7- 8.1	29	9.9	5.4-14.4
25-34	196	59,726	100	53.6	44.0-63.2	30	21.9	13.1-30.7	17	9.0	4.3-13.7	8	2.3	0.3- 4.3	41	13.2	7.9-18.5
35-44	196	52,435	109	59.0	50.4-67.6	23	17.3	10.2-24.4	17	9.0	3.5-14.5	5	1.1	0.1- 2.1	42	13.6	8.5-18.7
45-54	297	58,492	196	60.4	52.4-68.4	56	28.9	20.9-36.9	15	4.5	1.6- 7.4	2	0.5	0.0- 1.3	28	5.7	2.8- 8.6
55-64	351	59,280	271	74.0	67.9-80.1	49	17.7	12.2-23.2	12	4.2	1.1- 7.3	6	1.2	0.0- 2.4	13	2.8	1.0- 4.6
65+	556	72,488	491	82.3	77.4-87.2	36	12.7	8.0-17.4	12	2.0	0.4- 3.6	5	0.7	0.0- 1.5	12	2.3	0.9- 3.7
Less Than H.S.	183	44,549	74	45.5	34.9-56.1	20	19.9	9.9-29.9	6	3.8	0.3- 7.3	3	1.4	0.0- 3.0	80	29.5	21.5-37.5
H.S. or G.E.D.	547	113,973	397	67.9	62.2-73.6	85	23.4	17.9-28.9	19	3.1	1.5- 4.7	11	1.9	0.5- 3.3	35	3.7	2.3- 5.1
Some Post-H.S.	407	95,987	302	66.4	59.9-72.9	53	21.1	15.2-27.0	10	4.1	1.2- 7.0	11	1.7	0.5- 2.9	31	6.8	3.5-10.1
College Graduate	608	93,070	474	71.2	66.1-76.3	61	14.5	10.2-18.8	47	10.7	7.0-14.4	8	1.2	0.0- 2.4	18	2.4	1.0- 3.8
Less than \$15,000	102	17,369	46	42.9	28.2-57.6	22	30.6	13.7-47.5	7	4.8	0.9- 8.7	1	1.5	0.0- 4.4	26	20.2	10.4-30.0
\$15,000- 24,999	254	44,341	146	55.6	47.4-63.8	33	19.9	12.3-27.5	11	3.4	0.9- 5.9	1	0.4	0.0- 1.2	63	20.6	14.7-26.5
\$25,000- 34,999	129	23,238	85	59.9	47.9-71.9	17	16.4	7.6-25.2	7	5.4	0.5-10.3	6	3.7	0.6- 6.8	14	14.6	4.4-24.8
\$35,000- 49,999	234	42,342	184	73.8	66.2-81.4	24	14.4	7.7-21.1	8	5.1	1.2- 9.0	5	1.1	0.1- 2.1	13	5.5	2.0- 9.0
\$50,000- 74,999	258	55,358	196	65.4	56.6-74.2	35	25.9	16.9-34.9	11	5.0	1.9- 8.1	7	2.3	0.1- 4.5	9	1.5	0.3- 2.7
\$75,000+	507	109,922	401	72.1	66.6-77.6	58	17.6	12.7-22.5	23	5.4	2.5- 8.3	9	1.5	0.3- 2.7	16	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	387,104	1571	65.8	62.9-68.7	355	21.1	18.6-23.6	50	2.7	1.7- 3.7	33	2.1	1.1- 3.1	193	8.2	6.6- 9.8
18-24	113	44,168	57	59.6	47.3-71.9	25	23.5	12.9-34.1	2	1.4	0.0- 3.4	3	2.7	0.0- 6.4	26	12.8	6.3-19.3
25-34	249	62,570	116	50.6	42.6-58.6	52	22.2	15.3-29.1	19	7.7	3.6-11.8	1	1.2	0.0- 3.6	61	18.3	12.4-24.2
35-44	217	57,080	113	56.3	48.1-64.5	47	23.9	16.6-31.2	6	3.7	0.4- 7.0	4	1.4	0.0- 3.2	47	14.8	9.5-20.1
45-54	335	62,349	229	66.7	59.8-73.6	67	23.8	17.5-30.1	5	1.7	0.0- 3.5	6	3.2	0.1- 6.3	28	4.6	2.4- 6.8
55-64	485	66,667	377	74.1	68.4-79.8	72	19.1	13.6-24.6	9	1.4	0.2- 2.6	8	2.1	0.0- 4.3	19	3.2	1.6- 4.8
65+	785	91,757	666	78.9	74.6-83.2	91	17.4	13.3-21.5	7	0.7	0.1- 1.3	10	1.8	0.4- 3.2	11	1.3	0.5- 2.1
Less Than H.S.	210	46,867	76	36.8	28.0-45.6	39	23.4	15.0-31.8	2	0.5	0.0- 1.3	4	3.4	0.0- 7.5	89	35.8	27.2-44.4
H.S. or G.E.D.	677	113,280	481	67.2	62.3-72.1	125	21.7	17.4-26.0	14	2.6	0.6- 4.6	10	2.1	0.5- 3.7	47	6.3	4.1- 8.5
Some Post-H.S.	562	118,595	419	69.4	63.7-75.1	104	24.4	19.1-29.7	5	0.5	0.1- 0.9	8	2.1	0.1- 4.1	26	3.6	1.8- 5.4
College Graduate	747	107,149	590	72.9	68.2-77.6	87	15.9	11.8-20.0	29	6.3	3.8- 8.8	11	1.6	0.4- 2.8	30	3.4	1.8- 5.0
Less than \$15,000	209	34,759	103	41.3	31.9-50.7	61	42.1	31.9-52.3	11	5.1	1.4- 8.8	4	1.8	0.0- 4.0	30	9.7	5.4-14.0
\$15,000- 24,999	339	54,716	194	49.4	42.1-56.7	68	25.8	19.3-32.3	6	0.9	0.0- 1.9	3	1.5	0.0- 3.9	68	22.3	15.8-28.8
\$25,000- 34,999	243	37,816	163	65.3	56.3-74.3	49	21.7	14.4-29.0	5	1.8	0.0- 3.8	3	0.8	0.0- 1.8	23	10.4	5.5-15.3
\$35,000- 49,999	263	45,682	197	67.8	60.4-75.2	50	23.1	16.4-29.8	2	1.6	0.0- 4.0	4	1.6	0.0- 4.0	10	5.9	1.6-10.2
\$50,000- 74,999	249	47,934	203	72.4	64.2-80.6	31	16.7	10.0-23.4	7	6.3	1.4-11.2	3	1.8	0.0- 4.5	5	2.8	0.0- 6.1
\$75,000+	484	99,226	406	78.7	73.4-84.0	50	15.6	10.5-20.7	10	1.9	0.3- 3.5	4	0.8	0.0- 1.8	14	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4013	747,944	494	20.7	18.5-22.9	443	16.3	14.5-18.1	489	14.3	12.7-15.9	775	18.0	16.4-19.6	936	16.1	14.9-17.3	876	14.7	13.5-15.9
Male	1797	358,577	269	23.5	20.4-26.6	187	14.8	12.4-17.2	226	14.3	12.1-16.5	363	18.5	16.1-20.9	386	15.5	13.5-17.5	366	13.4	11.6-15.2
Female	2216	389,366	225	18.1	15.2-21.0	256	17.7	15.3-20.1	263	14.2	12.0-16.4	412	17.4	15.2-19.6	550	16.7	14.9-18.5	510	15.9	14.1-17.7
White/Non-Hisp	2805	482,008	248	17.7	15.2-20.2	221	13.4	11.4-15.4	300	13.9	11.9-15.9	533	17.4	15.6-19.2	749	19.1	17.5-20.7	754	18.5	16.9-20.1
Black or Afr. Am./Non-Hisp	571	150,393	95	24.9	19.4-30.4	71	15.1	11.2-19.0	74	13.7	10.0-17.4	148	23.9	19.2-28.6	110	12.3	9.4-15.2	73	10.1	7.2-13.0
Oth. Race/Non-Hisp.	130	29,184	34	30.4	20.4-40.4	28	30.8	19.6-42.0	18	15.6	7.6-23.6	22	10.6	5.3-15.9	19	9.4	3.3-15.5	9	3.2	0.5- 5.9
MultiRacial/Non-Hisp.	65	13,272	14	30.3	14.6-46.0	9	14.9	2.4-27.4	6	8.9	0.3-17.5	18	27.6	12.7-42.5	10	11.0	2.0-20.0	8	7.3	1.6-13.0
Hispanic	357	57,934	99	31.2	24.5-37.9	103	33.2	26.3-40.1	76	18.4	13.3-23.5	35	8.6	5.3-11.9	31	5.9	3.5- 8.3	13	2.7	1.1- 4.3
Less Than H.S.	400	92,710	59	19.3	12.6-26.0	87	24.4	18.5-30.3	58	14.4	9.7-19.1	68	15.1	10.4-19.8	57	11.4	7.7-15.1	71	15.5	11.2-19.8
H.S. or G.E.D.	1242	231,902	152	20.6	17.1-24.1	115	14.4	11.5-17.3	145	14.2	11.5-16.9	258	18.8	16.1-21.5	295	17.0	14.6-19.4	277	15.1	12.9-17.3
Some Post-H.S.	983	217,837	154	27.5	22.8-32.2	79	11.9	9.0-14.8	102	11.7	9.0-14.4	177	16.4	13.5-19.3	242	17.2	14.5-19.9	229	15.3	12.8-17.8
College Graduate	1375	202,947	127	14.0	11.3-16.7	159	19.5	16.4-22.6	183	16.9	14.0-19.8	271	20.1	17.4-22.8	341	16.3	14.3-18.3	294	13.2	11.4-15.0
Less than \$15,000	314	52,699	39	20.6	12.4-28.8	40	19.8	13.1-26.5	44	12.7	7.8-17.6	74	19.2	13.1-25.3	73	16.9	12.0-21.8	44	10.7	6.2-15.2
\$15,000- 24,999	602	100,843	70	17.2	12.7-21.7	95	20.3	15.6-25.0	67	11.8	8.3-15.3	114	18.3	14.2-22.4	126	15.1	12.0-18.2	130	17.2	13.7-20.7
\$25,000- 34,999	381	63,404	60	27.5	18.3-36.7	41	12.4	7.9-16.9	28	10.5	5.8-15.2	61	14.0	9.5-18.5	88	15.5	11.4-19.6	103	20.0	15.1-24.9
\$35,000- 49,999	505	90,092	66	20.2	15.1-25.3	46	14.2	9.7-18.7	51	12.1	8.2-16.0	85	15.1	11.4-18.8	122	18.4	14.5-22.3	135	19.9	16.0-23.8
\$50,000- 74,999	513	103,816	73	24.5	18.6-30.4	50	13.2	8.9-17.5	56	13.4	8.9-17.9	86	17.8	12.9-22.7	139	17.7	14.0-21.4	109	13.5	10.4-16.6
\$75,000+	1001	210,702	85	14.7	11.2-18.2	120	19.4	15.7-23.1	170	19.1	15.8-22.4	246	22.7	19.6-25.8	235	15.8	13.3-18.3	145	8.2	6.4-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	358,577	269	23.5	20.4-26.6	187	14.8	12.4-17.2	226	14.3	12.1-16.5	363	18.5	16.1-20.9	386	15.5	13.5-17.5	366	13.4	11.8-15.0
White/Non-Hisp	1247	228,501	140	20.5	16.8-24.2	92	11.8	9.1-14.5	137	14.1	11.4-16.8	242	17.1	14.6-19.6	315	19.3	16.8-21.8	321	17.3	15.1-19.5
Black or Afr. Am./Non-Hisp	217	69,035	43	28.2	19.6-36.8	23	13.2	7.1-19.3	28	12.9	7.2-18.6	70	28.7	21.1-36.3	35	10.2	5.7-14.7	18	6.8	3.3-10.3
Oth. Race/Non-Hisp.	82	19,013	21	28.9	17.1-40.7	16	27.1	13.2-41.0	13	18.7	7.5-29.9	16	12.4	5.1-19.7	10	9.2	0.8-17.6	6	3.7	0.0- 7.6
Hispanic	165	26,190	52	36.4	26.2-46.6	40	25.9	17.3-34.5	39	19.8	12.2-27.4	14	8.3	3.0-13.6	13	5.5	2.2- 8.8	7	4.0	0.9- 7.1
Less Than H.S.	188	45,672	37	26.4	15.0-37.8	33	18.2	10.9-25.5	31	15.1	8.6-21.6	31	13.9	8.2-19.6	24	11.5	5.8-17.2	32	14.9	8.8-21.0
H.S. or G.E.D.	562	117,529	91	25.4	19.9-30.9	55	14.7	10.4-19.0	78	14.8	10.9-18.7	128	19.8	15.5-24.1	114	13.8	10.7-16.9	96	11.5	8.8-14.2
Some Post-H.S.	414	98,336	74	29.2	22.9-35.5	33	11.3	7.0-15.6	43	10.1	6.4-13.8	71	16.7	12.0-21.4	104	18.7	14.4-23.0	89	14.0	10.7-17.3
College Graduate	626	95,705	67	14.2	10.5-17.9	63	16.7	12.2-21.2	73	17.2	12.7-21.7	132	21.3	17.4-25.2	143	16.2	13.3-19.1	148	14.5	11.8-17.2
Less than \$15,000	105	17,940	20	33.7	16.6-50.8	10	11.9	3.7-20.1	15	12.0	4.4-19.6	31	23.5	13.5-33.5	22	15.0	7.4-22.6	7	3.9	0.6- 7.2
\$15,000- 24,999	260	45,629	34	19.0	12.1-25.9	34	16.1	9.6-22.6	35	11.9	6.8-17.0	52	18.4	12.3-24.5	53	15.3	10.2-20.4	52	19.3	13.2-25.4
\$25,000- 34,999	133	24,354	21	25.3	13.3-37.3	13	13.0	4.8-21.2	7	8.5	0.7-16.3	28	17.9	9.7-26.1	28	13.8	7.9-19.7	36	21.6	13.0-30.2
\$35,000- 49,999	237	43,411	40	23.5	15.9-31.1	16	10.7	4.8-16.6	28	14.7	8.8-20.6	34	11.5	6.8-16.2	51	18.6	12.3-24.9	68	20.9	15.0-26.8
\$50,000- 74,999	265	55,997	48	29.2	21.0-37.4	30	14.0	8.3-19.7	33	13.2	7.5-18.9	38	16.4	9.3-23.5	66	16.9	11.6-22.2	50	10.2	6.9-13.5
\$75,000+	516	111,427	52	16.4	11.7-21.1	56	17.0	12.1-21.9	70	17.1	12.6-21.6	129	23.7	19.2-28.2	121	17.0	13.3-20.7	88	8.9	6.7-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2216	389,366	225	18.1	15.2-21.0	256	17.7	15.3-20.1	263	14.2	12.0-16.4	412	17.4	15.2-19.6	550	16.7	14.9-18.5	510	15.9	14.1-17.7
White/Non-Hisp	1558	253,507	108	15.2	11.5-18.9	129	14.9	12.0-17.8	163	13.7	11.2-16.2	291	17.7	15.2-20.2	434	19.0	16.8-21.2	433	19.6	17.4-21.8
Black or Afr. Am./Non-Hisp	354	81,359	52	22.2	15.5-28.9	48	16.7	11.4-22.0	46	14.4	9.7-19.1	78	19.8	14.3-25.3	75	14.1	10.2-18.0	55	12.9	8.6-17.2
Hispanic	192	31,743	47	27.0	18.6-35.4	63	39.2	29.4-49.0	37	17.2	10.1-24.3	21	8.8	4.5-13.1	18	6.3	3.0- 9.6	6	1.6	0.2- 3.0
Less Than H.S.	212	47,038	22	12.4	6.1-18.7	54	30.3	21.7-38.9	27	13.7	7.0-20.4	37	16.2	8.8-23.6	33	11.2	6.5-15.9	39	16.1	10.2-22.0
H.S. or G.E.D.	680	114,373	61	15.6	11.1-20.1	60	14.0	9.9-18.1	67	13.5	9.8-17.2	130	17.8	14.3-21.3	181	20.4	16.9-23.9	181	18.7	15.4-22.0
Some Post-H.S.	569	119,502	80	26.0	19.1-32.9	46	12.5	8.2-16.8	59	13.0	8.9-17.1	106	16.2	12.3-20.1	138	15.9	12.6-19.2	140	16.3	12.8-19.8
College Graduate	749	107,241	60	13.9	9.8-18.0	96	22.1	17.6-26.6	110	16.6	13.1-20.1	139	19.1	15.4-22.8	198	16.3	13.6-19.0	146	12.0	9.6-14.4
Less than \$15,000	209	34,759	19	13.9	6.6-21.2	30	24.0	15.0-33.0	29	13.1	6.6-19.6	43	17.0	9.4-24.6	51	17.8	11.3-24.3	37	14.2	7.7-20.7
\$15,000- 24,999	342	55,215	36	15.7	10.0-21.4	61	23.8	17.1-30.5	32	11.7	6.8-16.6	62	18.2	12.5-23.9	73	15.0	10.9-19.1	78	15.5	11.4-19.6
\$25,000- 34,999	248	39,050	39	28.9	16.0-41.8	28	12.1	7.0-17.2	21	11.8	5.9-17.7	33	11.6	6.7-16.5	60	16.6	10.9-22.3	67	19.0	13.1-24.9
\$35,000- 49,999	268	46,681	26	17.1	10.4-23.8	30	17.6	11.1-24.1	23	9.8	4.9-14.7	51	18.4	12.5-24.3	71	18.3	13.4-23.2	67	18.9	13.6-24.2
\$50,000- 74,999	248	47,819	25	19.0	11.2-26.8	20	12.3	6.0-18.6	23	13.5	6.4-20.6	48	19.4	12.5-26.3	73	18.6	13.5-23.7	59	17.2	11.7-22.7
\$75,000+	485	99,275	33	12.9	7.6-18.2	64	22.2	16.5-27.9	100	21.4	16.5-26.3	117	21.6	17.1-26.1	114	14.4	11.3-17.5	57	7.6	4.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4013	747,944	2642	77.6	76.2-79.0	1371	22.4	21.0-23.8
Male	1797	358,577	1223	79.2	77.0-81.4	574	20.8	18.6-23.0
Female	2216	389,366	1419	76.2	74.2-78.2	797	23.8	21.8-25.8
White/Non-Hisp	2805	482,008	1648	72.6	70.6-74.6	1157	27.4	25.4-29.4
Black or Afr. Am./Non-Hisp	571	150,393	444	83.3	79.8-86.8	127	16.7	13.2-20.2
Oth. Race/Non-Hisp.	130	29,184	111	92.7	88.4-97.0	19	7.3	3.0-11.6
MultiRacial/Non-Hisp.	65	13,272	50	83.8	73.6-94.0	15	16.2	6.0-26.4
Hispanic	357	57,934	334	95.1	92.9-97.3	23	4.9	2.7- 7.1
Less Than H.S.	400	92,710	302	78.3	73.4-83.2	98	21.7	16.8-26.6
H.S. or G.E.D.	1242	231,902	811	76.9	74.4-79.4	431	23.1	20.6-25.6
Some Post-H.S.	983	217,837	621	76.7	73.8-79.6	362	23.3	20.4-26.2
College Graduate	1375	202,947	900	79.0	76.8-81.2	475	21.0	18.8-23.2
Less than \$15,000	314	52,699	242	83.7	78.6-88.8	72	16.3	11.2-21.4
\$15,000- 24,999	602	100,843	413	76.6	72.7-80.5	189	23.4	19.5-27.3
\$25,000- 34,999	381	63,404	222	71.2	65.3-77.1	159	28.8	22.9-34.7
\$35,000- 49,999	505	90,092	308	71.2	66.5-75.9	197	28.8	24.1-33.5
\$50,000- 74,999	513	103,816	318	75.8	71.5-80.1	195	24.2	19.9-28.5
\$75,000+	1001	210,702	739	85.2	83.0-87.4	262	14.8	12.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	358,577	1223	79.2	77.2-81.2	574	20.8	18.8-22.8
White/Non-Hisp	1247	228,501	756	73.9	71.2-76.6	491	26.1	23.4-28.8
Black or Afr. Am./Non-Hisp	217	69,035	181	86.7	81.4-92.0	36	13.3	8.0-18.6
Oth. Race/Non-Hisp.	82	19,013	70	92.2	86.3-98.1	12	7.8	1.9-13.7
Hispanic	165	26,190	153	93.6	89.7-97.5	12	6.4	2.5-10.3
Less Than H.S.	188	45,672	142	77.9	70.5-85.3	46	22.1	14.7-29.5
H.S. or G.E.D.	562	117,529	411	82.9	79.6-86.2	151	17.1	13.8-20.4
Some Post-H.S.	414	98,336	267	76.7	72.2-81.2	147	23.3	18.8-27.8
College Graduate	626	95,705	397	77.4	74.1-80.7	229	22.6	19.3-25.9
Less than \$15,000	105	17,940	88	91.5	86.6-96.4	17	8.5	3.6-13.4
\$15,000- 24,999	260	45,629	186	74.8	68.3-81.3	74	25.2	18.7-31.7
\$25,000- 34,999	133	24,354	77	69.1	59.5-78.7	56	30.9	21.3-40.5
\$35,000- 49,999	237	43,411	147	71.0	63.9-78.1	90	29.0	21.9-36.1
\$50,000- 74,999	265	55,997	172	78.8	73.3-84.3	93	21.2	15.7-26.7
\$75,000+	516	111,427	363	83.5	80.4-86.6	153	16.5	13.4-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2216	389,366	1419	76.2	74.2-78.2	797	23.8	21.8-25.8
White/Non-Hisp	1558	253,507	892	71.5	68.8-74.2	666	28.5	25.8-31.2
Black or Afr. Am./Non-Hisp	354	81,359	263	80.4	75.5-85.3	91	19.6	14.7-24.5
Hispanic	192	31,743	181	96.3	93.9-98.7	11	3.7	1.3- 6.1
Less Than H.S.	212	47,038	160	78.7	72.0-85.4	52	21.3	14.6-28.0
H.S. or G.E.D.	680	114,373	400	70.7	66.8-74.6	280	29.3	25.4-33.2
Some Post-H.S.	569	119,502	354	76.7	72.6-80.8	215	23.3	19.2-27.4
College Graduate	749	107,241	503	80.4	77.5-83.3	246	19.6	16.7-22.5
Less than \$15,000	209	34,759	154	79.6	72.3-86.9	55	20.4	13.1-27.7
\$15,000- 24,999	342	55,215	227	78.0	73.3-82.7	115	22.0	17.3-26.7
\$25,000- 34,999	248	39,050	145	72.5	65.2-79.8	103	27.5	20.2-34.8
\$35,000- 49,999	268	46,681	161	71.4	65.3-77.5	107	28.6	22.5-34.7
\$50,000- 74,999	248	47,819	146	72.4	65.7-79.1	102	27.6	20.9-34.3
\$75,000+	485	99,275	376	87.2	84.1-90.3	109	12.8	9.7-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3794	709,812	211	4.9	3.7- 6.1	1704	42.7	40.5-44.9	1566	42.4	40.2-44.6	313	10.1	8.7-11.5
Male	1684	335,875	4	0.2	0.0- 0.4	218	12.1	9.9-14.3	1155	67.0	63.9-70.1	307	20.7	18.0-23.4
Female	2110	373,937	207	9.1	7.1-11.1	1486	70.2	67.3-73.1	411	20.3	17.9-22.7	6	0.5	0.1- 0.9
White/Non-Hisp	2757	473,859	141	5.0	3.4- 6.6	1200	40.2	37.7-42.7	1182	44.9	42.4-47.4	234	9.8	8.2-11.4
Black or Afr. Am./Non-Hisp	549	142,428	27	3.5	1.9- 5.1	272	45.8	40.1-51.5	201	37.9	32.4-43.4	49	12.8	8.7-16.9
Oth. Race/Non-Hisp.	116	26,459	6	2.4	0.0- 4.8	51	45.1	33.5-56.7	52	46.4	34.6-58.2	7	6.1	1.0-11.2
MultiRacial/Non-Hisp.	67	13,753	6	7.6	0.2-15.0	19	39.0	22.5-55.5	36	45.8	30.1-61.5	6	7.6	0.9-14.3
Hispanic	217	39,215	28	9.9	5.6-14.2	130	65.0	57.2-72.8	51	21.4	14.7-28.1	8	3.6	0.7- 6.5
18-24	230	85,452	10	6.8	0.0-13.9	91	36.7	28.5-44.9	94	39.3	31.1-47.5	35	17.2	10.9-23.5
25-34	387	112,763	22	3.8	2.0- 5.6	168	43.6	36.9-50.3	156	41.5	35.0-48.0	41	11.2	7.3-15.1
35-44	382	102,598	20	3.9	1.7- 6.1	171	44.5	38.2-50.8	154	41.8	35.5-48.1	37	9.8	6.1-13.5
45-54	612	118,584	20	2.7	1.1- 4.3	255	40.5	35.2-45.8	287	47.8	42.5-53.1	50	9.0	5.9-12.1
55-64	823	123,901	42	4.5	2.9- 6.1	367	42.9	38.6-47.2	351	43.6	39.3-47.9	63	9.0	6.5-11.5
65+	1333	163,502	97	7.2	5.6- 8.8	636	45.0	41.7-48.3	515	40.5	37.2-43.8	85	7.3	5.3- 9.3
Less Than H.S.	303	76,893	35	8.6	5.1-12.1	153	49.3	41.5-57.1	102	36.7	29.1-44.3	13	5.3	2.0- 8.6
H.S. or G.E.D.	1183	221,343	84	5.8	4.4- 7.2	514	39.9	36.2-43.6	488	42.2	38.3-46.1	97	12.1	9.2-15.0
Some Post-H.S.	952	212,448	45	4.8	1.9- 7.7	450	44.7	40.2-49.2	379	40.9	36.6-45.2	78	9.6	7.1-12.1
College Graduate	1345	197,051	46	2.4	1.4- 3.4	582	41.4	37.9-44.9	592	46.0	42.5-49.5	125	10.2	8.0-12.4
Less than \$15,000	278	47,856	31	13.1	7.6-18.6	145	51.9	43.1-60.7	95	32.3	24.5-40.1	7	2.8	0.3- 5.3
\$15,000- 24,999	536	91,208	40	6.2	4.0- 8.4	261	47.4	41.7-53.1	204	40.7	35.0-46.4	31	5.7	3.3- 8.1
\$25,000- 34,999	366	59,475	26	9.2	0.0-18.8	202	50.4	42.2-58.6	118	34.2	26.9-41.5	20	6.2	2.3-10.1
\$35,000- 49,999	499	88,666	25	3.9	2.1- 5.7	212	41.4	35.7-47.1	214	40.8	35.3-46.3	48	13.9	9.2-18.6
\$50,000- 74,999	508	102,852	16	2.6	1.0- 4.2	217	42.2	36.1-48.3	226	42.4	36.5-48.3	49	12.8	8.3-17.3
\$75,000+	998	208,400	24	2.0	1.0- 3.0	372	36.6	32.5-40.7	483	48.8	44.7-52.9	119	12.6	9.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	335,875	4	0.2	0.0- 0.4	218	12.1	9.9-14.3	1155	67.0	63.9-70.1	307	20.7	18.0-23.4
White/Non-Hisp	1224	223,880	1	0.0	0.0- 0.0	119	8.2	6.2-10.2	873	71.3	68.0-74.6	231	20.5	17.4-23.6
Black or Afr. Am./Non-Hisp	206	63,587	1	0.2	0.0- 0.6	25	14.1	6.5-21.7	133	58.8	49.6-68.0	47	27.0	19.0-35.0
Oth. Race/Non-Hisp.	72	16,976				20	27.6	14.3-40.9	45	62.9	48.8-77.0	7	9.5	1.7-17.3
Hispanic	97	16,999	2	2.5	0.0- 6.6	44	45.5	32.4-58.6	44	43.9	31.4-56.4	7	8.1	1.2-15.0
18-24	131	43,406				19	7.8	3.7-11.9	79	60.4	49.8-71.0	33	31.8	21.4-42.2
25-34	171	54,522	2	0.9	0.0- 2.3	20	14.5	6.3-22.7	108	61.5	51.5-71.5	41	23.2	15.4-31.0
35-44	179	49,093	1	0.1	0.0- 0.3	32	14.8	8.7-20.9	111	65.3	56.7-73.9	35	19.8	12.5-27.1
45-54	284	56,628	1	0.1	0.0- 0.3	31	11.8	5.7-17.9	203	70.0	62.4-77.6	49	18.2	11.9-24.5
55-64	351	58,679				45	11.7	7.6-15.8	244	69.5	63.4-75.6	62	18.9	13.8-24.0
65+	559	72,876				70	11.8	8.5-15.1	404	71.8	66.9-76.7	85	16.4	12.3-20.5
Less Than H.S.	141	36,966	2	1.2	0.0- 3.2	50	30.4	19.6-41.2	76	57.3	45.7-68.9	13	11.1	4.2-18.0
H.S. or G.E.D.	526	110,679	1	0.0	0.0- 0.0	63	9.4	5.9-12.9	369	66.9	61.2-72.6	93	23.7	18.2-29.2
Some Post-H.S.	400	95,331				54	13.1	8.6-17.6	269	66.3	60.2-72.4	77	20.6	15.5-25.7
College Graduate	611	91,863	1	0.1	0.0- 0.3	48	7.0	4.5- 9.5	438	71.4	66.7-76.1	124	21.5	17.2-25.8
Less than \$15,000	85	15,177				23	35.7	17.1-54.3	55	55.6	38.0-73.2	7	8.8	1.0-16.6
\$15,000- 24,999	227	40,022	3	1.2	0.0- 3.0	48	18.7	12.6-24.8	147	68.1	60.7-75.5	29	12.1	7.2-17.0
\$25,000- 34,999	124	21,421				26	22.8	11.4-34.2	78	59.8	47.3-72.3	20	17.3	7.3-27.3
\$35,000- 49,999	233	42,447				22	10.5	5.2-15.8	164	60.8	52.2-69.4	47	28.7	20.1-37.3
\$50,000- 74,999	260	55,189				27	9.6	3.7-15.5	184	66.5	58.1-74.9	49	23.9	16.3-31.5
\$75,000+	514	109,779				32	5.1	2.6- 7.6	365	71.6	66.5-76.7	117	23.3	18.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2110	373,937	207	9.1	7.1-11.1	1486	70.2	67.3-73.1	411	20.3	17.9-22.7	6	0.5	0.1- 0.9
White/Non-Hisp	1533	249,979	140	9.5	6.8-12.2	1081	68.9	65.4-72.4	309	21.3	18.4-24.2	3	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	343	78,841	26	6.2	3.3- 9.1	247	71.4	64.7-78.1	68	21.1	14.8-27.4	2	1.3	0.0- 3.3
Hispanic	120	22,216	26	15.6	8.5-22.7	86	80.0	72.0-88.0	7	4.3	0.4- 8.2	1	0.2	0.0- 0.6
18-24	99	42,045	10	13.8	0.3-27.3	72	66.6	52.1-81.1	15	17.5	7.1-27.9	2	2.1	0.0- 5.4
25-34	216	58,241	20	6.5	3.4- 9.6	148	70.7	63.3-78.1	48	22.8	15.7-29.9			
35-44	203	53,504	19	7.2	3.3-11.1	139	71.8	64.2-79.4	43	20.2	13.1-27.3	2	0.7	0.0- 1.9
45-54	328	61,957	19	5.0	2.1- 7.9	224	66.7	60.0-73.4	84	27.5	21.0-34.0	1	0.7	0.0- 2.1
55-64	472	65,222	42	8.5	5.4-11.6	322	70.9	65.8-76.0	107	20.4	16.1-24.7	1	0.2	0.0- 0.6
65+	774	90,626	97	13.0	10.1-15.9	566	71.8	67.9-75.7	111	15.2	11.9-18.5			
Less Than H.S.	162	39,927	33	15.5	9.0-22.0	103	66.9	57.5-76.3	26	17.6	9.6-25.6			
H.S. or G.E.D.	657	110,665	83	11.5	8.8-14.2	451	70.5	66.0-75.0	119	17.5	13.8-21.2	4	0.6	0.0- 1.2
Some Post-H.S.	552	117,117	45	8.7	3.4-14.0	396	70.5	64.2-76.8	110	20.2	15.3-25.1	1	0.6	0.0- 1.8
College Graduate	734	105,188	45	4.5	2.9- 6.1	534	71.4	66.9-75.9	154	23.7	19.4-28.0	1	0.4	0.0- 1.2
Less than \$15,000	193	32,679	31	19.1	11.3-26.9	122	59.4	49.4-69.4	40	21.5	13.3-29.7			
\$15,000- 24,999	309	51,185	37	10.1	6.4-13.8	213	69.8	62.9-76.7	57	19.4	13.1-25.7	2	0.7	0.0- 1.9
\$25,000- 34,999	242	38,054	26	14.4	0.1-28.7	176	65.8	53.1-78.5	40	19.8	12.4-27.2			
\$35,000- 49,999	266	46,219	25	7.5	4.0-11.0	190	69.7	62.4-77.0	50	22.5	15.8-29.2	1	0.3	0.0- 0.9
\$50,000- 74,999	248	47,662	16	5.7	2.6- 8.8	190	79.9	73.6-86.2	42	14.5	8.8-20.2			
\$75,000+	484	98,621	24	4.2	2.0- 6.4	340	71.8	66.5-77.1	118	23.3	18.4-28.2	2	0.6	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3876	720,868	230	5.1	3.9- 6.3	1747	42.7	40.5-44.9	1584	42.2	40.0-44.4	315	9.9	8.5-11.3
Male	1733	342,778	8	0.3	0.1- 0.5	243	12.7	10.5-14.9	1173	66.6	63.5-69.7	309	20.4	17.7-23.1
Female	2143	378,091	222	9.5	7.5-11.5	1504	70.0	67.1-72.9	411	20.1	17.7-22.5	6	0.5	0.1- 0.9
White/Non-Hisp	2758	474,034	141	5.0	3.4- 6.6	1200	40.2	37.7-42.7	1183	45.0	42.5-47.5	234	9.8	8.2-11.4
Black or Afr. Am./Non-Hisp	549	142,428	27	3.5	1.9- 5.1	272	45.8	40.1-51.5	201	37.9	32.4-43.4	49	12.8	8.7-16.9
Oth. Race/Non-Hisp.	120	27,072	6	2.3	0.0- 4.7	52	44.5	33.1-55.9	54	47.0	35.4-58.6	8	6.3	1.2-11.4
MultiRacial/Non-Hisp.	67	13,753	6	7.6	0.2-15.0	19	39.0	22.5-55.5	36	45.8	30.1-61.5	6	7.6	0.9-14.3
Hispanic	294	49,483	47	12.9	8.6-17.2	172	61.4	54.3-68.5	66	22.6	16.5-28.7	9	3.0	0.6- 5.4
18-24	243	87,020	15	7.6	0.5-14.7	96	36.7	28.7-44.7	95	38.7	30.7-46.7	37	17.1	11.0-23.2
25-34	414	116,842	27	4.1	2.3- 5.9	182	43.6	37.1-50.1	164	41.5	35.0-48.0	41	10.8	6.9-14.7
35-44	401	106,086	24	4.5	2.3- 6.7	180	44.4	38.3-50.5	160	41.6	35.5-47.7	37	9.5	6.0-13.0
45-54	622	119,127	23	2.8	1.2- 4.4	262	40.7	35.6-45.8	287	47.6	42.3-52.9	50	9.0	5.9-12.1
55-64	831	124,762	42	4.4	2.8- 6.0	372	43.0	38.7-47.3	354	43.6	39.3-47.9	63	9.0	6.5-11.5
65+	1338	164,018	99	7.3	5.7- 8.9	639	45.1	41.8-48.4	515	40.3	37.0-43.6	85	7.3	5.3- 9.3
Less Than H.S.	349	84,066	49	10.0	6.5-13.5	176	49.2	41.9-56.5	111	35.9	28.6-43.2	13	4.9	1.8- 8.0
H.S. or G.E.D.	1203	223,663	89	6.0	4.6- 7.4	526	40.0	36.3-43.7	490	41.9	38.2-45.6	98	12.0	9.1-14.9
Some Post-H.S.	960	213,067	45	4.8	1.9- 7.7	456	44.7	40.2-49.2	381	40.9	36.6-45.2	78	9.5	7.0-12.0
College Graduate	1353	197,996	46	2.4	1.4- 3.4	584	41.2	37.7-44.7	597	46.1	42.6-49.6	126	10.2	8.0-12.4
Less than \$15,000	294	50,135	36	13.6	8.1-19.1	154	51.9	43.5-60.3	97	31.8	24.4-39.2	7	2.6	0.2- 5.0
\$15,000- 24,999	574	95,852	48	7.0	4.6- 9.4	283	47.5	42.0-53.0	212	40.1	34.6-45.6	31	5.4	3.2- 7.6
\$25,000- 34,999	372	60,807	27	9.5	0.1-18.9	205	49.8	41.6-58.0	119	34.5	27.2-41.8	21	6.2	2.3-10.1
\$35,000- 49,999	501	88,897	25	3.9	2.1- 5.7	213	41.5	35.8-47.2	215	40.8	35.3-46.3	48	13.8	9.1-18.5
\$50,000- 74,999	510	103,230	16	2.6	1.0- 4.2	217	42.0	35.9-48.1	228	42.6	36.7-48.5	49	12.8	8.3-17.3
\$75,000+	999	208,575	24	2.0	1.0- 3.0	372	36.6	32.5-40.7	484	48.8	44.7-52.9	119	12.6	9.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	342,778	8	0.3	0.1- 0.5	243	12.7	10.5-14.9	1173	66.6	63.5-69.7	309	20.4	17.7-23.1
White/Non-Hisp	1225	224,054	1	0.0	0.0- 0.0	119	8.2	6.2-10.2	874	71.3	68.0-74.6	231	20.5	17.4-23.6
Black or Afr. Am./Non-Hisp	206	63,587	1	0.2	0.0- 0.6	25	14.1	6.5-21.7	133	58.8	49.6-68.0	47	27.0	19.0-35.0
Oth. Race/Non-Hisp.	76	17,589				21	27.2	14.3-40.1	47	63.2	49.5-76.9	8	9.6	2.0-17.2
Hispanic	141	23,114	6	4.2	0.1- 8.3	68	45.2	34.2-56.2	59	44.4	33.6-55.2	8	6.3	1.2-11.4
18-24	140	44,434	2	0.8	0.0- 2.2	23	8.6	4.5-12.7	80	59.1	48.7-69.5	35	31.4	21.2-41.6
25-34	186	57,218	2	0.8	0.0- 2.2	27	15.5	7.5-23.5	116	61.6	52.0-71.2	41	22.1	14.7-29.5
35-44	190	51,117	1	0.1	0.0- 0.3	37	15.8	9.7-21.9	117	65.1	56.7-73.5	35	19.0	11.9-26.1
45-54	291	57,039	2	0.1	0.0- 0.3	37	12.4	6.3-18.5	203	69.4	61.8-77.0	49	18.0	11.7-24.3
55-64	356	59,202				47	11.8	7.7-15.9	247	69.5	63.6-75.4	62	18.7	13.6-23.8
65+	561	73,099	1	0.2	0.0- 0.6	71	11.8	8.5-15.1	404	71.6	66.7-76.5	85	16.3	12.2-20.4
Less Than H.S.	166	41,347	6	2.3	0.0- 4.7	62	31.8	21.8-41.8	85	56.0	45.2-66.8	13	9.9	3.8-16.0
H.S. or G.E.D.	537	111,770	1	0.0	0.0- 0.0	71	9.9	6.4-13.4	371	66.6	60.9-72.3	94	23.5	18.2-28.8
Some Post-H.S.	405	95,818				57	13.2	8.7-17.7	271	66.3	60.2-72.4	77	20.5	15.4-25.6
College Graduate	619	92,808	1	0.1	0.0- 0.3	50	7.0	4.5- 9.5	443	71.5	67.0-76.0	125	21.3	17.2-25.4
Less than \$15,000	94	16,458	1	1.8	0.0- 5.3	29	35.8	18.6-53.0	57	54.4	37.9-70.9	7	8.1	1.0-15.2
\$15,000- 24,999	252	43,333	5	1.5	0.0- 3.3	63	21.6	15.5-27.7	155	65.7	58.4-73.0	29	11.1	6.6-15.6
\$25,000- 34,999	127	22,228				27	22.4	11.4-33.4	79	60.5	48.2-72.8	21	17.1	7.3-26.9
\$35,000- 49,999	234	42,499				22	10.5	5.2-15.8	165	60.8	52.2-69.4	47	28.6	20.0-37.2
\$50,000- 74,999	262	55,568				27	9.6	3.7-15.5	186	66.7	58.3-75.1	49	23.7	16.1-31.3
\$75,000+	515	109,954				32	5.0	2.5- 7.5	366	71.7	66.6-76.8	117	23.3	18.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	378,091	222	9.5	7.5-11.5	1504	70.0	67.1-72.9	411	20.1	17.7-22.5	6	0.5	0.1- 0.9
White/Non-Hisp	1533	249,979	140	9.5	6.8-12.2	1081	68.9	65.4-72.4	309	21.3	18.4-24.2	3	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	343	78,841	26	6.2	3.3- 9.1	247	71.4	64.7-78.1	68	21.1	14.8-27.4	2	1.3	0.0- 3.3
Hispanic	153	26,370	41	20.6	13.3-27.9	104	75.6	67.8-83.4	7	3.6	0.3- 6.9	1	0.2	0.0- 0.6
18-24	103	42,586	13	14.7	1.4-28.0	73	66.0	51.7-80.3	15	17.3	6.9-27.7	2	2.0	0.0- 5.3
25-34	228	59,624	25	7.2	4.1-10.3	155	70.5	63.2-77.8	48	22.2	15.3-29.1			
35-44	211	54,969	23	8.6	4.5-12.7	143	71.0	63.6-78.4	43	19.7	12.8-26.6	2	0.7	0.0- 1.9
45-54	331	62,088	21	5.2	2.3- 8.1	225	66.6	59.9-73.3	84	27.5	21.0-34.0	1	0.7	0.0- 2.1
55-64	475	65,561	42	8.4	5.3-11.5	325	71.1	66.0-76.2	107	20.3	16.0-24.6	1	0.2	0.0- 0.6
65+	777	90,920	98	13.0	10.1-15.9	568	71.8	67.9-75.7	111	15.2	11.9-18.5			
Less Than H.S.	183	42,719	43	17.4	10.9-23.9	114	66.1	57.1-75.1	26	16.5	9.1-23.9			
H.S. or G.E.D.	666	111,893	88	12.0	9.1-14.9	455	70.1	65.6-74.6	119	17.3	13.6-21.0	4	0.6	0.0- 1.2
Some Post-H.S.	555	117,249	45	8.7	3.4-14.0	399	70.5	64.2-76.8	110	20.2	15.3-25.1	1	0.6	0.0- 1.8
College Graduate	734	105,188	45	4.5	2.9- 6.1	534	71.4	66.9-75.9	154	23.7	19.4-28.0	1	0.4	0.0- 1.2
Less than \$15,000	200	33,677	35	19.4	11.8-27.0	125	59.8	50.0-69.6	40	20.8	12.8-28.8			
\$15,000- 24,999	322	52,519	43	11.5	7.6-15.4	220	68.9	62.0-75.8	57	18.9	12.8-25.0	2	0.7	0.0- 1.9
\$25,000- 34,999	245	38,579	27	14.9	1.0-28.8	178	65.5	53.0-78.0	40	19.5	12.2-26.8			
\$35,000- 49,999	267	46,398	25	7.5	4.0-11.0	191	69.8	62.7-76.9	50	22.4	15.7-29.1	1	0.2	0.0- 0.8
\$50,000- 74,999	248	47,662	16	5.7	2.6- 8.8	190	79.9	73.6-86.2	42	14.5	8.8-20.2			
\$75,000+	484	98,621	24	4.2	2.0- 6.4	340	71.8	66.5-77.1	118	23.3	18.4-28.2	2	0.6	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3800	703,460	36	0.8	0.4- 1.2	1113	29.4	27.2-31.6	1698	44.2	42.0-46.4	713	18.7	16.9-20.5	180	4.9	3.9- 5.9	60	2.0	1.2- 2.8
Male	1756	345,530	4	0.2	0.0- 0.4	216	13.5	11.0-16.0	882	49.2	46.1-52.3	499	28.2	25.3-31.1	118	6.9	5.3- 8.5	37	2.2	1.2- 3.2
Female	2044	357,930	32	1.5	0.9- 2.1	897	44.7	41.6-47.8	816	39.4	36.5-42.3	214	9.5	7.7-11.3	62	3.0	2.0- 4.0	23	1.9	0.7- 3.1
White/Non-Hisp	2668	456,422	24	0.7	0.3- 1.1	778	29.1	26.6-31.6	1180	44.3	41.6-47.0	531	19.7	17.7-21.7	119	4.5	3.3- 5.7	36	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	532	139,058	3	0.3	0.0- 0.7	108	21.9	16.8-27.0	260	46.1	40.4-51.8	110	21.5	16.6-26.4	37	7.0	4.3- 9.7	14	3.2	0.8- 5.6
Oth. Race/Non-Hisp.	120	26,455	2	2.9	0.0- 7.8	47	46.6	35.0-58.2	44	32.2	22.0-42.4	16	13.1	4.9-21.3	9	4.5	1.0- 8.0	2	0.7	0.0- 1.7
MultiRacial/Non-Hisp.	63	13,000				19	42.2	25.0-59.4	26	34.2	19.7-48.7	10	12.1	2.7-21.5	4	3.2	0.0- 7.3	4	8.4	0.0-18.8
Hispanic	333	54,242	7	2.6	0.2- 5.0	143	43.2	36.1-50.3	150	46.3	39.0-53.6	27	6.8	3.7- 9.9	4	0.7	0.0- 1.5	2	0.4	0.0- 1.0
18-24	251	87,070	4	1.3	0.0- 2.9	106	45.3	36.7-53.9	103	36.6	29.0-44.2	23	9.3	4.8-13.8	9	3.8	0.9- 6.7	6	3.8	0.0- 7.7
25-34	419	113,558	6	0.7	0.1- 1.3	145	35.1	28.6-41.6	187	45.6	39.1-52.1	61	13.2	9.1-17.3	14	3.9	1.4- 6.4	6	1.5	0.1- 2.9
35-44	408	108,199	1	0.6	0.0- 1.8	116	26.4	21.1-31.7	172	43.4	37.3-49.5	85	21.0	16.1-25.9	24	6.2	3.3- 9.1	10	2.4	0.4- 4.4
45-54	602	112,952	4	0.4	0.0- 0.8	130	20.5	16.4-24.6	280	43.9	38.6-49.2	137	25.1	20.0-30.2	34	6.0	3.5- 8.5	17	4.2	1.7- 6.7
55-64	811	121,750	7	0.9	0.1- 1.7	199	25.2	21.5-28.9	380	45.6	41.3-49.9	160	20.7	16.8-24.6	50	6.3	3.9- 8.7	15	1.2	0.4- 2.0
65+	1287	158,157	14	1.1	0.5- 1.7	407	28.0	25.1-30.9	570	47.2	43.7-50.7	242	19.9	17.0-22.8	48	3.4	2.0- 4.8	6	0.4	0.0- 0.8
Less Than H.S.	374	85,929	8	2.0	0.4- 3.6	129	34.2	26.9-41.5	163	40.8	34.1-47.5	57	17.2	11.7-22.7	12	2.5	0.5- 4.5	5	3.3	0.2- 6.4
H.S. or G.E.D.	1180	218,929	10	0.8	0.0- 1.6	316	26.0	22.7-29.3	521	43.4	39.7-47.1	234	20.7	17.4-24.0	71	6.5	4.5- 8.5	28	2.5	1.1- 3.9
Some Post-H.S.	931	206,143	13	0.9	0.3- 1.5	270	29.5	25.0-34.0	404	44.1	39.6-48.6	184	18.3	15.0-21.6	48	5.5	3.5- 7.5	12	1.7	0.3- 3.1
College Graduate	1307	191,371	4	0.2	0.0- 0.4	396	31.0	27.7-34.3	606	46.5	43.0-50.0	237	17.4	14.9-19.9	49	3.5	2.3- 4.7	15	1.3	0.5- 2.1
Less than \$15,000	299	50,158	7	1.9	0.5- 3.3	95	32.2	24.0-40.4	136	44.2	36.0-52.4	31	12.2	5.9-18.5	23	8.0	3.3-12.7	7	1.5	0.3- 2.7
\$15,000- 24,999	584	96,482	8	1.4	0.0- 2.8	189	30.8	25.9-35.7	248	42.5	37.2-47.8	99	15.5	11.8-19.2	26	5.5	2.8- 8.2	14	4.4	1.3- 7.5
\$25,000- 34,999	369	61,792	3	0.5	0.0- 1.1	133	36.8	28.2-45.4	143	40.4	32.8-48.0	68	17.3	12.0-22.6	16	3.7	1.2- 6.2	6	1.4	0.0- 2.8
\$35,000- 49,999	488	87,331	5	1.0	0.0- 2.0	96	19.9	15.2-24.6	249	48.8	43.1-54.5	103	21.3	16.4-26.2	22	6.4	3.3- 9.5	13	2.6	0.8- 4.4
\$50,000- 74,999	497	100,189	3	1.0	0.0- 2.4	121	22.8	18.1-27.5	238	47.7	41.6-53.8	104	20.7	15.6-25.8	26	5.0	2.6- 7.4	5	2.9	0.0- 6.2
\$75,000+	973	203,241	2	0.1	0.0- 0.3	263	27.4	23.5-31.3	431	43.9	39.6-48.2	221	22.9	19.4-26.4	47	4.5	2.7- 6.3	9	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	345,530	4	0.2	0.0- 0.4	216	13.5	11.0-16.0	882	49.2	46.1-52.3	499	28.2	25.3-31.1	118	6.9	5.3- 8.5	37	2.2	1.2- 3.2
White/Non-Hisp	1224	223,499	2	0.1	0.0- 0.3	110	10.1	7.4-12.8	622	49.9	46.2-53.6	386	31.7	28.2-35.2	81	6.6	4.6- 8.6	23	1.6	0.8- 2.4
Black or Afr. Am./Non-Hisp	211	64,761				21	13.8	6.5-21.1	104	45.6	36.8-54.4	56	26.5	18.5-34.5	21	9.0	4.5-13.5	9	5.0	0.7- 9.3
Oth. Race/Non-Hisp.	77	17,002				21	32.7	18.4-47.0	35	42.2	28.5-55.9	14	19.6	7.3-31.9	5	4.5	0.0- 9.0	2	1.1	0.0- 2.7
Hispanic	158	25,276	2	0.9	0.0- 2.3	52	29.6	20.6-38.6	82	58.7	48.9-68.5	19	9.8	5.1-14.5	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6
18-24	144	44,086	2	0.8	0.0- 2.0	45	27.3	18.7-35.9	71	49.6	39.2-60.0	13	11.0	3.9-18.1	8	7.0	1.3-12.7	5	4.4	0.0- 9.7
25-34	191	57,614	1	0.3	0.0- 0.9	37	22.0	12.4-31.6	101	52.1	42.3-61.9	40	19.5	12.2-26.8	9	5.0	1.3- 8.7	3	1.2	0.0- 2.6
35-44	198	53,525				28	11.4	5.9-16.9	91	45.8	37.2-54.4	61	32.2	24.0-40.4	12	7.9	3.0-12.8	6	2.7	0.0- 5.4
45-54	294	56,731				20	6.9	3.0-10.8	145	46.3	38.5-54.1	100	37.1	29.1-45.1	19	6.1	2.8- 9.4	10	3.7	1.0- 6.4
55-64	361	60,012				33	9.7	6.0-13.4	176	47.5	41.0-54.0	109	30.6	24.7-36.5	34	10.6	6.3-14.9	9	1.6	0.2- 3.0
65+	558	72,851	1	0.0	0.0- 0.0	50	8.0	5.3-10.7	296	53.0	47.7-58.3	172	33.3	28.2-38.4	35	5.0	3.0- 7.0	4	0.6	0.0- 1.4
Less Than H.S.	178	42,471	2	0.6	0.0- 1.4	52	31.1	19.7-42.5	84	43.3	33.3-53.3	34	22.5	14.1-30.9	5	1.6	0.2- 3.0	1	1.0	0.0- 3.0
H.S. or G.E.D.	549	113,344				62	9.6	6.5-12.7	268	47.7	42.0-53.4	152	29.8	24.3-35.3	49	9.6	6.1-13.1	18	3.3	0.9- 5.7
Some Post-H.S.	406	96,020	1	0.3	0.0- 0.9	43	12.1	7.8-16.4	199	51.4	44.9-57.9	121	26.9	21.4-32.4	35	7.9	4.6-11.2	7	1.5	0.1- 2.9
College Graduate	618	93,349				59	11.7	8.0-15.4	328	51.2	46.1-56.3	191	30.1	25.4-34.8	29	4.8	2.6- 7.0	11	2.1	0.5- 3.7
Less than \$15,000	103	17,619	2	1.4	0.0- 3.4	29	34.0	17.7-50.3	51	48.3	33.2-63.4	11	8.7	2.8-14.6	7	6.3	0.2-12.4	3	1.4	0.0- 3.2
\$15,000- 24,999	255	43,385				49	17.4	11.5-23.3	127	50.5	42.5-58.5	55	22.0	15.3-28.7	18	7.6	3.1-12.1	6	2.4	0.0- 4.8
\$25,000- 34,999	131	24,032				16	10.6	4.5-16.7	64	56.3	44.5-68.1	39	26.4	16.0-36.8	9	5.7	0.0-11.4	3	1.1	0.0- 2.5
\$35,000- 49,999	235	42,645				17	6.7	2.6-10.8	129	53.3	44.9-61.7	69	29.1	21.1-37.1	11	7.1	2.0-12.2	9	3.9	0.6- 7.2
\$50,000- 74,999	263	55,879				17	6.5	2.8-10.2	141	51.9	43.5-60.3	85	32.6	24.4-40.8	17	6.7	3.0-10.4	3	2.3	0.0- 6.2
\$75,000+	517	110,913				37	9.2	5.5-12.9	243	45.2	39.5-50.9	189	36.0	30.5-41.5	40	7.4	4.5-10.3	8	2.2	0.6- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2044	357,930	32	1.5	0.9- 2.1	897	44.7	41.6-47.8	816	39.4	36.5-42.3	214	9.5	7.7-11.3	62	3.0	2.0- 4.0	23	1.9	0.7- 3.1
White/Non-Hisp	1444	232,923	22	1.3	0.7- 1.9	668	47.2	43.3-51.1	558	39.0	35.3-42.7	145	8.1	6.3- 9.9	38	2.5	1.3- 3.7	13	1.8	0.2- 3.4
Black or Afr. Am./Non-Hisp	321	74,296	3	0.5	0.0- 1.3	87	29.0	21.9-36.1	156	46.5	39.2-53.8	54	17.0	11.3-22.7	16	5.3	2.0- 8.6	5	1.7	0.0- 3.9
Hispanic	175	28,967	5	4.0	0.0- 8.3	91	55.0	45.2-64.8	68	35.4	26.2-44.6	8	4.2	0.1- 8.3	2	0.7	0.0- 1.9	1	0.6	0.0- 1.8
18-24	107	42,984	2	1.8	0.0- 4.5	61	63.7	51.7-75.7	32	23.3	13.9-32.7	10	7.5	2.2-12.8	1	0.6	0.0- 1.8	1	3.1	0.0- 9.2
25-34	228	55,944	5	1.2	0.0- 2.4	108	48.6	40.0-57.2	86	38.8	30.4-47.2	21	6.8	3.5-10.1	5	2.9	0.0- 6.0	3	1.8	0.0- 4.3
35-44	210	54,674	1	1.2	0.0- 3.6	88	41.1	32.7-49.5	81	41.1	32.7-49.5	24	10.0	5.1-14.9	12	4.4	1.3- 7.5	4	2.1	0.0- 4.8
45-54	308	56,221	4	0.7	0.0- 1.5	110	34.2	27.5-40.9	135	41.4	34.1-48.7	37	13.0	8.1-17.9	15	5.9	2.2- 9.6	7	4.8	0.7- 8.9
55-64	450	61,738	7	1.8	0.2- 3.4	166	40.4	34.5-46.3	204	43.8	37.7-49.9	51	11.1	6.2-16.0	16	2.1	0.7- 3.5	6	0.8	0.0- 1.6
65+	729	85,306	13	2.1	0.9- 3.3	357	45.0	40.5-49.5	274	42.2	37.5-46.9	70	8.5	6.1-10.9	13	2.1	0.3- 3.9	2	0.2	0.0- 0.4
Less Than H.S.	196	43,458	6	3.5	0.4- 6.6	77	37.2	28.0-46.4	79	38.3	29.1-47.5	23	12.0	5.1-18.9	7	3.4	0.0- 6.9	4	5.6	0.0-11.5
H.S. or G.E.D.	631	105,585	10	1.8	0.2- 3.4	254	43.6	38.3-48.9	253	38.8	33.7-43.9	82	10.9	8.0-13.8	22	3.1	1.3- 4.9	10	1.8	0.2- 3.4
Some Post-H.S.	525	110,123	12	1.5	0.5- 2.5	227	44.7	38.0-51.4	205	37.7	31.6-43.8	63	10.9	7.4-14.4	13	3.4	1.2- 5.6	5	1.8	0.0- 4.2
College Graduate	689	98,022	4	0.4	0.0- 0.8	337	49.4	44.3-54.5	278	42.1	37.0-47.2	46	5.3	3.3- 7.3	20	2.3	1.1- 3.5	4	0.6	0.0- 1.2
Less than \$15,000	196	32,539	5	2.1	0.1- 4.1	66	31.3	22.5-40.1	85	42.0	32.2-51.8	20	14.1	5.1-23.1	16	8.9	2.6-15.2	4	1.5	0.0- 3.3
\$15,000- 24,999	329	53,097	8	2.5	0.1- 4.9	140	41.7	34.4-49.0	121	35.9	29.0-42.8	44	10.1	6.4-13.8	8	3.7	0.6- 6.8	8	6.0	0.7-11.3
\$25,000- 34,999	238	37,761	3	0.8	0.0- 1.8	117	53.4	42.8-64.0	79	30.2	21.6-38.8	29	11.6	6.3-16.9	7	2.4	0.2- 4.6	3	1.6	0.0- 3.8
\$35,000- 49,999	253	44,686	5	2.0	0.0- 4.0	79	32.5	24.9-40.1	120	44.6	36.8-52.4	34	13.9	8.2-19.6	11	5.7	1.6- 9.8	4	1.4	0.0- 2.8
\$50,000- 74,999	234	44,310	3	2.3	0.0- 5.4	104	43.4	34.8-52.0	97	42.3	33.3-51.3	19	5.6	2.7- 8.5	9	2.8	0.3- 5.3	2	3.6	0.0- 9.5
\$75,000+	456	92,329	2	0.2	0.0- 0.6	226	49.2	42.7-55.7	188	42.2	35.7-48.7	32	7.1	4.2-10.0	7	1.0	0.2- 1.8	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	683,890	44	1.5	0.7- 2.3	1075	30.6	28.4-32.8	1406	37.3	35.1-39.5	712	18.7	16.9-20.5	465	11.9	10.5-13.3
Male	1713	336,992	13	1.6	0.2- 3.0	420	25.4	22.5-28.3	741	42.6	39.5-45.7	375	21.4	18.7-24.1	164	9.0	7.2-10.8
Female	1989	346,898	31	1.4	0.8- 2.0	655	35.7	32.6-38.8	665	32.2	29.3-35.1	337	16.1	13.9-18.3	301	14.6	12.4-16.8
White/Non-Hisp	2645	450,781	29	1.5	0.5- 2.5	792	30.8	28.3-33.3	1019	38.4	35.9-40.9	495	18.6	16.4-20.8	310	10.6	9.0-12.2
Black or Afr. Am./Non-Hisp	518	134,699	6	1.1	0.0- 2.3	108	25.2	19.7-30.7	188	35.5	30.0-41.0	112	19.8	15.3-24.3	104	18.4	13.9-22.9
Oth. Race/Non-Hisp.	117	26,148	3	3.8	0.0- 9.1	51	49.0	37.4-60.6	33	26.0	16.4-35.6	16	15.2	6.2-24.2	14	5.9	2.2- 9.6
MultiRacial/Non-Hisp.	63	13,000	1	2.0	0.0- 5.9	19	37.7	20.6-54.8	19	31.0	16.1-45.9	16	14.6	6.4-22.8	8	14.7	2.2-27.2
Hispanic	278	45,984	2	0.6	0.0- 1.6	89	35.5	28.1-42.9	106	36.7	29.1-44.3	60	20.8	14.7-26.9	21	6.4	2.9- 9.9
18-24	235	84,247	5	2.4	0.0- 4.8	116	54.3	45.9-62.7	68	24.1	17.4-30.8	26	9.5	5.0-14.0	20	9.9	4.6-15.2
25-34	384	106,194	6	3.2	0.0- 7.3	131	31.9	25.6-38.2	140	38.4	31.9-44.9	75	18.9	13.6-24.2	32	7.5	4.4-10.6
35-44	387	102,745	2	0.8	0.0- 2.2	107	26.6	21.1-32.1	137	37.1	31.0-43.2	86	22.7	17.4-28.0	55	12.9	8.8-17.0
45-54	591	111,204	5	0.6	0.0- 1.2	135	23.6	19.1-28.1	243	40.3	35.0-45.6	119	19.4	14.9-23.9	89	16.1	12.0-20.2
55-64	806	120,940	10	1.1	0.3- 1.9	209	27.6	23.7-31.5	301	37.1	32.8-41.4	161	19.8	16.3-23.3	125	14.3	11.0-17.6
65+	1279	156,870	16	1.4	0.6- 2.2	367	26.9	24.0-29.8	512	42.0	38.5-45.5	242	19.4	16.7-22.1	142	10.3	8.1-12.5
Less Than H.S.	329	78,699	7	4.1	0.0- 9.4	87	27.7	20.8-34.6	103	28.0	21.5-34.5	87	25.6	19.5-31.7	45	14.6	9.1-20.1
H.S. or G.E.D.	1154	214,235	8	1.0	0.0- 2.0	299	27.3	23.8-30.8	435	37.7	34.0-41.4	229	19.9	16.8-23.0	183	14.1	11.4-16.8
Some Post-H.S.	920	202,812	16	1.8	0.8- 2.8	273	32.7	28.0-37.4	339	36.6	32.3-40.9	166	16.2	13.1-19.3	126	12.7	9.8-15.6
College Graduate	1291	187,056	12	0.8	0.4- 1.2	414	33.6	30.1-37.1	527	41.6	38.1-45.1	227	16.8	14.1-19.5	111	7.3	5.5- 9.1
Less than \$15,000	281	47,952	5	1.5	0.1- 2.9	73	26.0	17.8-34.2	94	32.9	25.1-40.7	48	17.2	11.3-23.1	61	22.4	14.8-30.0
\$15,000- 24,999	556	91,979	8	1.2	0.2- 2.2	160	26.5	21.8-31.2	202	37.4	32.1-42.7	100	18.4	14.1-22.7	86	16.6	12.1-21.1
\$25,000- 34,999	360	59,041	7	2.4	0.2- 4.6	109	35.5	26.5-44.5	114	32.2	24.9-39.5	77	18.6	13.3-23.9	53	11.3	7.4-15.2
\$35,000- 49,999	484	86,431	5	0.8	0.0- 1.6	100	20.5	15.8-25.2	210	45.0	39.1-50.9	91	15.8	11.9-19.7	78	17.8	13.3-22.3
\$50,000- 74,999	494	98,731	6	1.7	0.1- 3.3	137	28.3	23.0-33.6	207	42.0	35.9-48.1	97	18.4	13.5-23.3	47	9.6	5.5-13.7
\$75,000+	963	199,347	5	0.6	0.0- 1.4	306	33.2	29.1-37.3	378	37.8	33.7-41.9	194	19.8	16.3-23.3	80	8.5	6.1-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	336,992	13	1.6	0.2- 3.0	420	25.4	22.5-28.3	741	42.6	39.5-45.7	375	21.4	18.7-24.1	164	9.0	7.2-10.8
White/Non-Hisp	1216	222,073	9	1.9	0.0- 4.1	270	21.4	18.5-24.3	551	45.7	42.0-49.4	270	22.3	19.2-25.4	116	8.7	6.7-10.7
Black or Afr. Am./Non-Hisp	202	61,570	2	1.4	0.0- 3.6	47	31.2	22.2-40.2	77	33.6	25.2-42.0	46	20.8	13.5-28.1	30	13.1	7.2-19.0
Oth. Race/Non-Hisp.	74	16,696				30	41.0	26.5-55.5	27	35.8	22.3-49.3	10	17.6	5.3-29.9	7	5.6	0.9-10.3
Hispanic	138	22,667	1	0.4	0.0- 1.2	50	35.3	24.9-45.7	53	42.0	30.8-53.2	28	19.9	11.5-28.3	6	2.4	0.2- 4.6
18-24	138	43,154	4	3.7	0.0- 8.0	68	45.6	35.2-56.0	45	33.2	23.4-43.0	11	7.8	1.9-13.7	10	9.7	2.4-17.0
25-34	180	55,606	2	5.1	0.0-12.7	63	31.1	21.9-40.3	71	41.9	32.3-51.5	37	17.8	10.9-24.7	7	4.1	0.6- 7.6
35-44	189	51,044				45	20.6	13.3-27.9	76	41.5	32.9-50.1	52	29.3	21.1-37.5	16	8.6	3.5-13.7
45-54	287	55,354	1	0.2	0.0- 0.6	49	19.7	13.2-26.2	136	44.6	36.8-52.4	69	25.9	18.3-33.5	32	9.6	5.5-13.7
55-64	356	59,202	3	0.8	0.0- 1.8	69	19.2	14.3-24.1	161	45.2	38.7-51.7	78	22.2	16.7-27.7	45	12.7	8.4-17.0
65+	554	71,962	3	0.6	0.0- 1.4	122	22.0	17.7-26.3	251	46.0	40.7-51.3	125	22.4	18.1-26.7	53	9.0	6.1-11.9
Less Than H.S.	159	39,374	3	6.3	0.0-16.5	49	31.0	20.4-41.6	56	30.6	21.4-39.8	42	28.2	18.8-37.6	9	3.9	1.0- 6.8
H.S. or G.E.D.	534	110,404	2	0.8	0.0- 2.4	121	21.4	16.9-25.9	220	42.1	36.4-47.8	119	23.2	18.1-28.3	72	12.5	8.4-16.6
Some Post-H.S.	401	94,404	5	1.9	0.0- 3.9	97	26.6	20.7-32.5	168	43.2	36.7-49.7	85	18.5	13.6-23.4	46	9.9	6.4-13.4
College Graduate	614	92,464	2	0.2	0.0- 0.6	153	26.9	22.2-31.6	295	47.6	42.5-52.7	127	19.2	15.1-23.3	37	6.2	3.8- 8.6
Less than \$15,000	94	16,458	2	2.1	0.0- 5.4	30	34.2	17.1-51.3	38	42.3	27.0-57.6	16	17.0	7.2-26.8	8	4.4	0.7- 8.1
\$15,000- 24,999	247	42,058	2	1.1	0.0- 2.7	66	23.1	16.6-29.6	103	44.4	36.4-52.4	46	20.4	13.5-27.3	30	11.0	6.1-15.9
\$25,000- 34,999	126	22,203	1	1.9	0.0- 5.6	34	27.7	17.1-38.3	39	37.8	25.3-50.3	38	26.1	16.3-35.9	14	6.5	2.6-10.4
\$35,000- 49,999	233	42,198	1	0.3	0.0- 0.9	44	16.9	11.2-22.6	119	54.6	46.2-63.0	44	15.6	9.7-21.5	25	12.6	6.5-18.7
\$50,000- 74,999	262	55,568				51	20.5	13.8-27.2	135	50.5	42.1-58.9	55	20.6	13.2-28.0	21	8.4	3.3-13.5
\$75,000+	512	109,009	2	0.7	0.0- 1.9	120	25.6	20.5-30.7	219	40.0	34.5-45.5	127	24.5	19.6-29.4	44	9.3	6.0-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1989	346,898	31	1.4	0.8- 2.0	655	35.7	32.6-38.8	665	32.2	29.3-35.1	337	16.1	13.9-18.3	301	14.6	12.4-16.8
White/Non-Hisp	1429	228,708	20	1.1	0.5- 1.7	522	39.9	36.0-43.8	468	31.3	28.0-34.6	225	15.1	12.6-17.6	194	12.5	10.0-15.0
Black or Afr. Am./Non-Hisp	316	73,129	4	0.8	0.0- 1.6	61	20.3	13.8-26.8	111	37.1	29.8-44.4	66	19.1	13.6-24.6	74	22.8	16.5-29.1
Hispanic	140	23,317	1	0.8	0.0- 2.4	39	35.8	25.0-46.6	53	31.5	21.3-41.7	32	21.6	12.6-30.6	15	10.2	3.7-16.7
18-24	97	41,093	1	1.0	0.0- 3.0	48	63.4	51.2-75.6	23	14.4	7.3-21.5	15	11.2	4.3-18.1	10	10.0	2.4-17.6
25-34	204	50,589	4	1.2	0.0- 2.6	68	32.8	24.6-41.0	69	34.5	25.9-43.1	38	20.1	12.1-28.1	25	11.4	6.1-16.7
35-44	198	51,700	2	1.5	0.0- 4.0	62	32.4	24.2-40.6	61	32.8	24.4-41.2	34	16.3	10.0-22.6	39	17.0	10.7-23.3
45-54	304	55,850	4	1.0	0.0- 2.0	86	27.6	21.3-33.9	107	36.0	28.7-43.3	50	13.0	8.7-17.3	57	22.4	15.7-29.1
55-64	450	61,738	7	1.4	0.2- 2.6	140	35.7	29.8-41.6	140	29.4	24.1-34.7	83	17.6	13.3-21.9	80	15.9	10.8-21.0
65+	725	84,907	13	2.0	0.8- 3.2	245	31.2	27.1-35.3	261	38.5	33.8-43.2	117	16.9	13.4-20.4	89	11.4	8.5-14.3
Less Than H.S.	170	39,325	4	1.9	0.0- 3.9	38	24.4	15.6-33.2	47	25.5	16.7-34.3	45	22.9	15.1-30.7	36	25.3	15.5-35.1
H.S. or G.E.D.	620	103,830	6	1.2	0.0- 2.6	178	33.5	28.2-38.8	215	33.1	28.2-38.0	110	16.4	12.7-20.1	111	15.8	12.1-19.5
Some Post-H.S.	519	108,408	11	1.6	0.4- 2.8	176	38.0	31.1-44.9	171	30.9	25.2-36.6	81	14.2	10.1-18.3	80	15.2	10.7-19.7
College Graduate	677	94,593	10	1.3	0.3- 2.3	261	40.2	35.1-45.3	232	35.7	30.6-40.8	100	14.4	10.9-17.9	74	8.4	6.0-10.8
Less than \$15,000	187	31,494	3	1.1	0.0- 2.5	43	21.8	13.8-29.8	56	28.0	19.2-36.8	32	17.3	9.9-24.7	53	31.8	21.4-42.2
\$15,000- 24,999	309	49,921	6	1.3	0.1- 2.5	94	29.4	22.7-36.1	99	31.5	24.6-38.4	54	16.6	11.1-22.1	56	21.3	14.4-28.2
\$25,000- 34,999	234	36,838	6	2.7	0.2- 5.2	75	40.2	27.9-52.5	75	28.7	20.3-37.1	39	14.2	8.5-19.9	39	14.2	8.5-19.9
\$35,000- 49,999	251	44,234	4	1.4	0.0- 2.8	56	24.0	16.9-31.1	91	35.8	28.0-43.6	47	16.1	10.8-21.4	53	22.8	15.9-29.7
\$50,000- 74,999	232	43,163	6	3.8	0.1- 7.5	86	38.3	29.7-46.9	72	31.1	22.5-39.7	42	15.6	9.7-21.5	26	11.2	4.5-17.9
\$75,000+	451	90,338	3	0.5	0.0- 1.1	186	42.4	35.9-48.9	159	35.3	29.2-41.4	67	14.2	9.3-19.1	36	7.7	4.6-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	683,890	52	1.8	1.0- 2.6	1063	30.2	28.0-32.4	1407	37.3	35.1-39.5	1180	30.7	28.5-32.9
Male	1713	336,992	16	1.9	0.3- 3.5	414	25.0	22.1-27.9	742	42.5	39.4-45.6	541	30.7	27.8-33.6
Female	1989	346,898	36	1.7	0.9- 2.5	649	35.3	32.2-38.4	665	32.3	29.4-35.2	639	30.7	27.8-33.6
White/Non-Hisp	2645	450,781	34	1.7	0.7- 2.7	784	30.5	28.0-33.0	1021	38.5	36.0-41.0	806	29.3	26.9-31.7
Black or Afr. Am./Non-Hisp	518	134,699	6	1.1	0.0- 2.3	107	24.9	19.4-30.4	187	35.0	29.5-40.5	218	39.0	33.3-44.7
Oth. Race/Non-Hisp.	117	26,148	4	4.1	0.0- 9.4	50	48.7	37.1-60.3	33	26.0	16.4-35.6	30	21.1	11.7-30.5
MultiRacial/Non-Hisp.	63	13,000	1	2.0	0.0- 5.9	19	37.7	20.6-54.8	19	31.0	16.1-45.9	24	29.3	15.2-43.4
Hispanic	278	45,984	4	2.9	0.0- 6.2	87	33.3	26.0-40.6	106	36.7	29.1-44.3	81	27.2	20.5-33.9
18-24	235	84,247	8	3.7	0.8- 6.6	112	52.7	44.1-61.3	69	24.3	17.6-31.0	46	19.3	12.6-26.0
25-34	384	106,194	7	3.7	0.0- 7.8	129	31.1	25.0-37.2	141	38.8	32.3-45.3	107	26.5	20.6-32.4
35-44	387	102,745	2	0.8	0.0- 2.2	107	26.6	21.1-32.1	137	37.1	31.0-43.2	141	35.6	29.7-41.5
45-54	591	111,204	5	0.6	0.0- 1.2	135	23.6	19.1-28.1	243	40.3	35.0-45.6	208	35.5	30.2-40.8
55-64	806	120,940	12	1.3	0.5- 2.1	207	27.5	23.6-31.4	301	37.1	32.8-41.4	286	34.2	29.9-38.5
65+	1279	156,870	18	1.5	0.7- 2.3	363	26.6	23.7-29.5	511	41.5	38.2-44.8	387	30.4	27.1-33.7
Less Than H.S.	329	78,699	8	4.8	0.0-10.3	86	27.0	20.1-33.9	102	26.9	20.6-33.2	133	41.3	33.9-48.7
H.S. or G.E.D.	1154	214,235	10	1.1	0.1- 2.1	296	27.1	23.6-30.6	436	37.8	34.1-41.5	412	34.0	30.3-37.7
Some Post-H.S.	920	202,812	19	2.3	1.1- 3.5	267	31.8	27.1-36.5	342	37.0	32.7-41.3	292	28.9	25.0-32.8
College Graduate	1291	187,056	14	0.8	0.4- 1.2	412	33.5	30.0-37.0	525	41.5	38.0-45.0	340	24.2	21.3-27.1
Less than \$15,000	281	47,952	6	1.6	0.2- 3.0	72	25.9	17.7-34.1	94	32.9	25.1-40.7	109	39.6	31.2-48.0
\$15,000- 24,999	556	91,979	9	1.8	0.2- 3.4	158	25.9	21.2-30.6	203	37.4	32.1-42.7	186	34.9	29.4-40.4
\$25,000- 34,999	360	59,041	8	2.6	0.4- 4.8	108	35.4	26.4-44.4	114	32.2	24.9-39.5	130	29.9	23.4-36.4
\$35,000- 49,999	484	86,431	7	1.0	0.2- 1.8	97	20.1	15.6-24.6	210	44.2	38.5-49.9	170	34.7	29.2-40.2
\$50,000- 74,999	494	98,731	7	1.8	0.2- 3.4	136	28.2	22.9-33.5	207	42.0	35.9-48.1	144	28.0	22.1-33.9
\$75,000+	963	199,347	6	0.8	0.0- 1.6	304	32.8	28.7-36.9	377	37.9	33.8-42.0	276	28.4	24.5-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	336,992	16	1.9	0.3- 3.5	414	25.0	22.1-27.9	742	42.5	39.4-45.6	541	30.7	27.8-33.6
White/Non-Hisp	1216	222,073	10	2.1	0.0- 4.3	267	21.1	18.2-24.0	552	45.8	42.1-49.5	387	31.0	27.5-34.5
Black or Afr. Am./Non-Hisp	202	61,570	2	1.4	0.0- 3.6	46	30.5	21.5-39.5	77	32.8	24.6-41.0	77	35.3	26.7-43.9
Oth. Race/Non-Hisp.	74	16,696	1	0.5	0.0- 1.5	29	40.5	26.0-55.0	27	35.8	22.3-49.3	17	23.2	10.5-35.9
Hispanic	138	22,667	2	2.5	0.0- 6.6	49	33.2	23.2-43.2	53	42.0	30.8-53.2	34	22.3	13.7-30.9
18-24	138	43,154	6	4.9	0.2- 9.6	65	43.9	33.7-54.1	46	33.7	23.9-43.5	21	17.5	8.7-26.3
25-34	180	55,606	3	5.9	0.0-13.5	61	29.5	20.5-38.5	72	42.7	33.1-52.3	44	21.9	14.5-29.3
35-44	189	51,044				45	20.6	13.3-27.9	76	41.5	32.9-50.1	68	37.9	29.3-46.5
45-54	287	55,354	1	0.2	0.0- 0.6	49	19.7	13.2-26.2	136	44.6	36.8-52.4	101	35.5	27.7-43.3
55-64	356	59,202	3	0.8	0.0- 1.8	69	19.2	14.3-24.1	161	45.2	38.7-51.7	123	34.8	28.5-41.1
65+	554	71,962	3	0.6	0.0- 1.4	121	21.9	17.6-26.2	250	44.7	39.6-49.8	180	32.8	27.7-37.9
Less Than H.S.	159	39,374	3	6.3	0.0-16.5	49	31.0	20.4-41.6	55	28.3	19.7-36.9	52	34.3	24.1-44.5
H.S. or G.E.D.	534	110,404	2	0.8	0.0- 2.4	120	21.2	16.7-25.7	221	42.3	36.6-48.0	191	35.7	30.0-41.4
Some Post-H.S.	401	94,404	7	2.9	0.5- 5.3	93	25.1	19.4-30.8	170	43.6	37.1-50.1	131	28.3	22.8-33.8
College Graduate	614	92,464	3	0.3	0.0- 0.7	152	26.8	22.1-31.5	294	47.5	42.4-52.6	165	25.4	20.9-29.9
Less than \$15,000	94	16,458	2	2.1	0.0- 5.4	30	34.2	17.1-51.3	38	42.3	27.0-57.6	24	21.4	10.8-32.0
\$15,000- 24,999	247	42,058	2	1.1	0.0- 2.7	65	23.0	16.5-29.5	104	44.5	36.5-52.5	76	31.4	23.8-39.0
\$25,000- 34,999	126	22,203	2	2.3	0.0- 6.0	33	27.4	16.8-38.0	39	37.8	25.3-50.3	52	32.5	22.1-42.9
\$35,000- 49,999	233	42,198	1	0.3	0.0- 0.9	43	16.4	10.7-22.1	119	52.9	44.5-61.3	70	30.3	22.3-38.3
\$50,000- 74,999	262	55,568				51	20.5	13.8-27.2	135	50.5	42.1-58.9	76	29.0	20.8-37.2
\$75,000+	512	109,009	3	1.1	0.0- 2.5	118	24.9	19.8-30.0	219	40.3	34.8-45.8	172	33.8	28.3-39.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1989	346,898	36	1.7	0.9- 2.5	649	35.3	32.2-38.4	665	32.3	29.4-35.2	639	30.7	27.8-33.6
White/Non-Hisp	1429	228,708	24	1.3	0.7- 1.9	517	39.7	35.8-43.6	469	31.5	28.2-34.8	419	27.6	24.3-30.9
Black or Afr. Am./Non-Hisp	316	73,129	4	0.8	0.0- 1.6	61	20.3	13.8-26.8	110	36.9	29.6-44.2	141	42.0	34.7-49.3
Hispanic	140	23,317	2	3.3	0.0- 8.2	38	33.3	22.7-43.9	53	31.5	21.3-41.7	47	31.9	21.7-42.1
18-24	97	41,093	2	2.3	0.0- 5.6	47	62.0	49.7-74.3	23	14.4	7.3-21.5	25	21.2	11.2-31.2
25-34	204	50,589	4	1.2	0.0- 2.6	68	32.8	24.6-41.0	69	34.5	25.9-43.1	63	31.5	22.9-40.1
35-44	198	51,700	2	1.5	0.0- 4.0	62	32.4	24.2-40.6	61	32.8	24.4-41.2	73	33.3	25.1-41.5
45-54	304	55,850	4	1.0	0.0- 2.0	86	27.6	21.3-33.9	107	36.0	28.7-43.3	107	35.4	28.3-42.5
55-64	450	61,738	9	1.7	0.3- 3.1	138	35.4	29.5-41.3	140	29.4	24.1-34.7	163	33.5	27.6-39.4
65+	725	84,907	15	2.3	1.1- 3.5	242	30.5	26.4-34.6	261	38.8	34.1-43.5	207	28.4	24.3-32.5
Less Than H.S.	170	39,325	5	3.3	0.0- 6.6	37	23.0	14.6-31.4	47	25.5	16.7-34.3	81	48.2	38.0-58.4
H.S. or G.E.D.	620	103,830	8	1.4	0.0- 2.8	176	33.3	28.0-38.6	215	33.1	28.2-38.0	221	32.2	27.3-37.1
Some Post-H.S.	519	108,408	12	1.7	0.5- 2.9	174	37.6	30.7-44.5	172	31.2	25.5-36.9	161	29.5	23.8-35.2
College Graduate	677	94,593	11	1.3	0.3- 2.3	260	40.1	35.0-45.2	231	35.6	30.5-40.7	175	22.9	18.8-27.0
Less than \$15,000	187	31,494	4	1.4	0.0- 2.8	42	21.5	13.5-29.5	56	28.0	19.2-36.8	85	49.1	38.7-59.5
\$15,000- 24,999	309	49,921	7	2.4	0.0- 4.9	93	28.2	21.7-34.7	99	31.5	24.6-38.4	110	37.9	30.3-45.5
\$25,000- 34,999	234	36,838	6	2.7	0.2- 5.2	75	40.2	27.9-52.5	75	28.7	20.3-37.1	78	28.4	20.2-36.6
\$35,000- 49,999	251	44,234	6	1.7	0.1- 3.3	54	23.6	16.5-30.7	91	35.8	28.0-43.6	100	38.9	31.3-46.5
\$50,000- 74,999	232	43,163	7	4.1	0.4- 7.8	85	38.1	29.5-46.7	72	31.1	22.5-39.7	68	26.8	18.6-35.0
\$75,000+	451	90,338	3	0.5	0.0- 1.1	186	42.4	35.9-48.9	158	35.1	29.0-41.2	104	22.0	16.5-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3702	683,890	1115	32.0	29.8-34.2	2587	68.0	65.8-70.2
Male	1713	336,992	430	26.9	24.0-29.8	1283	73.1	70.2-76.0
Female	1989	346,898	685	37.0	33.9-40.1	1304	63.0	59.9-66.1
White/Non-Hisp	2645	450,781	818	32.2	29.5-34.9	1827	67.8	65.1-70.5
Black or Afr. Am./Non-Hisp	518	134,699	113	26.0	20.5-31.5	405	74.0	68.5-79.5
Oth. Race/Non-Hisp.	117	26,148	54	52.9	41.3-64.5	63	47.1	35.5-58.7
MultiRacial/Non-Hisp.	63	13,000	20	39.7	22.6-56.8	43	60.3	43.2-77.4
Hispanic	278	45,984	91	36.2	28.8-43.6	187	63.8	56.4-71.2
18-24	235	84,247	120	56.4	48.0-64.8	115	43.6	35.2-52.0
25-34	384	106,194	136	34.8	28.1-41.5	248	65.2	58.5-71.9
35-44	387	102,745	109	27.3	21.6-33.0	278	72.7	67.0-78.4
45-54	591	111,204	140	24.2	19.7-28.7	451	75.8	71.3-80.3
55-64	806	120,940	219	28.7	24.8-32.6	587	71.3	67.4-75.2
65+	1279	156,870	381	28.1	25.2-31.0	898	71.9	69.0-74.8
Less Than H.S.	329	78,699	94	31.8	24.2-39.4	235	68.2	60.6-75.8
H.S. or G.E.D.	1154	214,235	306	28.2	24.7-31.7	848	71.8	68.3-75.3
Some Post-H.S.	920	202,812	286	34.1	29.4-38.8	634	65.9	61.2-70.6
College Graduate	1291	187,056	426	34.3	30.8-37.8	865	65.7	62.2-69.2
Less than \$15,000	281	47,952	78	27.5	19.3-35.7	203	72.5	64.3-80.7
\$15,000- 24,999	556	91,979	167	27.7	23.0-32.4	389	72.3	67.6-77.0
\$25,000- 34,999	360	59,041	116	37.9	28.9-46.9	244	62.1	53.1-71.1
\$35,000- 49,999	484	86,431	104	21.1	16.4-25.8	380	78.9	74.2-83.6
\$50,000- 74,999	494	98,731	143	30.0	24.5-35.5	351	70.0	64.5-75.5
\$75,000+	963	199,347	310	33.6	29.5-37.7	653	66.4	62.3-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	336,992	430	26.9	24.0-29.8	1283	73.1	70.2-76.0
White/Non-Hisp	1216	222,073	277	23.2	19.9-26.5	939	76.8	73.5-80.1
Black or Afr. Am./Non-Hisp	202	61,570	48	31.9	22.9-40.9	154	68.1	59.1-77.1
Oth. Race/Non-Hisp.	74	16,696	30	41.0	26.5-55.5	44	59.0	44.5-73.5
Hispanic	138	22,667	51	35.7	25.3-46.1	87	64.3	53.9-74.7
18-24	138	43,154	71	48.8	38.4-59.2	67	51.2	40.8-61.6
25-34	180	55,606	64	35.5	25.3-45.7	116	64.5	54.3-74.7
35-44	189	51,044	45	20.6	13.3-27.9	144	79.4	72.1-86.7
45-54	287	55,354	50	19.9	13.4-26.4	237	80.1	73.6-86.6
55-64	356	59,202	72	20.0	14.9-25.1	284	80.0	74.9-85.1
65+	554	71,962	124	22.5	18.0-27.0	430	77.5	73.0-82.0
Less Than H.S.	159	39,374	52	37.4	25.4-49.4	107	62.6	50.6-74.6
H.S. or G.E.D.	534	110,404	122	22.0	17.3-26.7	412	78.0	73.3-82.7
Some Post-H.S.	401	94,404	100	28.0	22.1-33.9	301	72.0	66.1-77.9
College Graduate	614	92,464	155	27.1	22.4-31.8	459	72.9	68.2-77.6
Less than \$15,000	94	16,458	32	36.3	19.4-53.2	62	63.7	46.8-80.6
\$15,000- 24,999	247	42,058	67	24.2	17.5-30.9	180	75.8	69.1-82.5
\$25,000- 34,999	126	22,203	35	29.6	18.6-40.6	91	70.4	59.4-81.4
\$35,000- 49,999	233	42,198	44	16.7	11.0-22.4	189	83.3	77.6-89.0
\$50,000- 74,999	262	55,568	51	20.5	13.8-27.2	211	79.5	72.8-86.2
\$75,000+	512	109,009	121	25.9	20.8-31.0	391	74.1	69.0-79.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1989	346,898	685	37.0	33.9-40.1	1304	63.0	59.9-66.1
White/Non-Hisp	1429	228,708	541	40.9	37.0-44.8	888	59.1	55.2-63.0
Black or Afr. Am./Non-Hisp	316	73,129	65	21.1	14.6-27.6	251	78.9	72.4-85.4
Hispanic	140	23,317	40	36.6	25.8-47.4	100	63.4	52.6-74.2
18-24	97	41,093	49	64.3	52.1-76.5	48	35.7	23.5-47.9
25-34	204	50,589	72	34.0	25.8-42.2	132	66.0	57.8-74.2
35-44	198	51,700	64	34.0	25.6-42.4	134	66.0	57.6-74.4
45-54	304	55,850	90	28.6	22.1-35.1	214	71.4	64.9-77.9
55-64	450	61,738	147	37.1	31.2-43.0	303	62.9	57.0-68.8
65+	725	84,907	257	32.8	28.7-36.9	468	67.2	63.1-71.3
Less Than H.S.	170	39,325	42	26.3	17.5-35.1	128	73.7	64.9-82.5
H.S. or G.E.D.	620	103,830	184	34.7	29.4-40.0	436	65.3	60.0-70.6
Some Post-H.S.	519	108,408	186	39.3	32.4-46.2	333	60.7	53.8-67.6
College Graduate	677	94,593	271	41.5	36.4-46.6	406	58.5	53.4-63.6
Less than \$15,000	187	31,494	46	22.9	14.7-31.1	141	77.1	68.9-85.3
\$15,000- 24,999	309	49,921	100	30.6	23.9-37.3	209	69.4	62.7-76.1
\$25,000- 34,999	234	36,838	81	42.9	30.9-54.9	153	57.1	45.1-69.1
\$35,000- 49,999	251	44,234	60	25.3	18.2-32.4	191	74.7	67.6-81.8
\$50,000- 74,999	232	43,163	92	42.1	33.3-50.9	140	57.9	49.1-66.7
\$75,000+	451	90,338	189	42.9	36.4-49.4	262	57.1	50.6-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4028	748,253	2889	63.7	61.5-65.9	488	14.8	13.2-16.4	396	13.6	12.0-15.2	166	5.2	4.2- 6.2	47	1.5	0.9- 2.1	42	1.2	0.6- 1.8
Male	1797	357,547	1311	65.8	62.7-68.9	213	13.9	11.5-16.3	174	13.6	11.2-16.0	60	4.3	2.9- 5.7	18	1.0	0.4- 1.6	21	1.4	0.6- 2.2
Female	2231	390,705	1578	61.8	58.9-64.7	275	15.7	13.3-18.1	222	13.5	11.3-15.7	106	6.0	4.6- 7.4	29	2.0	1.0- 3.0	21	1.1	0.5- 1.7
White/Non-Hisp	2804	481,649	2209	69.7	67.2-72.2	264	12.8	10.8-14.8	225	12.1	10.3-13.9	66	3.4	2.4- 4.4	25	1.3	0.7- 1.9	15	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	571	149,375	374	61.2	55.7-66.7	92	16.5	12.6-20.4	59	13.7	9.6-17.8	37	6.8	4.3- 9.3	4	0.7	0.0- 1.5	5	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	131	29,160	78	58.2	47.2-69.2	27	21.0	12.0-30.0	15	10.5	4.0-17.0	7	8.2	0.9-15.5	2	0.5	0.0- 1.3	2	1.5	0.0- 3.7
MultiRacial/Non-Hisp.	67	13,753	35	48.2	32.3-64.1	13	19.1	6.9-31.3	8	14.7	2.4-27.0	5	7.3	0.0-14.7	2	5.7	0.0-15.3	4	5.0	0.0-11.3
Hispanic	358	58,095	124	28.9	23.0-34.8	75	20.2	14.9-25.5	82	26.8	20.5-33.1	51	15.0	10.1-19.9	13	4.0	1.1- 6.9	13	5.1	1.2- 9.0
18-24	260	89,573	147	58.7	50.7-66.7	62	26.1	18.8-33.4	32	10.5	6.2-14.8	12	3.1	0.9- 5.3	3	0.3	0.0- 0.7	4	1.4	0.0- 2.8
25-34	452	125,170	200	45.8	39.5-52.1	87	19.5	14.4-24.6	92	21.5	16.4-26.6	52	9.6	6.3-12.9	13	2.1	0.7- 3.5	8	1.4	0.0- 2.8
35-44	422	112,205	118	30.1	24.4-35.8	81	15.8	11.7-19.9	129	31.8	26.1-37.5	58	13.1	9.2-17.0	19	5.4	2.7- 8.1	17	3.9	1.5- 6.3
45-54	642	122,443	374	54.5	49.4-59.6	137	20.9	16.8-25.0	94	17.2	13.3-21.1	26	5.8	2.9- 8.7	6	1.1	0.1- 2.1	5	0.6	0.0- 1.2
55-64	851	128,082	722	84.0	80.9-87.1	75	8.9	6.5-11.3	33	4.5	2.5- 6.5	11	1.2	0.4- 2.0	5	0.8	0.0- 2.0	5	0.6	0.0- 1.4
65+	1363	166,446	1299	93.2	91.0-95.4	43	4.9	2.9- 6.9	14	1.5	0.5- 2.5	5	0.3	0.1- 0.5	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
Less Than H.S.	401	92,813	201	46.4	39.5-53.3	70	18.2	12.9-23.5	62	18.2	12.3-24.1	40	9.3	5.8-12.8	14	3.4	1.0- 5.8	14	4.5	1.6- 7.4
H.S. or G.E.D.	1244	231,380	912	65.0	61.3-68.7	144	15.3	12.4-18.2	114	12.5	9.8-15.2	51	5.0	3.2- 6.8	12	1.1	0.3- 1.9	11	1.1	0.1- 2.1
Some Post-H.S.	983	217,831	755	69.1	65.0-73.2	90	11.8	8.7-14.9	85	11.5	8.8-14.2	34	5.3	3.1- 7.5	13	1.8	0.6- 3.0	6	0.5	0.0- 1.1
College Graduate	1386	203,237	1012	64.3	60.8-67.8	182	15.9	13.2-18.6	134	14.9	12.2-17.6	40	3.5	2.1- 4.9	8	0.9	0.1- 1.7	10	0.5	0.1- 0.9
Less than \$15,000	314	52,665	221	61.5	53.1-69.9	50	20.0	13.3-26.7	23	12.0	4.7-19.3	13	5.1	2.0- 8.2	4	1.0	0.0- 2.0	3	0.4	0.0- 0.8
\$15,000- 24,999	601	100,726	393	57.7	52.2-63.2	82	18.2	13.7-22.7	64	11.7	8.2-15.2	38	7.7	4.6-10.8	13	2.3	0.7- 3.9	11	2.4	0.2- 4.6
\$25,000- 34,999	382	63,442	286	69.1	62.2-76.0	37	9.7	6.0-13.4	36	13.0	8.1-17.9	14	5.3	1.8- 8.8	5	1.8	0.0- 3.8	4	1.0	0.0- 2.6
\$35,000- 49,999	505	90,050	366	62.9	57.2-68.6	54	13.2	9.3-17.1	55	15.3	11.0-19.6	20	6.4	3.3- 9.5	6	1.4	0.0- 2.8	4	0.8	0.0- 1.8
\$50,000- 74,999	513	103,495	393	70.5	64.6-76.4	62	11.0	7.5-14.5	31	9.1	5.4-12.8	16	5.0	1.7- 8.3	7	2.7	0.5- 4.9	4	1.6	0.0- 3.6
\$75,000+	1006	211,598	685	60.1	55.8-64.4	135	15.9	12.4-19.4	132	17.8	14.5-21.1	35	3.9	2.3- 5.5	8	1.1	0.1- 2.1	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1797	357,547	1311	65.8	62.7-68.9	213	13.9	11.5-16.3	174	13.6	11.2-16.0	60	4.3	2.9- 5.7	18	1.0	0.4- 1.6	21	1.4	0.6- 2.2
White/Non-Hisp	1240	227,508	975	70.6	67.1-74.1	119	11.9	9.4-14.4	106	13.2	10.5-15.9	23	2.7	1.3- 4.1	7	0.6	0.0- 1.2	10	1.0	0.2- 1.8
Black or Afr. Am./Non-Hisp	218	68,811	159	65.3	56.5-74.1	25	12.1	6.4-17.8	22	16.0	8.6-23.4	10	5.2	1.5- 8.9	1	0.3	0.0- 0.9	1	1.2	0.0- 3.6
Oth. Race/Non-Hisp.	82	18,821	49	58.8	44.9-72.7	18	22.2	10.6-33.8	7	6.6	0.0-13.3	5	9.8	0.0-20.2	1	0.2	0.0- 0.6	2	2.3	0.0- 5.4
Hispanic	165	26,190	70	39.6	29.8-49.4	35	23.0	14.8-31.2	31	17.3	10.4-24.2	19	14.0	6.4-21.6	7	4.3	0.6- 8.0	3	1.9	0.0- 4.8
18-24	148	45,780	88	58.5	48.5-68.5	31	23.9	14.9-32.9	18	12.1	5.4-18.8	6	2.8	0.1- 5.5	2	0.5	0.0- 1.3	3	2.3	0.0- 4.8
25-34	203	62,446	119	58.2	49.0-67.4	35	18.0	10.7-25.3	32	16.7	9.4-24.0	10	5.2	1.5- 8.9	4	1.1	0.0- 2.3	3	0.8	0.0- 2.0
35-44	202	54,891	64	32.9	24.7-41.1	36	14.2	8.9-19.5	60	32.2	24.0-40.4	26	12.7	6.8-18.6	8	4.0	0.7- 7.3	8	4.0	0.5- 7.5
45-54	301	59,101	178	55.3	47.5-63.1	57	18.3	12.2-24.4	46	19.2	12.9-25.5	14	5.9	2.0- 9.8	2	0.4	0.0- 1.0	4	0.8	0.0- 1.8
55-64	361	60,379	311	84.7	79.8-89.6	31	8.4	5.1-11.7	13	5.1	1.8- 8.4	2	0.6	0.0- 1.4	2	0.2	0.0- 0.4	2	1.0	0.0- 2.8
65+	570	74,041	543	93.9	91.2-96.6	21	5.1	2.6- 7.6	4	0.8	0.0- 1.6	2	0.2	0.0- 0.6						
Less Than H.S.	188	45,672	104	52.9	42.5-63.3	31	17.0	9.7-24.3	26	16.8	7.8-25.8	14	7.0	2.5-11.5	7	2.5	0.3- 4.7	6	3.8	0.5- 7.1
H.S. or G.E.D.	561	117,170	415	67.3	61.8-72.8	62	13.5	9.2-17.8	51	12.1	8.2-16.0	23	4.8	2.4- 7.2	4	0.5	0.0- 1.1	6	1.8	0.0- 3.6
Some Post-H.S.	412	97,954	315	69.2	63.1-75.3	39	10.3	6.4-14.2	40	13.7	9.0-18.4	13	5.3	2.0- 8.6	2	1.0	0.0- 2.4	3	0.5	0.0- 1.3
College Graduate	629	95,416	473	67.0	61.9-72.1	80	16.1	12.0-20.2	57	14.0	10.1-17.9	9	1.6	0.4- 2.8	5	0.8	0.0- 1.8	5	0.4	0.0- 0.8
Less than \$15,000	105	17,940	78	66.7	50.4-83.0	16	15.5	6.5-24.5	5	13.5	0.0-30.9	2	1.2	0.0- 3.0	4	2.9	0.0- 6.0			
\$15,000- 24,999	260	45,573	180	64.3	56.3-72.3	28	15.3	8.6-22.0	30	9.3	5.2-13.4	14	7.3	2.2-12.4	4	1.6	0.0- 3.6	4	2.3	0.0- 5.2
\$25,000- 34,999	134	24,392	110	75.5	64.5-86.5	8	3.3	0.9- 5.7	10	13.1	3.9-22.3	4	7.1	0.0-14.5	1	0.7	0.0- 2.1	1	0.2	0.0- 0.6
\$35,000- 49,999	238	43,444	177	64.4	56.2-72.6	23	14.3	7.6-21.0	24	14.3	8.2-20.4	10	5.3	1.8- 8.8	1	0.3	0.0- 0.9	3	1.4	0.0- 3.2
\$50,000- 74,999	264	55,562	204	73.1	65.5-80.7	33	10.4	5.7-15.1	14	9.0	3.7-14.3	7	3.5	0.4- 6.6	2	0.9	0.0- 2.3	4	3.1	0.0- 6.6
\$75,000+	517	111,487	361	62.7	57.0-68.4	69	14.8	10.5-19.1	64	17.7	13.0-22.4	12	3.0	0.6- 5.4	4	0.6	0.0- 1.4	7	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2231	390,705	1578	61.8	58.9-64.7	275	15.7	13.3-18.1	222	13.5	11.3-15.7	106	6.0	4.6- 7.4	29	2.0	1.0- 3.0	21	1.1	0.5- 1.7
White/Non-Hisp	1564	254,140	1234	68.8	65.3-72.3	145	13.6	10.7-16.5	119	11.2	8.8-13.6	43	4.1	2.3- 5.9	18	2.0	0.8- 3.2	5	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	353	80,563	215	57.7	50.8-64.6	67	20.2	14.9-25.5	37	11.8	7.3-16.3	27	8.2	4.7-11.7	3	1.1	0.0- 2.5	4	0.9	0.0- 2.1
Hispanic	193	31,904	54	20.2	13.9-26.5	40	17.8	10.9-24.7	51	34.6	25.2-44.0	32	15.8	9.3-22.3	6	3.8	0.0- 7.9	10	7.7	1.0-14.4
18-24	112	43,793	59	58.8	46.3-71.3	31	28.4	16.8-40.0	14	8.8	3.3-14.3	6	3.4	0.1- 6.7	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2
25-34	249	62,724	81	33.6	26.0-41.2	52	21.0	13.9-28.1	60	26.4	19.1-33.7	42	13.9	8.8-19.0	9	3.1	0.6- 5.6	5	2.0	0.0- 4.5
35-44	220	57,315	54	27.3	19.7-34.9	45	17.3	11.2-23.4	69	31.4	23.8-39.0	32	13.5	8.0-19.0	11	6.7	2.2-11.2	9	3.8	0.5- 7.1
45-54	341	63,342	196	53.8	46.7-60.9	80	23.2	17.5-28.9	48	15.3	10.4-20.2	12	5.6	1.3- 9.9	4	1.7	0.0- 3.7	1	0.4	0.0- 1.2
55-64	490	67,703	411	83.3	79.0-87.6	44	9.3	6.0-12.6	20	4.0	2.0- 6.0	9	1.8	0.4- 3.2	3	1.3	0.0- 3.3	3	0.3	0.0- 0.7
65+	793	92,405	756	92.6	89.7-95.5	22	4.8	2.1- 7.5	10	2.1	0.5- 3.7	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	213	47,141	97	40.0	31.0-49.0	39	19.3	11.9-26.7	36	19.7	12.3-27.1	26	11.5	6.2-16.8	7	4.2	0.1- 8.3	8	5.2	0.5- 9.9
H.S. or G.E.D.	683	114,210	497	62.6	57.5-67.7	82	17.0	12.9-21.1	63	13.0	9.3-16.7	28	5.1	2.4- 7.8	8	1.8	0.2- 3.4	5	0.5	0.0- 1.1
Some Post-H.S.	571	119,876	440	69.0	63.1-74.9	51	13.0	8.3-17.7	45	9.7	6.4-13.0	21	5.3	2.6- 8.0	11	2.4	0.6- 4.2	3	0.5	0.0- 1.3
College Graduate	757	107,821	539	61.9	57.0-66.8	102	15.7	12.0-19.4	77	15.7	11.8-19.6	31	5.2	3.0- 7.4	3	0.9	0.0- 2.1	5	0.5	0.0- 1.1
Less than \$15,000	209	34,725	143	58.9	49.1-68.7	34	22.3	13.3-31.3	18	11.2	5.3-17.1	11	7.1	2.4-11.8				3	0.6	0.0- 1.4
\$15,000- 24,999	341	55,153	213	52.3	45.0-59.6	54	20.7	14.8-26.6	34	13.6	8.1-19.1	24	8.1	4.2-12.0	9	2.8	0.3- 5.3	7	2.5	0.0- 5.4
\$25,000- 34,999	248	39,050	176	65.1	55.9-74.3	29	13.7	7.8-19.6	26	13.0	7.3-18.7	10	4.2	0.7- 7.7	4	2.5	0.0- 5.4	3	1.5	0.0- 4.0
\$35,000- 49,999	267	46,606	189	61.6	53.8-69.4	31	12.2	7.5-16.9	31	16.3	10.0-22.6	10	7.5	2.2-12.8	5	2.3	0.0- 4.7	1	0.2	0.0- 0.6
\$50,000- 74,999	249	47,934	189	67.5	58.7-76.3	29	11.8	6.3-17.3	17	9.2	3.7-14.7	9	6.7	0.6-12.8	5	4.8	0.3- 9.3			
\$75,000+	489	100,111	324	57.2	50.9-63.5	66	17.1	11.6-22.6	68	17.8	12.9-22.7	23	4.8	2.4- 7.2	4	1.6	0.0- 3.4	4	1.4	0.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4041	749,747	401	12.4	10.8-14.0	1250	31.0	29.0-33.0	990	29.2	27.0-31.4	1400	27.4	25.6-29.2
Male	1802	358,152	188	12.8	10.4-15.2	564	32.9	30.0-35.8	416	27.5	24.6-30.4	634	26.9	24.4-29.4
Female	2239	391,594	213	12.0	9.8-14.2	686	29.4	26.9-31.9	574	30.8	27.9-33.7	766	27.8	25.4-30.2
White/Non-Hisp	2813	481,453	150	7.8	6.0- 9.6	878	31.9	29.5-34.3	721	30.3	27.8-32.8	1064	30.0	27.8-32.2
Black or Afr. Am./Non-Hisp	574	150,824	59	13.2	9.1-17.3	210	34.0	28.9-39.1	157	32.6	27.3-37.9	148	20.3	16.2-24.4
Oth. Race/Non-Hisp.	132	29,598	8	6.6	1.1-12.1	33	21.9	13.1-30.7	15	15.1	6.1-24.1	76	56.4	45.4-67.4
MultiRacial/Non-Hisp.	66	13,691	7	16.3	2.6-30.0	21	33.4	18.7-48.1	19	30.0	14.9-45.1	19	20.2	8.4-32.0
Hispanic	356	57,904	169	51.6	44.7-58.5	82	19.6	14.7-24.5	57	18.5	12.6-24.4	48	10.2	6.7-13.7
18-24	260	89,607	29	7.4	3.9-10.9	101	40.1	32.1-48.1	86	40.5	31.9-49.1	44	12.0	7.7-16.3
25-34	452	125,299	75	19.3	13.6-25.0	103	21.2	16.3-26.1	112	28.9	23.2-34.6	162	30.6	25.3-35.9
35-44	423	112,382	70	16.1	11.6-20.6	126	31.3	25.8-36.8	78	22.1	16.8-27.4	149	30.4	25.1-35.7
45-54	645	122,507	66	10.2	7.1-13.3	191	29.2	24.5-33.9	144	27.7	22.8-32.6	244	32.9	28.4-37.4
55-64	854	128,597	62	8.7	5.8-11.6	290	34.9	30.8-39.0	201	27.8	23.7-31.9	301	28.6	25.1-32.1
65+	1366	167,004	98	12.0	9.3-14.7	431	32.1	29.0-35.2	362	30.4	27.3-33.5	475	25.5	23.0-28.0
Less Than H.S.	401	92,813	401	100.0	100.0- 100									
H.S. or G.E.D.	1250	232,721				1250	100.0	100.0- 100						
Some Post-H.S.	990	219,147							990	100.0	100.0- 100			
College Graduate	1400	205,064										1400	100.0	100.0- 100
Less than \$15,000	315	52,737	95	39.8	31.2-48.4	119	34.5	27.1-41.9	67	19.7	13.6-25.8	34	5.9	3.0- 8.8
\$15,000- 24,999	600	100,058	136	30.8	25.3-36.3	248	38.4	33.3-43.5	141	22.9	18.6-27.2	75	7.9	5.5-10.3
\$25,000- 34,999	382	63,442	37	12.3	7.8-16.8	162	38.0	30.9-45.1	102	37.4	28.6-46.2	81	12.3	8.8-15.8
\$35,000- 49,999	507	90,224	28	9.7	5.8-13.6	185	37.9	32.4-43.4	139	31.0	25.7-36.3	155	21.4	17.3-25.5
\$50,000- 74,999	513	103,869	8	2.9	0.7- 5.1	130	32.3	26.4-38.2	149	36.6	30.5-42.7	226	28.1	23.4-32.8
\$75,000+	1009	211,750	10	1.3	0.3- 2.3	157	18.5	15.2-21.8	224	29.5	25.4-33.6	618	50.7	46.6-54.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	358,152	188	12.8	10.4-15.2	564	32.9	30.0-35.8	416	27.5	24.6-30.4	634	26.9	24.4-29.4
White/Non-Hisp	1247	227,708	74	8.9	6.2-11.6	397	34.0	30.5-37.5	302	28.0	24.7-31.3	474	29.1	26.0-32.2
Black or Afr. Am./Non-Hisp	219	69,247	20	12.8	5.9-19.7	85	38.5	29.9-47.1	53	29.2	21.2-37.2	61	19.5	13.4-25.6
Oth. Race/Non-Hisp.	82	19,020	6	8.9	0.7-17.1	19	18.3	8.9-27.7	10	20.5	7.4-33.6	47	52.3	38.4-66.2
Hispanic	164	26,117	80	50.3	40.3-60.3	35	16.2	10.1-22.3	31	24.8	14.6-35.0	18	8.7	4.0-13.4
18-24	148	45,780	19	8.3	3.0-13.6	64	50.9	40.7-61.1	44	31.7	22.5-40.9	21	9.1	4.6-13.6
25-34	202	62,462	29	18.7	9.7-27.7	47	21.4	14.1-28.7	44	28.1	19.5-36.7	82	31.8	24.0-39.6
35-44	202	54,710	36	16.0	9.9-22.1	72	34.8	26.8-42.8	38	23.2	15.4-31.0	56	26.0	18.6-33.4
45-54	302	58,799	36	12.2	7.5-16.9	100	34.4	26.8-42.0	63	25.4	18.3-32.5	103	28.0	21.5-34.5
55-64	363	60,823	22	6.9	3.8-10.0	128	35.3	29.2-41.4	78	25.9	19.8-32.0	135	31.9	26.4-37.4
65+	573	74,669	46	13.5	9.0-18.0	151	26.9	22.4-31.4	147	30.7	25.8-35.6	229	28.9	24.8-33.0
Less Than H.S.	188	45,672	188	100.0	100.0- 100									
H.S. or G.E.D.	564	117,681				564	100.0	100.0- 100						
Some Post-H.S.	416	98,629							416	100.0	100.0- 100			
College Graduate	634	96,169										634	100.0	100.0- 100
Less than \$15,000	105	17,940	31	36.7	20.8-52.6	46	43.3	28.8-57.8	19	13.6	5.6-21.6	9	6.4	1.3-11.5
\$15,000- 24,999	260	45,580	69	33.7	25.7-41.7	106	38.0	30.4-45.6	52	21.6	14.9-28.3	33	6.8	3.7- 9.9
\$25,000- 34,999	134	24,392	21	18.6	9.6-27.6	59	42.2	30.6-53.8	27	29.4	17.6-41.2	27	9.9	5.2-14.6
\$35,000- 49,999	238	43,444	18	12.3	6.0-18.6	90	42.0	33.8-50.2	59	25.1	18.2-32.0	71	20.5	14.6-26.4
\$50,000- 74,999	264	55,936	6	3.6	0.5- 6.7	77	37.5	28.9-46.1	69	32.1	23.9-40.3	112	26.9	20.4-33.4
\$75,000+	520	111,857	7	1.3	0.1- 2.5	87	19.6	14.9-24.3	129	33.9	28.2-39.6	297	45.2	39.7-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2239	391,594	213	12.0	10.0-14.0	686	29.4	26.9-31.9	574	30.8	27.9-33.7	766	27.8	25.4-30.2
White/Non-Hisp	1566	253,745	76	6.8	4.8- 8.8	481	30.0	26.9-33.1	419	32.4	28.7-36.1	590	30.8	27.7-33.9
Black or Afr. Am./Non-Hisp	355	81,577	39	13.5	8.4-18.6	125	30.2	24.1-36.3	104	35.4	28.5-42.3	87	20.9	15.4-26.4
Oth. Race/Non-Hisp.	50	10,578	2	2.4	0.0- 6.1	14	28.3	10.9-45.7	5	5.6	0.5-10.7	29	63.7	46.3-81.1
Hispanic	192	31,787	89	52.8	43.4-62.2	47	22.5	15.1-29.9	26	13.4	7.3-19.5	30	11.4	6.3-16.5
18-24	112	43,827	10	6.5	1.8-11.2	37	28.8	17.8-39.8	42	49.6	36.3-62.9	23	15.1	7.8-22.4
25-34	250	62,837	46	19.9	13.0-26.8	56	21.0	14.5-27.5	68	29.7	22.1-37.3	80	29.4	22.1-36.7
35-44	221	57,672	34	16.3	9.8-22.8	54	28.0	20.4-35.6	40	21.1	14.2-28.0	93	34.6	27.0-42.2
45-54	343	63,708	30	8.3	4.0-12.6	91	24.4	18.7-30.1	81	29.9	23.0-36.8	141	37.4	30.9-43.9
55-64	491	67,774	40	10.3	5.6-15.0	162	34.5	29.0-40.0	123	29.6	24.3-34.9	166	25.6	21.1-30.1
65+	793	92,335	52	10.8	7.5-14.1	280	36.3	32.2-40.4	215	30.1	26.0-34.2	246	22.8	19.7-25.9
Less Than H.S.	213	47,141	213	100.0	100.0- 100									
H.S. or G.E.D.	686	115,040				686	100.0	100.0- 100						
Some Post-H.S.	574	120,518							574	100.0	100.0- 100			
College Graduate	766	108,895										766	100.0	100.0- 100
Less than \$15,000	210	34,797	64	41.4	31.2-51.6	73	30.0	21.8-38.2	48	22.9	15.1-30.7	25	5.7	2.2- 9.2
\$15,000- 24,999	340	54,478	67	28.4	21.1-35.7	142	38.7	32.0-45.4	89	24.1	18.4-29.8	42	8.8	5.5-12.1
\$25,000- 34,999	248	39,050	16	8.4	3.9-12.9	103	35.5	26.7-44.3	75	42.3	30.7-53.9	54	13.8	8.9-18.7
\$35,000- 49,999	269	46,781	10	7.2	2.1-12.3	95	34.1	26.8-41.4	80	36.5	28.9-44.1	84	22.2	16.7-27.7
\$50,000- 74,999	249	47,934	2	2.2	0.0- 5.3	53	26.3	18.3-34.3	80	41.9	33.1-50.7	114	29.6	22.7-36.5
\$75,000+	489	99,893	3	1.2	0.0- 2.8	70	17.4	12.7-22.1	95	24.6	18.5-30.7	321	56.8	50.5-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3332	623,503	315	8.5	7.1- 9.9	603	16.2	14.6-17.8	382	10.2	8.6-11.8	507	14.5	12.9-16.1	1525	50.7	48.3-53.1
Male	1523	299,299	105	6.0	4.2- 7.8	261	15.3	12.9-17.7	134	8.1	6.3- 9.9	238	14.5	12.3-16.7	785	56.1	52.8-59.4
Female	1809	324,204	210	10.7	8.7-12.7	342	17.0	14.6-19.4	248	12.0	9.6-14.4	269	14.4	12.2-16.6	740	45.8	42.5-49.1
White/Non-Hisp	2324	402,552	149	5.4	4.2- 6.6	340	12.8	11.0-14.6	248	9.6	7.6-11.6	381	15.5	13.5-17.5	1206	56.7	54.0-59.4
Black or Afr. Am./Non-Hisp	498	128,744	83	15.5	11.0-20.0	101	17.8	13.7-21.9	66	9.3	6.6-12.0	74	12.9	9.4-16.4	174	44.4	38.5-50.3
Oth. Race/Non-Hisp.	108	23,082	18	11.4	5.1-17.7	17	8.8	3.5-14.1	12	8.4	2.5-14.3	10	12.6	4.4-20.8	51	58.8	47.2-70.4
MultiRacial/Non-Hisp.	50	8,742	5	10.0	0.2-19.8	4	11.6	0.0-25.7	9	13.3	3.9-22.7	9	13.8	1.6-26.0	23	51.3	32.9-69.7
Hispanic	291	49,582	56	13.9	9.4-18.4	131	43.1	35.5-50.7	37	14.8	8.9-20.7	23	10.1	5.2-15.0	44	18.2	12.1-24.3
18-24	190	64,349	19	8.0	3.5-12.5	32	14.5	8.8-20.2	25	14.7	5.3-24.1	34	16.6	10.3-22.9	80	46.2	36.6-55.8
25-34	397	108,413	41	10.3	6.0-14.6	94	19.6	14.7-24.5	61	11.7	8.2-15.2	53	13.1	9.2-17.0	148	45.4	38.9-51.9
35-44	372	97,558	29	7.3	4.0-10.6	79	15.8	11.5-20.1	30	7.1	3.8-10.4	46	10.9	7.2-14.6	188	58.8	52.5-65.1
45-54	557	107,545	69	8.6	5.9-11.3	90	14.4	10.7-18.1	42	6.6	4.2- 9.0	67	12.7	9.2-16.2	289	57.7	52.4-63.0
55-64	726	111,052	84	10.3	7.2-13.4	118	14.2	11.3-17.1	64	8.0	5.5-10.5	108	13.5	10.6-16.4	352	53.9	49.2-58.6
65+	1074	132,639	72	6.5	4.3- 8.7	189	17.8	14.9-20.7	159	13.8	11.3-16.3	197	19.6	16.5-22.7	457	42.4	38.7-46.1
Less Than H.S.	314	74,173	95	28.3	21.2-35.4	136	41.6	34.3-48.9	37	10.5	6.6-14.4	28	11.8	6.9-16.7	18	7.8	3.9-11.7
H.S. or G.E.D.	1001	187,741	119	9.7	7.3-12.1	248	20.4	17.3-23.5	162	12.9	10.4-15.4	185	18.2	15.1-21.3	287	38.8	34.5-43.1
Some Post-H.S.	822	185,516	67	5.6	3.8- 7.4	141	12.4	9.9-14.9	102	12.8	8.9-16.7	139	15.1	12.2-18.0	373	54.2	49.5-58.9
College Graduate	1189	174,650	34	1.8	1.0- 2.6	75	4.5	3.1- 5.9	81	4.5	3.3- 5.7	155	11.1	8.9-13.3	844	78.2	75.5-80.9
Less than \$15,000	315	52,737	315	100.0	100.0- 100												
\$15,000- 24,999	603	100,884				603	100.0	100.0- 100									
\$25,000- 34,999	382	63,442							382	100.0	100.0- 100						
\$35,000- 49,999	507	90,224										507	100.0	100.0- 100			
\$50,000- 74,999	514	103,931													514	100.0	100.0- 100
\$75,000+	1011	212,286													1011	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1523	299,299	105	6.0	4.2- 7.8	261	15.3	12.9-17.7	134	8.1	6.3- 9.9	238	14.5	12.3-16.7	785	56.1	52.8-59.4
White/Non-Hisp	1058	192,708	46	3.9	2.3- 5.5	146	12.8	10.3-15.3	85	7.2	5.0- 9.4	184	16.2	13.5-18.9	597	59.9	56.0-63.8
Black or Afr. Am./Non-Hisp	189	57,723	22	9.2	2.9-15.5	33	15.3	8.8-21.8	17	6.6	2.7-10.5	24	10.6	5.5-15.7	93	58.3	49.1-67.5
Oth. Race/Non-Hisp.	67	14,453	7	5.8	1.1-10.5	11	10.5	3.1-17.9	7	8.7	1.1-16.3	8	15.0	4.0-26.0	34	60.0	45.7-74.3
Hispanic	141	23,062	26	15.2	8.1-22.3	63	39.7	29.5-49.9	14	14.7	4.5-24.9	13	10.2	3.9-16.5	25	20.3	11.7-28.9
18-24	109	32,604	13	10.2	2.9-17.5	16	11.3	5.0-17.6	8	6.5	0.4-12.6	22	20.9	11.5-30.3	50	51.2	39.6-62.8
25-34	176	52,955	11	6.5	0.0-13.2	31	15.9	9.0-22.8	21	10.6	4.9-16.3	25	11.1	5.8-16.4	88	55.8	46.0-65.6
35-44	173	45,795	11	5.4	1.7- 9.1	41	15.6	9.7-21.5	9	7.1	1.6-12.6	20	9.0	4.7-13.3	92	62.8	54.2-71.4
45-54	258	51,053	24	6.3	3.4- 9.2	48	14.7	9.4-20.0	17	4.6	2.1- 7.1	30	13.1	7.8-18.4	139	61.3	53.7-68.9
55-64	317	52,987	29	7.5	4.4-10.6	50	13.9	9.2-18.6	22	6.7	3.0-10.4	50	13.8	9.3-18.3	166	58.2	51.5-64.9
65+	483	63,364	17	2.4	1.2- 3.6	74	18.1	13.4-22.8	56	11.9	8.2-15.6	90	19.8	14.9-24.7	246	47.8	42.1-53.5
Less Than H.S.	152	35,336	31	18.6	8.8-28.4	69	43.5	33.1-53.9	21	12.8	6.3-19.3	18	15.1	7.5-22.7	13	9.9	4.0-15.8
H.S. or G.E.D.	465	96,459	46	8.1	5.0-11.2	106	17.9	13.8-22.0	59	10.7	7.2-14.2	90	18.9	14.2-23.6	164	44.4	38.1-50.7
Some Post-H.S.	355	86,188	19	2.8	1.0- 4.6	52	11.4	7.5-15.3	27	8.3	4.4-12.2	59	12.7	9.0-16.4	198	64.8	58.5-71.1
College Graduate	549	81,164	9	1.4	0.2- 2.6	33	3.8	2.0- 5.6	27	3.0	1.6- 4.4	71	11.0	7.7-14.3	409	80.8	76.9-84.7
Less than \$15,000	105	17,940	105	100.0	100.0- 100												
\$15,000- 24,999	261	45,670				261	100.0	100.0- 100									
\$25,000- 34,999	134	24,392							134	100.0	100.0- 100						
\$35,000- 49,999	238	43,444										238	100.0	100.0- 100			
\$50,000- 74,999	265	55,997													265	100.0	100.0- 100
\$75,000+	520	111,857													520	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1809	324,204	210	10.7	8.7-12.7	342	17.0	14.6-19.4	248	12.0	9.6-14.4	269	14.4	12.2-16.6	740	45.8	42.5-49.1
White/Non-Hisp	1266	209,844	103	6.8	5.0- 8.6	194	12.9	10.5-15.3	163	11.8	8.5-15.1	197	14.8	12.3-17.3	609	53.7	49.8-57.6
Black or Afr. Am./Non-Hisp	309	71,021	61	20.6	14.3-26.9	68	19.9	14.6-25.2	49	11.6	7.9-15.3	50	14.8	10.1-19.5	81	33.2	25.9-40.5
Hispanic	150	26,520	30	12.7	7.0-18.4	68	46.0	35.0-57.0	23	14.8	8.1-21.5	10	10.1	2.8-17.4	19	16.3	7.7-24.9
18-24	81	31,746	6	5.7	0.2-11.2	16	17.8	8.2-27.4	17	23.1	6.4-39.8	12	12.3	4.3-20.3	30	41.1	26.0-56.2
25-34	221	55,459	30	13.8	8.1-19.5	63	23.1	16.2-30.0	40	12.7	8.2-17.2	28	14.9	9.0-20.8	60	35.5	26.5-44.5
35-44	199	51,763	18	9.0	3.9-14.1	38	16.0	9.9-22.1	21	7.2	3.5-10.9	26	12.6	6.7-18.5	96	55.2	46.6-63.8
45-54	299	56,491	45	10.7	6.6-14.8	42	14.1	8.8-19.4	25	8.5	4.6-12.4	37	12.3	7.6-17.0	150	54.5	47.2-61.8
55-64	409	58,065	55	13.0	7.9-18.1	68	14.4	10.5-18.3	42	9.3	5.8-12.8	58	13.3	9.2-17.4	186	50.1	43.6-56.6
65+	591	69,274	55	10.2	6.5-13.9	115	17.5	13.8-21.2	103	15.5	12.2-18.8	107	19.3	15.2-23.4	211	37.5	32.4-42.6
Less Than H.S.	162	38,837	64	37.1	26.9-47.3	67	39.9	29.7-50.1	16	8.4	3.9-12.9	10	8.7	2.4-15.0	5	5.9	0.4-11.4
H.S. or G.E.D.	536	91,282	73	11.4	8.1-14.7	142	23.1	18.6-27.6	103	15.2	11.7-18.7	95	17.5	13.4-21.6	123	32.8	27.1-38.5
Some Post-H.S.	467	99,328	48	8.0	5.1-10.9	89	13.2	9.7-16.7	75	16.6	10.3-22.9	80	17.2	12.7-21.7	175	45.0	38.1-51.9
College Graduate	640	93,485	25	2.1	0.7- 3.5	42	5.1	3.1- 7.1	54	5.8	3.8- 7.8	84	11.1	8.4-13.8	435	75.9	72.0-79.8
Less than \$15,000	210	34,797	210	100.0	100.0- 100												
\$15,000- 24,999	342	55,215				342	100.0	100.0- 100									
\$25,000- 34,999	248	39,050							248	100.0	100.0- 100						
\$35,000- 49,999	269	46,781										269	100.0	100.0- 100			
\$50,000- 74,999	249	47,934													249	100.0	100.0- 100
\$75,000+	491	100,429													491	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3906	720,897	449	12.4	10.8-14.0	197	5.2	4.2- 6.2	1163	26.8	25.0-28.6	2097	55.5	53.3-57.7
Male	1738	343,465	201	12.6	10.2-15.0	102	6.4	4.8- 8.0	588	29.6	26.9-32.3	847	51.4	48.3-54.5
Female	2168	377,433	248	12.3	10.3-14.3	95	4.1	2.9- 5.3	575	24.3	21.8-26.8	1250	59.3	56.4-62.2
White/Non-Hisp	2733	467,183	333	13.4	11.4-15.4	127	5.1	3.9- 6.3	940	32.1	29.7-34.5	1333	49.4	46.7-52.1
Black or Afr. Am./Non-Hisp	548	142,129	66	12.7	9.0-16.4	31	3.7	2.1- 5.3	116	17.7	13.8-21.6	335	65.9	60.8-71.0
Oth. Race/Non-Hisp.	127	28,005	7	3.6	0.5- 6.7	7	8.7	0.9-16.5	19	13.4	5.6-21.2	94	74.3	63.9-84.7
MultiRacial/Non-Hisp.	63	13,020	9	17.5	4.8-30.2	7	12.2	0.6-23.8	19	25.1	11.8-38.4	28	45.2	28.7-61.7
Hispanic	343	55,466	22	4.9	2.4- 7.4	18	5.3	2.4- 8.2	53	15.7	10.8-20.6	250	74.1	68.2-80.0
18-24	251	85,821	16	5.5	2.0- 9.0	17	6.2	2.7- 9.7	16	7.0	2.7-11.3	202	81.2	74.9-87.5
25-34	436	119,154	64	17.1	11.8-22.4	31	6.3	3.8- 8.8	59	16.2	11.5-20.9	282	60.4	54.1-66.7
35-44	408	108,391	58	13.4	9.5-17.3	21	5.5	2.6- 8.4	89	25.1	19.6-30.6	240	56.1	50.0-62.2
45-54	624	117,722	106	16.9	13.0-20.8	45	6.2	3.7- 8.7	133	23.2	18.9-27.5	340	53.8	48.5-59.1
55-64	826	123,310	122	15.6	12.3-18.9	43	5.9	3.7- 8.1	269	32.6	28.5-36.7	392	45.9	41.6-50.2
65+	1324	162,365	82	6.7	4.9- 8.5	40	2.7	1.7- 3.7	590	44.4	41.1-47.7	612	46.1	42.8-49.4
Less Than H.S.	384	88,131	63	20.3	14.0-26.6	34	8.7	5.0-12.4	104	29.7	23.4-36.0	183	41.3	34.4-48.2
H.S. or G.E.D.	1197	220,488	193	15.6	12.9-18.3	73	6.2	4.4- 8.0	360	27.1	23.8-30.4	571	51.1	47.2-55.0
Some Post-H.S.	948	210,690	125	12.9	10.0-15.8	40	3.9	2.3- 5.5	315	28.0	24.3-31.7	468	55.2	50.9-59.5
College Graduate	1363	199,186	67	5.0	3.4- 6.6	47	3.5	2.1- 4.9	381	24.3	21.4-27.2	868	67.2	63.9-70.5
Less than \$15,000	303	50,630	62	25.6	18.3-32.9	30	7.7	4.4-11.0	77	25.0	17.7-32.3	134	41.7	33.3-50.1
\$15,000- 24,999	584	96,438	98	15.8	11.9-19.7	50	9.0	5.7-12.3	164	27.5	22.8-32.2	272	47.7	42.2-53.2
\$25,000- 34,999	370	61,056	50	15.2	10.1-20.3	19	6.4	2.5-10.3	113	27.1	20.8-33.4	188	51.2	43.2-59.2
\$35,000- 49,999	497	88,117	63	14.5	10.4-18.6	18	4.0	1.6- 6.4	169	30.2	25.1-35.3	247	51.2	45.5-56.9
\$50,000- 74,999	502	101,996	54	12.6	8.3-16.9	13	2.4	0.8- 4.0	173	31.6	25.9-37.3	262	53.4	47.3-59.5
\$75,000+	992	208,126	69	7.6	5.4- 9.8	32	3.7	2.1- 5.3	289	25.1	21.6-28.6	602	63.6	59.7-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1738	343,465	201	12.6	10.2-15.0	102	6.4	4.8- 8.0	588	29.6	26.9-32.3	847	51.4	48.3-54.5
White/Non-Hisp	1213	221,646	145	13.0	10.1-15.9	62	6.1	4.1- 8.1	473	35.5	32.0-39.0	533	45.4	41.7-49.1
Black or Afr. Am./Non-Hisp	210	64,957	26	13.3	7.2-19.4	14	4.2	1.7- 6.7	41	15.4	9.9-20.9	129	67.1	59.3-74.9
Oth. Race/Non-Hisp.	81	18,249	5	3.5	0.0- 7.4	6	12.8	1.2-24.4	13	18.2	6.8-29.6	57	65.4	51.3-79.5
Hispanic	155	24,689	13	6.9	2.4-11.4	10	6.8	1.9-11.7	43	27.9	18.9-36.9	89	58.5	48.5-68.5
18-24	144	44,431	10	7.1	1.2-13.0	15	10.0	4.1-15.9	11	7.5	2.8-12.2	108	75.5	66.7-84.3
25-34	194	58,423	28	18.0	9.4-26.6	17	7.1	3.0-11.2	30	16.8	9.9-23.7	119	58.1	48.5-67.7
35-44	195	53,074	25	12.3	6.8-17.8	12	7.5	2.4-12.6	55	29.5	21.7-37.3	103	50.8	42.2-59.4
45-54	290	55,514	50	14.8	9.7-19.9	21	6.8	3.1-10.5	69	25.6	18.7-32.5	150	52.7	44.9-60.5
55-64	353	59,046	51	15.8	10.9-20.7	19	6.3	3.0- 9.6	121	33.6	27.3-39.9	162	44.3	38.0-50.6
65+	551	72,170	37	7.5	4.6-10.4	18	2.8	1.2- 4.4	300	53.7	48.4-59.0	196	36.0	30.9-41.1
Less Than H.S.	176	42,108	34	23.4	13.0-33.8	16	7.5	3.2-11.8	62	33.9	24.7-43.1	64	35.2	24.6-45.8
H.S. or G.E.D.	542	113,049	85	14.6	10.7-18.5	36	6.8	4.1- 9.5	191	31.4	26.3-36.5	230	47.2	41.3-53.1
Some Post-H.S.	395	93,578	53	13.0	8.9-17.1	20	5.7	2.6- 8.8	146	31.1	25.4-36.8	176	50.2	43.7-56.7
College Graduate	618	93,395	28	4.9	2.5- 7.3	27	5.1	2.6- 7.6	188	24.4	20.3-28.5	375	65.6	60.9-70.3
Less than \$15,000	99	16,998	17	15.9	7.3-24.5	11	10.4	3.5-17.3	29	27.5	15.5-39.5	42	46.2	30.1-62.3
\$15,000- 24,999	252	43,328	42	15.3	9.2-21.4	25	11.4	5.9-16.9	87	34.5	26.9-42.1	98	38.8	31.0-46.6
\$25,000- 34,999	129	23,397	20	14.1	6.5-21.7	9	8.1	0.1-16.1	52	35.6	24.6-46.6	48	42.2	29.9-54.5
\$35,000- 49,999	233	42,395	28	15.1	8.6-21.6	11	5.2	1.3- 9.1	91	33.1	25.7-40.5	103	46.6	38.2-55.0
\$50,000- 74,999	258	54,961	34	14.6	8.3-20.9	7	2.2	0.4- 4.0	96	34.2	26.4-42.0	121	49.0	40.4-57.6
\$75,000+	511	109,484	32	7.6	4.5-10.7	20	5.1	2.4- 7.8	164	27.7	22.8-32.6	295	59.7	54.0-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2168	377,433	248	12.3	10.3-14.3	95	4.1	2.9- 5.3	575	24.3	21.8-26.8	1250	59.3	56.4-62.2
White/Non-Hisp	1520	245,537	188	13.7	11.3-16.1	65	4.2	2.8- 5.6	467	29.1	26.0-32.2	800	53.0	49.3-56.7
Black or Afr. Am./Non-Hisp	338	77,172	40	12.1	7.6-16.6	17	3.4	1.4- 5.4	75	19.6	14.1-25.1	206	64.9	58.2-71.6
Hispanic	188	30,776	9	3.3	0.8- 5.8	8	4.2	0.9- 7.5	10	5.8	0.9-10.7	161	86.7	80.6-92.8
18-24	107	41,390	6	3.8	0.5- 7.1	2	2.2	0.0- 5.9	5	6.5	0.0-13.8	94	87.4	78.8-96.0
25-34	242	60,730	36	16.2	10.1-22.3	14	5.4	2.1- 8.7	29	15.7	9.4-22.0	163	62.7	54.7-70.7
35-44	213	55,317	33	14.5	8.8-20.2	9	3.6	0.7- 6.5	34	20.8	13.4-28.2	137	61.1	52.7-69.5
45-54	334	62,208	56	18.7	12.8-24.6	24	5.5	2.0- 9.0	64	21.0	15.3-26.7	190	54.7	47.6-61.8
55-64	473	64,264	71	15.4	11.1-19.7	24	5.5	3.0- 8.0	148	31.7	26.0-37.4	230	47.5	41.6-53.4
65+	773	90,195	45	6.1	3.9- 8.3	22	2.7	1.3- 4.1	290	37.0	32.7-41.3	416	54.2	49.7-58.7
Less Than H.S.	208	46,022	29	17.5	10.2-24.8	18	9.8	4.1-15.5	42	25.9	17.1-34.7	119	46.8	37.6-56.0
H.S. or G.E.D.	655	107,439	108	16.7	13.2-20.2	37	5.7	3.3- 8.1	169	22.5	18.4-26.6	341	55.2	50.1-60.3
Some Post-H.S.	553	117,112	72	12.9	9.0-16.8	20	2.4	1.0- 3.8	169	25.5	20.6-30.4	292	59.2	53.3-65.1
College Graduate	745	105,791	39	5.1	3.1- 7.1	20	2.1	0.5- 3.7	193	24.2	20.1-28.3	493	68.7	64.2-73.2
Less than \$15,000	204	33,632	45	30.5	21.1-39.9	19	6.3	2.4-10.2	48	23.8	14.6-33.0	92	39.4	30.0-48.8
\$15,000- 24,999	332	53,110	56	16.1	11.0-21.2	25	7.0	3.1-10.9	77	21.8	15.9-27.7	174	55.0	47.7-62.3
\$25,000- 34,999	241	37,659	30	15.9	9.0-22.8	10	5.4	1.7- 9.1	61	21.9	14.8-29.0	140	56.8	46.6-67.0
\$35,000- 49,999	264	45,722	35	14.0	8.7-19.3	7	3.0	0.3- 5.7	78	27.5	20.4-34.6	144	55.5	47.7-63.3
\$50,000- 74,999	244	47,034	20	10.2	4.1-16.3	6	2.7	0.0- 5.6	77	28.6	20.4-36.8	141	58.6	49.8-67.4
\$75,000+	481	98,642	37	7.6	4.7-10.5	12	2.2	0.4- 4.0	125	22.2	17.5-26.9	307	68.0	62.5-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3906	720,897	3260	82.3	80.5-84.1	646	17.7	15.9-19.5
Male	1738	343,465	1435	81.0	78.3-83.7	303	19.0	16.3-21.7
Female	2168	377,433	1825	83.6	81.4-85.8	343	16.4	14.2-18.6
White/Non-Hisp	2733	467,183	2273	81.5	79.3-83.7	460	18.5	16.3-20.7
Black or Afr. Am./Non-Hisp	548	142,129	451	83.6	79.7-87.5	97	16.4	12.5-20.3
Oth. Race/Non-Hisp.	127	28,005	113	87.7	79.5-95.9	14	12.3	4.1-20.5
MultiRacial/Non-Hisp.	63	13,020	47	70.3	54.8-85.8	16	29.7	14.2-45.2
Hispanic	343	55,466	303	89.8	86.1-93.5	40	10.2	6.5-13.9
18-24	251	85,821	218	88.2	83.3-93.1	33	11.8	6.9-16.7
25-34	436	119,154	341	76.7	71.2-82.2	95	23.3	17.8-28.8
35-44	408	108,391	329	81.1	76.4-85.8	79	18.9	14.2-23.6
45-54	624	117,722	473	77.0	72.5-81.5	151	23.0	18.5-27.5
55-64	826	123,310	661	78.5	74.8-82.2	165	21.5	17.8-25.2
65+	1324	162,365	1202	90.6	88.6-92.6	122	9.4	7.4-11.4
Less Than H.S.	384	88,131	287	71.0	64.3-77.7	97	29.0	22.3-35.7
H.S. or G.E.D.	1197	220,488	931	78.1	75.0-81.2	266	21.9	18.8-25.0
Some Post-H.S.	948	210,690	783	83.2	80.1-86.3	165	16.8	13.7-19.9
College Graduate	1363	199,186	1249	91.5	89.3-93.7	114	8.5	6.3-10.7
Less than \$15,000	303	50,630	211	66.7	59.1-74.3	92	33.3	25.7-40.9
\$15,000- 24,999	584	96,438	436	75.2	70.5-79.9	148	24.8	20.1-29.5
\$25,000- 34,999	370	61,056	301	78.4	72.3-84.5	69	21.6	15.5-27.7
\$35,000- 49,999	497	88,117	416	81.4	76.9-85.9	81	18.6	14.1-23.1
\$50,000- 74,999	502	101,996	435	85.0	80.5-89.5	67	15.0	10.5-19.5
\$75,000+	992	208,126	891	88.7	86.0-91.4	101	11.3	8.6-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1738	343,465	1435	81.0	78.3-83.7	303	19.0	16.3-21.7
White/Non-Hisp	1213	221,646	1006	80.9	77.6-84.2	207	19.1	15.8-22.4
Black or Afr. Am./Non-Hisp	210	64,957	170	82.5	76.0-89.0	40	17.5	11.0-24.0
Oth. Race/Non-Hisp.	81	18,249	70	83.7	71.7-95.7	11	16.3	4.3-28.3
Hispanic	155	24,689	132	86.4	79.9-92.9	23	13.6	7.1-20.1
18-24	144	44,431	119	82.9	74.9-90.9	25	17.1	9.1-25.1
25-34	194	58,423	149	74.9	65.9-83.9	45	25.1	16.1-34.1
35-44	195	53,074	158	80.3	73.2-87.4	37	19.7	12.6-26.8
45-54	290	55,514	219	78.4	72.3-84.5	71	21.6	15.5-27.7
55-64	353	59,046	283	77.9	72.2-83.6	70	22.1	16.4-27.8
65+	551	72,170	496	89.7	86.4-93.0	55	10.3	7.0-13.6
Less Than H.S.	176	42,108	126	69.1	58.5-79.7	50	30.9	20.3-41.5
H.S. or G.E.D.	542	113,049	421	78.6	73.9-83.3	121	21.4	16.7-26.1
Some Post-H.S.	395	93,578	322	81.3	76.4-86.2	73	18.7	13.8-23.6
College Graduate	618	93,395	563	90.0	86.7-93.3	55	10.0	6.7-13.3
Less than \$15,000	99	16,998	71	73.7	62.5-84.9	28	26.3	15.1-37.5
\$15,000- 24,999	252	43,328	185	73.3	65.9-80.7	67	26.7	19.3-34.1
\$25,000- 34,999	129	23,397	100	77.8	67.6-88.0	29	22.2	12.0-32.4
\$35,000- 49,999	233	42,395	194	79.7	72.6-86.8	39	20.3	13.2-27.4
\$50,000- 74,999	258	54,961	217	83.2	76.7-89.7	41	16.8	10.3-23.3
\$75,000+	511	109,484	459	87.4	83.5-91.3	52	12.6	8.7-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2168	377,433	1825	83.6	81.4-85.8	343	16.4	14.2-18.6
White/Non-Hisp	1520	245,537	1267	82.1	79.4-84.8	253	17.9	15.2-20.6
Black or Afr. Am./Non-Hisp	338	77,172	281	84.5	79.6-89.4	57	15.5	10.6-20.4
Hispanic	188	30,776	171	92.5	88.4-96.6	17	7.5	3.4-11.6
18-24	107	41,390	99	93.9	89.0-98.8	8	6.1	1.2-11.0
25-34	242	60,730	192	78.4	71.7-85.1	50	21.6	14.9-28.3
35-44	213	55,317	171	82.0	75.7-88.3	42	18.0	11.7-24.3
45-54	334	62,208	254	75.7	69.2-82.2	80	24.3	17.8-30.8
55-64	473	64,264	378	79.1	74.4-83.8	95	20.9	16.2-25.6
65+	773	90,195	706	91.2	88.7-93.7	67	8.8	6.3-11.3
Less Than H.S.	208	46,022	161	72.7	64.3-81.1	47	27.3	18.9-35.7
H.S. or G.E.D.	655	107,439	510	77.7	73.6-81.8	145	22.3	18.2-26.4
Some Post-H.S.	553	117,112	461	84.7	80.6-88.8	92	15.3	11.2-19.4
College Graduate	745	105,791	686	92.8	90.3-95.3	59	7.2	4.7- 9.7
Less than \$15,000	204	33,632	140	63.2	53.6-72.8	64	36.8	27.2-46.4
\$15,000- 24,999	332	53,110	251	76.9	70.8-83.0	81	23.1	17.0-29.2
\$25,000- 34,999	241	37,659	201	78.7	71.1-86.3	40	21.3	13.7-28.9
\$35,000- 49,999	264	45,722	222	83.0	77.1-88.9	42	17.0	11.1-22.9
\$50,000- 74,999	244	47,034	218	87.1	80.4-93.8	26	12.9	6.2-19.6
\$75,000+	481	98,642	432	90.3	86.8-93.8	49	9.7	6.2-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 10: E-Cigarettes CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user- uses every day			Current E-cigarette user- uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	723,797	52	1.7	1.1-2.3	82	2.3	1.7-2.9	474	15.0	13.2-16.8	3312	81.0	79.0-83.0
Male	1744	344,780	32	2.6	1.4-3.8	46	2.8	1.8-3.8	220	15.9	13.4-18.4	1446	78.7	76.0-81.4
Female	2176	379,017	20	0.9	0.1-1.7	36	1.9	1.1-2.7	254	14.1	11.6-16.6	1866	83.1	80.6-85.6
White/Non-Hisp	2743	469,667	43	2.2	1.2-3.2	56	2.5	1.7-3.3	334	15.3	13.1-17.5	2310	80.0	77.6-82.4
Black or Afr. Am./Non-Hisp	549	142,225	2	0.4	0.0-1.0	10	1.7	0.3-3.1	68	13.7	9.8-17.6	469	84.2	80.1-88.3
Oth. Race/Non-Hisp.	124	27,428	1	0.2	0.0-0.6	5	3.2	0.3-6.1	18	16.9	8.1-25.7	100	79.7	70.5-88.9
MultiRacial/Non-Hisp.	63	13,020	4	4.4	0.0-8.9	5	7.4	0.5-14.3	11	20.6	6.5-34.7	43	67.6	52.5-82.7
Hispanic	345	55,651	1	0.6	0.0-1.8	4	1.6	0.0-3.4	30	10.2	5.3-15.1	310	87.5	82.2-92.8
18-24	252	86,087	6	4.0	0.3-7.7	20	5.6	2.7-8.5	70	33.5	24.9-42.1	156	56.9	48.3-65.5
25-34	435	118,983	11	2.4	0.4-4.4	13	2.1	0.7-3.5	105	26.4	20.9-31.9	306	69.1	63.4-74.8
35-44	410	108,730	11	2.1	0.5-3.7	6	1.3	0.1-2.5	63	14.0	10.1-17.9	330	82.5	78.2-86.8
45-54	626	118,341	11	1.7	0.3-3.1	21	4.3	1.9-6.7	75	10.6	7.3-13.9	519	83.3	79.2-87.4
55-64	828	124,069	9	1.1	0.3-1.9	10	1.4	0.4-2.4	90	9.8	7.4-12.2	719	87.7	85.2-90.2
65+	1332	163,452	4	0.2	0.0-0.4	12	0.8	0.2-1.4	70	5.0	3.6-6.4	1246	94.0	92.6-95.4
Less Than H.S.	388	89,096	12	3.1	0.9-5.3	5	2.0	0.0-4.2	54	14.7	10.0-19.4	317	80.2	74.9-85.5
H.S. or G.E.D.	1202	221,922	12	2.1	0.5-3.7	31	2.5	1.5-3.5	183	17.7	14.6-20.8	976	77.7	74.4-81.0
Some Post-H.S.	952	211,441	20	2.1	0.7-3.5	23	2.4	1.2-3.6	140	18.9	14.8-23.0	769	76.7	72.4-81.0
College Graduate	1364	198,935	8	0.4	0.2-0.6	22	2.0	1.0-3.0	95	7.9	5.9-9.9	1239	89.8	87.6-92.0
Less than \$15,000	305	50,917	6	1.5	0.1-2.9	6	2.1	0.3-3.9	53	21.2	14.5-27.9	240	75.2	68.3-82.1
\$15,000- 24,999	588	97,339	10	1.3	0.5-2.1	18	3.9	1.5-6.3	93	16.6	12.5-20.7	467	78.2	73.7-82.7
\$25,000- 34,999	373	61,847	6	2.6	0.0-5.7	9	2.0	0.2-3.8	63	26.7	17.3-36.1	295	68.7	59.5-77.9
\$35,000- 49,999	495	87,721	3	0.4	0.0-1.0	9	1.1	0.3-1.9	64	17.6	12.9-22.3	419	80.9	76.0-85.8
\$50,000- 74,999	504	102,418	8	2.4	0.0-4.8	13	2.4	0.8-4.0	63	18.3	12.8-23.8	420	76.9	71.0-82.8
\$75,000+	994	208,307	7	0.6	0.0-1.2	15	1.9	0.7-3.1	75	8.4	6.0-10.8	897	89.1	86.6-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	344,780	32	2.6	1.4-3.8	46	2.8	1.8-3.8	220	15.9	13.4-18.4	1446	78.7	76.0-81.4
White/Non-Hisp	1216	222,495	24	3.1	1.5-4.7	26	2.3	1.1-3.5	153	15.5	12.8-18.2	1013	79.1	76.0-82.2
Black or Afr. Am./Non-Hisp	210	64,957	2	0.8	0.0-2.2	6	3.0	0.3-5.7	26	16.0	8.9-23.1	176	80.2	72.8-87.6
Oth. Race/Non-Hisp.	79	17,930	1	0.3	0.0-0.9	4	3.8	0.0-7.9	14	20.0	8.0-32.0	60	75.9	63.7-88.1
Hispanic	157	24,875	1	1.4	0.0-4.1	4	3.6	0.0-7.7	11	9.1	0.9-17.3	141	85.8	76.8-94.8
18-24	145	44,697	5	5.0	0.1-9.9	17	8.4	3.7-13.1	44	37.4	27.0-47.8	79	49.2	38.8-59.6
25-34	192	57,845	9	4.5	0.6-8.4	6	2.5	0.3-4.7	52	28.7	20.3-37.1	125	64.4	55.4-73.4
35-44	195	53,074	9	4.0	0.9-7.1	5	2.5	0.0-5.0	29	16.8	10.1-23.5	152	76.7	69.3-84.1
45-54	291	56,072	3	2.0	0.0-4.5	9	3.3	0.4-6.2	35	8.8	5.3-12.3	244	85.8	80.7-90.9
55-64	355	59,473	3	1.2	0.0-2.8	5	1.3	0.0-2.7	32	7.8	4.7-10.9	315	89.7	86.0-93.4
65+	555	72,812	3	0.4	0.0-0.8	4	0.6	0.0-1.2	28	4.2	2.4-6.0	520	94.8	92.8-96.8
Less Than H.S.	180	43,074	5	4.0	0.1-7.9	2	1.2	0.0-2.8	21	13.5	6.8-20.2	152	81.3	73.7-88.9
H.S. or G.E.D.	542	113,278	11	3.0	0.8-5.2	20	3.4	1.6-5.2	93	20.9	16.0-25.8	418	72.7	67.4-78.0
Some Post-H.S.	398	93,996	10	3.6	0.9-6.3	14	3.0	1.0-5.0	59	18.5	13.2-23.8	315	74.9	69.0-80.8
College Graduate	617	93,098	6	0.6	0.2-1.0	9	1.9	0.5-3.3	45	8.2	5.3-11.1	557	89.3	86.0-92.6
Less than \$15,000	101	17,285	2	1.0	0.0-2.6	3	3.3	0.0-7.2	13	14.5	6.1-22.9	83	81.2	71.8-90.6
\$15,000- 24,999	256	44,351	3	0.9	0.0-2.1	8	3.1	0.6-5.6	40	17.8	11.3-24.3	205	78.3	71.4-85.2
\$25,000- 34,999	130	23,601	3	5.6	0.0-13.4	6	4.0	0.0-8.1	18	18.2	7.2-29.2	103	72.2	59.9-84.5
\$35,000- 49,999	231	41,999	2	0.6	0.0-1.6	4	1.4	0.0-3.0	35	23.0	15.0-31.0	190	75.0	67.0-83.0
\$50,000- 74,999	257	54,747	5	3.9	0.0-8.0	9	3.5	0.8-6.2	43	22.2	14.6-29.8	200	70.4	62.2-78.6
\$75,000+	513	109,575	6	1.1	0.1-2.1	8	1.8	0.4-3.2	36	8.3	5.2-11.4	463	88.8	85.3-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2176	379,017	20	0.9	0.1- 1.7	36	1.9	1.1- 2.7	254	14.1	11.6-16.6	1866	83.1	80.6-85.6
White/Non-Hisp	1527	247,172	19	1.3	0.3- 2.3	30	2.6	1.4- 3.8	181	15.2	11.9-18.5	1297	80.9	77.4-84.4
Black or Afr. Am./Non-Hisp	339	77,268				4	0.6	0.0- 1.2	42	11.8	7.7-15.9	293	87.6	83.5-91.7
Hispanic	188	30,776							19	11.1	5.2-17.0	169	88.9	83.0-94.8
18-24	107	41,390	1	3.0	0.0- 8.7	3	2.5	0.0- 5.8	26	29.3	15.0-43.6	77	65.2	50.9-79.5
25-34	243	61,138	2	0.5	0.0- 1.3	7	1.7	0.3- 3.1	53	24.2	17.1-31.3	181	73.5	66.4-80.6
35-44	215	55,656	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	34	11.4	7.1-15.7	178	88.1	83.6-92.6
45-54	335	62,269	8	1.4	0.2- 2.6	12	5.3	1.4- 9.2	40	12.2	6.9-17.5	275	81.1	75.0-87.2
55-64	473	64,596	6	1.0	0.2- 1.8	5	1.4	0.0- 2.8	58	11.7	8.2-15.2	404	85.9	82.2-89.6
65+	777	90,641	1	0.1	0.0- 0.3	8	1.0	0.2- 1.8	42	5.7	3.7- 7.7	726	93.3	91.1-95.5
Less Than H.S.	208	46,022	7	2.2	0.4- 4.0	3	2.8	0.0- 6.7	33	15.8	9.3-22.3	165	79.2	71.9-86.5
H.S. or G.E.D.	660	108,644	1	1.1	0.0- 3.3	11	1.5	0.5- 2.5	90	14.4	10.9-17.9	558	83.0	78.9-87.1
Some Post-H.S.	554	117,444	10	0.9	0.3- 1.5	9	1.8	0.2- 3.4	81	19.2	12.9-25.5	454	78.1	71.8-84.4
College Graduate	747	105,838	2	0.2	0.0- 0.4	13	2.1	0.7- 3.5	50	7.7	5.0-10.4	682	90.1	87.0-93.2
Less than \$15,000	204	33,632	4	1.8	0.0- 3.8	3	1.5	0.0- 3.3	40	24.6	15.8-33.4	157	72.1	63.1-81.1
\$15,000- 24,999	332	52,988	7	1.6	0.4- 2.8	10	4.6	0.7- 8.5	53	15.6	10.7-20.5	262	78.2	72.3-84.1
\$25,000- 34,999	243	38,246	3	0.7	0.0- 1.5	3	0.8	0.0- 1.8	45	31.9	19.0-44.8	192	66.6	53.9-79.3
\$35,000- 49,999	264	45,722	1	0.2	0.0- 0.6	5	0.8	0.0- 1.6	29	12.7	7.6-17.8	229	86.3	81.2-91.4
\$50,000- 74,999	247	47,671	3	0.7	0.0- 1.5	4	1.1	0.0- 2.3	20	13.8	5.8-21.8	220	84.4	76.4-92.4
\$75,000+	481	98,732	1	0.1	0.0- 0.3	7	2.1	0.3- 3.9	39	8.5	5.2-11.8	434	89.4	85.7-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 10: E-Cigarettes

TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	723,797	3786	96.0	95.0-97.0	134	4.0	3.0- 5.0
Male	1744	344,780	1666	94.6	93.0-96.2	78	5.4	3.8- 7.0
Female	2176	379,017	2120	97.2	96.2-98.2	56	2.8	1.8- 3.8
White/Non-Hisp	2743	469,667	2644	95.4	94.2-96.6	99	4.6	3.4- 5.8
Black or Afr. Am./Non-Hisp	549	142,225	537	97.9	96.5-99.3	12	2.1	0.7- 3.5
Oth. Race/Non-Hisp.	124	27,428	118	96.6	93.5-99.7	6	3.4	0.3- 6.5
MultiRacial/Non-Hisp.	63	13,020	54	88.2	80.0-96.4	9	11.8	3.6-20.0
Hispanic	345	55,651	340	97.7	95.5-99.9	5	2.3	0.1- 4.5
18-24	252	86,087	226	90.4	85.7-95.1	26	9.6	4.9-14.3
25-34	435	118,983	411	95.5	93.1-97.9	24	4.5	2.1- 6.9
35-44	410	108,730	393	96.5	94.5-98.5	17	3.5	1.5- 5.5
45-54	626	118,341	594	94.0	91.3-96.7	32	6.0	3.3- 8.7
55-64	828	124,069	809	97.5	96.3-98.7	19	2.5	1.3- 3.7
65+	1332	163,452	1316	99.0	98.4-99.6	16	1.0	0.4- 1.6
Less Than H.S.	388	89,096	371	94.9	92.0-97.8	17	5.1	2.2- 8.0
H.S. or G.E.D.	1202	221,922	1159	95.5	93.7-97.3	43	4.5	2.7- 6.3
Some Post-H.S.	952	211,441	909	95.6	93.8-97.4	43	4.4	2.6- 6.2
College Graduate	1364	198,935	1334	97.7	96.7-98.7	30	2.3	1.3- 3.3
Less than \$15,000	305	50,917	293	96.3	93.9-98.7	12	3.7	1.3- 6.1
\$15,000- 24,999	588	97,339	560	94.8	92.3-97.3	28	5.2	2.7- 7.7
\$25,000- 34,999	373	61,847	358	95.4	91.9-98.9	15	4.6	1.1- 8.1
\$35,000- 49,999	495	87,721	483	98.5	97.5-99.5	12	1.5	0.5- 2.5
\$50,000- 74,999	504	102,418	483	95.2	92.5-97.9	21	4.8	2.1- 7.5
\$75,000+	994	208,307	972	97.4	96.2-98.6	22	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	344,780	1666	94.6	93.0-96.2	78	5.4	3.8- 7.0
White/Non-Hisp	1216	222,495	1166	94.6	92.6-96.6	50	5.4	3.4- 7.4
Black or Afr. Am./Non-Hisp	210	64,957	202	96.2	93.1-99.3	8	3.8	0.7- 6.9
Oth. Race/Non-Hisp.	79	17,930	74	95.8	91.7-99.9	5	4.2	0.1- 8.3
Hispanic	157	24,875	152	94.9	90.0-99.8	5	5.1	0.2-10.0
18-24	145	44,697	123	86.6	79.9-93.3	22	13.4	6.7-20.1
25-34	192	57,845	177	93.1	88.6-97.6	15	6.9	2.4-11.4
35-44	195	53,074	181	93.5	89.6-97.4	14	6.5	2.6-10.4
45-54	291	56,072	279	94.7	91.0-98.4	12	5.3	1.6- 9.0
55-64	355	59,473	347	97.5	95.5-99.5	8	2.5	0.5- 4.5
65+	555	72,812	548	99.0	98.2-99.8	7	1.0	0.2- 1.8
Less Than H.S.	180	43,074	173	94.8	90.7-98.9	7	5.2	1.1- 9.3
H.S. or G.E.D.	542	113,278	511	93.6	90.9-96.3	31	6.4	3.7- 9.1
Some Post-H.S.	398	93,996	374	93.4	90.1-96.7	24	6.6	3.3- 9.9
College Graduate	617	93,098	602	97.6	96.2-99.0	15	2.4	1.0- 3.8
Less than \$15,000	101	17,285	96	95.6	91.3-99.9	5	4.4	0.1- 8.7
\$15,000- 24,999	256	44,351	245	96.0	93.3-98.7	11	4.0	1.3- 6.7
\$25,000- 34,999	130	23,601	121	90.4	82.0-98.8	9	9.6	1.2-18.0
\$35,000- 49,999	231	41,999	225	98.0	96.2-99.8	6	2.0	0.2- 3.8
\$50,000- 74,999	257	54,747	243	92.6	87.7-97.5	14	7.4	2.5-12.3
\$75,000+	513	109,575	499	97.1	95.3-98.9	14	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 10: E-Cigarettes

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2176	379,017	2120	97.2	96.2-98.2	56	2.8	1.8- 3.8
White/Non-Hisp	1527	247,172	1478	96.1	94.5-97.7	49	3.9	2.3- 5.5
Black or Afr. Am./Non-Hisp	339	77,268	335	99.4	98.8- 100	4	0.6	0.0- 1.2
Hispanic	188	30,776	188	100.0	100.0- 100			
18-24	107	41,390	103	94.5	88.0- 100	4	5.5	0.0-12.0
25-34	243	61,138	234	97.8	96.2-99.4	9	2.2	0.6- 3.8
35-44	215	55,656	212	99.4	98.8- 100	3	0.6	0.0- 1.2
45-54	335	62,269	315	93.3	89.4-97.2	20	6.7	2.8-10.6
55-64	473	64,596	462	97.6	96.0-99.2	11	2.4	0.8- 4.0
65+	777	90,641	768	99.0	98.2-99.8	9	1.0	0.2- 1.8
Less Than H.S.	208	46,022	198	95.0	90.7-99.3	10	5.0	0.7- 9.3
H.S. or G.E.D.	660	108,644	648	97.4	95.0-99.8	12	2.6	0.2- 5.0
Some Post-H.S.	554	117,444	535	97.3	95.7-98.9	19	2.7	1.1- 4.3
College Graduate	747	105,838	732	97.8	96.4-99.2	15	2.2	0.8- 3.6
Less than \$15,000	204	33,632	197	96.7	94.2-99.2	7	3.3	0.8- 5.8
\$15,000- 24,999	332	52,988	315	93.8	89.9-97.7	17	6.2	2.3-10.1
\$25,000- 34,999	243	38,246	237	98.6	97.4-99.8	6	1.4	0.2- 2.6
\$35,000- 49,999	264	45,722	258	99.0	98.2-99.8	6	1.0	0.2- 1.8
\$50,000- 74,999	247	47,671	240	98.2	96.8-99.6	7	1.8	0.4- 3.2
\$75,000+	481	98,732	473	97.8	96.0-99.6	8	2.2	0.4- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3855	712,775	2042	56.2	54.0-58.4	1813	43.8	41.6-46.0
Male	1717	339,326	1026	61.3	58.2-64.4	691	38.7	35.6-41.8
Female	2138	373,449	1016	51.5	48.6-54.4	1122	48.5	45.6-51.4
White/Non-Hisp	2703	461,964	1567	61.2	58.7-63.7	1136	38.8	36.3-41.3
Black or Afr. Am./Non-Hisp	544	141,529	237	48.9	43.2-54.6	307	51.1	45.4-56.8
Oth. Race/Non-Hisp.	124	27,428	54	52.4	41.2-63.6	70	47.6	36.4-58.8
MultiRacial/Non-Hisp.	62	12,937	28	45.0	28.5-61.5	34	55.0	38.5-71.5
Hispanic	333	54,265	114	38.3	31.2-45.4	219	61.7	54.6-68.8
18-24	247	84,163	144	59.5	51.1-67.9	103	40.5	32.1-48.9
25-34	430	118,040	236	58.6	52.3-64.9	194	41.4	35.1-47.7
35-44	402	106,882	209	56.6	50.5-62.7	193	43.4	37.3-49.5
45-54	611	115,731	356	64.4	59.5-69.3	255	35.6	30.7-40.5
55-64	819	122,672	423	53.5	49.2-57.8	396	46.5	42.2-50.8
65+	1311	161,219	661	49.1	45.8-52.4	650	50.9	47.6-54.2
Less Than H.S.	378	87,186	94	28.6	22.3-34.9	284	71.4	65.1-77.7
H.S. or G.E.D.	1185	218,841	524	48.8	44.9-52.7	661	51.2	47.3-55.1
Some Post-H.S.	932	206,954	525	62.2	57.9-66.5	407	37.8	33.5-42.1
College Graduate	1348	197,495	897	70.8	67.7-73.9	451	29.2	26.1-32.3
Less than \$15,000	299	50,292	88	25.6	18.9-32.3	211	74.4	67.7-81.1
\$15,000- 24,999	582	96,087	208	39.0	33.7-44.3	374	61.0	55.7-66.3
\$25,000- 34,999	362	59,178	165	51.7	43.5-59.9	197	48.3	40.1-56.5
\$35,000- 49,999	487	85,773	266	55.1	49.4-60.8	221	44.9	39.2-50.6
\$50,000- 74,999	498	101,598	321	66.9	61.2-72.6	177	33.1	27.4-38.8
\$75,000+	988	207,627	715	73.5	70.0-77.0	273	26.5	23.0-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	339,326	1026	61.3	58.2-64.4	691	38.7	35.6-41.8
White/Non-Hisp	1200	219,137	766	64.9	61.2-68.6	434	35.1	31.4-38.8
Black or Afr. Am./Non-Hisp	207	64,482	104	54.8	45.8-63.8	103	45.2	36.2-54.2
Oth. Race/Non-Hisp.	79	17,930	39	58.1	44.6-71.6	40	41.9	28.4-55.4
Hispanic	153	24,223	68	46.3	35.7-56.9	85	53.7	43.1-64.3
18-24	144	44,614	88	58.8	48.4-69.2	56	41.2	30.8-51.6
25-34	190	57,589	124	64.5	54.5-74.5	66	35.5	25.5-45.5
35-44	192	51,786	109	63.3	55.1-71.5	83	36.7	28.5-44.9
45-54	283	54,450	177	66.9	59.5-74.3	106	33.1	25.7-40.5
55-64	351	58,641	204	58.9	52.6-65.2	147	41.1	34.8-47.4
65+	546	71,439	320	56.9	51.6-62.2	226	43.1	37.8-48.4
Less Than H.S.	174	41,645	61	36.6	26.6-46.6	113	63.4	53.4-73.4
H.S. or G.E.D.	535	112,202	272	54.7	49.0-60.4	263	45.3	39.6-51.0
Some Post-H.S.	389	91,820	262	70.0	64.1-75.9	127	30.0	24.1-35.9
College Graduate	613	92,397	430	72.7	68.2-77.2	183	27.3	22.8-31.8
Less than \$15,000	98	16,865	43	30.0	18.4-41.6	55	70.0	58.4-81.6
\$15,000- 24,999	250	43,139	97	44.1	35.9-52.3	153	55.9	47.7-64.1
\$25,000- 34,999	126	22,590	64	54.6	42.4-66.8	62	45.4	33.2-57.6
\$35,000- 49,999	231	41,978	140	57.9	49.5-66.3	91	42.1	33.7-50.5
\$50,000- 74,999	253	54,027	177	73.7	66.6-80.8	76	26.3	19.2-33.4
\$75,000+	512	109,337	375	73.7	68.6-78.8	137	26.3	21.2-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2138	373,449	1016	51.5	48.6-54.4	1122	48.5	45.6-51.4
White/Non-Hisp	1503	242,827	801	57.8	54.3-61.3	702	42.2	38.7-45.7
Black or Afr. Am./Non-Hisp	337	77,046	133	43.9	36.6-51.2	204	56.1	48.8-63.4
Hispanic	180	30,042	46	31.8	22.4-41.2	134	68.2	58.8-77.6
18-24	103	39,548	56	60.3	47.0-73.6	47	39.7	26.4-53.0
25-34	240	60,451	112	53.1	44.9-61.3	128	46.9	38.7-55.1
35-44	210	55,097	100	50.3	41.7-58.9	110	49.7	41.1-58.3
45-54	328	61,281	179	62.2	55.5-68.9	149	37.8	31.1-44.5
55-64	468	64,032	219	48.4	42.5-54.3	249	51.6	45.7-57.5
65+	765	89,780	341	42.8	38.5-47.1	424	57.2	52.9-61.5
Less Than H.S.	204	45,540	33	21.2	13.2-29.2	171	78.8	70.8-86.8
H.S. or G.E.D.	650	106,639	252	42.6	37.5-47.7	398	57.4	52.3-62.5
Some Post-H.S.	543	115,134	263	56.0	49.9-62.1	280	44.0	37.9-50.1
College Graduate	735	105,098	467	69.2	64.9-73.5	268	30.8	26.5-35.1
Less than \$15,000	201	33,427	45	23.4	15.2-31.6	156	76.6	68.4-84.8
\$15,000- 24,999	332	52,948	111	34.9	28.0-41.8	221	65.1	58.2-72.0
\$25,000- 34,999	236	36,587	101	50.0	38.8-61.2	135	50.0	38.8-61.2
\$35,000- 49,999	256	43,795	126	52.3	44.5-60.1	130	47.7	39.9-55.5
\$50,000- 74,999	245	47,571	144	59.2	50.6-67.8	101	40.8	32.2-49.4
\$75,000+	476	98,291	340	73.3	68.2-78.4	136	26.7	21.6-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3855	712,775	1180	33.5	31.3-35.7	428	12.9	11.1-14.7	139	3.1	2.5- 3.7	295	6.6	5.6- 7.6	1813	43.8	41.6-46.0
Male	1717	339,326	538	33.2	30.1-36.3	233	15.4	13.0-17.8	79	4.2	3.0- 5.4	176	8.6	6.8-10.4	691	38.7	35.6-41.8
Female	2138	373,449	642	33.9	31.0-36.8	195	10.7	8.3-13.1	60	2.2	1.4- 3.0	119	4.8	3.6- 6.0	1122	48.5	45.6-51.4
White/Non-Hisp	2703	461,964	861	34.2	31.7-36.7	338	15.4	13.2-17.6	115	3.7	2.7- 4.7	253	8.0	6.8- 9.2	1136	38.8	36.3-41.3
Black or Afr. Am./Non-Hisp	544	141,529	160	32.5	27.2-37.8	50	10.1	6.6-13.6	10	1.9	0.7- 3.1	17	4.4	1.7- 7.1	307	51.1	45.4-56.8
Oth. Race/Non-Hisp.	124	27,428	33	34.2	23.2-45.2	13	11.4	3.4-19.4	3	4.2	0.0- 9.1	5	2.6	0.0- 5.3	70	47.6	36.4-58.8
MultiRacial/Non-Hisp.	62	12,937	17	34.8	18.3-51.3	5	3.8	0.3- 7.3	3	2.2	0.0- 4.9	3	4.2	0.0- 9.7	34	55.0	38.5-71.5
Hispanic	333	54,265	82	30.1	23.0-37.2	18	4.8	2.3- 7.3	4	1.6	0.0- 3.6	10	1.8	0.4- 3.2	219	61.7	54.6-68.8
18-24	247	84,163	90	36.5	28.7-44.3	37	17.3	9.3-25.3	5	1.4	0.0- 2.8	12	4.3	0.8- 7.8	103	40.5	32.1-48.9
25-34	430	118,040	149	38.6	32.3-44.9	59	14.1	9.8-18.4	15	3.9	1.5- 6.3	13	2.0	0.6- 3.4	194	41.4	35.1-47.7
35-44	402	106,882	142	35.9	30.0-41.8	42	13.3	8.8-17.8	12	2.5	0.9- 4.1	13	4.9	2.0- 7.8	193	43.4	37.3-49.5
45-54	611	115,731	215	38.7	33.6-43.8	79	15.6	11.3-19.9	17	2.4	1.0- 3.8	45	7.7	5.0-10.4	255	35.6	30.7-40.5
55-64	819	122,672	229	29.5	25.4-33.6	87	11.1	8.4-13.8	39	4.5	2.7- 6.3	68	8.3	5.9-10.7	396	46.5	42.2-50.8
65+	1311	161,219	345	26.1	23.2-29.0	121	9.0	7.0-11.0	51	3.4	2.2- 4.6	144	10.5	8.3-12.7	650	50.9	47.6-54.2
Less Than H.S.	378	87,186	66	21.7	15.8-27.6	13	3.8	1.6- 6.0	4	1.2	0.0- 2.6	11	1.9	0.7- 3.1	284	71.4	65.1-77.7
H.S. or G.E.D.	1185	218,841	327	30.4	26.7-34.1	94	9.9	7.4-12.4	26	2.4	1.4- 3.4	77	6.0	4.2- 7.8	661	51.2	47.3-55.1
Some Post-H.S.	932	206,954	293	33.7	29.4-38.0	117	16.8	12.7-20.9	37	3.5	1.9- 5.1	78	8.3	5.9-10.7	407	37.8	33.5-42.1
College Graduate	1348	197,495	493	42.3	38.8-45.8	203	16.3	13.6-19.0	72	4.5	3.3- 5.7	129	7.7	5.9- 9.5	451	29.2	26.1-32.3
Less than \$15,000	299	50,292	55	15.7	10.4-21.0	16	5.1	1.6- 8.6	4	1.9	0.0- 4.3	13	2.9	1.1- 4.7	211	74.4	67.7-81.1
\$15,000- 24,999	582	96,087	135	26.6	21.7-31.5	40	7.7	4.8-10.6	8	0.9	0.1- 1.7	25	3.9	1.7- 6.1	374	61.0	55.7-66.3
\$25,000- 34,999	362	59,178	106	32.8	25.4-40.2	30	13.5	3.9-23.1	12	2.4	0.8- 4.0	17	3.1	1.3- 4.9	197	48.3	40.1-56.5
\$35,000- 49,999	487	85,773	155	33.8	28.1-39.5	57	12.0	8.3-15.7	14	2.5	0.9- 4.1	40	6.8	4.3- 9.3	221	44.9	39.2-50.6
\$50,000- 74,999	498	101,598	176	36.7	30.8-42.6	62	14.7	9.8-19.6	23	3.9	1.9- 5.9	60	11.5	7.4-15.6	177	33.1	27.4-38.8
\$75,000+	988	207,627	379	41.6	37.5-45.7	169	19.0	15.5-22.5	68	5.2	3.6- 6.8	99	7.8	5.8- 9.8	273	26.5	23.0-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	339,326	538	33.2	30.1-36.3	233	15.4	13.0-17.8	79	4.2	3.0- 5.4	176	8.6	6.8-10.4	691	38.7	35.6-41.8
White/Non-Hisp	1200	219,137	381	32.7	29.2-36.2	177	17.8	14.9-20.7	64	4.9	3.3- 6.5	144	9.5	7.5-11.5	434	35.1	31.4-38.8
Black or Afr. Am./Non-Hisp	207	64,482	61	33.0	24.6-41.4	25	12.1	6.0-18.2	6	2.4	0.4- 4.4	12	7.3	2.0-12.6	103	45.2	36.2-54.2
Oth. Race/Non-Hisp.	79	17,930	20	33.3	19.6-47.0	13	17.4	5.6-29.2	2	3.6	0.0- 8.7	4	3.7	0.0- 7.8	40	41.9	28.4-55.4
Hispanic	153	24,223	47	34.1	23.5-44.7	10	6.1	1.6-10.6	3	3.0	0.0- 7.1	8	3.0	0.3- 5.7	85	53.7	43.1-64.3
18-24	144	44,614	51	37.4	27.2-47.6	22	13.0	6.9-19.1	5	2.6	0.0- 5.3	10	5.8	0.3-11.3	56	41.2	30.8-51.6
25-34	190	57,589	71	36.2	27.2-45.2	34	19.3	12.0-26.6	9	5.8	1.3-10.3	10	3.1	0.7- 5.5	66	35.5	25.5-45.5
35-44	192	51,786	66	33.4	25.2-41.6	24	16.9	9.6-24.2	7	3.7	0.8- 6.6	12	9.3	3.6-15.0	83	36.7	28.5-44.9
45-54	283	54,450	95	35.8	28.0-43.6	45	19.4	12.5-26.3	9	3.1	0.7- 5.5	28	8.6	4.9-12.3	106	33.1	25.7-40.5
55-64	351	58,641	98	29.7	23.6-35.8	47	13.9	9.4-18.4	23	5.0	2.6- 7.4	36	10.3	6.6-14.0	147	41.1	34.8-47.4
65+	546	71,439	155	28.9	24.0-33.8	59	10.6	7.5-13.7	26	4.3	2.3- 6.3	80	13.0	9.5-16.5	226	43.1	37.8-48.4
Less Than H.S.	174	41,645	40	25.5	16.5-34.5	7	4.9	1.0- 8.8	3	2.2	0.0- 5.1	11	4.0	1.3- 6.7	113	63.4	53.4-73.4
H.S. or G.E.D.	535	112,202	149	29.8	24.5-35.1	61	14.4	9.9-18.9	18	3.3	1.5- 5.1	44	7.2	4.3-10.1	263	45.3	39.6-51.0
Some Post-H.S.	389	91,820	139	36.1	29.8-42.4	55	16.8	11.7-21.9	20	4.8	1.9- 7.7	48	12.3	8.0-16.6	127	30.0	24.1-35.9
College Graduate	613	92,397	210	38.1	33.0-43.2	109	20.1	16.0-24.2	38	5.6	3.4- 7.8	73	8.9	6.4-11.4	183	27.3	22.8-31.8
Less than \$15,000	98	16,865	27	20.3	10.5-30.1	4	2.3	0.0- 4.8	1	0.4	0.0- 1.2	11	7.1	2.4-11.8	55	70.0	58.4-81.6
\$15,000- 24,999	250	43,139	57	26.9	19.5-34.3	24	11.8	6.3-17.3	4	1.1	0.0- 2.5	12	4.3	0.6- 8.0	153	55.9	47.7-64.1
\$25,000- 34,999	126	22,590	33	35.8	23.1-48.5	14	10.2	3.3-17.1	8	4.4	0.7- 8.1	9	4.2	1.1- 7.3	62	45.4	33.2-57.6
\$35,000- 49,999	231	41,978	73	31.1	23.3-38.9	36	17.3	10.8-23.8	8	2.6	0.4- 4.8	23	7.0	3.7-10.3	91	42.1	33.7-50.5
\$50,000- 74,999	253	54,027	98	39.6	31.2-48.0	29	15.7	8.4-23.0	13	4.2	1.5- 6.9	37	14.2	7.7-20.7	76	26.3	19.2-33.4
\$75,000+	512	109,337	179	35.8	30.3-41.3	96	21.3	16.4-26.2	38	6.7	4.0- 9.4	62	9.9	7.0-12.8	137	26.3	21.2-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2138	373,449	642	33.9	31.0-36.8	195	10.7	8.3-13.1	60	2.2	1.4- 3.0	119	4.8	3.6- 6.0	1122	48.5	45.6-51.4
White/Non-Hisp	1503	242,827	480	35.5	32.0-39.0	161	13.2	9.9-16.5	51	2.6	1.8- 3.4	109	6.6	5.0- 8.2	702	42.2	38.7-45.7
Black or Afr. Am./Non-Hisp	337	77,046	99	32.1	25.4-38.8	25	8.4	4.3-12.5	4	1.4	0.0- 3.0	5	2.0	0.0- 4.2	204	56.1	48.8-63.4
Hispanic	180	30,042	35	26.9	17.7-36.1	8	3.8	0.9- 6.7	1	0.4	0.0- 1.2	2	0.7	0.0- 1.7	134	68.2	58.8-77.6
18-24	103	39,548	39	35.5	23.2-47.8	15	22.1	7.2-37.0				2	2.6	0.0- 6.5	47	39.7	26.4-53.0
25-34	240	60,451	78	41.0	32.4-49.6	25	9.1	4.8-13.4	6	2.0	0.0- 4.0	3	1.0	0.0- 2.4	128	46.9	38.7-55.1
35-44	210	55,097	76	38.2	29.8-46.6	18	9.9	4.2-15.6	5	1.4	0.0- 3.0	1	0.7	0.0- 2.1	110	49.7	41.1-58.3
45-54	328	61,281	120	41.2	34.3-48.1	34	12.3	6.8-17.8	8	1.8	0.0- 3.6	17	6.9	3.0-10.8	149	37.8	31.1-44.5
55-64	468	64,032	131	29.4	23.9-34.9	40	8.6	5.7-11.5	16	4.1	1.7- 6.5	32	6.4	3.9- 8.9	249	51.6	45.7-57.5
65+	765	89,780	190	23.9	20.2-27.6	62	7.7	5.5- 9.9	25	2.7	1.5- 3.9	64	8.4	5.9-10.9	424	57.2	52.9-61.5
Less Than H.S.	204	45,540	26	18.2	10.4-26.0	6	2.7	0.3- 5.1	1	0.3	0.0- 0.9				171	78.8	70.8-86.8
H.S. or G.E.D.	650	106,639	178	31.1	26.2-36.0	33	5.3	3.1- 7.5	8	1.4	0.2- 2.6	33	4.8	2.8- 6.8	398	57.4	52.3-62.5
Some Post-H.S.	543	115,134	154	31.8	26.1-37.5	62	16.8	10.5-23.1	17	2.4	1.0- 3.8	30	5.1	2.9- 7.3	280	44.0	37.9-50.1
College Graduate	735	105,098	283	46.0	41.1-50.9	94	13.0	9.7-16.3	34	3.6	2.0- 5.2	56	6.6	4.2- 9.0	268	30.8	26.5-35.1
Less than \$15,000	201	33,427	28	13.4	7.1-19.7	12	6.5	1.6-11.4	3	2.7	0.0- 6.2	2	0.8	0.0- 2.0	156	76.6	68.4-84.8
\$15,000- 24,999	332	52,948	78	26.3	19.8-32.8	16	4.3	1.8- 6.8	4	0.8	0.0- 1.6	13	3.5	1.1- 5.9	221	65.1	58.2-72.0
\$25,000- 34,999	236	36,587	73	30.9	22.1-39.7	16	15.5	0.8-30.2	4	1.2	0.0- 2.6	8	2.4	0.4- 4.4	135	50.0	38.8-61.2
\$35,000- 49,999	256	43,795	82	36.4	28.6-44.2	21	7.0	3.5-10.5	6	2.4	0.2- 4.6	17	6.6	2.9-10.3	130	47.7	39.9-55.5
\$50,000- 74,999	245	47,571	78	33.4	25.2-41.6	33	13.7	7.2-20.2	10	3.5	1.0- 6.0	23	8.5	4.0-13.0	101	40.8	32.2-49.4
\$75,000+	476	98,291	200	48.0	41.7-54.3	73	16.4	11.5-21.3	30	3.5	1.9- 5.1	37	5.4	3.0- 7.8	136	26.7	21.6-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3819	707,212	3330	83.0	81.0-85.0	489	17.0	15.0-19.0
Male	1696	335,911	1415	79.4	76.7-82.1	281	20.6	17.9-23.3
Female	2123	371,302	1915	86.3	83.8-88.8	208	13.7	11.2-16.2
White/Non-Hisp	2681	459,539	2327	81.5	79.1-83.9	354	18.5	16.1-20.9
Black or Afr. Am./Non-Hisp	537	139,499	478	87.0	83.1-90.9	59	13.0	9.1-16.9
Oth. Race/Non-Hisp.	124	27,428	103	77.9	67.7-88.1	21	22.1	11.9-32.3
MultiRacial/Non-Hisp.	62	12,937	56	92.3	85.0-99.6	6	7.7	0.4-15.0
Hispanic	328	53,513	288	86.3	81.4-91.2	40	13.7	8.8-18.6
18-24	244	83,687	176	69.1	60.5-77.7	68	30.9	22.3-39.5
25-34	427	117,625	319	71.9	66.2-77.6	108	28.1	22.4-33.8
35-44	397	106,027	339	83.0	78.1-87.9	58	17.0	12.1-21.9
45-54	607	114,648	510	83.3	79.4-87.2	97	16.7	12.8-20.6
55-64	811	121,805	728	88.5	85.6-91.4	83	11.5	8.6-14.4
65+	1298	159,354	1223	93.7	91.9-95.5	75	6.3	4.5- 8.1
Less Than H.S.	373	85,597	346	91.5	87.8-95.2	27	8.5	4.8-12.2
H.S. or G.E.D.	1169	216,503	1025	84.3	81.2-87.4	144	15.7	12.6-18.8
Some Post-H.S.	924	205,852	781	77.0	72.5-81.5	143	23.0	18.5-27.5
College Graduate	1342	197,046	1167	84.0	81.3-86.7	175	16.0	13.3-18.7
Less than \$15,000	295	49,540	275	92.3	87.6-97.0	20	7.7	3.0-12.4
\$15,000- 24,999	576	95,273	524	88.6	84.9-92.3	52	11.4	7.7-15.1
\$25,000- 34,999	357	58,599	316	83.5	73.9-93.1	41	16.5	6.9-26.1
\$35,000- 49,999	485	85,524	412	81.4	76.7-86.1	73	18.6	13.9-23.3
\$50,000- 74,999	497	101,539	410	77.2	71.7-82.7	87	22.8	17.3-28.3
\$75,000+	983	207,196	824	78.8	75.1-82.5	159	21.2	17.5-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1696	335,911	1415	79.4	76.7-82.1	281	20.6	17.9-23.3
White/Non-Hisp	1189	218,187	986	77.7	74.4-81.0	203	22.3	19.0-25.6
Black or Afr. Am./Non-Hisp	203	62,909	175	84.7	78.0-91.4	28	15.3	8.6-22.0
Oth. Race/Non-Hisp.	79	17,930	64	76.1	63.0-89.2	15	23.9	10.8-37.0
Hispanic	149	23,686	126	84.8	77.5-92.1	23	15.2	7.9-22.5
18-24	141	44,138	99	73.3	64.3-82.3	42	26.7	17.7-35.7
25-34	188	57,420	127	63.7	54.7-72.7	61	36.3	27.3-45.3
35-44	188	51,034	154	76.8	68.6-85.0	34	23.2	15.0-31.4
45-54	280	53,582	227	81.1	75.4-86.8	53	18.9	13.2-24.6
55-64	349	58,442	302	85.8	81.1-90.5	47	14.2	9.5-18.9
65+	539	70,486	495	90.8	87.5-94.1	44	9.2	5.9-12.5
Less Than H.S.	171	40,518	152	87.7	81.4-94.0	19	12.3	6.0-18.6
H.S. or G.E.D.	524	110,753	439	80.2	75.3-85.1	85	19.8	14.9-24.7
Some Post-H.S.	385	91,215	295	70.2	64.1-76.3	90	29.8	23.7-35.9
College Graduate	610	92,163	523	83.5	79.6-87.4	87	16.5	12.6-20.4
Less than \$15,000	97	16,732	87	93.8	89.3-98.3	10	6.2	1.7-10.7
\$15,000- 24,999	245	42,377	218	86.9	80.8-93.0	27	13.1	7.0-19.2
\$25,000- 34,999	123	22,274	104	87.7	81.2-94.2	19	12.3	5.8-18.8
\$35,000- 49,999	230	41,904	186	76.6	69.2-84.0	44	23.4	16.0-30.8
\$50,000- 74,999	252	53,968	198	70.5	62.1-78.9	54	29.5	21.1-37.9
\$75,000+	510	109,157	420	76.3	71.2-81.4	90	23.7	18.6-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2123	371,302	1915	86.3	83.8-88.8	208	13.7	11.2-16.2
White/Non-Hisp	1492	241,352	1341	84.9	81.4-88.4	151	15.1	11.6-18.6
Black or Afr. Am./Non-Hisp	334	76,589	303	88.9	84.2-93.6	31	11.1	6.4-15.8
Hispanic	179	29,827	162	87.4	80.9-93.9	17	12.6	6.1-19.1
18-24	103	39,548	77	64.4	49.5-79.3	26	35.6	20.7-50.5
25-34	239	60,205	192	79.6	72.9-86.3	47	20.4	13.7-27.1
35-44	209	54,993	185	88.8	83.3-94.3	24	11.2	5.7-16.7
45-54	327	61,066	283	85.1	79.6-90.6	44	14.9	9.4-20.4
55-64	462	63,362	426	91.0	87.3-94.7	36	9.0	5.3-12.7
65+	759	88,867	728	95.9	94.3-97.5	31	4.1	2.5- 5.7
Less Than H.S.	202	45,079	194	94.9	90.4-99.4	8	5.1	0.6- 9.6
H.S. or G.E.D.	645	105,750	586	88.7	85.2-92.2	59	11.3	7.8-14.8
Some Post-H.S.	539	114,637	486	82.4	75.7-89.1	53	17.6	10.9-24.3
College Graduate	732	104,883	644	84.4	80.5-88.3	88	15.6	11.7-19.5
Less than \$15,000	198	32,808	188	91.5	84.8-98.2	10	8.5	1.8-15.2
\$15,000- 24,999	331	52,896	306	90.0	85.5-94.5	25	10.0	5.5-14.5
\$25,000- 34,999	234	36,325	212	81.0	66.5-95.5	22	19.0	4.5-33.5
\$35,000- 49,999	255	43,620	226	86.0	80.1-91.9	29	14.0	8.1-19.9
\$50,000- 74,999	245	47,571	212	84.8	78.3-91.3	33	15.2	8.7-21.7
\$75,000+	473	98,039	404	81.6	75.9-87.3	69	18.4	12.7-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3805	703,440	723	19.4	17.6-21.2	272	6.8	5.8- 7.8	395	12.5	10.9-14.1	323	9.0	7.6-10.4	279	7.8	6.6- 9.0	1813	44.4	42.2-46.6
Male	1688	334,510	295	16.7	14.3-19.1	124	6.7	5.1- 8.3	200	14.6	12.2-17.0	180	10.9	8.9-12.9	198	11.9	9.7-14.1	691	39.2	36.1-42.3
Female	2117	368,930	428	21.9	19.4-24.4	148	7.0	5.6- 8.4	195	10.6	8.2-13.0	143	7.3	5.7- 8.9	81	4.2	2.8- 5.6	1122	49.1	46.0-52.2
White/Non-Hisp	2671	456,843	529	19.8	17.6-22.0	203	7.1	5.9- 8.3	318	14.8	12.6-17.0	262	10.1	8.5-11.7	223	9.0	7.4-10.6	1136	39.2	36.7-41.7
Black or Afr. Am./Non-Hisp	537	138,964	101	20.0	15.7-24.3	38	6.4	3.9- 8.9	39	8.1	5.0-11.2	30	7.9	4.4-11.4	22	5.5	2.6- 8.4	307	52.0	46.3-57.7
Oth. Race/Non-Hisp.	122	27,290	22	17.7	9.5-25.9	5	8.3	0.7-15.9	8	10.3	2.7-17.9	8	6.6	1.5-11.7	9	9.2	1.6-16.8	70	47.8	36.4-59.2
MultiRacial/Non-Hisp.	61	12,534	10	18.6	4.5-32.7	4	6.3	0.0-14.1	4	9.5	0.0-19.9	6	5.7	0.0-11.4	3	3.2	0.0- 7.1	34	56.7	40.0-73.4
Hispanic	329	53,704	46	16.0	10.1-21.9	17	6.1	2.8- 9.4	20	6.8	3.1-10.5	14	6.5	2.6-10.4	13	2.2	0.8- 3.6	219	62.4	55.1-69.7
18-24	240	82,348	39	14.8	9.3-20.3	21	6.1	3.0- 9.2	29	18.6	10.2-27.0	25	9.2	5.1-13.3	23	9.9	4.6-15.2	103	41.4	32.8-50.0
25-34	426	117,317	70	19.6	14.1-25.1	37	7.4	4.7-10.1	57	14.6	10.1-19.1	34	7.9	4.8-11.0	34	8.9	5.2-12.6	194	41.6	35.3-47.9
35-44	396	105,309	80	20.3	15.4-25.2	28	6.4	3.3- 9.5	39	10.1	6.4-13.8	33	10.9	6.8-15.0	23	8.3	4.6-12.0	193	44.0	37.9-50.1
45-54	604	113,819	131	22.7	18.4-27.0	50	8.4	5.5-11.3	72	14.5	10.8-18.2	45	10.8	6.7-14.9	51	7.4	4.9- 9.9	255	36.2	31.1-41.3
55-64	806	121,258	147	17.9	14.6-21.2	58	8.3	5.8-10.8	82	12.1	9.0-15.2	64	7.2	5.0- 9.4	59	7.5	5.3- 9.7	396	47.1	42.6-51.6
65+	1298	159,322	250	19.9	17.2-22.6	73	4.7	3.3- 6.1	116	8.8	7.0-10.6	120	8.6	6.8-10.4	89	6.5	4.7- 8.3	650	51.6	48.1-55.1
Less Than H.S.	371	86,095	37	13.7	8.4-19.0	13	2.9	1.1- 4.7	16	5.5	2.4- 8.6	12	3.3	1.1- 5.5	9	2.3	0.5- 4.1	284	72.3	66.0-78.6
H.S. or G.E.D.	1167	214,595	203	16.7	14.0-19.4	56	4.7	3.1- 6.3	88	11.0	8.3-13.7	76	7.6	5.2-10.0	83	7.7	5.5- 9.9	661	52.2	48.3-56.1
Some Post-H.S.	918	204,300	171	18.8	15.3-22.3	73	7.9	5.7-10.1	103	13.5	9.8-17.2	86	11.3	8.4-14.2	78	10.2	7.3-13.1	407	38.3	34.0-42.6
College Graduate	1338	196,236	312	25.7	22.6-28.8	130	9.8	7.6-12.0	188	16.4	13.5-19.3	148	10.7	8.5-12.9	109	8.0	6.0-10.0	451	29.4	26.3-32.5
Less than \$15,000	294	49,512	35	9.6	5.3-13.9	12	4.6	1.7- 7.5	13	3.2	1.0- 5.4	12	4.1	0.6- 7.6	11	3.0	1.0- 5.0	211	75.5	68.8-82.2
\$15,000- 24,999	579	95,249	81	14.1	10.2-18.0	30	5.5	3.1- 7.9	38	8.5	5.2-11.8	27	5.5	3.0- 8.0	29	4.9	2.5- 7.3	374	61.5	56.2-66.8
\$25,000- 34,999	357	58,731	63	18.5	12.6-24.4	25	6.4	3.3- 9.5	33	17.5	7.5-27.5	18	5.7	2.6- 8.8	21	3.3	1.5- 5.1	197	48.6	40.4-56.8
\$35,000- 49,999	481	85,111	107	22.4	17.5-27.3	28	5.7	3.2- 8.2	44	11.6	7.5-15.7	39	7.3	4.6-10.0	42	7.6	4.9-10.3	221	45.3	39.6-51.0
\$50,000- 74,999	494	100,131	102	20.0	15.1-24.9	46	7.9	4.8-11.0	61	13.2	9.3-17.1	55	12.6	7.9-17.3	53	12.8	8.1-17.5	177	33.6	27.9-39.3
\$75,000+	978	204,918	226	23.6	20.1-27.1	94	8.8	6.6-11.0	159	17.1	13.8-20.4	129	12.0	9.3-14.7	97	11.7	8.8-14.6	273	26.8	23.1-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1688	334,510	295	16.7	14.3-19.1	124	6.7	5.1- 8.3	200	14.6	12.2-17.0	180	10.9	8.9-12.9	198	11.9	9.7-14.1	691	39.2	36.1-42.3
White/Non-Hisp	1181	216,600	205	15.9	13.2-18.6	91	6.6	5.0- 8.2	158	17.1	14.0-20.2	139	11.6	9.2-14.0	154	13.3	10.8-15.8	434	35.5	31.8-39.2
Black or Afr. Am./Non-Hisp	204	63,259	38	19.7	12.6-26.8	13	6.0	1.9-10.1	18	9.3	4.4-14.2	17	10.9	4.8-17.0	15	8.0	2.5-13.5	103	46.0	37.0-55.0
Oth. Race/Non-Hisp.	78	17,887	13	16.4	6.4-26.4	4	9.8	0.0-20.0	6	10.7	1.3-20.1	7	7.2	1.5-12.9	8	13.9	2.5-25.3	40	42.0	28.5-55.5
Hispanic	151	24,065	25	18.7	9.1-28.3	11	8.3	2.4-14.2	10	7.0	1.7-12.3	10	8.6	2.5-14.7	10	3.3	0.9- 5.7	85	54.1	43.5-64.7
18-24	139	43,637	22	16.7	8.7-24.7	11	5.1	1.4- 8.8	15	15.0	7.0-23.0	18	10.4	5.1-15.7	17	10.6	3.9-17.3	56	42.1	31.5-52.7
25-34	188	57,207	28	15.0	8.3-21.7	14	5.6	2.3- 8.9	38	20.8	13.5-28.1	19	9.3	4.4-14.2	23	13.5	6.8-20.2	66	35.8	25.8-45.8
35-44	190	51,669	29	13.7	8.0-19.4	12	5.3	1.2- 9.4	24	13.6	7.5-19.7	24	16.1	9.2-23.0	18	14.6	7.5-21.7	83	36.8	28.6-45.0
45-54	277	52,752	56	17.4	11.3-23.5	20	7.4	3.5-11.3	32	17.9	11.4-24.4	28	13.2	6.7-19.7	35	10.0	6.1-13.9	106	34.2	26.6-41.8
55-64	343	57,789	56	15.1	10.6-19.6	27	10.4	5.9-14.9	39	12.6	7.9-17.3	34	8.7	5.0-12.4	40	11.6	7.7-15.5	147	41.7	35.2-48.2
65+	540	70,648	103	21.4	16.7-26.1	38	5.8	3.4- 8.2	52	9.3	6.6-12.0	56	8.7	6.0-11.4	65	11.2	7.9-14.5	226	43.6	38.3-48.9
Less Than H.S.	170	41,202	21	14.1	6.8-21.4	7	3.2	0.5- 5.9	10	8.6	2.5-14.7	11	5.5	2.0- 9.0	8	4.5	1.0- 8.0	113	64.1	54.1-74.1
H.S. or G.E.D.	524	110,443	78	13.0	9.5-16.5	30	5.3	2.8- 7.8	52	14.9	10.2-19.6	41	9.6	5.7-13.5	60	11.3	7.6-15.0	263	46.0	40.1-51.9
Some Post-H.S.	380	89,767	70	18.2	12.9-23.5	38	9.7	6.0-13.4	41	11.0	7.3-14.7	45	12.9	8.6-17.2	59	17.5	12.0-23.0	127	30.7	24.8-36.6
College Graduate	608	91,836	126	21.2	16.9-25.5	49	7.1	4.7- 9.5	97	20.7	16.2-25.2	82	12.9	9.6-16.2	71	10.6	7.7-13.5	183	27.5	23.0-32.0
Less than \$15,000	95	16,546	15	8.9	3.2-14.6	6	8.7	1.1-16.3	4	2.1	0.0- 4.8	7	3.7	0.6- 6.8	8	5.2	1.3- 9.1	55	71.3	59.7-82.9
\$15,000- 24,999	248	42,950	29	11.5	6.4-16.6	17	7.7	3.4-12.0	20	11.8	5.7-17.9	14	7.7	3.2-12.2	15	5.2	1.3- 9.1	153	56.1	47.9-64.3
\$25,000- 34,999	123	22,297	17	16.7	6.5-26.9	8	5.1	0.6- 9.6	14	19.0	7.6-30.4	9	8.3	1.6-15.0	13	5.0	1.9- 8.1	62	46.0	33.8-58.2
\$35,000- 49,999	229	41,777	47	19.1	12.4-25.8	15	4.9	2.2- 7.6	22	13.4	6.7-20.1	22	8.9	4.4-13.4	32	11.3	6.8-15.8	91	42.3	33.9-50.7
\$50,000- 74,999	250	52,697	51	17.8	11.3-24.3	26	9.7	4.6-14.8	28	13.3	7.8-18.8	29	12.5	6.0-19.0	40	19.7	11.9-27.5	76	26.9	19.8-34.0
\$75,000+	508	108,486	102	19.1	14.6-23.6	35	6.1	3.4- 8.8	89	18.6	14.3-22.9	74	13.5	9.6-17.4	71	16.2	11.9-20.5	137	26.5	21.4-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2117	368,930	428	21.9	19.4-24.4	148	7.0	5.6- 8.4	195	10.6	8.2-13.0	143	7.3	5.7- 8.9	81	4.2	2.8- 5.6	1122	49.1	46.0-52.2
White/Non-Hisp	1490	240,243	324	23.4	20.3-26.5	112	7.5	5.7- 9.3	160	12.7	9.6-15.8	123	8.7	6.5-10.9	69	5.1	3.3- 6.9	702	42.6	39.1-46.1
Black or Afr. Am./Non-Hisp	333	75,704	63	20.3	14.8-25.8	25	6.8	3.9- 9.7	21	7.2	3.1-11.3	13	5.3	1.6- 9.0	7	3.5	0.4- 6.6	204	57.1	49.8-64.4
Hispanic	178	29,640	21	13.9	6.5-21.3	6	4.2	0.5- 7.9	10	6.7	1.6-11.8	4	4.8	0.0- 9.9	3	1.4	0.0- 3.0	134	69.1	59.7-78.5
18-24	101	38,711	17	12.7	5.6-19.8	10	7.3	2.2-12.4	14	22.5	7.4-37.6	7	7.8	1.5-14.1	6	9.1	0.7-17.5	47	40.6	26.9-54.3
25-34	238	60,110	42	24.1	16.1-32.1	23	9.1	4.8-13.4	19	8.6	3.5-13.7	15	6.5	2.4-10.6	11	4.6	0.9- 8.3	128	47.2	39.0-55.4
35-44	206	53,640	51	26.6	18.8-34.4	16	7.5	3.0-12.0	15	6.6	2.5-10.7	9	6.0	1.3-10.7	5	2.2	0.0- 4.4	110	51.1	42.5-59.7
45-54	327	61,066	75	27.3	21.0-33.6	30	9.3	5.2-13.4	40	11.5	7.4-15.6	17	8.8	3.3-14.3	16	5.2	2.1- 8.3	149	37.9	31.2-44.6
55-64	463	63,469	91	20.5	15.8-25.2	31	6.3	3.8- 8.8	43	11.6	7.5-15.7	30	5.8	3.3- 8.3	19	3.7	1.7- 5.7	249	52.0	46.1-57.9
65+	758	88,674	147	18.7	15.4-22.0	35	3.8	2.2- 5.4	64	8.3	5.9-10.7	64	8.6	6.1-11.1	24	2.8	1.4- 4.2	424	57.9	53.6-62.2
Less Than H.S.	201	44,892	16	13.4	6.0-20.8	6	2.5	0.1- 4.9	6	2.6	0.4- 4.8	1	1.3	0.0- 3.8	1	0.3	0.0- 0.9	171	79.9	71.9-87.9
H.S. or G.E.D.	643	104,151	125	20.7	16.4-25.0	26	4.1	1.9- 6.3	36	6.9	4.4- 9.4	35	5.5	3.3- 7.7	23	4.0	1.6- 6.4	398	58.8	53.7-63.9
Some Post-H.S.	538	114,533	101	19.3	14.6-24.0	35	6.6	4.1- 9.1	62	15.4	9.3-21.5	41	10.1	6.2-14.0	19	4.6	1.7- 7.5	280	44.2	38.1-50.3
College Graduate	730	104,400	186	29.7	25.0-34.4	81	12.2	8.9-15.5	91	12.7	9.2-16.2	66	8.7	5.8-11.6	38	5.7	3.3- 8.1	268	31.0	26.7-35.3
Less than \$15,000	199	32,966	20	9.9	4.0-15.8	6	2.6	0.2- 5.0	9	3.7	0.8- 6.6	5	4.3	0.0- 9.4	3	1.8	0.0- 4.2	156	77.7	69.5-85.9
\$15,000- 24,999	331	52,298	52	16.3	10.8-21.8	13	3.7	1.3- 6.1	18	5.8	2.7- 8.9	13	3.7	1.2- 6.2	14	4.6	1.7- 7.5	221	65.9	59.0-72.8
\$25,000- 34,999	234	36,434	46	19.6	12.5-26.7	17	7.1	3.0-11.2	19	16.6	1.9-31.3	9	4.1	1.0- 7.2	8	2.2	0.2- 4.2	135	50.2	39.0-61.4
\$35,000- 49,999	252	43,334	60	25.7	18.4-33.0	13	6.5	2.2-10.8	22	9.8	5.1-14.5	17	5.7	2.4- 9.0	10	4.0	1.1- 6.9	130	48.2	40.4-56.0
\$50,000- 74,999	244	47,434	51	22.4	15.1-29.7	20	5.9	2.2- 9.6	33	13.0	7.5-18.5	26	12.7	6.0-19.4	13	5.1	1.6- 8.6	101	41.0	32.4-49.6
\$75,000+	470	96,432	124	28.6	22.9-34.3	59	11.8	8.1-15.5	70	15.3	10.4-20.2	55	10.4	6.7-14.1	26	6.7	2.8-10.6	136	27.2	22.1-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3805	703,440	3582	93.6	92.4-94.8	223	6.4	5.2- 7.6
Male	1688	334,510	1583	93.3	91.5-95.1	105	6.7	4.9- 8.5
Female	2117	368,930	1999	93.9	92.3-95.5	118	6.1	4.5- 7.7
White/Non-Hisp	2671	456,843	2484	92.5	90.9-94.1	187	7.5	5.9- 9.1
Black or Afr. Am./Non-Hisp	537	138,964	521	95.3	92.4-98.2	16	4.7	1.8- 7.6
Oth. Race/Non-Hisp.	122	27,290	116	95.5	91.0- 100	6	4.5	0.0- 9.0
MultiRacial/Non-Hisp.	61	12,534	60	99.4	98.2- 100	1	0.6	0.0- 1.8
Hispanic	329	53,704	323	97.9	95.5- 100	6	2.1	0.0- 4.5
18-24	240	82,348	223	90.8	85.5-96.1	17	9.2	3.9-14.5
25-34	426	117,317	396	92.3	88.8-95.8	30	7.7	4.2-11.2
35-44	396	105,309	374	92.8	89.3-96.3	22	7.2	3.7-10.7
45-54	604	113,819	563	93.1	90.4-95.8	41	6.9	4.2- 9.6
55-64	806	121,258	757	94.7	92.9-96.5	49	5.3	3.5- 7.1
65+	1298	159,322	1235	96.0	94.8-97.2	63	4.0	2.8- 5.2
Less Than H.S.	371	86,095	366	98.5	96.9- 100	5	1.5	0.0- 3.1
H.S. or G.E.D.	1167	214,595	1100	94.1	92.1-96.1	67	5.9	3.9- 7.9
Some Post-H.S.	918	204,300	860	92.1	89.4-94.8	58	7.9	5.2-10.6
College Graduate	1338	196,236	1245	92.3	90.1-94.5	93	7.7	5.5- 9.9
Less than \$15,000	294	49,512	283	96.3	93.6-99.0	11	3.7	1.0- 6.4
\$15,000- 24,999	579	95,249	548	94.3	91.6-97.0	31	5.7	3.0- 8.4
\$25,000- 34,999	357	58,731	340	97.3	95.7-98.9	17	2.7	1.1- 4.3
\$35,000- 49,999	481	85,111	454	95.3	93.3-97.3	27	4.7	2.7- 6.7
\$50,000- 74,999	494	100,131	450	89.7	85.4-94.0	44	10.3	6.0-14.6
\$75,000+	978	204,918	903	90.9	88.2-93.6	75	9.1	6.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1688	334,510	1583	93.3	91.5-95.1	105	6.7	4.9- 8.5
White/Non-Hisp	1181	216,600	1095	92.2	90.0-94.4	86	7.8	5.6-10.0
Black or Afr. Am./Non-Hisp	204	63,259	198	95.8	91.3- 100	6	4.2	0.0- 8.7
Oth. Race/Non-Hisp.	78	17,887	74	96.3	92.2- 100	4	3.7	0.0- 7.8
Hispanic	151	24,065	149	99.4	98.4- 100	2	0.6	0.0- 1.6
18-24	139	43,637	129	92.1	85.8-98.4	10	7.9	1.6-14.2
25-34	188	57,207	174	91.0	85.3-96.7	14	9.0	3.3-14.7
35-44	190	51,669	178	90.6	84.7-96.5	12	9.4	3.5-15.3
45-54	277	52,752	256	94.1	90.8-97.4	21	5.9	2.6- 9.2
55-64	343	57,789	323	94.8	92.3-97.3	20	5.2	2.7- 7.7
65+	540	70,648	512	96.0	94.2-97.8	28	4.0	2.2- 5.8
Less Than H.S.	170	41,202	167	98.6	96.8- 100	3	1.4	0.0- 3.2
H.S. or G.E.D.	524	110,443	488	93.4	90.5-96.3	36	6.6	3.7- 9.5
Some Post-H.S.	380	89,767	352	90.4	85.9-94.9	28	9.6	5.1-14.1
College Graduate	608	91,836	570	93.6	91.1-96.1	38	6.4	3.9- 8.9
Less than \$15,000	95	16,546	89	95.9	92.4-99.4	6	4.1	0.6- 7.6
\$15,000- 24,999	248	42,950	235	95.2	91.3-99.1	13	4.8	0.9- 8.7
\$25,000- 34,999	123	22,297	116	97.9	96.1-99.7	7	2.1	0.3- 3.9
\$35,000- 49,999	229	41,777	215	95.8	93.4-98.2	14	4.2	1.8- 6.6
\$50,000- 74,999	250	52,697	226	87.8	81.1-94.5	24	12.2	5.5-18.9
\$75,000+	508	108,486	476	91.2	87.7-94.7	32	8.8	5.3-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2117	368,930	1999	93.9	92.3-95.5	118	6.1	4.5- 7.7
White/Non-Hisp	1490	240,243	1389	92.8	90.8-94.8	101	7.2	5.2- 9.2
Black or Afr. Am./Non-Hisp	333	75,704	323	95.0	91.1-98.9	10	5.0	1.1- 8.9
Hispanic	178	29,640	174	96.7	92.6- 100	4	3.3	0.0- 7.4
18-24	101	38,711	94	89.4	80.6-98.2	7	10.6	1.8-19.4
25-34	238	60,110	222	93.5	89.4-97.6	16	6.5	2.4-10.6
35-44	206	53,640	196	94.8	90.7-98.9	10	5.2	1.1- 9.3
45-54	327	61,066	307	92.2	87.9-96.5	20	7.8	3.5-12.1
55-64	463	63,469	434	94.5	92.1-96.9	29	5.5	3.1- 7.9
65+	758	88,674	723	96.0	94.4-97.6	35	4.0	2.4- 5.6
Less Than H.S.	201	44,892	199	98.4	95.9- 100	2	1.6	0.0- 4.1
H.S. or G.E.D.	643	104,151	612	94.9	92.4-97.4	31	5.1	2.6- 7.6
Some Post-H.S.	538	114,533	508	93.5	90.2-96.8	30	6.5	3.2- 9.8
College Graduate	730	104,400	675	91.1	88.0-94.2	55	8.9	5.8-12.0
Less than \$15,000	199	32,966	194	96.5	92.8- 100	5	3.5	0.0- 7.2
\$15,000- 24,999	331	52,298	313	93.6	89.9-97.3	18	6.4	2.7-10.1
\$25,000- 34,999	234	36,434	224	96.9	94.5-99.3	10	3.1	0.7- 5.5
\$35,000- 49,999	252	43,334	239	94.8	91.7-97.9	13	5.2	2.1- 8.3
\$50,000- 74,999	244	47,434	224	91.7	86.6-96.8	20	8.3	3.2-13.4
\$75,000+	470	96,432	427	90.4	86.1-94.7	43	9.6	5.3-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 12: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1325	162,440	840	61.7	58.4-65.0	485	38.3	35.0-41.6
Male	554	72,485	350	60.6	55.3-65.9	204	39.4	34.1-44.7
Female	771	89,955	490	62.6	58.1-67.1	281	37.4	32.9-41.9
White/Non-Hisp	1118	127,514	732	65.1	61.6-68.6	386	34.9	31.4-38.4
Black or Afr. Am./Non-Hisp	125	24,880	57	43.6	32.4-54.8	68	56.4	45.2-67.6
65+	1325	162,440	840	61.7	58.4-65.0	485	38.3	35.0-41.6
Less Than H.S.	95	19,760	46	50.7	38.2-63.2	49	49.3	36.8-61.8
H.S. or G.E.D.	416	51,584	255	62.2	56.5-67.9	161	37.8	32.1-43.5
Some Post-H.S.	344	48,967	196	55.4	48.7-62.1	148	44.6	37.9-51.3
College Graduate	465	41,626	339	73.5	68.8-78.2	126	26.5	21.8-31.2
Less than \$15,000	70	8,467	39	43.5	27.8-59.2	31	56.5	40.8-72.2
\$15,000- 24,999	184	23,017	97	55.0	45.8-64.2	87	45.0	35.8-54.2
\$25,000- 34,999	157	18,147	103	68.3	59.5-77.1	54	31.7	22.9-40.5
\$35,000- 49,999	194	25,491	122	56.7	47.5-65.9	72	43.3	34.1-52.5
\$50,000- 74,999	190	24,747	123	61.9	52.7-71.1	67	38.1	28.9-47.3
\$75,000+	258	30,725	181	65.7	57.9-73.5	77	34.3	26.5-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	72,485	350	60.6	55.3-65.9	204	39.4	34.1-44.7
White/Non-Hisp	474	57,652	308	63.0	57.5-68.5	166	37.0	31.5-42.5
65+	554	72,485	350	60.6	55.3-65.9	204	39.4	34.1-44.7
H.S. or G.E.D.	147	19,292	83	58.0	48.4-67.6	64	42.0	32.4-51.6
Some Post-H.S.	139	22,204	77	53.1	42.9-63.3	62	46.9	36.7-57.1
College Graduate	222	20,981	169	75.9	69.2-82.6	53	24.1	17.4-30.8
\$15,000- 24,999	74	11,478	39	57.2	43.1-71.3	35	42.8	28.7-56.9
\$25,000- 34,999	55	7,433	36	67.6	52.3-82.9	19	32.4	17.1-47.7
\$35,000- 49,999	90	12,573	55	48.5	34.8-62.2	35	51.5	37.8-65.2
\$50,000- 74,999	89	11,678	57	55.5	41.6-69.4	32	44.5	30.6-58.4
\$75,000+	153	18,378	106	66.8	57.8-75.8	47	33.2	24.2-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	771	89,955	490	62.6	58.1-67.1	281	37.4	32.9-41.9
White/Non-Hisp	644	69,862	424	66.8	62.5-71.1	220	33.2	28.9-37.5
Black or Afr. Am./Non-Hisp	89	15,708	43	44.8	31.3-58.3	46	55.2	41.7-68.7
65+	771	89,955	490	62.6	58.1-67.1	281	37.4	32.9-41.9
Less Than H.S.	50	9,779	26	51.8	35.1-68.5	24	48.2	31.5-64.9
H.S. or G.E.D.	269	32,292	172	64.6	57.5-71.7	97	35.4	28.3-42.5
Some Post-H.S.	205	26,762	119	57.3	48.5-66.1	86	42.7	33.9-51.5
College Graduate	243	20,645	170	71.1	64.2-78.0	73	28.9	22.0-35.8
Less than \$15,000	53	6,951	29	38.5	21.4-55.6	24	61.5	44.4-78.6
\$15,000- 24,999	110	11,539	58	52.7	41.1-64.3	52	47.3	35.7-58.9
\$25,000- 34,999	102	10,714	67	68.8	58.2-79.4	35	31.2	20.6-41.8
\$35,000- 49,999	104	12,918	67	64.6	53.0-76.2	37	35.4	23.8-47.0
\$50,000- 74,999	101	13,069	66	67.5	55.7-79.3	35	32.5	20.7-44.3
\$75,000+	105	12,347	75	64.2	50.3-78.1	30	35.8	21.9-49.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1298	158,739	979	75.1	72.2-78.0	319	24.9	22.0-27.8
Male	540	70,017	400	74.6	70.1-79.1	140	25.4	20.9-29.9
Female	758	88,722	579	75.5	71.6-79.4	179	24.5	20.6-28.4
White/Non-Hisp	1102	125,188	850	77.6	74.7-80.5	252	22.4	19.5-25.3
Black or Afr. Am./Non-Hisp	119	24,077	77	65.5	54.7-76.3	42	34.5	23.7-45.3
65+	1298	158,739	979	75.1	72.2-78.0	319	24.9	22.0-27.8
Less Than H.S.	93	19,504	61	70.3	59.5-81.1	32	29.7	18.9-40.5
H.S. or G.E.D.	409	50,389	299	71.4	65.9-76.9	110	28.6	23.1-34.1
Some Post-H.S.	334	47,444	252	78.0	72.7-83.3	82	22.0	16.7-27.3
College Graduate	457	40,897	363	78.5	74.0-83.0	94	21.5	17.0-26.0
Less than \$15,000	69	8,476	53	69.7	53.0-86.4	16	30.3	13.6-47.0
\$15,000- 24,999	182	22,887	137	72.2	63.4-81.0	45	27.8	19.0-36.6
\$25,000- 34,999	152	17,289	115	78.1	70.3-85.9	37	21.9	14.1-29.7
\$35,000- 49,999	192	25,208	148	78.5	71.4-85.6	44	21.5	14.4-28.6
\$50,000- 74,999	186	23,982	140	75.7	68.1-83.3	46	24.3	16.7-31.9
\$75,000+	255	30,227	194	75.4	69.1-81.7	61	24.6	18.3-30.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	540	70,017	400	74.6	70.1-79.1	140	25.4	20.9-29.9
White/Non-Hisp	465	56,169	354	77.3	72.8-81.8	111	22.7	18.2-27.2
65+	540	70,017	400	74.6	70.1-79.1	140	25.4	20.9-29.9
H.S. or G.E.D.	141	18,185	93	65.0	55.4-74.6	48	35.0	25.4-44.6
Some Post-H.S.	135	21,392	102	77.5	69.3-85.7	33	22.5	14.3-30.7
College Graduate	218	20,431	174	79.2	72.9-85.5	44	20.8	14.5-27.1
\$15,000- 24,999	73	11,438	50	68.1	54.4-81.8	23	31.9	18.2-45.6
\$25,000- 34,999	53	6,905	41	80.1	67.2-93.0	12	19.9	7.0-32.8
\$35,000- 49,999	88	12,263	67	79.7	69.9-89.5	21	20.3	10.5-30.1
\$50,000- 74,999	87	11,179	64	72.9	61.3-84.5	23	27.1	15.5-38.7
\$75,000+	149	17,745	115	75.8	67.8-83.8	34	24.2	16.2-32.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	758	88,722	579	75.5	71.6-79.4	179	24.5	20.6-28.4
White/Non-Hisp	637	69,019	496	77.9	74.0-81.8	141	22.1	18.2-26.0
Black or Afr. Am./Non-Hisp	85	15,432	59	67.3	54.2-80.4	26	32.7	19.6-45.8
65+	758	88,722	579	75.5	71.6-79.4	179	24.5	20.6-28.4
H.S. or G.E.D.	268	32,204	206	74.9	68.0-81.8	62	25.1	18.2-32.0
Some Post-H.S.	199	26,052	150	78.4	71.7-85.1	49	21.6	14.9-28.3
College Graduate	239	20,466	189	77.9	71.6-84.2	50	22.1	15.8-28.4
Less than \$15,000	52	6,960	42	69.5	49.9-89.1	10	30.5	10.9-50.1
\$15,000- 24,999	109	11,449	87	76.3	64.7-87.9	22	23.7	12.1-35.3
\$25,000- 34,999	99	10,383	74	76.8	67.0-86.6	25	23.2	13.4-33.0
\$35,000- 49,999	104	12,946	81	77.3	67.3-87.3	23	22.7	12.7-32.7
\$50,000- 74,999	99	12,803	76	78.1	68.3-87.9	23	21.9	12.1-31.7
\$75,000+	106	12,482	79	74.9	64.9-84.9	27	25.1	15.1-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3860	711,787	3737	96.5	95.5-97.5	123	3.5	2.5- 4.5
Male	1708	338,030	1632	94.9	93.1-96.7	76	5.1	3.3- 6.9
Female	2152	373,757	2105	97.9	97.1-98.7	47	2.1	1.3- 2.9
White/Non-Hisp	2704	462,691	2613	96.1	95.1-97.1	91	3.9	2.9- 4.9
Black or Afr. Am./Non-Hisp	544	140,303	527	96.7	94.0-99.4	17	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	121	27,030	116	97.2	94.5-99.9	5	2.8	0.1- 5.5
MultiRacial/Non-Hisp.	62	12,937	60	93.6	83.4- 100	2	6.4	0.0-16.6
Hispanic	335	53,445	328	98.2	96.4- 100	7	1.8	0.0- 3.6
18-24	249	85,461	238	96.0	93.1-98.9	11	4.0	1.1- 6.9
25-34	426	115,755	406	94.5	91.0-98.0	20	5.5	2.0- 9.0
35-44	402	107,294	384	94.1	91.2-97.0	18	5.9	3.0- 8.8
45-54	617	115,716	594	97.5	96.3-98.7	23	2.5	1.3- 3.7
55-64	807	121,263	787	96.9	95.1-98.7	20	3.1	1.3- 4.9
65+	1322	162,163	1291	98.4	97.8-99.0	31	1.6	1.0- 2.2
Less Than H.S.	376	86,154	357	92.5	87.4-97.6	19	7.5	2.4-12.6
H.S. or G.E.D.	1186	218,506	1139	95.5	93.9-97.1	47	4.5	2.9- 6.1
Some Post-H.S.	940	208,287	915	97.6	96.4-98.8	25	2.4	1.2- 3.6
College Graduate	1344	196,437	1313	98.0	97.0-99.0	31	2.0	1.0- 3.0
Less than \$15,000	299	49,718	286	94.4	87.5- 100	13	5.6	0.0-12.5
\$15,000- 24,999	576	94,813	549	94.9	92.5-97.3	27	5.1	2.7- 7.5
\$25,000- 34,999	367	61,108	354	95.6	92.5-98.7	13	4.4	1.3- 7.5
\$35,000- 49,999	490	86,883	476	97.1	95.3-98.9	14	2.9	1.1- 4.7
\$50,000- 74,999	500	101,372	485	96.2	93.7-98.7	15	3.8	1.3- 6.3
\$75,000+	979	205,214	959	98.0	97.0-99.0	20	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	338,030	1632	94.9	93.1-96.7	76	5.1	3.3- 6.9
White/Non-Hisp	1190	217,638	1129	93.9	91.9-95.9	61	6.1	4.1- 8.1
Black or Afr. Am./Non-Hisp	209	64,657	201	95.3	89.8- 100	8	4.7	0.0-10.2
Oth. Race/Non-Hisp.	76	17,532	72	96.1	92.0- 100	4	3.9	0.0- 8.0
Hispanic	154	24,186	152	99.3	98.3- 100	2	0.7	0.0- 1.7
18-24	143	44,189	134	93.5	88.0-99.0	9	6.5	1.0-12.0
25-34	190	56,690	179	93.2	86.9-99.5	11	6.8	0.5-13.1
35-44	191	52,550	178	90.6	85.1-96.1	13	9.4	3.9-14.9
45-54	283	54,303	271	97.2	95.2-99.2	12	2.8	0.8- 4.8
55-64	342	57,666	331	96.1	93.6-98.6	11	3.9	1.4- 6.4
65+	548	71,825	528	97.4	96.2-98.6	20	2.6	1.4- 3.8
Less Than H.S.	175	41,841	166	90.1	81.1-99.1	9	9.9	0.9-18.9
H.S. or G.E.D.	531	110,860	498	93.6	90.7-96.5	33	6.4	3.5- 9.3
Some Post-H.S.	389	92,164	375	96.5	94.3-98.7	14	3.5	1.3- 5.7
College Graduate	606	91,831	587	97.0	95.4-98.6	19	3.0	1.4- 4.6
Less than \$15,000	98	16,802	93	86.9	68.5- 100	5	13.1	0.0-31.5
\$15,000- 24,999	248	43,110	234	95.3	92.6-98.0	14	4.7	2.0- 7.4
\$25,000- 34,999	125	22,921	116	92.4	85.5-99.3	9	7.6	0.7-14.5
\$35,000- 49,999	230	41,571	221	96.1	93.2-99.0	9	3.9	1.0- 6.8
\$50,000- 74,999	254	54,557	245	95.8	92.1-99.5	9	4.2	0.5- 7.9
\$75,000+	504	107,582	487	96.7	94.9-98.5	17	3.3	1.5- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2152	373,757	2105	97.9	97.1-98.7	47	2.1	1.3- 2.9
White/Non-Hisp	1514	245,053	1484	98.1	97.1-99.1	30	1.9	0.9- 2.9
Black or Afr. Am./Non-Hisp	335	75,645	326	97.9	96.3-99.5	9	2.1	0.5- 3.7
Hispanic	181	29,259	176	97.2	94.1- 100	5	2.8	0.0- 5.9
18-24	106	41,273	104	98.7	96.9- 100	2	1.3	0.0- 3.1
25-34	236	59,065	227	95.8	92.5-99.1	9	4.2	0.9- 7.5
35-44	211	54,744	206	97.5	95.1-99.9	5	2.5	0.1- 4.9
45-54	334	61,413	323	97.8	96.4-99.2	11	2.2	0.8- 3.6
55-64	465	63,597	456	97.6	95.2- 100	9	2.4	0.0- 4.8
65+	774	90,338	763	99.2	98.6-99.8	11	0.8	0.2- 1.4
Less Than H.S.	201	44,313	191	94.7	90.2-99.2	10	5.3	0.8- 9.8
H.S. or G.E.D.	655	107,646	641	97.4	95.8-99.0	14	2.6	1.0- 4.2
Some Post-H.S.	551	116,123	540	98.5	97.5-99.5	11	1.5	0.5- 2.5
College Graduate	738	104,606	726	99.0	98.0- 100	12	1.0	0.0- 2.0
Less than \$15,000	201	32,917	193	98.2	96.4- 100	8	1.8	0.0- 3.6
\$15,000- 24,999	328	51,703	315	94.6	91.1-98.1	13	5.4	1.9- 8.9
\$25,000- 34,999	242	38,187	238	97.6	95.1- 100	4	2.4	0.0- 4.9
\$35,000- 49,999	260	45,312	255	97.9	95.5- 100	5	2.1	0.0- 4.5
\$50,000- 74,999	246	46,815	240	96.6	93.1- 100	6	3.4	0.0- 6.9
\$75,000+	475	97,632	472	99.6	99.2- 100	3	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 14: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3860	711,787	3579	91.6	90.2-93.0	281	8.4	7.0- 9.8
Male	1708	338,030	1534	87.9	85.5-90.3	174	12.1	9.7-14.5
Female	2152	373,757	2045	94.9	93.5-96.3	107	5.1	3.7- 6.5
White/Non-Hisp	2704	462,691	2515	91.7	90.1-93.3	189	8.3	6.7- 9.9
Black or Afr. Am./Non-Hisp	544	140,303	495	90.2	86.5-93.9	49	9.8	6.1-13.5
Oth. Race/Non-Hisp.	121	27,030	111	92.4	86.9-97.9	10	7.6	2.1-13.1
MultiRacial/Non-Hisp.	62	12,937	60	93.6	83.4- 100	2	6.4	0.0-16.6
Hispanic	335	53,445	310	91.3	86.4-96.2	25	8.7	3.8-13.6
18-24	249	85,461	218	87.2	81.7-92.7	31	12.8	7.3-18.3
25-34	426	115,755	373	85.5	80.6-90.4	53	14.5	9.6-19.4
35-44	402	107,294	361	89.6	86.1-93.1	41	10.4	6.9-13.9
45-54	617	115,716	572	93.6	91.2-96.0	45	6.4	4.0- 8.8
55-64	807	121,263	766	94.7	92.7-96.7	41	5.3	3.3- 7.3
65+	1322	162,163	1252	95.5	94.1-96.9	70	4.5	3.1- 5.9
Less Than H.S.	376	86,154	342	89.2	83.9-94.5	34	10.8	5.5-16.1
H.S. or G.E.D.	1186	218,506	1091	90.5	88.1-92.9	95	9.5	7.1-11.9
Some Post-H.S.	940	208,287	871	91.7	89.2-94.2	69	8.3	5.8-10.8
College Graduate	1344	196,437	1262	93.5	91.5-95.5	82	6.5	4.5- 8.5
Less than \$15,000	299	49,718	271	90.9	84.0-97.8	28	9.1	2.2-16.0
\$15,000- 24,999	576	94,813	529	92.1	89.4-94.8	47	7.9	5.2-10.6
\$25,000- 34,999	367	61,108	342	88.9	83.2-94.6	25	11.1	5.4-16.8
\$35,000- 49,999	490	86,883	444	87.1	83.0-91.2	46	12.9	8.8-17.0
\$50,000- 74,999	500	101,372	458	90.0	86.3-93.7	42	10.0	6.3-13.7
\$75,000+	979	205,214	926	93.9	91.7-96.1	53	6.1	3.9- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	338,030	1534	87.9	85.5-90.3	174	12.1	9.7-14.5
White/Non-Hisp	1190	217,638	1063	87.2	84.5-89.9	127	12.8	10.1-15.5
Black or Afr. Am./Non-Hisp	209	64,657	187	87.5	80.6-94.4	22	12.5	5.6-19.4
Oth. Race/Non-Hisp.	76	17,532	68	89.4	81.2-97.6	8	10.6	2.4-18.8
Hispanic	154	24,186	141	88.9	79.9-97.9	13	11.1	2.1-20.1
18-24	143	44,189	118	81.8	73.6-90.0	25	18.2	10.0-26.4
25-34	190	56,690	157	79.2	70.6-87.8	33	20.8	12.2-29.4
35-44	191	52,550	164	84.4	77.9-90.9	27	15.6	9.1-22.1
45-54	283	54,303	260	92.5	88.6-96.4	23	7.5	3.6-11.4
55-64	342	57,666	319	93.4	90.3-96.5	23	6.6	3.5- 9.7
65+	548	71,825	505	93.1	90.7-95.5	43	6.9	4.5- 9.3
Less Than H.S.	175	41,841	156	85.3	76.1-94.5	19	14.7	5.5-23.9
H.S. or G.E.D.	531	110,860	464	85.8	81.7-89.9	67	14.2	10.1-18.3
Some Post-H.S.	389	92,164	349	88.0	83.5-92.5	40	12.0	7.5-16.5
College Graduate	606	91,831	559	91.4	88.3-94.5	47	8.6	5.5-11.7
Less than \$15,000	98	16,802	86	81.5	63.7-99.3	12	18.5	0.7-36.3
\$15,000- 24,999	248	43,110	227	93.3	90.2-96.4	21	6.7	3.6- 9.8
\$25,000- 34,999	125	22,921	110	80.2	67.9-92.5	15	19.8	7.5-32.1
\$35,000- 49,999	230	41,571	196	79.3	71.9-86.7	34	20.7	13.3-28.1
\$50,000- 74,999	254	54,557	225	87.6	81.9-93.3	29	12.4	6.7-18.1
\$75,000+	504	107,582	465	91.5	88.2-94.8	39	8.5	5.2-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2152	373,757	2045	94.9	93.5-96.3	107	5.1	3.7- 6.5
White/Non-Hisp	1514	245,053	1452	95.8	94.2-97.4	62	4.2	2.6- 5.8
Black or Afr. Am./Non-Hisp	335	75,645	308	92.5	89.2-95.8	27	7.5	4.2-10.8
Hispanic	181	29,259	169	93.3	88.4-98.2	12	6.7	1.8-11.6
18-24	106	41,273	100	92.9	85.8- 100	6	7.1	0.0-14.2
25-34	236	59,065	216	91.5	87.0-96.0	20	8.5	4.0-13.0
35-44	211	54,744	197	94.6	91.3-97.9	14	5.4	2.1- 8.7
45-54	334	61,413	312	94.6	91.9-97.3	22	5.4	2.7- 8.1
55-64	465	63,597	447	95.8	93.1-98.5	18	4.2	1.5- 6.9
65+	774	90,338	747	97.4	96.0-98.8	27	2.6	1.2- 4.0
Less Than H.S.	201	44,313	186	92.9	88.0-97.8	15	7.1	2.2-12.0
H.S. or G.E.D.	655	107,646	627	95.3	93.3-97.3	28	4.7	2.7- 6.7
Some Post-H.S.	551	116,123	522	94.7	91.8-97.6	29	5.3	2.4- 8.2
College Graduate	738	104,606	703	95.4	93.2-97.6	35	4.6	2.4- 6.8
Less than \$15,000	201	32,917	185	95.7	92.8-98.6	16	4.3	1.4- 7.2
\$15,000- 24,999	328	51,703	302	91.0	86.7-95.3	26	9.0	4.7-13.3
\$25,000- 34,999	242	38,187	232	94.2	90.1-98.3	10	5.8	1.7- 9.9
\$35,000- 49,999	260	45,312	248	94.3	90.6-98.0	12	5.7	2.0- 9.4
\$50,000- 74,999	246	46,815	233	92.7	87.8-97.6	13	7.3	2.4-12.2
\$75,000+	475	97,632	461	96.6	93.7-99.5	14	3.4	0.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DRINKING AND DRIVING (_DRNKDRV)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 15: DRINKING AND DRIVING
 TABLE 1: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2057	402,284	69	3.9	2.7- 5.1	1988	96.1	94.9-97.3
Male	1023	207,741	52	6.2	4.0- 8.4	971	93.8	91.6-96.0
Female	1034	194,543	17	1.6	0.6- 2.6	1017	98.4	97.4-99.4
White/Non-Hisp	1571	284,429	52	3.8	2.4- 5.2	1519	96.2	94.8-97.6
Black or Afr. Am./Non-Hisp	236	67,894	3	1.9	0.0- 4.1	233	98.1	95.9- 100
Oth. Race/Non-Hisp.	54	14,375	3	9.4	0.0-21.0	51	90.6	79.0- 100
Hispanic	119	21,017	9	6.8	1.3-12.3	110	93.2	87.7-98.7
18-24	147	51,976	12	5.9	2.0- 9.8	135	94.1	90.2-98.0
25-34	233	67,417	13	5.1	1.6- 8.6	220	94.9	91.4-98.4
35-44	210	61,449	5	3.1	0.2- 6.0	205	96.9	94.0-99.8
45-54	363	75,155	14	4.1	1.4- 6.8	349	95.9	93.2-98.6
55-64	413	64,357	15	4.5	1.4- 7.6	398	95.5	92.4-98.6
65+	676	80,338	10	1.8	0.4- 3.2	666	98.2	96.8-99.6
Less Than H.S.	97	25,585	2	0.6	0.0- 1.4	95	99.4	98.6- 100
H.S. or G.E.D.	528	106,754	18	3.5	1.3- 5.7	510	96.5	94.3-98.7
Some Post-H.S.	530	129,779	22	5.2	2.7- 7.7	508	94.8	92.3-97.3
College Graduate	897	139,298	26	3.3	1.7- 4.9	871	96.7	95.1-98.3
Less than \$15,000	90	12,826	1	0.4	0.0- 1.2	89	99.6	98.8- 100
\$15,000- 24,999	207	37,643	6	5.0	0.3- 9.7	201	95.0	90.3-99.7
\$25,000- 34,999	171	32,784	5	1.7	0.0- 3.5	166	98.3	96.5- 100
\$35,000- 49,999	271	48,373	8	3.8	0.9- 6.7	263	96.2	93.3-99.1
\$50,000- 74,999	321	67,332	9	4.1	0.8- 7.4	312	95.9	92.6-99.2
\$75,000+	706	150,253	27	3.8	2.0- 5.6	679	96.2	94.4-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 15: DRINKING AND DRIVING
 TABLE 2: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1023	207,741	52	6.2	4.0- 8.4	971	93.8	91.6-96.0
White/Non-Hisp	758	140,947	37	5.7	3.3- 8.1	721	94.3	91.9-96.7
Black or Afr. Am./Non-Hisp	104	35,357	3	3.6	0.0- 7.7	101	96.4	92.3- 100
Hispanic	70	11,280	7	10.3	0.9-19.7	63	89.7	80.3-99.1
18-24	87	25,799	10	8.4	2.3-14.5	77	91.6	85.5-97.7
25-34	124	36,277	9	8.4	2.1-14.7	115	91.6	85.3-97.9
35-44	108	33,552	5	5.7	0.4-11.0	103	94.3	89.0-99.6
45-54	178	36,891	9	5.6	1.1-10.1	169	94.4	89.9-98.9
55-64	195	33,450	10	6.8	1.1-12.5	185	93.2	87.5-98.9
65+	327	41,466	9	3.2	0.5- 5.9	318	96.8	94.1-99.5
Less Than H.S.	66	16,320	2	0.9	0.0- 2.1	64	99.1	97.9- 100
H.S. or G.E.D.	271	60,204	14	5.3	1.6- 9.0	257	94.7	91.0-98.4
Some Post-H.S.	259	64,264	19	9.4	4.7-14.1	240	90.6	85.9-95.3
College Graduate	425	66,818	17	5.1	2.2- 8.0	408	94.9	92.0-97.8
\$15,000- 24,999	99	19,349	2	2.7	0.0- 7.4	97	97.3	92.6- 100
\$25,000- 34,999	65	12,984	3	2.8	0.0- 6.5	62	97.2	93.5- 100
\$35,000- 49,999	139	23,800	7	7.3	1.4-13.2	132	92.7	86.8-98.6
\$50,000- 74,999	176	39,945	8	6.7	1.2-12.2	168	93.3	87.8-98.8
\$75,000+	368	78,968	20	5.8	2.7- 8.9	348	94.2	91.1-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 15: DRINKING AND DRIVING
 TABLE 3: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1034	194,543	17	1.6	0.6- 2.6	1017	98.4	97.4-99.4
White/Non-Hisp	813	143,482	15	1.9	0.5- 3.3	798	98.1	96.7-99.5
Black or Afr. Am./Non-Hisp	132	32,538				132	100.0	100.0- 100
18-24	60	26,177	2	3.5	0.0- 8.6	58	96.5	91.4- 100
25-34	109	31,140	4	1.2	0.0- 2.4	105	98.8	97.6- 100
35-44	102	27,897				102	100.0	100.0- 100
45-54	185	38,264	5	2.6	0.0- 5.5	180	97.4	94.5- 100
55-64	218	30,907	5	2.1	0.0- 4.3	213	97.9	95.7- 100
65+	349	38,872	1	0.2	0.0- 0.6	348	99.8	99.4- 100
H.S. or G.E.D.	257	46,551	4	1.3	0.0- 2.7	253	98.7	97.3- 100
Some Post-H.S.	271	65,514	3	1.0	0.0- 2.6	268	99.0	97.4- 100
College Graduate	472	72,479	9	1.6	0.2- 3.0	463	98.4	97.0-99.8
\$15,000- 24,999	108	18,294	4	7.4	0.0-15.6	104	92.6	84.4- 100
\$25,000- 34,999	106	19,801	2	1.0	0.0- 2.4	104	99.0	97.6- 100
\$35,000- 49,999	132	24,573	1	0.3	0.0- 0.9	131	99.7	99.1- 100
\$50,000- 74,999	145	27,387	1	0.3	0.0- 0.9	144	99.7	99.1- 100
\$75,000+	338	71,285	7	1.7	0.1- 3.3	331	98.3	96.7-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	147
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	148
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1647	237,545	1300	78.3	75.6-81.0	347	21.7	19.0-24.4
White/Non-Hisp	1257	169,864	981	76.6	73.3-79.9	276	23.4	20.1-26.7
Black or Afr. Am./Non-Hisp	238	46,069	207	87.0	81.7-92.3	31	13.0	7.7-18.3
Hispanic	77	9,631	55	68.9	55.4-82.4	22	31.1	17.6-44.6
40-44	99	24,405	60	62.1	49.8-74.4	39	37.9	25.6-50.2
45-54	332	61,259	252	74.5	68.0-81.0	80	25.5	19.0-32.0
55-64	460	63,287	371	82.2	77.9-86.5	89	17.8	13.5-22.1
65+	756	88,595	617	82.5	79.2-85.8	139	17.5	14.2-20.8
Less Than H.S.	129	25,590	83	65.5	54.5-76.5	46	34.5	23.5-45.5
H.S. or G.E.D.	524	74,843	414	80.1	75.8-84.4	110	19.9	15.6-24.2
Some Post-H.S.	421	69,965	324	77.4	72.1-82.7	97	22.6	17.3-27.9
College Graduate	569	66,670	475	81.9	77.4-86.4	94	18.1	13.6-22.6
Less than \$15,000	151	20,550	106	73.5	64.3-82.7	45	26.5	17.3-35.7
\$15,000- 24,999	233	32,030	169	70.9	62.7-79.1	64	29.1	20.9-37.3
\$25,000- 34,999	174	22,380	125	70.5	61.7-79.3	49	29.5	20.7-38.3
\$35,000- 49,999	203	29,193	158	73.4	65.6-81.2	45	26.6	18.8-34.4
\$50,000- 74,999	197	31,567	168	79.3	69.9-88.7	29	20.7	11.3-30.1
\$75,000+	374	62,211	322	86.1	81.4-90.8	52	13.9	9.2-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
 Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1110	147,797	918	82.3	79.4-85.2	192	17.7	14.8-20.6
White/Non-Hisp	851	104,630	689	79.3	75.6-83.0	162	20.7	17.0-24.4
Black or Afr. Am./Non-Hisp	172	30,530	157	92.8	88.1-97.5	15	7.2	2.5-11.9
50-54	178	32,812	139	75.4	67.0-83.8	39	24.6	16.2-33.0
55-64	460	63,287	371	82.2	77.9-86.5	89	17.8	13.5-22.1
65+	472	51,698	408	86.9	83.2-90.6	64	13.1	9.4-16.8
Less Than H.S.	78	15,582	52	63.4	48.3-78.5	26	36.6	21.5-51.7
H.S. or G.E.D.	358	47,281	297	83.2	78.3-88.1	61	16.8	11.9-21.7
Some Post-H.S.	286	42,342	231	82.1	76.8-87.4	55	17.9	12.6-23.2
College Graduate	388	42,593	338	88.6	84.7-92.5	50	11.4	7.5-15.3
Less than \$15,000	99	13,190	73	77.8	67.8-87.8	26	22.2	12.2-32.2
\$15,000- 24,999	164	21,693	122	74.1	64.5-83.7	42	25.9	16.3-35.5
\$25,000- 34,999	108	12,621	85	80.1	71.3-88.9	23	19.9	11.1-28.7
\$35,000- 49,999	146	19,713	118	74.6	65.0-84.2	28	25.4	15.8-35.0
\$50,000- 74,999	144	20,124	125	83.2	74.2-92.2	19	16.8	7.8-25.8
\$75,000+	254	38,206	229	92.3	88.6-96.0	25	7.7	4.0-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1065	217,589	864	79.3	75.4-83.2	201	20.7	16.8-24.6
White/Non-Hisp	683	140,238	551	78.4	73.1-83.7	132	21.6	16.3-26.9
Black or Afr. Am./Non-Hisp	187	43,841	157	82.4	75.3-89.5	30	17.6	10.5-24.7
Hispanic	134	20,063	111	83.7	75.7-91.7	23	16.3	8.3-24.3
18-24	57	22,428	32	50.9	31.1-70.7	25	49.1	29.3-68.9
25-34	209	50,001	173	80.8	73.5-88.1	36	19.2	11.9-26.5
35-44	191	50,192	165	86.4	80.3-92.5	26	13.6	7.5-19.7
45-54	256	47,633	215	82.7	76.2-89.2	41	17.3	10.8-23.8
55-64	319	43,604	252	79.7	74.0-85.4	67	20.3	14.6-26.0
Less Than H.S.	114	24,632	88	73.4	62.2-84.6	26	26.6	15.4-37.8
H.S. or G.E.D.	259	50,445	203	80.2	73.9-86.5	56	19.8	13.5-26.1
Some Post-H.S.	269	70,680	215	75.5	66.3-84.7	54	24.5	15.3-33.7
College Graduate	422	71,714	358	84.5	80.0-89.0	64	15.5	11.0-20.0
Less than \$15,000	109	18,812	83	74.5	62.5-86.5	26	25.5	13.5-37.5
\$15,000- 24,999	167	29,633	121	73.1	64.7-81.5	46	26.9	18.5-35.3
\$25,000- 34,999	114	22,210	85	63.3	43.7-82.9	29	36.7	17.1-56.3
\$35,000- 49,999	125	27,128	97	77.6	68.6-86.6	28	22.4	13.4-31.4
\$50,000- 74,999	126	28,754	110	82.4	72.0-92.8	16	17.6	7.2-28.0
\$75,000+	295	67,563	266	87.3	81.4-93.2	29	12.7	6.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 17: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1177	193,688	577	44.7	41.0-48.4	600	55.3	51.6-59.0
White/Non-Hisp	899	136,523	470	47.4	43.3-51.5	429	52.6	48.5-56.7
Black or Afr. Am./Non-Hisp	131	34,805	60	45.6	34.4-56.8	71	54.4	43.2-65.6
Hispanic	65	8,650	14	23.0	10.3-35.7	51	77.0	64.3-89.7
40-44	89	23,876	8	9.7	2.4-17.0	81	90.3	83.0-97.6
45-54	266	51,483	75	29.5	21.7-37.3	191	70.5	62.7-78.3
55-64	315	53,336	158	50.0	43.1-56.9	157	50.0	43.1-56.9
65+	507	64,993	336	65.4	60.1-70.7	171	34.6	29.3-39.9
Less Than H.S.	103	21,290	29	27.5	17.3-37.7	74	72.5	62.3-82.7
H.S. or G.E.D.	360	61,908	150	41.5	34.6-48.4	210	58.5	51.6-65.4
Some Post-H.S.	264	49,448	139	46.8	39.2-54.4	125	53.2	45.6-60.8
College Graduate	447	60,168	259	53.2	47.1-59.3	188	46.8	40.7-52.9
Less than \$15,000	62	8,181	17	29.5	16.0-43.0	45	70.5	57.0-84.0
\$15,000- 24,999	172	26,257	57	35.1	25.7-44.5	115	64.9	55.5-74.3
\$25,000- 34,999	78	11,848	36	36.0	23.1-48.9	42	64.0	51.1-76.9
\$35,000- 49,999	167	24,888	76	40.7	31.7-49.7	91	59.3	50.3-68.3
\$50,000- 74,999	170	30,057	93	47.0	36.2-57.8	77	53.0	42.2-63.8
\$75,000+	377	67,627	228	54.7	48.2-61.2	149	45.3	38.8-51.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 18: COLORECTAL CANCER SCREENING CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)	
1 MALES AND FEMALES	153
2 MALES ONLY	154
3 FEMALES ONLY	155
RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4 MALES AND FEMALES	156
5 MALES ONLY	157
6 FEMALES ONLY	158
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7 MALES AND FEMALES	159
8 MALES ONLY	160
9 FEMALES ONLY	161
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10 MALES AND FEMALES	162
11 MALES ONLY	163
12 FEMALES ONLY	164
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13 MALES AND FEMALES	165
14 MALES ONLY	166
15 FEMALES ONLY	167
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16 MALES AND FEMALES	168
17 MALES ONLY	169
18 FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1975	284,115	119	5.2	4.0- 6.4	1856	94.8	93.6-96.0
Male	852	132,589	53	5.1	3.5- 6.7	799	94.9	93.3-96.5
Female	1123	151,526	66	5.3	3.5- 7.1	1057	94.7	92.9-96.5
White/Non-Hisp	1517	200,178	99	6.0	4.4- 7.6	1418	94.0	92.4-95.6
Black or Afr. Am./Non-Hisp	280	59,381	11	3.3	0.8- 5.8	269	96.7	94.2-99.2
Hispanic	68	8,650	4	5.4	0.0-11.1	64	94.6	88.9- 100
50-54	338	63,651	16	5.5	1.8- 9.2	322	94.5	90.8-98.2
55-64	788	118,529	35	3.1	1.9- 4.3	753	96.9	95.7-98.1
65+	849	101,936	68	7.4	5.2- 9.6	781	92.6	90.4-94.8
Less Than H.S.	138	28,527	8	8.7	1.3-16.1	130	91.3	83.9-98.7
H.S. or G.E.D.	615	89,061	41	4.7	3.1- 6.3	574	95.3	93.7-96.9
Some Post-H.S.	493	82,867	31	5.6	3.2- 8.0	462	94.4	92.0-96.8
College Graduate	726	83,451	38	4.1	2.5- 5.7	688	95.9	94.3-97.5
Less than \$15,000	149	20,000	13	7.0	2.3-11.7	136	93.0	88.3-97.7
\$15,000- 24,999	288	40,089	19	9.2	3.5-14.9	269	90.8	85.1-96.5
\$25,000- 34,999	181	21,918	15	7.8	2.9-12.7	166	92.2	87.3-97.1
\$35,000- 49,999	255	36,448	19	7.3	3.4-11.2	236	92.7	88.8-96.6
\$50,000- 74,999	264	41,099	11	2.7	0.9- 4.5	253	97.3	95.5-99.1
\$75,000+	545	87,136	24	2.8	1.6- 4.0	521	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	852	132,589	53	5.1	3.5- 6.7	799	94.9	93.3-96.5
White/Non-Hisp	657	93,600	50	6.8	4.6- 9.0	607	93.2	91.0-95.4
Black or Afr. Am./Non-Hisp	107	27,408	1	1.1	0.0- 3.3	106	98.9	96.7- 100
50-54	162	31,040	7	3.8	0.3- 7.3	155	96.2	92.7-99.7
55-64	335	55,886	9	2.2	0.6- 3.8	326	97.8	96.2-99.4
65+	355	45,664	37	9.7	6.2-13.2	318	90.3	86.8-93.8
Less Than H.S.	58	12,239	3	3.8	0.0- 9.1	55	96.2	90.9- 100
H.S. or G.E.D.	255	40,529	18	4.4	2.2- 6.6	237	95.6	93.4-97.8
Some Post-H.S.	205	39,300	14	6.7	2.8-10.6	191	93.3	89.4-97.2
College Graduate	332	40,337	18	4.7	2.3- 7.1	314	95.3	92.9-97.7
Less than \$15,000	50	6,222	4	7.7	0.0-17.5	46	92.3	82.5- 100
\$15,000- 24,999	118	17,884	8	7.7	1.4-14.0	110	92.3	86.0-98.6
\$25,000- 34,999	70	9,043	3	3.5	0.0- 7.8	67	96.5	92.2- 100
\$35,000- 49,999	108	16,334	11	9.6	3.3-15.9	97	90.4	84.1-96.7
\$50,000- 74,999	120	20,650	9	4.5	1.4- 7.6	111	95.5	92.4-98.6
\$75,000+	290	47,955	11	2.5	0.7- 4.3	279	97.5	95.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1123	151,526	66	5.3	3.5- 7.1	1057	94.7	92.9-96.5
White/Non-Hisp	860	106,579	49	5.2	3.0- 7.4	811	94.8	92.6-97.0
Black or Afr. Am./Non-Hisp	173	31,973	10	5.1	1.0- 9.2	163	94.9	90.8-99.0
50-54	176	32,611	9	7.2	0.9-13.5	167	92.8	86.5-99.1
55-64	453	62,643	26	4.0	2.2- 5.8	427	96.0	94.2-97.8
65+	494	56,272	31	5.6	3.1- 8.1	463	94.4	91.9-96.9
Less Than H.S.	80	16,288	5	12.3	0.0-24.6	75	87.7	75.4- 100
H.S. or G.E.D.	360	48,532	23	5.0	2.6- 7.4	337	95.0	92.6-97.4
Some Post-H.S.	288	43,567	17	4.6	1.9- 7.3	271	95.4	92.7-98.1
College Graduate	394	43,114	20	3.6	1.8- 5.4	374	96.4	94.6-98.2
Less than \$15,000	99	13,778	9	6.7	1.6-11.8	90	93.3	88.2-98.4
\$15,000- 24,999	170	22,205	11	10.4	1.6-19.2	159	89.6	80.8-98.4
\$25,000- 34,999	111	12,876	12	10.9	3.5-18.3	99	89.1	81.7-96.5
\$35,000- 49,999	147	20,114	8	5.5	0.8-10.2	139	94.5	89.8-99.2
\$50,000- 74,999	144	20,449	2	0.9	0.0- 2.3	142	99.1	97.7- 100
\$75,000+	255	39,181	13	3.1	1.1- 5.1	242	96.9	94.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1938	274,507	1387	69.6	66.9-72.3	551	30.4	27.7-33.1
Male	834	128,319	592	69.2	65.1-73.3	242	30.8	26.7-34.9
Female	1104	146,187	795	69.9	66.2-73.6	309	30.1	26.4-33.8
White/Non-Hisp	1498	196,116	1101	71.6	68.7-74.5	397	28.4	25.5-31.3
Black or Afr. Am./Non-Hisp	270	55,501	175	62.7	54.7-70.7	95	37.3	29.3-45.3
Hispanic	61	7,715	33	64.3	51.2-77.4	28	35.7	22.6-48.8
50-54	329	60,548	176	53.7	46.4-61.0	153	46.3	39.0-53.6
55-64	768	114,379	530	68.7	64.4-73.0	238	31.3	27.0-35.6
65+	841	99,580	681	80.3	77.0-83.6	160	19.7	16.4-23.0
Less Than H.S.	134	26,324	65	49.5	38.1-60.9	69	50.5	39.1-61.9
H.S. or G.E.D.	599	85,341	392	66.1	61.2-71.0	207	33.9	29.0-38.8
Some Post-H.S.	477	78,423	355	71.6	66.1-77.1	122	28.4	22.9-33.9
College Graduate	725	84,209	574	77.7	73.8-81.6	151	22.3	18.4-26.2
Less than \$15,000	142	16,904	77	51.6	39.6-63.6	65	48.4	36.4-60.4
\$15,000- 24,999	281	38,259	170	61.5	53.9-69.1	111	38.5	30.9-46.1
\$25,000- 34,999	175	21,565	116	62.1	53.1-71.1	59	37.9	28.9-46.9
\$35,000- 49,999	254	35,954	180	67.4	60.0-74.8	74	32.6	25.2-40.0
\$50,000- 74,999	259	40,465	203	71.9	63.7-80.1	56	28.1	19.9-36.3
\$75,000+	541	85,758	445	80.3	76.0-84.6	96	19.7	15.4-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	834	128,319	592	69.2	65.1-73.3	242	30.8	26.7-34.9
White/Non-Hisp	643	90,524	475	72.1	67.6-76.6	168	27.9	23.4-32.4
Black or Afr. Am./Non-Hisp	103	25,977	64	60.4	47.9-72.9	39	39.6	27.1-52.1
50-54	156	28,863	78	48.2	37.0-59.4	78	51.8	40.6-63.0
55-64	327	54,136	228	69.9	63.8-76.0	99	30.1	24.0-36.2
65+	351	45,320	286	81.6	76.5-86.7	65	18.4	13.3-23.5
Less Than H.S.	56	11,421	28	55.5	39.4-71.6	28	44.5	28.4-60.6
H.S. or G.E.D.	248	39,143	155	65.5	57.9-73.1	93	34.5	26.9-42.1
Some Post-H.S.	192	36,384	136	66.9	58.1-75.7	56	33.1	24.3-41.9
College Graduate	336	41,186	273	78.7	73.0-84.4	63	21.3	15.6-27.0
\$15,000- 24,999	115	16,830	57	51.0	39.0-63.0	58	49.0	37.0-61.0
\$25,000- 34,999	68	8,984	47	65.4	51.1-79.7	21	34.6	20.3-48.9
\$35,000- 49,999	106	15,718	75	68.7	57.5-79.9	31	31.3	20.1-42.5
\$50,000- 74,999	114	20,117	91	72.2	59.7-84.7	23	27.8	15.3-40.3
\$75,000+	289	47,177	235	79.7	73.6-85.8	54	20.3	14.2-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1104	146,187	795	69.9	66.2-73.6	309	30.1	26.4-33.8
White/Non-Hisp	855	105,592	626	71.2	67.3-75.1	229	28.8	24.9-32.7
Black or Afr. Am./Non-Hisp	167	29,523	111	64.7	54.5-74.9	56	35.3	25.1-45.5
50-54	173	31,684	98	58.6	49.4-67.8	75	41.4	32.2-50.6
55-64	441	60,242	302	67.6	61.5-73.7	139	32.4	26.3-38.5
65+	490	54,260	395	79.1	74.6-83.6	95	20.9	16.4-25.4
Less Than H.S.	78	14,902	37	45.0	29.7-60.3	41	55.0	39.7-70.3
H.S. or G.E.D.	351	46,198	237	66.6	60.5-72.7	114	33.4	27.3-39.5
Some Post-H.S.	285	42,039	219	75.6	69.1-82.1	66	24.4	17.9-30.9
College Graduate	389	43,023	301	76.7	71.2-82.2	88	23.3	17.8-28.8
Less than \$15,000	96	11,573	52	51.8	36.3-67.3	44	48.2	32.7-63.7
\$15,000- 24,999	166	21,429	113	69.7	60.7-78.7	53	30.3	21.3-39.3
\$25,000- 34,999	107	12,581	69	59.7	47.9-71.5	38	40.3	28.5-52.1
\$35,000- 49,999	148	20,236	105	66.5	56.7-76.3	43	33.5	23.7-43.3
\$50,000- 74,999	145	20,348	112	71.6	61.0-82.2	33	28.4	17.8-39.0
\$75,000+	252	38,581	210	81.1	74.8-87.4	42	18.9	12.6-25.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1975	284,115	220	10.4	8.4-12.4	1755	89.6	87.6-91.6
Male	852	132,589	98	10.2	7.3-13.1	754	89.8	86.9-92.7
Female	1123	151,526	122	10.6	8.1-13.1	1001	89.4	86.9-91.9
White/Non-Hisp	1517	200,178	178	10.7	8.7-12.7	1339	89.3	87.3-91.3
Black or Afr. Am./Non-Hisp	280	59,381	26	10.9	4.8-17.0	254	89.1	83.0-95.2
Hispanic	68	8,650	8	10.4	2.6-18.2	60	89.6	81.8-97.4
50-54	338	63,651	27	10.7	4.8-16.6	311	89.3	83.4-95.2
55-64	788	118,529	70	7.6	5.4-9.8	718	92.4	90.2-94.6
65+	849	101,936	123	13.5	10.6-16.4	726	86.5	83.6-89.4
Less Than H.S.	138	28,527	18	17.2	8.0-26.4	120	82.8	73.6-92.0
H.S. or G.E.D.	615	89,061	72	10.7	7.0-14.4	543	89.3	85.6-93.0
Some Post-H.S.	493	82,867	53	9.9	6.8-13.0	440	90.1	87.0-93.2
College Graduate	726	83,451	76	8.3	6.1-10.5	650	91.7	89.5-93.9
Less than \$15,000	149	20,000	22	17.7	8.5-26.9	127	82.3	73.1-91.5
\$15,000- 24,999	288	40,089	31	12.1	6.2-18.0	257	87.9	82.0-93.8
\$25,000- 34,999	181	21,918	22	11.3	5.8-16.8	159	88.7	83.2-94.2
\$35,000- 49,999	255	36,448	34	12.7	7.8-17.6	221	87.3	82.4-92.2
\$50,000- 74,999	264	41,099	25	9.1	2.4-15.8	239	90.9	84.2-97.6
\$75,000+	545	87,136	53	8.2	5.5-10.9	492	91.8	89.1-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	852	132,589	98	10.2	7.3-13.1	754	89.8	86.9-92.7
White/Non-Hisp	657	93,600	85	11.5	8.8-14.2	572	88.5	85.8-91.2
Black or Afr. Am./Non-Hisp	107	27,408	7	8.7	0.0-18.7	100	91.3	81.3- 100
50-54	162	31,040	13	9.8	0.8-18.8	149	90.2	81.2-99.2
55-64	335	55,886	27	6.9	4.0- 9.8	308	93.1	90.2-96.0
65+	355	45,664	58	14.5	10.2-18.8	297	85.5	81.2-89.8
Less Than H.S.	58	12,239	5	8.9	0.1-17.7	53	91.1	82.3-99.9
H.S. or G.E.D.	255	40,529	33	13.3	6.0-20.6	222	86.7	79.4-94.0
Some Post-H.S.	205	39,300	22	8.4	4.3-12.5	183	91.6	87.5-95.7
College Graduate	332	40,337	38	9.4	6.3-12.5	294	90.6	87.5-93.7
Less than \$15,000	50	6,222	7	14.8	2.3-27.3	43	85.2	72.7-97.7
\$15,000- 24,999	118	17,884	15	11.6	4.5-18.7	103	88.4	81.3-95.5
\$25,000- 34,999	70	9,043	5	7.0	0.5-13.5	65	93.0	86.5-99.5
\$35,000- 49,999	108	16,334	16	12.0	5.3-18.7	92	88.0	81.3-94.7
\$50,000- 74,999	120	20,650	13	12.5	0.0-25.0	107	87.5	75.0- 100
\$75,000+	290	47,955	31	8.7	5.2-12.2	259	91.3	87.8-94.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1123	151,526	122	10.6	8.1-13.1	1001	89.4	86.9-91.9
White/Non-Hisp	860	106,579	93	10.1	7.4-12.8	767	89.9	87.2-92.6
Black or Afr. Am./Non-Hisp	173	31,973	19	12.8	5.5-20.1	154	87.2	79.9-94.5
50-54	176	32,611	14	11.4	4.1-18.7	162	88.6	81.3-95.9
55-64	453	62,643	43	8.2	5.3-11.1	410	91.8	88.9-94.7
65+	494	56,272	65	12.7	8.8-16.6	429	87.3	83.4-91.2
Less Than H.S.	80	16,288	13	23.5	9.4-37.6	67	76.5	62.4-90.6
H.S. or G.E.D.	360	48,532	39	8.4	5.5-11.3	321	91.6	88.7-94.5
Some Post-H.S.	288	43,567	31	11.3	6.4-16.2	257	88.7	83.8-93.6
College Graduate	394	43,114	38	7.3	4.8- 9.8	356	92.7	90.2-95.2
Less than \$15,000	99	13,778	15	19.1	6.9-31.3	84	80.9	68.7-93.1
\$15,000- 24,999	170	22,205	16	12.4	3.6-21.2	154	87.6	78.8-96.4
\$25,000- 34,999	111	12,876	17	14.4	6.4-22.4	94	85.6	77.6-93.6
\$35,000- 49,999	147	20,114	18	13.2	6.1-20.3	129	86.8	79.7-93.9
\$50,000- 74,999	144	20,449	12	5.6	2.3- 8.9	132	94.4	91.1-97.7
\$75,000+	255	39,181	22	7.6	3.5-11.7	233	92.4	88.3-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	817	118,688	24	3.3	1.5- 5.1	793	96.7	94.9-98.5
Male	371	57,770	13	3.7	1.3- 6.1	358	96.3	93.9-98.7
Female	446	60,918	11	2.9	0.5- 5.3	435	97.1	94.7-99.5
White/Non-Hisp	628	84,692	20	3.3	1.7- 4.9	608	96.7	95.1-98.3
Black or Afr. Am./Non-Hisp	112	24,768	3	4.5	0.0-10.2	109	95.5	89.8- 100
50-54	173	31,564	2	1.4	0.0- 3.6	171	98.6	96.4- 100
55-64	358	53,565	10	3.7	0.8- 6.6	348	96.3	93.4-99.2
65+	286	33,559	12	4.6	1.7- 7.5	274	95.4	92.5-98.3
Less Than H.S.	81	16,519	2	5.7	0.0-13.7	79	94.3	86.3- 100
H.S. or G.E.D.	276	38,415	7	3.3	0.6- 6.0	269	96.7	94.0-99.4
Some Post-H.S.	190	32,740	9	4.0	1.3- 6.7	181	96.0	93.3-98.7
College Graduate	268	30,828	6	1.5	0.1- 2.9	262	98.5	97.1-99.9
Less than \$15,000	82	11,209	4	9.4	0.0-21.2	78	90.6	78.8- 100
\$15,000- 24,999	137	18,413	1	1.4	0.0- 4.1	136	98.6	95.9- 100
\$25,000- 34,999	86	11,051	2	1.2	0.0- 3.0	84	98.8	97.0- 100
\$35,000- 49,999	105	15,538	4	2.7	0.0- 5.4	101	97.3	94.6- 100
\$50,000- 74,999	100	17,133	8	5.7	1.6- 9.8	92	94.3	90.2-98.4
\$75,000+	178	28,327	4	3.2	0.0- 6.5	174	96.8	93.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	371	57,770	13	3.7	1.3- 6.1	358	96.3	93.9-98.7
White/Non-Hisp	283	41,399	12	4.5	1.8- 7.2	271	95.5	92.8-98.2
50-54	90	16,713	2	2.7	0.0- 6.6	88	97.3	93.4- 100
55-64	160	26,249	3	2.4	0.0- 5.3	157	97.6	94.7- 100
65+	121	14,808	8	7.4	1.7-13.1	113	92.6	86.9-98.3
H.S. or G.E.D.	132	19,061	4	3.5	0.0- 7.4	128	96.5	92.6- 100
Some Post-H.S.	90	18,012	7	6.0	1.1-10.9	83	94.0	89.1-98.9
College Graduate	115	14,605	1	0.7	0.0- 2.1	114	99.3	97.9- 100
\$15,000- 24,999	74	10,867	1	2.4	0.0- 7.1	73	97.6	92.9- 100
\$75,000+	97	16,021	2	3.6	0.0- 8.5	95	96.4	91.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	446	60,918	11	2.9	0.5- 5.3	435	97.1	94.7-99.5
White/Non-Hisp	345	43,293	8	2.1	0.3- 3.9	337	97.9	96.1-99.7
Black or Afr. Am./Non-Hisp	67	13,419	2	6.0	0.0-15.2	65	94.0	84.8- 100
50-54	83	14,851				83	100.0	100.0- 100
55-64	198	27,316	7	4.9	0.0-10.0	191	95.1	90.0- 100
65+	165	18,751	4	2.4	0.0- 5.3	161	97.6	94.7- 100
H.S. or G.E.D.	144	19,354	3	3.0	0.0- 6.5	141	97.0	93.5- 100
Some Post-H.S.	100	14,728	2	1.5	0.0- 3.7	98	98.5	96.3- 100
College Graduate	153	16,224	5	2.2	0.0- 4.6	148	97.8	95.4- 100
Less than \$15,000	55	7,937	3	9.3	0.0-24.2	52	90.7	75.8- 100
\$15,000- 24,999	63	7,546				63	100.0	100.0- 100
\$25,000- 34,999	53	6,549	1	1.3	0.0- 3.8	52	98.7	96.2- 100
\$35,000- 49,999	58	8,476	1	0.9	0.0- 2.7	57	99.1	97.3- 100
\$50,000- 74,999	58	8,956	3	3.9	0.0- 8.8	55	96.1	91.2- 100
\$75,000+	81	12,306	2	2.6	0.0- 6.9	79	97.4	93.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1857	268,671	11	0.7	0.3- 1.1	1846	99.3	98.9-99.7
Male	797	124,873	8	1.3	0.3- 2.3	789	98.7	97.7-99.7
Female	1060	143,797	3	0.2	0.0- 0.6	1057	99.8	99.4- 100
White/Non-Hisp	1421	188,955	10	0.9	0.3- 1.5	1411	99.1	98.5-99.7
Black or Afr. Am./Non-Hisp	264	55,841	1	0.6	0.0- 1.8	263	99.4	98.2- 100
Hispanic	65	8,260				65	100.0	100.0- 100
50-54	330	60,521	1	0.5	0.0- 1.5	329	99.5	98.5- 100
55-64	753	113,912	2	0.4	0.0- 1.0	751	99.6	99.0- 100
65+	774	94,238	8	1.2	0.2- 2.2	766	98.8	97.8-99.8
Less Than H.S.	132	26,469	1	1.2	0.0- 3.6	131	98.8	96.4- 100
H.S. or G.E.D.	577	83,985	5	1.1	0.1- 2.1	572	98.9	97.9-99.9
Some Post-H.S.	464	78,909	3	0.8	0.0- 1.8	461	99.2	98.2- 100
College Graduate	682	79,123	2	0.1	0.0- 0.3	680	99.9	99.7- 100
Less than \$15,000	144	19,144	2	1.7	0.0- 4.8	142	98.3	95.2- 100
\$15,000- 24,999	271	37,331	1	0.7	0.0- 2.1	270	99.3	97.9- 100
\$25,000- 34,999	173	21,646				173	100.0	100.0- 100
\$35,000- 49,999	233	33,739	3	1.0	0.0- 2.2	230	99.0	97.8- 100
\$50,000- 74,999	247	38,138	2	0.5	0.0- 1.3	245	99.5	98.7- 100
\$75,000+	512	82,359	2	0.7	0.0- 1.7	510	99.3	98.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	797	124,873	8	1.3	0.3- 2.3	789	98.7	97.7-99.7
White/Non-Hisp	610	88,077	7	1.5	0.3- 2.7	603	98.5	97.3-99.7
Black or Afr. Am./Non-Hisp	101	25,345	1	1.2	0.0- 3.6	100	98.8	96.4- 100
50-54	160	29,372	1	1.1	0.0- 3.3	159	98.9	96.7- 100
55-64	320	54,014	2	0.9	0.0- 2.3	318	99.1	97.7- 100
65+	317	41,488	5	2.0	0.0- 4.0	312	98.0	96.0- 100
Less Than H.S.	56	11,657	1	2.7	0.0- 7.8	55	97.3	92.2- 100
H.S. or G.E.D.	238	37,260	4	1.8	0.0- 3.8	234	98.2	96.2- 100
Some Post-H.S.	195	38,088	3	1.7	0.0- 3.7	192	98.3	96.3- 100
College Graduate	306	37,683				306	100.0	100.0- 100
\$15,000- 24,999	110	16,959	1	1.6	0.0- 4.7	109	98.4	95.3- 100
\$25,000- 34,999	67	8,870				67	100.0	100.0- 100
\$35,000- 49,999	98	15,206	3	2.2	0.0- 4.7	95	97.8	95.3- 100
\$50,000- 74,999	109	18,353	1	0.9	0.0- 2.7	108	99.1	97.3- 100
\$75,000+	271	45,090	2	1.3	0.0- 3.1	269	98.7	96.9- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1060	143,797	3	0.2	0.0- 0.6	1057	99.8	99.4- 100
White/Non-Hisp	811	100,879	3	0.3	0.0- 0.7	808	99.7	99.3- 100
Black or Afr. Am./Non-Hisp	163	30,496				163	100.0	100.0- 100
50-54	170	31,149				170	100.0	100.0- 100
55-64	433	59,899				433	100.0	100.0- 100
65+	457	52,750	3	0.5	0.0- 1.3	454	99.5	98.7- 100
Less Than H.S.	76	14,812				76	100.0	100.0- 100
H.S. or G.E.D.	339	46,724	1	0.5	0.0- 1.5	338	99.5	98.5- 100
Some Post-H.S.	269	40,822				269	100.0	100.0- 100
College Graduate	376	41,440	2	0.2	0.0- 0.4	374	99.8	99.6- 100
Less than \$15,000	96	13,080	1	0.2	0.0- 0.6	95	99.8	99.4- 100
\$15,000- 24,999	161	20,372				161	100.0	100.0- 100
\$25,000- 34,999	106	12,776				106	100.0	100.0- 100
\$35,000- 49,999	135	18,533				135	100.0	100.0- 100
\$50,000- 74,999	138	19,786	1	0.2	0.0- 0.6	137	99.8	99.4- 100
\$75,000+	241	37,269				241	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1945	275,982	1436	71.7	69.0-74.4	509	28.3	25.6-31.0
Male	840	129,786	614	71.1	67.0-75.2	226	28.9	24.8-33.0
Female	1105	146,196	822	72.3	68.8-75.8	283	27.7	24.2-31.2
White/Non-Hisp	1504	197,275	1140	73.8	70.9-76.7	364	26.2	23.3-29.1
Black or Afr. Am./Non-Hisp	271	55,811	181	64.8	57.0-72.6	90	35.2	27.4-43.0
Hispanic	62	7,777	37	69.8	57.5-82.1	25	30.2	17.9-42.5
50-54	329	60,787	186	56.9	49.6-64.2	143	43.1	35.8-50.4
55-64	768	114,691	547	70.3	66.0-74.6	221	29.7	25.4-34.0
65+	848	100,505	703	82.4	79.1-85.7	145	17.6	14.3-20.9
Less Than H.S.	133	26,453	71	54.9	43.5-66.3	62	45.1	33.7-56.5
H.S. or G.E.D.	601	85,936	412	68.7	64.0-73.4	189	31.3	26.6-36.0
Some Post-H.S.	480	79,084	365	73.5	68.2-78.8	115	26.5	21.2-31.8
College Graduate	728	84,300	587	78.6	74.7-82.5	141	21.4	17.5-25.3
Less than \$15,000	142	17,182	86	57.1	44.9-69.3	56	42.9	30.7-55.1
\$15,000- 24,999	283	38,656	177	64.8	57.5-72.1	106	35.2	27.9-42.5
\$25,000- 34,999	174	21,407	124	67.8	59.2-76.4	50	32.2	23.6-40.8
\$35,000- 49,999	256	36,238	186	69.0	61.7-76.3	70	31.0	23.7-38.3
\$50,000- 74,999	261	40,668	207	72.6	64.4-80.8	54	27.4	19.2-35.6
\$75,000+	543	86,331	450	80.6	76.3-84.9	93	19.4	15.1-23.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	840	129,786	614	71.1	67.0-75.2	226	28.9	24.8-33.0
White/Non-Hisp	648	91,674	495	74.7	70.4-79.0	153	25.3	21.0-29.6
Black or Afr. Am./Non-Hisp	104	26,288	65	60.9	48.4-73.4	39	39.1	26.6-51.6
50-54	155	28,971	82	51.0	39.8-62.2	73	49.0	37.8-60.2
55-64	328	54,569	233	71.0	64.9-77.1	95	29.0	22.9-35.1
65+	357	46,247	299	83.9	79.2-88.6	58	16.1	11.4-20.8
Less Than H.S.	56	11,620	30	57.9	42.0-73.8	26	42.1	26.2-58.0
H.S. or G.E.D.	251	39,750	165	67.5	59.9-75.1	86	32.5	24.9-40.1
Some Post-H.S.	195	37,045	143	70.4	61.8-79.0	52	29.6	21.0-38.2
College Graduate	336	41,186	276	79.4	73.7-85.1	60	20.6	14.9-26.3
\$15,000- 24,999	116	17,095	60	54.8	42.8-66.8	56	45.2	33.2-57.2
\$25,000- 34,999	68	8,952	48	66.6	52.3-80.9	20	33.4	19.1-47.7
\$35,000- 49,999	108	16,002	79	71.5	60.7-82.3	29	28.5	17.7-39.3
\$50,000- 74,999	115	20,274	93	73.0	60.5-85.5	22	27.0	14.5-39.5
\$75,000+	291	47,750	239	80.1	74.2-86.0	52	19.9	14.0-25.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
 SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1105	146,196	822	72.3	68.8-75.8	283	27.7	24.2-31.2
White/Non-Hisp	856	105,601	645	73.0	69.1-76.9	211	27.0	23.1-30.9
Black or Afr. Am./Non-Hisp	167	29,523	116	68.2	58.2-78.2	51	31.8	21.8-41.8
50-54	174	31,816	104	62.2	53.2-71.2	70	37.8	28.8-46.8
55-64	440	60,122	314	69.6	63.5-75.7	126	30.4	24.3-36.5
65+	491	54,258	404	81.0	76.7-85.3	87	19.0	14.7-23.3
Less Than H.S.	77	14,833	41	52.6	36.7-68.5	36	47.4	31.5-63.3
H.S. or G.E.D.	350	46,186	247	69.7	63.8-75.6	103	30.3	24.4-36.2
Some Post-H.S.	285	42,039	222	76.3	69.8-82.8	63	23.7	17.2-30.2
College Graduate	392	43,114	311	77.8	72.3-83.3	81	22.2	16.7-27.7
Less than \$15,000	95	11,506	58	57.8	41.5-74.1	37	42.2	25.9-58.5
\$15,000- 24,999	167	21,561	117	72.7	64.3-81.1	50	27.3	18.9-35.7
\$25,000- 34,999	106	12,455	76	68.8	58.0-79.6	30	31.2	20.4-42.0
\$35,000- 49,999	148	20,236	107	67.0	57.2-76.8	41	33.0	23.2-42.8
\$50,000- 74,999	146	20,394	114	72.2	61.6-82.8	32	27.8	17.2-38.4
\$75,000+	252	38,581	211	81.2	74.9-87.5	41	18.8	12.5-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3668	680,971	1408	43.2	40.8-45.6	2260	56.8	54.4-59.2
Male	1619	322,588	618	41.8	38.5-45.1	1001	58.2	54.9-61.5
Female	2049	358,383	790	44.5	41.4-47.6	1259	55.5	52.4-58.6
White/Non-Hisp	2552	439,789	829	37.9	35.2-40.6	1723	62.1	59.4-64.8
Black or Afr. Am./Non-Hisp	527	136,889	304	58.4	52.7-64.1	223	41.6	35.9-47.3
Oth. Race/Non-Hisp.	115	25,344	46	37.5	25.9-49.1	69	62.5	50.9-74.1
MultiRacial/Non-Hisp.	58	11,623	35	59.1	41.7-76.5	23	40.9	23.5-58.3
Hispanic	329	52,692	165	49.9	42.6-57.2	164	50.1	42.8-57.4
18-24	242	83,809	78	36.7	27.9-45.5	164	63.3	54.5-72.1
25-34	411	111,924	258	64.4	58.3-70.5	153	35.6	29.5-41.7
35-44	388	104,160	243	63.3	57.2-69.4	145	36.7	30.6-42.8
45-54	600	112,813	319	52.0	46.7-57.3	281	48.0	42.7-53.3
55-64	764	113,924	280	35.4	30.9-39.9	484	64.6	60.1-69.1
65+	1232	150,975	216	16.9	14.4-19.4	1016	83.1	80.6-85.6
Less Than H.S.	365	84,459	154	48.3	41.0-55.6	211	51.7	44.4-59.0
H.S. or G.E.D.	1116	206,618	405	42.1	38.2-46.0	711	57.9	54.0-61.8
Some Post-H.S.	894	199,572	364	43.8	39.1-48.5	530	56.2	51.5-60.9
College Graduate	1280	187,992	481	41.9	38.2-45.6	799	58.1	54.4-61.8
Less than \$15,000	290	48,927	141	51.7	43.1-60.3	149	48.3	39.7-56.9
\$15,000- 24,999	552	91,264	248	51.4	45.9-56.9	304	48.6	43.1-54.1
\$25,000- 34,999	347	58,023	136	49.3	40.7-57.9	211	50.7	42.1-59.3
\$35,000- 49,999	467	82,740	163	40.4	34.5-46.3	304	59.6	53.7-65.5
\$50,000- 74,999	482	97,597	179	40.8	34.5-47.1	303	59.2	52.9-65.5
\$75,000+	938	198,033	378	44.3	40.0-48.6	560	55.7	51.4-60.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1619	322,588	618	41.8	38.5-45.1	1001	58.2	54.9-61.5
White/Non-Hisp	1116	204,769	374	36.2	32.3-40.1	742	63.8	59.9-67.7
Black or Afr. Am./Non-Hisp	201	62,838	114	58.4	49.4-67.4	87	41.6	32.6-50.6
Oth. Race/Non-Hisp.	73	17,187	29	37.7	23.2-52.2	44	62.3	47.8-76.8
Hispanic	152	24,048	64	47.2	36.6-57.8	88	52.8	42.2-63.4
18-24	139	43,255	41	31.9	21.7-42.1	98	68.1	57.9-78.3
25-34	186	55,806	106	63.6	54.6-72.6	80	36.4	27.4-45.4
35-44	182	50,437	99	55.4	46.4-64.4	83	44.6	35.6-53.6
45-54	276	53,220	142	47.8	39.8-55.8	134	52.2	44.2-60.2
55-64	321	53,524	116	35.6	28.9-42.3	205	64.4	57.7-71.1
65+	504	65,536	108	19.3	15.0-23.6	396	80.7	76.4-85.0
Less Than H.S.	168	40,624	63	45.1	33.7-56.5	105	54.9	43.5-66.3
H.S. or G.E.D.	496	104,082	193	42.1	36.0-48.2	303	57.9	51.8-64.0
Some Post-H.S.	367	88,577	148	41.9	35.2-48.6	219	58.1	51.4-64.8
College Graduate	582	88,043	212	39.9	34.6-45.2	370	60.1	54.8-65.4
Less than \$15,000	95	16,444	43	45.8	29.5-62.1	52	54.2	37.9-70.5
\$15,000- 24,999	240	41,536	101	47.8	39.4-56.2	139	52.2	43.8-60.6
\$25,000- 34,999	116	21,451	47	48.4	35.5-61.3	69	51.6	38.7-64.5
\$35,000- 49,999	217	39,159	71	37.6	29.0-46.2	146	62.4	53.8-71.0
\$50,000- 74,999	241	52,264	87	40.0	31.2-48.8	154	60.0	51.2-68.8
\$75,000+	485	103,940	201	44.2	38.3-50.1	284	55.8	49.9-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2049	358,383	790	44.5	41.4-47.6	1259	55.5	52.4-58.6
White/Non-Hisp	1436	235,020	455	39.4	35.5-43.3	981	60.6	56.7-64.5
Black or Afr. Am./Non-Hisp	326	74,050	190	58.3	51.0-65.6	136	41.7	34.4-49.0
Hispanic	177	28,644	101	52.1	42.1-62.1	76	47.9	37.9-57.9
18-24	103	40,554	37	42.0	27.5-56.5	66	58.0	43.5-72.5
25-34	225	56,118	152	65.1	56.7-73.5	73	34.9	26.5-43.3
35-44	206	53,723	144	70.6	62.6-78.6	62	29.4	21.4-37.4
45-54	324	59,593	177	55.8	48.7-62.9	147	44.2	37.1-51.3
55-64	443	60,400	164	35.2	29.1-41.3	279	64.8	58.7-70.9
65+	728	85,439	108	15.1	11.8-18.4	620	84.9	81.6-88.2
Less Than H.S.	197	43,835	91	51.2	41.6-60.8	106	48.8	39.2-58.4
H.S. or G.E.D.	620	102,536	212	42.0	36.7-47.3	408	58.0	52.7-63.3
Some Post-H.S.	527	110,995	216	45.3	38.8-51.8	311	54.7	48.2-61.2
College Graduate	698	99,949	269	43.5	38.4-48.6	429	56.5	51.4-61.6
Less than \$15,000	195	32,483	98	54.7	44.7-64.7	97	45.3	35.3-55.3
\$15,000- 24,999	312	49,728	147	54.5	47.1-61.9	165	45.5	38.1-52.9
\$25,000- 34,999	231	36,572	89	49.8	38.6-61.0	142	50.2	39.0-61.4
\$35,000- 49,999	250	43,581	92	42.8	34.8-50.8	158	57.2	49.2-65.2
\$50,000- 74,999	241	45,332	92	41.8	33.0-50.6	149	58.2	49.4-67.0
\$75,000+	453	94,093	177	44.4	38.1-50.7	276	55.6	49.3-61.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2016**

End of Calculated Variable Data Report