



# Delaware Weekly Influenza Surveillance Report

## Week 48 (November 25 - December 1, 2012)

### Delaware Division of Public Health

**National Synopsis – 2012 – 2013**

**Note:** National data are updated Friday of each week. Please visit <http://www.cdc.gov/weekly/> for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

**Delaware Influenza Surveillance – 2012 – 2013:**

There were 29 confirmed case of influenza among Delawareans during Week 48.


**Influenza positive<sup>1</sup> cases reported<sup>2</sup> through week 48 (Week ending December 1, 2012)**

Confirmed Flu Cases by Subtype		Wks. 40-42	2012 Wks. 43-45	Wk. 46	Wk. 47	Wk. 48	YTD	YTD Total	YTD Cnty %
Statewide	A (2009 H1)	0	0	0	0	0	0	70	
	A (H3)	2	12	12	9	21	56		
	A (subtyping not performed)	0	1	0	1	7	9		
	B	4	0	0	0	1	5		
New Castle County	A (2009 H1)	0	0	0	0	0	0	16	22.9%
	A (H3)	2	0	3	1	9	15		
	A (subtyping not performed)	0	0	0	0	0	0		
	B	1	0	0	0	0	1		
Kent County	A (2009 H1)	0	0	0	0	0	0	41	58.6%
	A (H3)	0	11	8	6	9	34		
	A (subtyping not performed)	0	1	0	1	3	5		
	B	2	0	0	0	0	2		
Sussex County	A (2009 H1)	0	0	0	0	0	0	13	18.6%
	A (H3)	0	1	1	2	3	7		
	A (subtyping not performed)	0	0	0	0	4	4		
	B	1	0	0	0	1	2		


Confirmed Flu Cases by Age Group		Wks. 40-42	2011 Wks. 43-45	Wk. 46	Wk. 47	Wk. 48	YTD	YTD Total	YTD Cnty %
Statewide	0-4 years	1	4	7	5	8	25	70	
	5-24 years	1	6	4	5	11	27		
	25-49 years	1	1	0	0	6	8		
	50-64 years	1	2	1	0	2	6		
	65+ years	2	0	0	0	2	4		
New Castle Co	0-4 years	1	0	3	0	1	5	16	22.9%
	5-24 years	0	0	0	1	6	7		
	25-49 years	0	0	0	0	1	1		
	50-64 years	1	0	0	0	0	1		
	65+ years	1	0	0	0	1	2		
Kent County	0-4 years	0	4	4	4	4	16	41	58.6%
	5-24 years	1	5	3	3	4	16		
	25-49 years	0	1	0	0	2	3		
	50-64 years	0	2	1	0	1	4		
	65+ years	1	0	0	0	1	2		
Sussex County	0-4 years	0	0	0	1	3	4	13	18.6%
	5-24 years	0	1	1	1	1	4		
	25-49 years	1	0	0	0	3	4		
	50-64 years	0	0	0	0	1	1		
	65+ years	0	0	0	0	0	0		

<sup>1</sup> Based on patients with positive nucleic acid and viral culture test results reported to the Division of Public Health.

<sup>2</sup> Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.



## Confirmed Influenza Cases by Type and Subtype, (week 48), Delaware, 2012-2013



Flu related Hospitalization		Wks. 40-42	Wks. 43-45	Wk. 46	Wk. 47	Wk. 48	YTD	YTD Total	YTD Cnty %
Statewide	0-4 years	0	0	1	0	1	2	7	
	5-24 years	0	0	0	0	0	0		
	25-49 years	0	1	0	0	0	1		
	50-64 years	0	1	0	0	0	1		
	65+ years	1	0	0	0	2	3		
New Castle Cou	0-4 years	0	0	1	0	1	2	3	42.9%
	5-24 years	0	0	0	0	0	0		
	25-49 years	0	0	0	0	0	0		
	50-64 years	0	0	0	0	0	0		
	65+ years	0	0	0	0	1	1		
Kent County	0-4 years	0	0	0	0	0	0	4	57.1%
	5-24 years	0	0	0	0	0	0		
	25-49 years	0	1	0	0	0	1		
	50-64 years	0	1	0	0	0	1		
	65+ years	1	0	0	0	1	2		
Sussex County	0-4 years	0	0	0	0	0	0	0	0.0%
	5-24 years	0	0	0	0	0	0		
	25-49 years	0	0	0	0	0	0		
	50-64 years	0	0	0	0	0	0		
	65+ years	0	0	0	0	0	0		

Total Flu-related Deaths in Delaware 2012-2013 Influenza Season	Wks 40-41	Wks 42-43	Wks 44-45	Wk. 46	Wk 47	Wk 48	YTD
	0	0	0	0	0	0	0

<b>Annual Seasonal Influenza Case Totals</b>	
<b>2004-2005</b>	<b>995</b>
<b>2005-2006</b>	<b>541</b>
<b>2006-2007</b>	<b>508</b>
<b>2007-2008</b>	<b>1,401</b>
<b>2008-2009</b>	<b>738</b>
<b>2009-2010</b>	<b>2,247</b>
<b>2010-2011</b>	<b>1,470</b>
<b>2011-2012</b>	<b>262</b>
<b>2012 - 2013 (YTD)</b>	<b>70</b>

NOTE: The data provided is not be a true reflection of the total number of individuals who have been infected with influenza virus in Delaware during the reporting period due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.


## Level of Influenza Activity in Delaware, Week 48:

<b>Sporadic</b>	Isolated laboratory confirmed cases OR a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
<b>➔ Influenza-like illness (ILI)</b> is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.	
<b>➔ No Activity:</b> No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season. <b>➔ Sporadic:</b> Isolated laboratory confirmed cases OR a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season. <b>➔ Local:</b> Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI OR two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties. <b>➔ Regional:</b> Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.) <b>➔ Widespread:</b> Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.	

**ILINet (Sentinel) Provider Surveillance Network:**


An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the state health department and the Centers for Disease Control and Prevention. Data reported by ILINet (Sentinel) provider, in combination with other influenza surveillance data, provide a national and statewide picture of influenza virus and ILI activity in the U.S.

**ILINet (Sentinel) Providers: 10 of 19 Sentinel Providers reporting**




**Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.2%.**


**Hospital (Electronic) Surveillance Data:  
7 of 7 hospitals reporting - Al DuPont, Bayhealth (Kent, Milford, Beebe), CCHS,  
Wilmington and St. Francis.**




**Hospital (Manual) Surveillance Data: 1 of 1 hospital reporting (Nanticoke)**



**Influenza-like illness reported from Federally Qualified Health Centers (FQHCs):  
FQHCs: 1 of 2 reporting (Henrietta Johnson Medical Center)**




**Long-Term Care Facilities (LTCFs): 6 of 19 facilities reporting**







**Colleges/Universities: 1 of 3 schools reporting (University of Delaware)**



**Daycare Providers: 1 of 14 providers reporting**



### Correctional Facilities: 4 of 10 facilities reporting



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit [flu.delaware.gov](http://flu.delaware.gov) or call (302) 744-4704.