

# **Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)**

## **2016 Analysis**

**June 2019**



***DELAWARE HEALTH AND SOCIAL SERVICES***

***Division of Public Health***

***Center for Family Health Research and Epidemiology***



**FORWARD CONSULTANTS**

**CONTACT INFORMATION**

**George Yocher**

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

417 Federal Street, Jesse Cooper Building

Dover, DE 19901

302.744.4926 Office

302.739.6653 Fax

[george.yocher@state.de.us](mailto:george.yocher@state.de.us)

**Vikrum Vishnubhakta**

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

608.338.0426 Fax

[vikrum@forward-consultants.com](mailto:vikrum@forward-consultants.com)

**CITATION**

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2016 Analysis. June 2019.”

**TABLE OF CONTENTS**

**EXECUTIVE SUMMARY ..... 18**

**INTRODUCTION..... 21**

**METHODS ..... 21**

**Choosing & Retooling the Questions for Analysis..... 22**

**Choosing Demographic Categories for Analysis..... 23**

**Putting the Questions & Demographic Categories Together for Analysis..... 24**

**RESULTS ..... 26**

**Pregnancy Intention & Becoming Pregnant..... 27**

    Pregnancy Intention ..... 27

    Becoming Pregnant..... 27

**Prenatal Care ..... 28**

    Starting Prenatal Care ..... 28

    Access to Prenatal Care ..... 28

    During Prenatal Care Visits ..... 28

**Infant Care ..... 29**

    Breastfeeding ..... 29

    SIDS Prevention..... 29

    Infant Survival ..... 30

**Alcohol & Tobacco Use ..... 30**

    Alcohol Use ..... 30

    Tobacco Use..... 30

**Health Care Utilization..... 30**

    HIV Testing ..... 30

    Parenting Classes ..... 31

    Physician Visits..... 31

    Dentist Visits..... 31

    Contraception..... 31

**Health Status ..... 32**

    Before Becoming Pregnant..... 32

    During Most Recent Pregnancy ..... 32

    Postpartum Depression ..... 33

**Health Coverage..... 33**

    Before Becoming Pregnant..... 33

    Prenatal Care Payer..... 33

    During Most Recent Pregnancy ..... 34

    During Delivery and Well-Baby Checkups ..... 34

**Social Support ..... 35**

**DISCUSSION ..... 35**

**GRAPHS..... 37**

**TABLES..... 160**

**APPENDIX A (RAW VARIABLE GRAPHS)..... 183**

**APPENDIX B (RAW VARIABLE TABLES)..... 248**

**TABLE OF FIGURES**

**BEFORE PREGNANCY**

**Q4: Before you got pregnant, did you have any other babies who were born alive?..... 37**

**Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight?..... 38**

**Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week?..... 39**

**Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? ..... 39**

**Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes?..... 40**

**Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history?..... 40**

**Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? ..... 45**

**Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? ..... 45**

**Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? ..... 46**

**Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office? ..... 46**

**Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?..... 48**

**Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? ..... 49**

**Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?..... 49**

**Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight?..... 50**

**Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?..... 50**

**Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? ..... 51**

**Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? ..... 51**

**BEFORE PREGNANCY (Continued)**

**Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? ..... 52**

**Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? ..... 52**

**Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?..... 53**

**Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?..... 53**

**Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?..... 54**

**Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? ..... 54**

**Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?..... 55**

**Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? ..... 55**

**Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?..... 56**

**Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?..... 56**

**Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?..... 57**

**Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? ..... 57**

**Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? ..... 58**

**Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby?..... 58**

**Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?..... 59**

**BEFORE PREGNANCY (Continued)**

**Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?..... 59**

**Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner? ..... 60**

**Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents? ..... 60**

**Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov? ..... 61**

**Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? ..... 61**

**Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? ..... 62**

**Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? ..... 62**

**Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? ..... 63**

**Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? ..... 63**

**Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. .... 72**

**Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. .... 73**

**Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. .... 73**

**Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future..... 74**

**Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted..... 74**

**Q19: When you got pregnant with your new baby, were you trying to get pregnant? ..... 75**

**Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? ..... 75**

**Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?..... 87**

**Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? ..... 87**

**Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? ..... 88**

**HEALTH RISKS BEFORE PREGNANCY**

**Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth? ..... 37**

**Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?..... 38**

**Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes? ..... 41**

**Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? ..... 41**

**Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? ..... 42**

**Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? ..... 42**

**Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? ..... 43**

**Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? ..... 43**

**Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)? ..... 44**

**Q8H: During the month before you got pregnant with your new baby, did you have anxiety? ..... 44**

**Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition? ..... 47**

**Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? ..... 47**

**Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? ..... 48**

**Q35: Have you smoked any cigarettes in the past 2 years? ..... 104**

**Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?..... 104**

**Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? ..... 106**

**Q40B: Have you used hookah in the past 2 years? ..... 107**

**Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years? ..... 107**

**Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years? ..... 108**

**Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? ..... 108**

**Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? ..... 109**

**Q43: Have you had any alcoholic drinks in the past 2 years? ..... 109**

**Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?..... 110**

**HEALTH RISKS BEFORE PREGNANCY (Continued)**

**Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?..... 118**

**Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 118**

**Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?..... 119**

**Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?..... 152**

**Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? ..... 153**

**Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? ..... 153**

**PRENATAL CARE**

**Q16A: During my most recent pregnancy, I did not go for prenatal care. .... 64**

**Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care..... 64**

**Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. .... 65**

**Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. .... 65**

**Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. .... 66**

**Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care..... 66**

**Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care..... 67**

**Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. .... 67**

**Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. .... 68**

**Q23: Did you get prenatal care as early in your pregnancy as you wanted? ..... 76**

**Q24A: I couldn’t get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted..... 76**

**Q24B: I didn’t have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. .... 77**



**PRENATAL CARE (Continued)**

**Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted..... 77**

**Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 78**

**Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. .... 78**

**Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 79**

**Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted..... 79**

**Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 80**

**Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. .... 80**

**Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 81**

**Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. .... 81**

**Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? ..... 82**

**Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? ..... 82**

**Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? ..... 83**

**Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? ..... 83**

**Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? ..... 84**

**Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? ..... 84**

**Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?..... 85**

**Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?..... 85**

**Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? ..... 86**

**Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?..... 86**

**PRENATAL CARE (Continued)**

**Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?..... 154**

**HEALTH RISKS DURING PREGNANCY**

**Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. .... 91**

**Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. .... 91**

**Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? ..... 92**

**Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy?) ..... 92**

**Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia?..... 93**

**Q32C: During your most recent pregnancy, did you have depression? ..... 93**

**Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? ..... 94**

**Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? ..... 94**

**Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy?..... 95**

**Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?..... 95**

**Q33E: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?..... 96**

**Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?..... 96**

**Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 97**

**Q33H: Did you have to have a blood transfusion during your most recent pregnancy?..... 97**

**Q33I: Did you get hurt in a car accident during your most recent pregnancy?..... 98**

**Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?..... 98**

**Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes? ..... 99**

**Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia?..... 99**

**Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea?..... 100**

**Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?..... 100**

**HEALTH RISKS DURING PREGNANCY (Continued)**

**Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis? ..... 101**

**Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)? ..... 101**

**Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? ..... 102**

**Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis? ..... 102**

**Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? ..... 103**

**Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? ..... 103**

**Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?..... 105**

**Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? ..... 106**

**Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week? ..... 110**

**Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 119**

**Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 120**

**Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 120**

**DELIVERY AND POSTPARTUM**

**Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. .... 68**

**Q17B: I have private health insurance from my parents as my health insurance now. .... 69**

**Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now..... 69**

**Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now..... 70**

**Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now. .... 70**

**Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now..... 71**

**Q17G: I have TRICARE or other military health care as my health insurance now. .... 71**

**Q17H: I do not have health insurance now. .... 72**

**Q38: Do you currently smoke 11 or more cigarettes on average each day? ..... 105**

**Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)? ..... 121**

**DELIVERY AND POSTPARTUM (Continued)**

**Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days? ..... 121**

**Q53: Is your baby alive now? ..... 122**

**Q54: Is your baby living with you now? ..... 122**

**Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? ..... 126**

**Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? ..... 127**

**Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? ..... 127**

**Q60: Does your baby always or often sleep alone in his or her own crib or bed? ..... 128**

**Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? ..... 128**

**Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? ..... 129**

**Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed? ..... 129**

**Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair? ..... 130**

**Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? ..... 130**

**Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? ..... 131**

**Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket? ..... 131**

**Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? ..... 132**

**Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? ..... 132**

**Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? ..... 133**

**Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? ..... 133**

**Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? ..... 134**

**Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? ..... 134**

**Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? ..... 135**

**Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? ..... 135**

**Q69: Since your new baby was born, have you had a postpartum checkup for yourself? ..... 146**

**Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? ..... 146**

**DELIVERY AND POSTPARTUM (Continued)**

**Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?..... 147**

**Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?..... 147**

**Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? ..... 148**

**Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), Nuvaring®, or condoms? ..... 148**

**Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?..... 149**

**Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? ..... 149**

**Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? ..... 150**

**Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?..... 150**

**Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? ..... 151**

**Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?..... 151**

**Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? ..... 152**

**INTERCONCEPTION BEHAVIORS**

**Q66: Are you or your husband or partner doing anything now to keep from getting pregnant? ..... 136**

**Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 136**

**Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. .... 137**

**Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 137**

**Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 138**

**Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. .... 138**

**Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. .... 139**

**INTERCONCEPTION BEHAVIORS (Continued)**

**Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 139**

**Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. .... 140**

**Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 140**

**Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 141**

**Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 141**

**Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 142**

**Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 142**

**Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 143**

**Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 143**

**Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 144**

**Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 144**

**Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 145**

**Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. .... 145**

**HEALTH PROMOTING BEHAVIORS**

**Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? ..... 88**

**Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? ..... 89**

**Q30A: During my most recent pregnancy, I knew it was important to care for my ..... 89**

**teeth and gums during my pregnancy..... 89**

**Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums..... 90**

**Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. .... 90**

**HEALTH PROMOTING BEHAVIORS (Continued)**

**Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? ..... 123**

**Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?..... 123**

**Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? ..... 124**

**Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? ..... 124**

**Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group?..... 125**

**Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline ortoll-free number? ..... 125**

**Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?..... 126**

**Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems?..... 155**

**Q77D: During your most recent pregnancy, did you receive help to quite smoking? ..... 156**

**Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home? ..... 156**

**Q79A: During your most recent pregnancy, did you take any parenting classes? ..... 159**

**Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? ..... 159**

**SOCIOECONOMIC INDICATORS**

**Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital?..... 111**

**Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? ..... 111**

**Q46C: During the 12 months before your new baby was born, did you move to a new address? ..... 112**

**Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? ..... 112**

**Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? ..... 113**

**Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?..... 113**

**Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? ..... 114**

**Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? ..... 114**

**Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?..... 115**

**SOCIOECONOMIC INDICATORS (Continued)**

**Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? ..... 115**

**Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? ..... 116**

**Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? ..... 116**

**Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? ..... 117**

**Q46N: During the 12 months before your new baby was born, did someone very close to you die? ..... 117**

**Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? ..... 154**

**Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? ..... 155**

**Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? ..... 157**

**Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? ..... 157**

**Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? ..... 158**

**Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? ..... 158**



**TABLE OF TABLES**

**Table 1. Questions Omitted from Analysis..... 22**  
**Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 22**  
**Table 3. Response Rates by Demographic Category ..... 23**  
**Table 4. Cross-Table of Respondents by Demographic Categories. .... 25**  
**Table 5.  $\chi^2$  of Demographic Category Comparisons. .... 25**  
**Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme..... 26**  
**Table 7A. Percent Response Yes and Lower/Upper 95% CI, Q4-Q8C ..... 160**  
**Table 7B. Percent Response Yes and Lower/Upper 95% CI, Q8D-Q11D ..... 161**  
**Table 7C. Percent Response Yes and Lower/Upper 95% CI, Q11E-Q12H ..... 162**  
**Table 7D. Percent Response Yes and Lower/Upper 95% CI, Q12I-Q14F ..... 163**  
**Table 7E. Percent Response Yes and Lower/Upper 95% CI, Q14G-Q16A ..... 164**  
**Table 7F. Percent Response Yes and Lower/Upper 95% CI, Q16B-Q17C..... 165**  
**Table 7G. Percent Response Yes and Lower/Upper 95% CI, Q17D-Q19..... 166**  
**Table 7H. Percent Response Yes and Lower/Upper 95% CI, Q20-Q24I ..... 167**  
**Table 7I. Percent Response Yes and Lower/Upper 95% CI, Q24J-Q25I..... 168**  
**Table 7J. Percent Response Yes and Lower/Upper 95% CI, Q25J-Q30E ..... 169**  
**Table 7K. Percent Response Yes and Lower/Upper 95% CI, Q31-Q33G..... 170**  
**Table 7L. Percent Response Yes and Lower/Upper 95% CI, Q33H-Q34I ..... 171**  
**Table 7M. Percent Response Yes and Lower/Upper 95% CI, Q34J-Q40D ..... 172**  
**Table 7N. Percent Response Yes and Lower/Upper 95% CI, Q41-Q46F ..... 173**  
**Table 7O. Percent Response Yes and Lower/Upper 95% CI, Q46G-Q47C..... 174**  
**Table 7P. Percent Response Yes and Lower/Upper 95% CI, Q48A-Q55D..... 175**  
**Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Q55E-Q62C ..... 176**  
**Table 7R. Percent Response Yes and Lower/Upper 95% CI, Q62D-Q65 ..... 177**  
**Table 7S. Percent Response Yes and Lower/Upper 95% CI, Q66-Q68B..... 178**  
**Table 7T. Percent Response Yes and Lower/Upper 95% CI, Q68C-Q70A ..... 179**  
**Table 7U. Percent Response Yes and Lower/Upper 95% CI, Q70B-Q72 ..... 180**  
**Table 7V. Percent Response Yes and Lower/Upper 95% CI, Q74-Q78B ..... 181**  
**Table 7W. Percent Response Yes and Lower/Upper 95% CI, Q78C-Q79B ..... 181**

## **EXECUTIVE SUMMARY**

### **Introduction**

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2016 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives. The survey year of 2016 is part of the Phase 8 survey cycle, which started in 2016.

### **Methods**

Delaware's 2016 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 82 questions in the survey, 12 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 70 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 246 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2016 Delaware PRAMS-eligible population.

It is essential to note that the denominators used to generate the percentages throughout this report are based on how the entire PRAMS-eligible population would have responded to the question. Therefore, the denominators - in total and stratified by age, race/ethnicity, marital status, prior live birth, educational attainment - were the same for every response presented in the report. These denominators are given in Table 6. This way of reporting differs from the method used by the CDC, in which the inclusion (or exclusion) criteria specific to each question are used to calculate the percentages. This inclusion (or exclusion) criteria are based on the flow of the questions and responses in the PRAMS survey. For example, in the PRAMS survey, if the respondent answers "No" to question 19 ("When you got pregnant with your new baby, were you trying to get pregnant?"), then the survey prompts the respondent to proceed to question 20 ("When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?"). If the respondent answers "Yes" to question 19, then the respondent is prompted to skip question 20 and proceed to question 21. In this report, the entire PRAMS-eligible population (in total and stratified by the demographic categories listed above) was used for the denominators in the calculations to question 20, regardless of the

response given by the respondent to question 19. However, in the method used by the CDC, only those respondents who answered "No" to question 19 were included in the denominator calculation for question 20.

## **Results**

The age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. In addition, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. Roughly one-eighth of Black non-Hispanic women did not want to be pregnant; this contrasts with approximately one-twentieth of White non-Hispanic women. A significantly higher percentage of White non-Hispanic women wanted to be pregnant sooner as compared to Black non-Hispanic women. Moreover, more than half of White non-Hispanic women tried to get pregnant at the time they became pregnant with their new baby as compared to a third of Black non-Hispanic women. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report breastfeeding and laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanic women consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanic women and Hispanic women. As in previous PRAMS analyses, a high percentage of Hispanic women – about 1 in 6 – said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

## **Conclusions**

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. As in previous PRAMS analyses, although Black non-Hispanic women (as compared to White non-Hispanic women) were more likely to report *having a discussion* with a health care provider about health promoting behaviors, such as breastfeeding, a higher percentage of White non-Hispanic women were likely to report *engaging* in these health promoting behaviors as compared to Black non-Hispanic women. Generally speaking, these, as

well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health. Finally, although no direct comparisons are provided in this report, it is worth noting that the results in the 2016 PRAMS analysis tended to be more favorable across all socio-demographic categories as compared to the results in the previous PRAMS analyses.

## **INTRODUCTION**

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.\*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.\*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.\*

This report offers a comprehensive snapshot of Delaware's 2016 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

## **METHODS**

The PRAMS sample of women who have had a recent live birth in 2016 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.\* In order to reduce response bias, the CDC has set a benchmark rate of 60% as the PRAMS survey response rate. In 2016, Delaware surveyed 1,478 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 63.06% (932 women responding).

---

\* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved October 10, 2016, from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

**Choosing & Retooling the Questions for Analysis**

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 82 questions in the 2016 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

**Table 1. Questions Omitted from Analysis.**

Question	Reason for Omission from Analysis
1, 2, 3, 21, 22, 49, 50, 58, 73, 81, and 82	Data Specific to Respondent
80	Too Complex to Derive Meaningful Results

Of the remaining 70 questions, 53 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 17 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 53 to 227. To ease analysis and downstream comparisons, the 17 multi-response questions were retooled into binary responses as defined by Table 2.

**Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.<sup>†</sup>**

	Response = “No”	Response = “Yes”	Response = “N/A” <sup>‡</sup>
<b>Q9</b>	1	2, 3, 4	
<b>Q27</b>	Segmented into two questions.		
<b>Q36</b>	4, 5, 6	1, 2, 3	7
<b>Q37</b>	6	1, 2, 3, 4, 5	7
<b>Q38</b>	4, 5, 6	1, 2, 3	7
<b>Q39</b>	1	2, 3	
<b>Q41</b>	3, 4, 5	1, 2	
<b>Q42</b>	3, 4, 5	1, 2	
<b>Q44</b>	4, 5, 6	1, 2, 3	7
<b>Q45</b>	6	1, 2, 3, 4, 5	7
<b>Q52</b>	1, 2	3, 4, 5, 7	6
<b>Q59</b>	1, 3	2	
<b>Q60</b>	3, 4, 5	1, 2	
<b>Q64</b>	1	2	3
<b>Q71</b>	3, 4, 5	1, 2	
<b>Q72</b>	3, 4, 5	1, 2	
<b>Q75</b>	Segmented into two questions.		

<sup>†</sup> Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

<sup>‡</sup> “N/A” responses refer to responses that cannot be categorized in a binary manner.

These 17 multi-response questions resulted in 19 additional binary questions, which brought the total number of questions under investigation to 246.

Finally, note that this analysis makes use of “non-RAW” variables. Of the 246 questions investigated, 129 comprised of variables that were transformed by the CDC from “RAW” to “non-RAW”. Graphs of the 129 “RAW” variables are presented in Appendix A (pages 183 to 247) and the corresponding tables of the 129 “RAW” variables are given in Appendix B (pages 248 to 259). The results, graphs, and tables of the “non-RAW” variables are featured with the other variables (questions) in the body of this report.

**Choosing Demographic Categories for Analysis**

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

**Table 3. Response Rates by Demographic Category, Delaware 2016 PRAMS.**

Total		Respondents	Total	Percent Response
		932	1,478	63.06%
Age	Under 20 Years	44	92	47.83%
	20-24 Years	152	303	50.17%
	25-34 Years	557	839	66.39%
	Over 34 Years	179	244	73.36%
	Total	932	1,478	63.06%
Ethnicity	White Non-Hispanics	499	732	68.17%
	Black Non-Hispanics	233	438	53.20%
	Hispanic	146	212	68.87%
	Total <sup>§</sup>	878	1,382	63.53%
Married	Married	525	749	70.09%
	Not Married	407	729	55.83%
	Total	932	1,478	63.06%
Previous Live Birth	Yes	549	872	62.96%
	No	383	606	63.20%
	Total	932	1,478	63.06%
Education	Less Than 12 Years	163	276	59.06%
	12 Years	223	413	54.00%
	Greater Than 12 Years	543	783	69.35%
	Total <sup>**</sup>	929	1,472	63.11%

<sup>§</sup> The “Ethnicity” totals were lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 54 (5.79%).

<sup>\*\*</sup> The “Education” totals were lower since this data was not available for three (0.32%) respondents and six (0.41%) individuals in the survey population.

A cross-table of the demographic category was created (Table 4) and  $\chi^2$  tests were performed (Table 5) to assess whether a significant relationship ( $\alpha = 0.05$ ) exists between categories. Note that all cells were included in the statistical analysis regardless of count size, and therefore, caution should be exercised when interpreting results for analyses that include cell counts of less than five.

Not surprisingly, “Age” was significantly associated with “Married”, “Previous Live Birth”, and “Education” while “Married” was significantly associated with “Education”. In this population, significant associations occurred between “Ethnicity: Hispanic/White NH” and all other demographic categories. In addition, significant associations also took place between “Ethnicity: Black NH/White NH” and all other demographic categories except for “Previous Live Birth”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

### **Putting the Questions & Demographic Categories Together for Analysis**

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2016 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.<sup>††</sup> This weighted average methodology involved performing the following steps for each of the 246 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *w<sub>tanal</sub>* in the 2016 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on page 26.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

---

<sup>††</sup> Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.



**Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2016 PRAMS.**

		Total	Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	44	11	17	15	1	43	7	37	26	11	7
	20-24 Years	152	63	54	32	39	113	63	89	36	55	61
	25-34 Years	557	324	123	76	360	197	339	218	75	124	356
	Over 34 Years	179	101	39	23	125	54	140	39	26	33	119
Ethnicity	White Non-Hispanic	499				333	166	276	223	46	95	356
	Black Non-Hispanic	233				85	148	145	88	36	88	109
	Hispanic	146				58	88	99	47	76	31	38
Married	Married	525						317	208	49	78	398
	Not Married	407						232	175	114	145	145
Previous Live Birth	Yes	549								119	140	289
	No	383								44	83	254
Education	Less Than 12 Years	163										
	12 Years	223										
	Greater Than 12	543										

**Table 5.  $\chi^2$  of Demographic Category Comparisons, Delaware 2016 PRAMS.** Significant (*S*) and non-significant (*N/S*)  $\chi^2$  values are indicated ( $\alpha = 0.05$ ).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	26.68 <sup>††</sup> ( <i>S</i> )	29.07 <sup>††</sup> ( <i>S</i> )	139.27 ( <i>S</i> )	81.19 ( <i>S</i> )	92.41 ( <i>S</i> )
Ethnicity: Black NH			59.35 <sup>††</sup> ( <i>S</i> )	3.11 <sup>††</sup> ( <i>N/S</i> )	42.82 <sup>††</sup> ( <i>S</i> )
Ethnicity: Hispanic			34.51 <sup>††</sup> ( <i>S</i> )	7.25 <sup>††</sup> ( <i>S</i> )	148.06 <sup>††</sup> ( <i>S</i> )
Married					150.73 ( <i>S</i> )
Previous Live Birth					22.03 ( <i>S</i> )

<sup>††</sup> The  $\chi^2$  results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

**Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2016 PRAMS.**

		Population of Births	Percent Response
<b>Total</b>		10,334	N/A
<b>Age</b>	Under 20 Years	590	5.71%
	20-24 Years	1,818	17.59%
	25-34 Years	6,260	60.58%
	Over 34 Years	1,666	16.12%
<b>Ethnicity</b>	White NH	5,510	55.79%
	Black NH	2,691	27.26%
	Hispanic	1,674	16.95%
<b>Married</b>	Married	5,666	54.83%
	Not Married	4,668	45.17%
<b>Previous Live Birth</b>	Yes	6,061	58.65%
	No	4,273	41.35%
<b>Education</b>	Less Than 12 Years	2,006	19.47%
	12 Years	2,569	24.94%
	Greater Than 12 Years	5,728	55.60%

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 37 to 159. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 160 to 182 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

**RESULTS**

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 37 and provided in the table on page 160), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (56.53%) did not overlap the 95 percent confidence interval for the percent of Hispanics responding “Yes” (64.89%). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were

mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2016 PRAMS-eligible population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

## **Pregnancy Intention & Becoming Pregnant**

### **Pregnancy Intention**

A significantly higher percentage of White non-Hispanics (17.14%) wanted to be pregnant *sooner* as compared to Black non-Hispanics (8.79%) and Hispanics (6.38%) as given in the results to Q18B. As indicated in Q18A, however, a significantly lower percentage of White non-Hispanics (17.89%) wanted to be pregnant *later* as compared to Black non-Hispanics (24.90%) or Hispanics (27.03%). In addition, 46.47% of White non-Hispanics and 36.93% of Hispanics wanted to be pregnant then; this contrasts with 29.50% of Black non-Hispanics (Q18C). Furthermore, as given in Q19, a significantly higher percentage of White non-Hispanics (60.71%) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (35.07%) and Hispanics (41.70%). This also was the case for married women (70.37%) compared with non-married women (28.49%) and for older women and women with more years of education.

Moreover, 16.70% of White non-Hispanics stated that they or their husband or partner were doing something to keep from getting pregnant (Q20); this was significantly lower than the corresponding percentages for Black non-Hispanics (22.95%) and Hispanics (30.44%).

### **Becoming Pregnant**

As given in Q12D, a lower percentage of White non-Hispanic women (9.34%) stated that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about their desire to have or not have children as compared to 13.08% of Black non-Hispanic women and 12.27% of Hispanic women. Conversely, a substantially higher percentage of White non-Hispanic women (31.51%) claimed that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about using birth control to prevent pregnancy as compared to Black non-Hispanic (21.05%) and Hispanic (19.62%) women (Q12E). Similarly, compared to Black non-Hispanic and Hispanic women, a higher percentage of White non-Hispanic women responded that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about taking a vitamin with folic acid (Q12A), about maintaining a healthy weight (Q12B), about whether someone was hurting them emotionally or physically (Q12I), and about whether they were feeling down or depressed (Q12J).

Furthermore, when asked if a doctor, nurse, or other health care worker talked with the respondent about getting counseling or treatment for depression or anxiety before getting pregnant with their new baby (Q14D), a lower percentage of White non-Hispanic women (6.80%) and Black non-Hispanic women (6.91%) answered “Yes” as compared to Hispanic women (12.01%). Moreover, a lower percentage of White non-Hispanic women stated that a doctor, nurse, or other health care worker talked with them about how smoking during pregnancy can affect their baby (Q14F: 16.31%), how drinking alcohol during pregnancy could affect their baby (Q14G: 16.83%), and how using illegal drugs during pregnancy could affect their baby (Q14H: 15.08%) as compared to Black non-Hispanic women (Q14F: 20.90%; Q14G: 20.90%; Q14H: 20.07%) and Hispanic women (Q14F: 24.36%; Q14G: 23.93%; Q14H: 24.21%).

## **Prenatal Care**

### **Starting Prenatal Care**

A higher percentage of White non-Hispanic women (82.53%) and Black non-Hispanic women (82.71%) stated that they received prenatal care as early in their pregnancy as they wanted (Q23) as compared to Hispanic women (78.82%). For the same question, the percentages reported among women who were married, who had higher levels of educational attainment, and who were in older age groups were significantly higher as compared to women who were not married, who had lower levels of educational attainment, and who were in younger age groups.

### **Access to Prenatal Care**

As shown in Q24B, a substantially higher percentage of Hispanic women (5.12%) compared to non-Hispanic women claimed that they did not have enough money or insurance to pay for prenatal care visits. In addition, a sizeably higher percentage of Hispanic women (3.02%) compared to White non-Hispanic women (1.54%) and Black non-Hispanic women (1.00%) responded that they had no way to get to the clinic or doctor’s office (Q24C). Moreover, a higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women responded that they didn’t have anyone to take care of their children (Q24H), which kept them from getting prenatal care when they wanted it. Similar results to Q22H occurred among women with fewer years of education (higher percentages reported) compared to women with more years of education (lower percentages reported). As compared to women in older age ranges, a higher percentage of women under age 20 years said that they didn’t know they were pregnant (Q24I) as a reason for why they could not get prenatal care when they wanted. Finally, a significantly higher percentage of Hispanics (3.02%) when compared with White non-Hispanics (0.26%) and Black non-Hispanics (0.73%) reported that they didn’t want prenatal care as a reason for why they didn’t get prenatal care when they would have wanted it (Q24K).

### **During Prenatal Care Visits**

A significantly lower percentage of White non-Hispanics (75.73%) as compared to Black non-Hispanics (85.94%) and Hispanics (82.53%) claimed that a doctor, nurse, or other health care worker asked them if they were feeling down or depressed during any of their prenatal care visits

(Q25F). Overall, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic women answered “Yes” when asked whether or not a health care provider discussed the following: if someone was hurting them emotionally or physically (Q25E); if they were using drugs such as marijuana, cocaine, crack, or meth (Q25G); if they wanted to be tested for HIV (Q25H); if they planned to breastfeed their new baby (Q25I); and if they planned to use birth control after their new baby was born (Q25J).

### **Infant Care**

Approximately one-fifth (20.03%) of Black non-Hispanic women stated that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born (Q65). This was higher than the reported percentage of White non-Hispanics (16.88%) and approximated the percentage reported by Hispanics (19.60%).

### **Breastfeeding**

As compared to Black non-Hispanics and Hispanics, a slightly higher percentage of White non-Hispanic respondents stated that they received information about breastfeeding from a nurse, midwife, or doula (Q55B) or a breastfeeding or lactation specialist (Q55C). Conversely, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic and Hispanic women reported that they received information about breastfeeding from a breastfeeding support group (Q55E) or a breastfeeding hotline or toll-free number (Q55F).

A significantly higher percentage of White non-Hispanics (83.65%) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (79.14%) as indicated in the results to Q56. Overall, a higher percentage of women with more education, that were married, or were in older age groups stated that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education, that were non-married, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q57). In fact, only 32.70% of Black non-Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to 55.70% of White non-Hispanic women and 45.70% of Hispanic women.

### **SIDS Prevention**

A significantly higher percentage of White non-Hispanics (84.73%) and Hispanics (76.45%) compared to Black non-Hispanics (62.72%) reported laying their baby down on his or her back when they sleep (Q59). Compared with non-married women and women with fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. Moreover, a significantly higher percentage of White non-Hispanics (82.80%) reported that their baby always or often sleeps alone in his or her own crib or bed as compared to the corresponding percentages reported by Black non-Hispanics (67.47%) and Hispanics (75.22%) as indicated in Q60.

### Infant Survival

As given in Q53, when women were asked whether or not their baby was alive at the time of the survey, a significantly higher percentage of White non-Hispanic women (98.13%) responded “Yes” as compared to Black non-Hispanic women (92.78%). Moreover, as given in Q54, a significantly higher percentage of White non-Hispanic women (95.82%) claimed that their baby was living with them now as compared to Black non-Hispanic women (91.95%).

### Alcohol & Tobacco Use

#### Alcohol Use

A significantly higher percentage of White non-Hispanics (78.86%) stated that they had consumed at least one alcoholic drink in the past two years (Q43) as compared to Black non-Hispanics (45.77%) and Hispanics (47.27%). As given in Q44, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant was markedly higher than the percentage reported by Black non-Hispanics and Hispanics.

#### Tobacco Use

Compared to Black non-Hispanics (17.59%) and Hispanics (14.04%), a significantly higher percentage of White non-Hispanics (30.27%) stated that they smoked in the past two years (Q35). When asked whether or not they smoked in the past two years, the percentage of non-married women responding “Yes” (35.75%) was almost triple that of married women (12.69%).

In addition, the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was more than double the percentage reported by Black non-Hispanic women (White non-Hispanics: 8.87% compared to Black non-Hispanics: 3.76%) as indicated in Q36. As given in Q36, Q37, and Q38, non-married women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed.

### Health Care Utilization

#### HIV Testing

As presented in Q12L, a significantly higher percentage of White non-Hispanic women (52.03%) stated that they had a test for HIV in the 12 months before they got pregnant as compared to Black non-Hispanic women (41.40%) or Hispanic women (28.90%).

#### Flu Shots

Almost half of White non-Hispanic women (46.71%) and Hispanic women (47.81%) reported that they received a flu shot during their pregnancy of their new baby (Q27B), which contrasts with 35.61% of Black non-Hispanic women.

### Parenting Classes

A higher percentage of women under 20 years of age (19.48%) stated that they took parenting classes as compared to 5.17% of women ages 20-24 years and 4.29% of women ages 25-34 years (Q79A).

### Physician Visits

As compared to both Black non-Hispanic and Hispanic women, a significantly higher percentage of White non-Hispanic women responded that they had a regular checkup with an OB/GYN (Q11B), a visit for an illness or chronic condition (Q11C), a visit for family planning or birth control (Q11E), or a visit ofr depression or anxiety (Q11F) in the 12 months before they got pregnant with their new baby.

### Dentist Visits

As given in Q11G, more than half (53.11%) of White non-Hispanics claimed that they had a visit to have thir teeth claned by a dentist or dental hygienist in the 12 month before they got pregnant with their new baby; this contrasts with 29.99% of Black non-Hispanics and 20.55% of Hispanics. In addition, as indicated in Q30A, 85.23% of respondents stated that they knew it was important to care for their teeth and gums during pregnancy. Furthermore, approximately half (47.77%) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For these two questions, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. However, as indicated in Q29, a significantly higher percentage of White non-Hispanics (51.77%) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (32.58%) or Hispanics (34.36%). Moreover, as shown in Q30C, 70.21% of White non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Black non-Hispanics (56.942%) and more than double that of Hispanics (31.25%). Finally, a higher percentage of Black non-Hispanics (23.28%) *needed* to see a dentist for a problem, as compared to 18.68% of White non-Hispanics (Q30D). However, the percentage of Black non-Hispanics who reported *actually* going to a dentist or dental clinic about a problem was comparable to both White non-Hispanics and Hispanics (Q30F).

### Contraception

As evidenced by Q68G, a significantly higher percentage of White non-Hispanic womnn (14.34%) said that they are now using an IUD (such as Mirena®, ParaGard®, Liletta®, or Skyla®) as compared to 7.91% of Black non-Hispanic women and 9.64% of Hispanic women. However, a significantly higher percentage of Hispanic women (19.08%) compared to White non-Hispanic (0.85%) and Black non-Hispanic (3.12%) women stated that they are using a contraceptive implant in the arm (Nexplanon® or Implanon®) to keep from getting pregnant now (Q68H). Roughly two-fifths (38.76%) of all respondents reported that a doctor, nurse, or other health care worker gave or prescribed a contraceptive method such as the pill, shot (Depo-

Provera®, NuvaRing®, or condoms (Q70E) while 17.91% said that a health care provider inserted an IUD or contraceptive implant at a postpartum checkup (Q70F).

### **Health Status**

#### **Before Becoming Pregnant**

Overall, White non-Hispanic women as compared to Black non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. According to Q7B, 48.15% of White non-Hispanic women stated that they were exercising 3 or more days of the week for fitness outside of their regular jobs; this contrasts with 30.05% of Black non-Hispanic women and 37.75% of Hispanic women. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported regular use of prescription medicines other than birth control (Q7C) while a significantly higher percentage of Black non-Hispanic women compared to White non-Hispanic women reported being checked or treated for diabetes (Q7D).

As provided in Q9, slightly more than half (54.48%) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby. This percentage was significantly higher than that reported by Black non-Hispanic women (37.67%) and Hispanic women (39.20%).

Furthermore, the race/ethnicity categories differed in the reported presence of adverse health conditions in the three months before getting pregnant (Q8A-H). In Q8B, 7.96% of Black non-Hispanics stated they had high blood pressure or hypertension as compared to 3.73% of White non-Hispanics and 2.38% of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were apparent for asthma (Q8D) and anemia (Q8E). Conversely, a higher percentage of White non-Hispanic women reported having thyroid problems (Q8F), polycystic ovarian syndrome (Q8G), and anxiety (Q8H) as compared to Black non-Hispanic women.

Finally, a higher percentage of Black non-Hispanic women (3.48%) as compared to White non-Hispanic women (1.06%) and Hispanic women (0.84%) stated that their husband or partner pushed, hit, slapped, kicked, choked, or physically hurt them before they got pregnant with their new baby (Q47A).

#### **During Most Recent Pregnancy**

In Q32A, 7.66% of White non-Hispanic women and 5.43% of Black non-Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes (diabetes that started during this pregnancy); these percentages were lower than the percentage reported by Hispanic women (9.65%). A markedly high percentage (24.92%) of Black non-Hispanic women stated that they had a problem with severe nausea, vomiting, or



dehydration during their most recent pregnancy; this contrasts with only 13.35% of White non-Hispanic women and 16.97% of Hispanic women (Q33C). Compared to White non-Hispanic women and Hispanic women, a significantly higher percentage of Black non-Hispanic women also had a problem with vaginal bleeding (Q33A), kidney or bladder (urinary tract infection) (Q33B), and labor pains more than 3 weeks before their baby was due (Q33F).

As presented in Q34C, a higher percentage of Black non-Hispanics reported having Chlamydia (5.16%) during their pregnancy as compared to White non-Hispanics (1.03%) and Hispanics (4.34%). In Q34H, a significantly higher percentage of Black non-Hispanic women (6.75%) also stated that they had bacterial vaginosis during their pregnancy as compared to White non-Hispanic women (3.89%) and Hispanic women (4.06%).

### Postpartum Depression

A significantly higher percentage of non-married women (7.41%) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with married women (4.44%) as given in Q71. As indicated in Q72, roughly one-tenth (10.98%) of Black non-Hispanic women stated that they have always or often felt little interest or little pleasure in doing things since their new baby was born, which contrasts with 4.41% of White non-Hispanic women and 3.14% of Hispanic women.

### Health Coverage

#### Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. Compared to Black non-Hispanic (31.49%) and Hispanic (11.39%) women, a significantly higher percentage of White non-Hispanic women (56.79%) stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q15A). Conversely, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was more than double that of White non-Hispanic women (Black non-Hispanic: 57.26%; White non-Hispanic: 22.51%) as presented in Q15D. Finally, compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic women (16.62%) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby (Q15F); furthermore, a high percentage of Hispanic women (27.67%) claimed that they did not have any health insurance during the month before they became pregnant (Q15H).

#### Prenatal Care Payer

A significantly higher percentage of Black non-Hispanic women (64.46%) said Medicaid paid for at least part of their prenatal care as compared to Hispanic women (59.50%) and White non-Hispanic women (32.17%) as indicated in Q16E. Similar results occurred for younger women (89.09% of women under 20 years of age) as compared to older women (31.83% of women over 34 years of age), non-married women (73.23%) compared to married women (20.62%), and

women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q16E results generally took place at each demographic category as shown in Q16B. Compared to the other race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Delaware Healthy Children Program (Q16F: 4.50%) or Community Healthcare Access Program (Q16G: 23.74%) helped pay for their prenatal care. As given in Q16I, a disproportionately high percentage of Hispanic women (17.87%) said that they did not have health insurance to help pay for prenatal care.

#### During Most Recent Pregnancy

During their most recent pregnancy, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women (Q77B). Similar results were reported among women with fewer years of education (77.37% of women less than 12 years of education and 56.85% of women with 12 years of education) compared with women with more years of education (19.05% of women with over 12 years of education) and non-married women (64.03%) compared with married women (19.67%). A significantly higher percentage of Hispanic women (70.26%) were on WIC compared to Black non-Hispanics (59.58%), and in corresponding manner, a significantly lower percentage of White non-Hispanics (23.33%). Finally, as given in Q77A, a significantly higher percentage of Black non-Hispanics (50.52%) and Hispanics (43.28%) compared to White non-Hispanics (21.37%) reported that they were on food stamps or received money to buy food during their most recent pregnancy.

#### During Delivery and Well-Baby Checkups

As provided in Q17D, a significantly higher percentage of Black non-Hispanics (68.16%) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (32.52%) and Hispanics (50.23%). Similar results occurred for non-married women (74.84%) compared to married women (18.34%) and younger age groups (90.49% of women under 20 years of age and 70.63% of women ages 20 to 24) compared to older age groups (35.17% of women ages 25 to 34 years and 30.85% of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q17A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q17F: 24.58%) is their current form of health insurance. Finally, an estimated 1 in 6 Hispanic women were reported as not having health insurance now (Q17H).

Across all socio-demographic categories assessed, approximately 7 out of 8 women reported having had a postpartum checkup since their new baby was born (Q69).

### **Social Support**

A significantly higher percentage of White non-Hispanics (25.77%) and Black non-Hispanics (18.59%) claimed to have a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (9.90%) as given in Q46A. In addition, as shown in Q46D, a significantly higher percentage of Black non-Hispanics (4.16%) as compared to White non-Hispanics (1.74%) stated that they were homeless or had to sleep outside in a car or in a shelter at some point during the 12 months before their new baby was born. A significantly higher percentage of Black non-Hispanic women (29.99%) as compared to White non-Hispanic women (15.88%) and Hispanic women (14.56%) stated that they had argued with their husband or partner more than usual during the 12 months before their baby was born (Q46I). Furthermore, as provided by Q46J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (8.18%) was slightly more than double that of White non-Hispanics (3.35%). Finally, as shown in Q78A, a significantly higher percentage of White non-Hispanics (85.75%) compared to Black non-Hispanics (63.53%) or Hispanics (60.59%) stated that they would know someone who could loan them \$50 if they needed it.

Overall, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q46A-N and Q78A-D).

### **DISCUSSION**

As consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Overall, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on the measures in the "Health Status" section of the Results). According to the "Health Status" section of the Results, White non-Hispanics were frequently in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2016 PRAMS analysis tend to echo the results of the 2013, 2014, and 2015 PRAMS analyses. Black non-Hispanics and non-married women generally reported greater utilization of parenting classes and said that a health care provider asked them about whether someone was hurting them emotionally or physically, if they were feeling down or depressed, and if they wanted to be tested for HIV during their pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women were less likely to have health insurance throughout the perinatal period (see "Prenatal Care" and "Health Coverage")

sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.


Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. As in prior years, although a higher percentage of Black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to White non-Hispanics, a significantly higher percentage of White non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.

Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about half of Black non-Hispanic women reported being happy or very happy when they found out they were pregnant; this contrasts with three out of every four White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.


Finally, although no direct comparisons are provided in this report, it is essential to note that the results in the 2016 PRAMS analysis tended to be more encouraging across all socio-demographic categories as compared to the results in the previous PRAMS analyses. This may suggest that maternal and infant health initiatives within the State of Delaware are demonstrating an effect on improving self-reported behaviors and outcomes.

**GRAPHS**

**Q4: Before you got pregnant, did you have any other babies who were born alive?§§,\*\*\* (% “Yes”)**




**Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?§§,\*\*\* (% “Yes”)**




§§ For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.

\*\*\* Indicates that at least one cell count used as a numerator for a percentage in this graph or table is less than 30.


**Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?§§:\*\*\* (% “Yes”)**




**Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)**




**Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)**




**Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)**



**Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)**




**Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history?\*\*\* (% “Yes”)**







**Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes? (% “Yes”)**




**Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? (% “Yes”)**




**Q8C: During the 3 months before you got pregnant with your new baby, did you have depression?\*\*\* (% “Yes”)**




**Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma?\*\*\* (% “Yes”)**




**Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? (% “Yes”)**




**Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? \*\*\* (% “Yes”)**




**Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)? (% “Yes”)**




**Q8H: During the month before you got pregnant with your new baby, did you have anxiety? (% “Yes”)**




**Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? \*\*\* (% “Yes”)**




**Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker?\*\*\* (% “Yes”)**




**Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor's office?\*\*\* (% "Yes")**




**Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN's office?\*\*\* (% "Yes")**




**Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?\*\*\* (% “Yes”)**




**Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?\*\*\* (% “Yes”)**



**Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?\*\*\* (% “Yes”)**




**Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?\*\*\* (% “Yes”)**







**Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist?\*\*\* (% “Yes”)**




**Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?\*\*\* (% “Yes”)**




**Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight?\*\*\* (% “Yes”)**




**Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?\*\*\* (% “Yes”)**




**Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children?\*\*\* (% “Yes”)**




**Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy?\*\*\* (% “Yes”)**




**Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy?\*\*\* (% “Yes”)**




**Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis?\*\*\* (% “Yes”)**




**Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?\*\*\* (% “Yes”)**




**Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?\*\*\* (% “Yes”)**




**Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?\*\*\* (% “Yes”)**




**Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do?\*\*\* (% “Yes”)**




**Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?\*\*\* (% “Yes”)**




**Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy?\*\*\* (% “Yes”)**



**Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?\*\*\* (% “Yes”)**




**Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?\*\*\* (% “Yes”)**







**Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?\*\*\* (% “Yes”)**




**Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety?\*\*\* (% “Yes”)**




**Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy?\*\*\* (% “Yes”)**




**Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby?\*\*\* (% “Yes”)**




**Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?\*\*\* (% “Yes”)**




**Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?\*\*\* (% “Yes”)**




**Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner? (% “Yes”)**




**Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents? (% “Yes”)**




**Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov? (% “Yes”)**




**Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? (% “Yes”)**




**Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? (% “Yes”)**




**Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? (% “Yes”)**




**Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? (% “Yes”)**




**Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? (% “Yes”)**



**Q16A: During my most recent pregnancy, I did not go for prenatal care. (% “Yes”)**




**Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. (% “Yes”)**







**Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. (% “Yes”)**




**Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. (% “Yes”)**




**Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care.\*\*\* (% “Yes”)**




**Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. (% “Yes”)**




**Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care. (% “Yes”)**




**Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. (% “Yes”)**




**Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. (% “Yes”)**




**Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. (% “Yes”)**




**Q17B: I have private health insurance from my parents as my health insurance now. (% “Yes”)**




**Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now. (% “Yes”)**




**Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now.\*\*\* (% “Yes”)**




**Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now. (% “Yes”)**




**Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now. (% “Yes”)**




**Q17G: I have TRICARE or other military health care as my health insurance now. (% “Yes”)**



**Q17H: I do not have health insurance now. (% “Yes”)**




**Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later.\*\*\* (% “Yes”)**







**Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.\*\*\* (% “Yes”)**




**Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then.\*\*\* (% “Yes”)**




**Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future.\*\*\* (% “Yes”)**




**Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted.\*\*\* (% “Yes”)**




**Q19: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)**




**Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?\*\*\* (% “Yes”)**




**Q23: Did you get prenatal care as early in your pregnancy as you wanted?\*\*\* (% “Yes”)**




**Q24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% “Yes”)**




**Q24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. \*\*\* (% "Yes")**




**Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. \*\*\* (% "Yes")**




**Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% “Yes”)**




**Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% “Yes”)**




**Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**




**Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**



**Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**




**Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**







**Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**



**Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.\*\*\* (% "Yes")**




**Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy?\*\*\* (% “Yes”)**




**Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?\*\*\* (% “Yes”)**




**Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?\*\*\* (% “Yes”)**




**Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol?\*\*\* (% “Yes”)**




**Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?\*\*\* (% “Yes”)**




**Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?\*\*\* (% “Yes”)**




**Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?\*\*\* (% “Yes”)**




**Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?\*\*\* (% “Yes”)**




**Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby?\*\*\* (% “Yes”)**




**Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?\*\*\* (% “Yes”)**




**Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?\*\*\* (% “Yes”)**




**Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy?\*\*\* (% “Yes”)**



**Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy?\*\*\* (% “Yes”)**




**Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination?\*\*\* (% “Yes”)**






**Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?\*\*\* (% “Yes”)**




**Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy.\*\*\* (% “Yes”)**




**Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums. \*\*\* (% “Yes”)**




**Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. \*\*\* (% “Yes”)**




**Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. (% “Yes”)**




**Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. (% “Yes”)**




**Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)**




**Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy?) (% “Yes”)**




**Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia? (% “Yes”)**




**Q32C: During your most recent pregnancy, did you have depression? (% “Yes”)**




**Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”)**




**Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy?\*\*\* (% “Yes”)**




**Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy? (% “Yes”)**




**Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy? (% “Yes”)**



**Q33E: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy? (% “Yes”)**




**Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)**







**Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”)**




**Q33H: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”)**




**Q33I: Did you get hurt in a car accident during your most recent pregnancy? (% “Yes”)**




**Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts? (% “Yes”)**




**Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes? (% “Yes”)**




**Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia? (% “Yes”)**




**Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea? (% “Yes”)**




**Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)? (% “Yes”)**




**Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis? (% “Yes”)**




**Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)? (% “Yes”)**




**Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? (% “Yes”)**




**Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis? (% “Yes”)**




**Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? (% “Yes”)**




**Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? (% “Yes”)**



**Q35: Have you smoked any cigarettes in the past 2 years? (% “Yes”)**




**Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?\*\*\* (% “Yes”)**







**Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?\*\*\* (% “Yes”)**




**Q38: Do you currently smoke 11 or more cigarettes on average each day?\*\*\* (% “Yes”)**




**Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?\*\*\* (% “Yes”)**




**Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? (% “Yes”)**




**Q40B: Have you used hookah in the past 2 years? (% “Yes”)**




**Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years? (% “Yes”)**




**Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years? (% “Yes”)**




**Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?\*\*\* (% “Yes”)**




**Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?\*\*\* (% “Yes”)**




**Q43: Have you had any alcoholic drinks in the past 2 years?\*\*\* (% “Yes”)**




**Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?\*\*\* (% “Yes”)**




**Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?\*\*\* (% “Yes”)**




**Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)**




**Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)**



**Q46C: During the 12 months before your new baby was born, did you move to a new address?\*\*\*  
(% “Yes”)**




**Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? (% “Yes”)**







**Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)**




**Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? (% “Yes”)**




**Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? (% “Yes”)**




**Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? (% “Yes”)**




**Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?\*\*\* (% “Yes”)**




**Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% “Yes”)**




**Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? (% “Yes”)**




**Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? (% “Yes”)**




**Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? (% “Yes”)**




**Q46N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)**




**Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**




**Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**




**Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**




**Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**



**Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**




**Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**







**Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)?**  
 (% “Yes”)




**Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days?\*\*\***  
 (% “Yes”)




**Q53: Is your baby alive now?\*\*\* (% “Yes”)**




**Q54: Is your baby living with you now?\*\*\* (% “Yes”)**




**Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor?\*\*\* (% “Yes”)**




**Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?\*\*\* (% “Yes”)**




**Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist?\*\*\* (% “Yes”)**




**Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider?\*\*\* (% “Yes”)**




**Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? (% “Yes”)**




**Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? (% “Yes”)**




**Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?\*\*\* (% “Yes”)**




**Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?\*\*\* (% “Yes”)**




**Q57: Are you currently breastfeeding or feeding pumped milk to your new baby?\*\*\* (% “Yes”)**




**Q59: Do you most often lay your baby down on his or her back when he or she sleeps now?\*\*\* (% “Yes”)**



**Q60: Does your baby always or often sleep alone in his or her own crib or bed?\*\*\* (% “Yes”)**




**Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?\*\*\* (% “Yes”)**







**Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?\*\*\* (% “Yes”)**




**Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?\*\*\* (% “Yes”)**




**Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?**  
 (% “Yes”)




**Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?**  
 (% “Yes”)




**Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? (% “Yes”)**




**Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket?\*\*\* (% “Yes”)**




**Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? (% “Yes”)**




**Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?\*\*\* (% “Yes”)**




**Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?\*\*\* (% “Yes”)**




**Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?\*\*\* (% “Yes”)**




**Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room?\*\*\* (% “Yes”)**




**Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?\*\*\* (% “Yes”)**




**Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week  
checkup after he or she was born?\*\*\* (% “Yes”)**




**Q65: Since your new baby was born, has a home visitor come to your home to help you learn how  
to take care of yourself or your new baby?\*\*\* (% “Yes”)**



**Q66: Are you or your husband or partner doing anything now to keep from getting pregnant?\*\*\***  
 (% “Yes”)




**Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now †††,\*\*\*** (% “Yes”)




††† Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.  
 Delaware Department of Health and Social Services, Division of Public Health




**Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* (% “Yes”)**




**Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* (% “Yes”)**




**Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.<sup>†††,\*\*\*</sup> (% "Yes")**




**Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.<sup>†††,\*\*\*</sup> (% "Yes")**




**Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,\*\*\* (% “Yes”)**




**Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,\*\*\* (% “Yes”)**




**Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* (% “Yes”)**




**Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)**




**Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)**




**Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. †††,\*\*\* (% “Yes”)**




**Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant.<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant.<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. †††,\*\*\* (% “Yes”)**




**Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. †††,\*\*\* (% “Yes”)**



**Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. <sup>†††,\*\*\*</sup> (% “Yes”)**




**Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)**







**Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. †††,\*\*\* (% “Yes”)**




**Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. †††,\*\*\* (% “Yes”)**




**Q69: Since your new baby was born, have you had a postpartum checkup for yourself?<sup>†††,\*\*\*</sup>  
(% “Yes”)**




**Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?<sup>†††,\*\*\*</sup>**  
 (% “Yes”)




**Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?<sup>†††,\*\*\*</sup>**  
 (% “Yes”)




**Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? (% “Yes”)**




**Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes?<sup>†††,\*\*\*</sup> (% “Yes”)**




**Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?<sup>\*\*\*</sup> (% “Yes”)**



**Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed?\*\*\* (% “Yes”)**




**Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth? (% “Yes”)**







**Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?\*\*\* (% “Yes”)**




**Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?\*\*\* (% “Yes”)**




**Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?\*\*\* (% “Yes”)**




**Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food?\*\*\* (% “Yes”)**




**Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?\*\*\* (% “Yes”)**




**Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems? (% “Yes”)**




**Q77D: During your most recent pregnancy, did you receive help to quit smoking? (% “Yes”)**




**Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home? (% “Yes”)**




**Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it?\*\*\* (% “Yes”)**




**Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed?\*\*\* (% “Yes”)**




**Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride?\*\*\* (% "Yes")**




**Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems?\*\*\* (% "Yes")**



**Q79A: During your most recent pregnancy, did you take any parenting classes?\*\*\* (% “Yes”)**



**Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)**



**TABLES**

Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q4-Q8C												
	Percent Response Yes	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
<b>Total</b>	Yes	57.74%	8.01%	6.42%	30.62%	41.36%	22.65%	23.02%	38.57%	1.14%	4.52%	12.42%
<b>Age</b>	Under 20 Years	12.52%	2.39%	3.17%	26.73%	26.73%	8.43%	20.95%	27.29%	2.39%	3.17%	18.09%
	20-24 Years	39.76%	7.04%	5.03%	22.73%	27.21%	14.98%	23.06%	32.06%	0.00%	3.09%	9.44%
	25-34 Years	61.14%	8.13%	5.87%	33.67%	46.04%	24.04%	22.53%	38.77%	1.07%	3.57%	12.70%
	Over 34 Years	80.62%	10.61%	11.14%	29.15%	44.39%	30.81%	25.56%	48.94%	2.20%	10.10%	12.61%
<b>Ethnicity</b>	White Non-Hispanic	56.53%	5.19%	4.07%	36.64%	48.15%	27.96%	17.55%	38.25%	0.53%	3.73%	12.23%
	Black Non-Hispanic	56.27%	10.75%	9.58%	20.04%	30.05%	18.79%	28.21%	39.54%	1.53%	7.96%	12.54%
	Hispanic	64.89%	11.83%	8.62%	28.81%	37.75%	9.67%	32.23%	34.80%	1.75%	2.38%	15.41%
<b>Married</b>	Married	61.27%	6.06%	3.55%	34.87%	50.20%	22.06%	21.10%	42.01%	0.91%	3.43%	7.13%
	Not Married	53.46%	10.38%	9.90%	25.45%	30.63%	23.36%	25.35%	34.41%	1.41%	5.84%	18.84%
<b>Previous Live Birth</b>	Yes	N/A	N/A	N/A	31.20%	38.75%	20.88%	23.34%	38.89%	0.87%	4.85%	13.12%
	No	N/A	N/A	N/A	29.79%	45.06%	25.16%	22.57%	38.13%	1.52%	4.05%	11.43%
<b>Education</b>	Less Than 12 Years	66.59%	13.79%	11.92%	21.37%	28.41%	10.52%	30.22%	32.38%	1.43%	3.73%	14.31%
	12 Years	60.79%	7.95%	7.08%	25.91%	27.90%	25.91%	25.41%	38.14%	0.77%	6.05%	16.10%
	Greater Than 12 Years	53.35%	6.06%	4.23%	36.14%	52.10%	25.56%	19.31%	41.09%	1.21%	4.13%	10.17%
	Lower 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
<b>Total</b>	Yes	56.79%	7.48%	5.95%	29.73%	40.41%	21.84%	22.21%	37.64%	0.93%	4.12%	11.78%
<b>Age</b>	Under 20 Years	9.85%	1.16%	1.76%	23.16%	23.16%	6.18%	17.66%	23.69%	1.16%	1.76%	14.98%
	20-24 Years	37.51%	5.86%	4.03%	20.80%	25.17%	13.34%	21.12%	29.92%	0.00%	2.29%	8.10%
	25-34 Years	59.93%	7.45%	5.29%	32.50%	44.81%	22.98%	21.49%	37.56%	0.81%	3.11%	11.87%
	Over 34 Years	78.73%	9.13%	9.63%	26.97%	42.00%	28.59%	23.46%	46.54%	1.50%	8.66%	11.01%
<b>Ethnicity</b>	White Non-Hispanic	55.22%	4.61%	3.54%	35.37%	46.83%	26.77%	16.55%	36.97%	0.34%	3.23%	11.36%
	Black Non-Hispanic	54.40%	9.58%	8.47%	18.53%	28.32%	17.32%	26.51%	37.69%	1.07%	6.94%	11.28%
	Hispanic	62.61%	10.29%	7.27%	26.64%	35.43%	8.25%	29.99%	32.52%	1.12%	1.65%	13.68%
<b>Married</b>	Married	60.01%	5.43%	3.07%	33.63%	48.89%	20.98%	20.04%	40.72%	0.67%	2.96%	6.46%
	Not Married	52.03%	9.50%	9.04%	24.20%	29.31%	22.15%	24.10%	33.04%	1.07%	5.16%	17.72%
<b>Previous Live Birth</b>	Yes	N/A	N/A	N/A	30.04%	37.52%	19.85%	22.27%	37.66%	0.64%	4.31%	12.27%
	No	N/A	N/A	N/A	28.42%	43.57%	23.86%	21.32%	36.68%	1.15%	3.46%	10.47%
<b>Education</b>	Less Than 12 Years	64.52%	12.28%	10.50%	19.58%	26.43%	9.18%	28.21%	30.34%	0.91%	2.90%	12.78%
	12 Years	58.91%	6.90%	6.09%	24.22%	26.17%	24.21%	23.73%	36.26%	0.43%	5.13%	14.68%
	Greater Than 12 Years	52.06%	5.44%	3.71%	34.89%	50.80%	24.43%	18.29%	39.81%	0.93%	3.61%	9.39%
	Upper 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
<b>Total</b>	Yes	58.70%	8.53%	6.89%	31.51%	42.31%	23.46%	23.83%	39.51%	1.34%	4.92%	13.05%
<b>Age</b>	Under 20 Years	15.19%	3.63%	4.59%	30.30%	30.30%	10.67%	24.23%	30.89%	3.63%	4.59%	21.20%
	20-24 Years	42.01%	8.21%	6.04%	24.65%	29.26%	16.62%	25.00%	34.21%	0.00%	3.88%	10.78%
	25-34 Years	62.34%	8.80%	6.46%	34.84%	47.27%	25.10%	23.56%	39.98%	1.32%	4.03%	13.52%
	Over 34 Years	82.52%	12.09%	12.65%	31.33%	46.77%	33.03%	27.65%	51.34%	2.91%	11.55%	14.20%
<b>Ethnicity</b>	White Non-Hispanic	57.84%	5.78%	4.59%	37.92%	49.47%	29.14%	18.56%	39.53%	0.73%	4.23%	13.09%
	Black Non-Hispanic	58.15%	11.92%	10.69%	21.55%	31.79%	20.27%	29.91%	41.39%	1.99%	8.99%	13.79%
	Hispanic	67.18%	13.38%	9.96%	30.98%	40.07%	11.08%	34.47%	37.09%	2.38%	3.11%	17.14%
<b>Married</b>	Married	62.54%	6.68%	4.04%	36.12%	51.50%	23.14%	22.16%	43.29%	1.16%	3.90%	7.80%
	Not Married	54.89%	11.25%	10.76%	26.70%	31.96%	24.58%	26.60%	35.77%	1.75%	6.51%	19.96%
<b>Previous Live Birth</b>	Yes	N/A	N/A	N/A	32.37%	39.97%	21.90%	24.40%	40.11%	1.11%	5.39%	13.97%
	No	N/A	N/A	N/A	31.16%	46.56%	26.46%	23.83%	39.59%	1.88%	4.64%	12.38%
<b>Education</b>	Less Than 12 Years	68.65%	15.30%	13.34%	23.16%	30.38%	11.86%	32.23%	34.43%	1.95%	4.56%	15.85%
	12 Years	62.68%	9.00%	8.08%	27.61%	29.64%	27.60%	27.10%	40.02%	1.11%	6.98%	17.52%
	Greater Than 12 Years	54.65%	6.67%	4.75%	37.38%	53.39%	26.69%	20.33%	42.36%	1.49%	4.64%	10.96%



Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q8D-Q11D												
	Percent Response Yes	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
<b>Total</b>	Yes	12.32%	14.54%	5.23%	4.14%	18.66%	48.18%	68.66%	39.32%	48.57%	13.30%	4.21%
<b>Age</b>	Under 20 Years	28.75%	27.52%	0.00%	2.39%	24.73%	25.11%	44.98%	31.61%	10.29%	6.34%	8.74%
	20-24 Years	19.11%	20.18%	2.21%	0.93%	16.87%	32.64%	58.61%	41.91%	35.70%	10.80%	2.33%
	25-34 Years	10.25%	12.86%	6.47%	5.33%	17.90%	51.46%	70.91%	38.23%	53.02%	14.41%	4.80%
	Over 34 Years	6.84%	10.06%	5.71%	3.79%	21.33%	60.97%	79.55%	43.34%	59.44%	14.30%	2.45%
<b>Ethnicity</b>	White Non-Hispanic	11.77%	8.61%	7.23%	6.09%	23.80%	54.48%	79.31%	41.07%	60.54%	17.42%	3.87%
	Black Non-Hispanic	15.72%	28.38%	2.69%	1.75%	12.88%	37.67%	63.60%	42.64%	44.72%	9.24%	4.52%
	Hispanic	10.86%	13.86%	1.86%	1.86%	13.77%	39.20%	43.35%	28.33%	18.16%	8.35%	5.98%
<b>Married</b>	Married	8.24%	8.25%	6.67%	5.97%	15.40%	61.75%	75.65%	39.00%	57.90%	15.50%	4.20%
	Not Married	17.27%	22.17%	3.47%	1.92%	22.61%	31.71%	60.17%	39.71%	37.24%	10.63%	4.23%
<b>Previous Live Birth</b>	Yes	10.47%	17.34%	5.41%	2.93%	19.01%	48.04%	66.00%	37.07%	49.11%	12.78%	3.96%
	No	14.94%	10.55%	4.97%	5.86%	18.15%	48.37%	72.43%	42.52%	47.81%	14.04%	4.56%
<b>Education</b>	Less Than 12 Years	10.82%	16.93%	1.16%	0.70%	18.00%	33.52%	36.24%	26.41%	18.78%	5.03%	4.34%
	12 Years	16.25%	21.63%	7.42%	2.22%	19.54%	36.11%	62.11%	39.67%	39.83%	11.29%	4.74%
	Greater Than 12 Years	11.15%	10.53%	5.69%	6.23%	18.60%	58.68%	83.27%	43.91%	63.13%	17.17%	3.95%
	<b>Lower 95% CI</b>	<b>Q8D</b>	<b>Q8E</b>	<b>Q8F</b>	<b>Q8G</b>	<b>Q8H</b>	<b>Q9</b>	<b>Q10</b>	<b>Q11A</b>	<b>Q11B</b>	<b>Q11C</b>	<b>Q11D</b>
<b>Total</b>	Yes	11.68%	13.86%	4.80%	3.76%	17.91%	47.21%	67.76%	38.38%	47.61%	12.64%	3.82%
<b>Age</b>	Under 20 Years	25.09%	23.91%	0.00%	1.16%	21.25%	21.61%	40.96%	27.86%	7.84%	4.38%	6.46%
	20-24 Years	17.31%	18.34%	1.53%	0.49%	15.15%	30.48%	56.34%	39.64%	33.49%	9.37%	1.64%
	25-34 Years	9.50%	12.03%	5.86%	4.77%	16.95%	50.22%	69.79%	37.02%	51.79%	13.54%	4.27%
	Over 34 Years	5.63%	8.61%	4.60%	2.87%	19.36%	58.63%	77.61%	40.96%	57.08%	12.62%	1.71%
<b>Ethnicity</b>	White Non-Hispanic	10.92%	7.87%	6.54%	5.46%	22.67%	53.16%	78.24%	39.77%	59.25%	16.42%	3.36%
	Black Non-Hispanic	14.35%	26.68%	2.08%	1.25%	11.61%	35.84%	61.79%	40.78%	42.84%	8.15%	3.73%
	Hispanic	9.37%	12.20%	1.21%	1.21%	12.12%	36.86%	40.98%	26.17%	16.31%	7.03%	4.84%
<b>Married</b>	Married	7.52%	7.53%	6.02%	5.35%	14.46%	60.48%	74.53%	37.73%	56.62%	14.56%	3.67%
	Not Married	16.18%	20.98%	2.95%	1.53%	21.41%	30.37%	58.77%	38.31%	35.86%	9.74%	3.65%
<b>Previous Live Birth</b>	Yes	9.70%	16.39%	4.84%	2.50%	18.03%	46.78%	64.81%	35.85%	47.85%	11.93%	3.47%
	No	13.87%	9.63%	4.32%	5.16%	17.00%	46.87%	71.09%	41.04%	46.31%	13.00%	3.93%
<b>Education</b>	Less Than 12 Years	9.46%	15.29%	0.69%	0.34%	16.32%	31.46%	34.13%	24.48%	17.07%	4.07%	3.45%
	12 Years	14.82%	20.03%	6.41%	1.65%	18.01%	34.25%	60.24%	37.77%	37.93%	10.07%	3.92%
	Greater Than 12 Years	10.33%	9.74%	5.09%	5.60%	17.59%	57.40%	82.30%	42.62%	61.88%	16.19%	3.44%
	<b>Upper 95% CI</b>	<b>Q8D</b>	<b>Q8E</b>	<b>Q8F</b>	<b>Q8G</b>	<b>Q8H</b>	<b>Q9</b>	<b>Q10</b>	<b>Q11A</b>	<b>Q11B</b>	<b>Q11C</b>	<b>Q11D</b>
<b>Total</b>	Yes	12.95%	15.22%	5.65%	4.52%	19.41%	49.14%	69.55%	40.26%	49.53%	13.95%	4.60%
<b>Age</b>	Under 20 Years	32.40%	31.12%	0.00%	3.63%	28.22%	28.61%	48.99%	35.37%	12.74%	8.31%	11.02%
	20-24 Years	20.92%	22.03%	2.88%	1.37%	18.59%	34.79%	60.87%	44.18%	37.90%	12.23%	3.02%
	25-34 Years	11.01%	13.69%	7.07%	5.89%	18.84%	52.70%	72.04%	39.43%	54.26%	15.28%	5.33%
	Over 34 Years	8.05%	11.50%	6.83%	4.71%	23.30%	63.31%	81.48%	45.72%	61.79%	15.98%	3.19%
<b>Ethnicity</b>	White Non-Hispanic	12.62%	9.35%	7.91%	6.72%	24.92%	55.79%	80.38%	42.37%	61.83%	18.42%	4.38%
	Black Non-Hispanic	17.10%	30.08%	3.30%	2.24%	14.14%	39.50%	65.42%	44.51%	46.59%	10.33%	5.30%
	Hispanic	12.35%	15.51%	2.51%	2.51%	15.42%	41.54%	45.73%	30.49%	20.01%	9.68%	7.11%
<b>Married</b>	Married	8.96%	8.96%	7.32%	6.58%	16.34%	63.01%	76.77%	40.27%	59.19%	16.44%	4.72%
	Not Married	18.35%	23.36%	4.00%	2.32%	23.81%	33.04%	61.57%	41.11%	38.63%	11.51%	4.80%
<b>Previous Live Birth</b>	Yes	11.24%	18.30%	5.98%	3.35%	20.00%	49.30%	67.19%	38.29%	50.37%	13.62%	4.45%
	No	16.01%	11.47%	5.62%	6.56%	19.31%	49.87%	73.77%	44.00%	49.31%	15.08%	5.18%
<b>Education</b>	Less Than 12 Years	12.18%	18.58%	1.63%	1.07%	19.68%	35.59%	38.34%	28.34%	20.49%	5.99%	5.23%
	12 Years	17.68%	23.22%	8.44%	2.79%	21.07%	37.97%	63.99%	41.56%	41.72%	12.52%	5.56%
	Greater Than 12 Years	11.96%	11.33%	6.29%	6.85%	19.60%	59.95%	84.23%	45.19%	64.38%	18.14%	4.45%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q11E-Q12H												
	Percent Response Yes	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
<b>Total</b>	Yes	11.17%	7.53%	40.73%	8.24%	23.59%	31.00%	10.86%	31.34%	30.34%	19.52%	19.78%
<b>Age</b>	Under 20 Years	6.34%	7.12%	23.65%	2.39%	4.79%	23.10%	5.57%	6.34%	18.25%	6.34%	18.25%
	20-24 Years	8.33%	4.29%	31.73%	6.99%	10.18%	29.85%	10.33%	18.87%	35.35%	14.17%	24.67%
	25-34 Years	12.76%	8.07%	42.67%	8.53%	26.48%	30.57%	9.78%	34.80%	29.71%	21.01%	18.81%
	Over 34 Years	9.96%	9.19%	49.28%	10.61%	34.03%	36.64%	17.40%	40.83%	31.52%	24.44%	18.66%
<b>Ethnicity</b>	White Non-Hispanic	14.95%	10.46%	53.11%	10.12%	28.96%	31.66%	9.34%	39.51%	31.67%	20.36%	16.07%
	Black Non-Hispanic	6.21%	3.87%	29.99%	4.82%	17.67%	34.30%	13.08%	21.05%	31.99%	20.80%	27.58%
	Hispanic	8.21%	5.82%	20.55%	8.13%	12.22%	24.58%	12.27%	19.62%	24.48%	14.23%	21.27%
<b>Married</b>	Married	14.53%	6.47%	51.88%	10.78%	34.31%	31.75%	10.34%	42.43%	31.02%	24.16%	14.18%
	Not Married	7.08%	8.81%	27.19%	5.17%	10.58%	30.07%	11.50%	17.89%	29.51%	13.89%	26.59%
<b>Previous Live Birth</b>	Yes	9.31%	6.85%	35.74%	6.89%	22.02%	29.19%	11.26%	28.25%	29.15%	17.62%	18.15%
	No	13.79%	8.50%	47.81%	10.16%	25.82%	33.55%	10.30%	35.73%	32.02%	22.22%	22.10%
<b>Education</b>	Less Than 12 Years	5.41%	6.26%	15.33%	3.98%	11.39%	18.01%	7.49%	11.60%	20.30%	13.09%	18.97%
	12 Years	5.42%	7.93%	27.06%	5.46%	12.48%	30.09%	10.51%	16.99%	27.84%	14.02%	19.74%
	Greater Than 12 Years	15.82%	7.84%	55.92%	11.03%	32.98%	36.12%	12.27%	44.87%	35.14%	24.35%	20.20%
	<b>Lower 95% CI</b>	<b>Q11E</b>	<b>Q11F</b>	<b>Q11G</b>	<b>Q12A</b>	<b>Q12B</b>	<b>Q12C</b>	<b>Q12D</b>	<b>Q12E</b>	<b>Q12F</b>	<b>Q12G</b>	<b>Q12H</b>
<b>Total</b>	Yes	10.56%	7.02%	39.78%	7.71%	22.77%	30.10%	10.26%	30.45%	29.45%	18.76%	19.02%
<b>Age</b>	Under 20 Years	4.38%	5.04%	20.22%	1.16%	3.07%	19.70%	3.72%	4.38%	15.13%	4.38%	15.13%
	20-24 Years	7.06%	3.35%	29.59%	5.82%	8.79%	27.75%	8.93%	17.08%	33.15%	12.57%	22.69%
	25-34 Years	11.94%	7.40%	41.45%	7.84%	25.39%	29.43%	9.04%	33.62%	28.58%	20.00%	17.84%
	Over 34 Years	8.52%	7.80%	46.88%	9.13%	31.75%	34.33%	15.58%	38.47%	29.29%	22.38%	16.79%
<b>Ethnicity</b>	White Non-Hispanic	14.00%	9.66%	51.79%	9.32%	27.76%	30.43%	8.57%	38.22%	30.45%	19.29%	15.10%
	Black Non-Hispanic	5.30%	3.14%	28.26%	4.01%	16.23%	32.50%	11.81%	19.51%	30.23%	19.27%	25.89%
	Hispanic	6.89%	4.70%	18.62%	6.82%	10.65%	22.52%	10.70%	17.72%	22.42%	12.56%	19.31%
<b>Married</b>	Married	13.61%	5.83%	50.58%	9.97%	33.08%	30.54%	9.55%	41.14%	29.82%	23.05%	13.27%
	Not Married	6.34%	8.00%	25.92%	4.53%	9.69%	28.76%	10.58%	16.79%	28.20%	12.90%	25.32%
<b>Previous Live Birth</b>	Yes	8.58%	6.21%	34.53%	6.26%	20.97%	28.05%	10.46%	27.12%	28.01%	16.66%	17.18%
	No	12.76%	7.66%	46.31%	9.25%	24.51%	32.13%	9.39%	34.29%	30.62%	20.98%	20.86%
<b>Education</b>	Less Than 12 Years	4.42%	5.20%	13.76%	3.12%	10.00%	16.32%	6.34%	10.20%	18.54%	11.61%	17.25%
	12 Years	4.55%	6.88%	25.34%	4.58%	11.20%	28.31%	9.32%	15.54%	26.11%	12.68%	18.20%
	Greater Than 12 Years	14.87%	7.14%	54.63%	10.22%	31.76%	34.88%	11.42%	43.58%	33.91%	23.24%	19.16%
	<b>Upper 95% CI</b>	<b>Q11E</b>	<b>Q11F</b>	<b>Q11G</b>	<b>Q12A</b>	<b>Q12B</b>	<b>Q12C</b>	<b>Q12D</b>	<b>Q12E</b>	<b>Q12F</b>	<b>Q12G</b>	<b>Q12H</b>
<b>Total</b>	Yes	11.77%	8.04%	41.68%	8.77%	24.41%	31.89%	11.46%	32.24%	31.22%	20.29%	20.55%
<b>Age</b>	Under 20 Years	8.31%	9.19%	27.08%	3.63%	6.51%	26.50%	7.42%	8.31%	21.37%	8.31%	21.37%
	20-24 Years	9.60%	5.22%	33.87%	8.16%	11.57%	31.96%	11.73%	20.67%	37.55%	15.77%	26.65%
	25-34 Years	13.59%	8.74%	43.90%	9.22%	27.57%	31.71%	10.52%	35.98%	30.84%	22.02%	19.77%
	Over 34 Years	11.40%	10.58%	51.68%	12.09%	36.30%	38.95%	19.22%	43.19%	33.75%	26.50%	20.53%
<b>Ethnicity</b>	White Non-Hispanic	15.89%	11.27%	54.43%	10.91%	30.16%	32.89%	10.11%	40.81%	32.90%	21.42%	17.04%
	Black Non-Hispanic	7.12%	4.60%	31.72%	5.63%	19.11%	36.09%	14.35%	22.59%	33.76%	22.34%	29.27%
	Hispanic	9.52%	6.95%	22.49%	9.44%	13.79%	26.65%	13.84%	21.52%	26.54%	15.90%	23.23%
<b>Married</b>	Married	15.45%	7.11%	53.18%	11.59%	35.55%	32.97%	11.14%	43.71%	32.23%	25.28%	15.08%
	Not Married	7.82%	9.63%	28.47%	5.80%	11.46%	31.39%	12.41%	18.99%	30.82%	14.88%	27.86%
<b>Previous Live Birth</b>	Yes	10.05%	7.49%	36.94%	7.53%	23.06%	30.34%	12.06%	29.39%	30.29%	18.58%	19.12%
	No	14.82%	9.33%	49.31%	11.07%	27.13%	34.97%	11.22%	37.17%	33.42%	23.47%	23.35%
<b>Education</b>	Less Than 12 Years	6.40%	7.32%	16.91%	4.83%	12.78%	19.69%	8.64%	13.00%	22.06%	14.56%	20.68%
	12 Years	6.30%	8.97%	28.77%	6.34%	13.76%	31.86%	11.69%	18.44%	29.57%	15.36%	21.28%
	Greater Than 12 Years	16.76%	8.54%	57.20%	11.84%	34.20%	37.37%	13.12%	46.16%	36.38%	25.46%	21.24%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q12I-Q14F												
	Percent Response Yes	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
<b>Total</b>	Yes	53.92%	37.08%	37.70%	44.57%	25.41%	16.71%	11.90%	13.73%	7.92%	19.75%	19.00%
<b>Age</b>	Under 20 Years	36.40%	25.43%	29.22%	22.10%	20.48%	12.21%	7.65%	9.58%	4.79%	19.39%	19.39%
	20-24 Years	52.22%	42.67%	43.04%	44.12%	26.93%	14.75%	10.28%	10.55%	8.76%	16.24%	21.22%
	25-34 Years	55.06%	35.41%	35.83%	45.70%	26.25%	15.55%	11.01%	12.45%	6.65%	19.98%	18.51%
	Over 34 Years	57.73%	41.40%	41.93%	48.79%	22.37%	24.80%	18.50%	23.45%	12.89%	22.83%	18.28%
<b>Ethnicity</b>	White Non-Hispanic	62.16%	40.56%	39.75%	52.03%	21.15%	16.19%	12.19%	14.22%	6.80%	20.02%	16.31%
	Black Non-Hispanic	51.18%	37.71%	39.55%	41.40%	38.55%	17.03%	11.53%	10.84%	6.91%	16.94%	20.90%
	Hispanic	35.50%	27.18%	31.41%	28.90%	20.61%	16.14%	10.17%	15.18%	12.01%	23.45%	24.36%
<b>Married</b>	Married	58.14%	37.59%	37.42%	49.64%	20.28%	21.16%	15.21%	16.98%	8.79%	24.43%	19.92%
	Not Married	48.81%	36.46%	38.05%	38.43%	31.64%	11.31%	7.88%	9.77%	6.87%	14.06%	17.88%
<b>Previous Live Birth</b>	Yes	49.72%	35.52%	37.38%	40.73%	24.10%	16.77%	11.65%	13.52%	8.45%	17.92%	18.89%
	No	59.89%	39.31%	38.16%	50.02%	27.28%	16.64%	12.25%	14.02%	7.18%	22.33%	19.16%
<b>Education</b>	Less Than 12 Years	30.34%	22.55%	22.77%	21.26%	13.66%	16.96%	10.54%	12.24%	11.54%	19.55%	20.50%
	12 Years	49.19%	35.73%	39.83%	39.88%	33.25%	10.25%	8.49%	8.52%	6.57%	13.89%	19.28%
	Greater Than 12 Years	64.54%	42.92%	42.13%	55.03%	26.09%	19.62%	13.97%	16.41%	7.06%	22.30%	18.21%
	<b>Lower 95% CI</b>	<b>Q12I</b>	<b>Q12J</b>	<b>Q12K</b>	<b>Q12L</b>	<b>Q13</b>	<b>Q14A</b>	<b>Q14B</b>	<b>Q14C</b>	<b>Q14D</b>	<b>Q14E</b>	<b>Q14F</b>
<b>Total</b>	Yes	52.96%	36.15%	36.77%	43.62%	24.57%	15.99%	11.27%	13.06%	7.40%	18.98%	18.24%
<b>Age</b>	Under 20 Years	32.52%	21.92%	25.55%	18.75%	17.23%	9.57%	5.50%	7.20%	3.07%	16.20%	16.20%
	20-24 Years	49.92%	40.39%	40.77%	41.84%	24.89%	13.12%	8.88%	9.14%	7.46%	14.54%	19.34%
	25-34 Years	53.82%	34.23%	34.64%	44.47%	25.16%	14.65%	10.24%	11.63%	6.04%	18.99%	17.54%
	Over 34 Years	55.36%	39.04%	39.56%	46.39%	20.37%	22.73%	16.63%	21.42%	11.28%	20.81%	16.42%
<b>Ethnicity</b>	White Non-Hispanic	60.88%	39.27%	38.46%	50.71%	20.07%	15.21%	11.33%	13.30%	6.14%	18.96%	15.34%
	Black Non-Hispanic	49.29%	35.88%	37.70%	39.54%	36.71%	15.61%	10.33%	9.67%	5.95%	15.53%	19.36%
	Hispanic	33.21%	25.05%	29.18%	26.73%	18.67%	14.38%	8.72%	13.46%	10.45%	21.42%	22.30%
<b>Married</b>	Married	56.86%	36.33%	36.16%	48.34%	19.24%	20.10%	14.27%	16.01%	8.05%	23.31%	18.88%
	Not Married	47.37%	35.08%	36.65%	37.03%	30.31%	10.40%	7.11%	8.92%	6.15%	13.06%	16.78%
<b>Previous Live Birth</b>	Yes	48.46%	34.31%	36.16%	39.50%	23.02%	15.82%	10.84%	12.66%	7.75%	16.96%	17.90%
	No	58.42%	37.84%	36.71%	48.52%	25.94%	15.52%	11.27%	12.98%	6.40%	21.08%	17.98%
<b>Education</b>	Less Than 12 Years	28.32%	20.73%	20.93%	19.47%	12.16%	15.32%	9.19%	10.81%	10.14%	17.81%	18.73%
	12 Years	47.25%	33.88%	37.93%	37.98%	31.43%	9.08%	7.41%	7.44%	5.61%	12.56%	17.76%
	Greater Than 12 Years	63.31%	41.64%	40.85%	53.74%	24.96%	18.59%	13.07%	15.45%	6.40%	21.23%	17.21%
	<b>Upper 95% CI</b>	<b>Q12I</b>	<b>Q12J</b>	<b>Q12K</b>	<b>Q12L</b>	<b>Q13</b>	<b>Q14A</b>	<b>Q14B</b>	<b>Q14C</b>	<b>Q14D</b>	<b>Q14E</b>	<b>Q14F</b>
<b>Total</b>	Yes	54.88%	38.02%	38.64%	45.53%	26.25%	17.43%	12.52%	14.39%	8.44%	20.51%	19.76%
<b>Age</b>	Under 20 Years	40.29%	28.95%	32.89%	25.45%	23.74%	14.85%	9.79%	11.95%	6.51%	22.59%	22.59%
	20-24 Years	54.51%	44.94%	45.32%	46.40%	28.97%	16.38%	11.67%	11.96%	10.06%	17.93%	23.10%
	25-34 Years	56.29%	36.60%	37.02%	46.94%	27.34%	16.45%	11.79%	13.27%	7.27%	20.97%	19.47%
	Over 34 Years	60.10%	43.77%	44.30%	51.19%	24.37%	26.88%	20.36%	25.49%	14.50%	24.84%	20.14%
<b>Ethnicity</b>	White Non-Hispanic	63.44%	41.86%	41.04%	53.35%	22.23%	17.16%	13.05%	15.14%	7.47%	21.07%	17.29%
	Black Non-Hispanic	53.07%	39.54%	41.40%	43.26%	40.39%	18.45%	12.74%	12.02%	7.87%	18.36%	22.43%
	Hispanic	37.79%	29.32%	33.63%	31.08%	22.54%	17.90%	11.61%	16.90%	13.57%	25.48%	26.42%
<b>Married</b>	Married	59.42%	38.86%	38.68%	50.94%	21.33%	22.22%	16.14%	17.96%	9.52%	25.55%	20.96%
	Not Married	50.24%	37.84%	39.44%	39.82%	32.98%	12.22%	8.66%	10.62%	7.60%	15.06%	18.98%
<b>Previous Live Birth</b>	Yes	50.98%	36.72%	38.60%	41.97%	25.18%	17.71%	12.46%	14.38%	9.15%	18.89%	19.87%
	No	61.36%	40.77%	39.62%	51.52%	28.61%	17.75%	13.24%	15.06%	7.95%	23.58%	20.34%
<b>Education</b>	Less Than 12 Years	32.35%	24.38%	24.60%	23.06%	15.16%	18.60%	11.88%	13.68%	12.94%	21.28%	22.26%
	12 Years	51.12%	37.59%	41.72%	41.77%	35.07%	11.42%	9.56%	9.60%	7.52%	15.23%	20.81%
	Greater Than 12 Years	65.78%	44.20%	43.41%	56.32%	27.23%	20.65%	14.87%	17.37%	7.73%	23.38%	19.21%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q14G-Q16A												
	Percent Response Yes	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
<b>Total</b>	Yes	19.32%	18.13%	43.62%	7.12%	3.51%	33.56%	0.86%	3.08%	3.50%	9.11%	2.72%
<b>Age</b>	Under 20 Years	19.39%	19.39%	0.78%	19.48%	2.39%	76.12%	0.00%	2.39%	0.00%	8.74%	4.56%
	20-24 Years	20.45%	19.22%	13.24%	22.01%	3.71%	53.34%	0.78%	1.81%	7.29%	12.80%	2.06%
	25-34 Years	18.89%	17.46%	52.42%	3.53%	3.87%	26.59%	0.58%	3.11%	3.25%	8.79%	2.20%
	Over 34 Years	19.66%	18.97%	58.90%	0.00%	2.29%	23.12%	2.29%	4.58%	1.55%	6.40%	4.74%
<b>Ethnicity</b>	White Non-Hispanic	16.83%	15.08%	56.79%	6.64%	3.31%	22.51%	0.00%	0.26%	4.88%	5.76%	1.95%
	Black Non-Hispanic	20.90%	20.07%	31.49%	7.61%	3.41%	57.26%	1.73%	0.96%	2.10%	5.60%	1.83%
	Hispanic	23.93%	24.21%	11.39%	9.04%	3.22%	37.99%	2.38%	16.62%	2.18%	27.67%	5.81%
<b>Married</b>	Married	21.08%	19.22%	65.62%	2.46%	3.53%	14.45%	1.22%	3.56%	6.09%	6.41%	2.44%
	Not Married	17.18%	16.80%	16.93%	12.79%	3.48%	56.75%	0.42%	2.50%	0.36%	12.38%	3.05%
<b>Previous Live Birth</b>	Yes	18.35%	17.17%	42.08%	3.02%	2.87%	38.55%	1.10%	3.99%	3.23%	9.92%	2.84%
	No	20.69%	19.49%	45.82%	12.95%	4.41%	26.49%	0.52%	1.78%	3.90%	7.95%	2.54%
<b>Education</b>	Less Than 12 Years	21.07%	19.96%	6.28%	4.39%	3.28%	52.94%	2.56%	11.88%	0.70%	26.47%	5.67%
	12 Years	17.46%	17.19%	22.79%	9.69%	3.56%	59.34%	0.46%	1.77%	0.55%	8.62%	3.20%
	Greater Than 12 Years	19.40%	17.76%	66.29%	6.97%	3.34%	15.40%	0.45%	0.60%	5.83%	3.05%	1.48%
	<b>Lower 95% CI</b>	<b>Q14G</b>	<b>Q14H</b>	<b>Q15A</b>	<b>Q15B</b>	<b>Q15C</b>	<b>Q15D</b>	<b>Q15E</b>	<b>Q15F</b>	<b>Q15G</b>	<b>Q15H</b>	<b>Q16A</b>
<b>Total</b>	Yes	18.56%	17.38%	42.67%	6.63%	3.15%	32.65%	0.68%	2.75%	3.15%	8.55%	2.40%
<b>Age</b>	Under 20 Years	16.20%	16.20%	0.07%	16.28%	1.16%	72.68%	0.00%	1.16%	0.00%	6.46%	2.88%
	20-24 Years	18.59%	17.41%	11.68%	20.10%	2.84%	51.05%	0.37%	1.19%	6.10%	11.27%	1.40%
	25-34 Years	17.92%	16.52%	51.18%	3.07%	3.40%	25.49%	0.40%	2.68%	2.81%	8.09%	1.83%
	Over 34 Years	17.76%	17.09%	56.54%	0.00%	1.58%	21.10%	1.58%	3.58%	0.96%	5.23%	3.72%
<b>Ethnicity</b>	White Non-Hispanic	15.84%	14.13%	55.48%	5.98%	2.83%	21.41%	0.00%	0.12%	4.31%	5.14%	1.58%
	Black Non-Hispanic	19.36%	18.56%	29.73%	6.61%	2.72%	55.39%	1.23%	0.60%	1.56%	4.74%	1.32%
	Hispanic	21.89%	22.15%	9.87%	7.66%	2.37%	35.67%	1.65%	14.83%	1.48%	25.52%	4.69%
<b>Married</b>	Married	20.02%	18.20%	64.38%	2.05%	3.05%	13.53%	0.94%	3.08%	5.47%	5.77%	2.04%
	Not Married	16.09%	15.72%	15.85%	11.83%	2.95%	55.33%	0.24%	2.05%	0.19%	11.44%	2.56%
<b>Previous Live Birth</b>	Yes	17.37%	16.22%	40.84%	2.59%	2.45%	37.32%	0.84%	3.50%	2.78%	9.17%	2.42%
	No	19.48%	18.30%	44.32%	11.94%	3.79%	25.17%	0.31%	1.39%	3.32%	7.14%	2.07%
<b>Education</b>	Less Than 12 Years	19.29%	18.21%	5.22%	3.49%	2.50%	50.75%	1.87%	10.46%	0.34%	24.54%	4.65%
	12 Years	15.99%	15.73%	21.17%	8.54%	2.84%	57.45%	0.20%	1.26%	0.26%	7.53%	2.52%
	Greater Than 12 Years	18.37%	16.77%	65.06%	6.31%	2.87%	14.46%	0.28%	0.40%	5.22%	2.61%	1.17%
	<b>Upper 95% CI</b>	<b>Q14G</b>	<b>Q14H</b>	<b>Q15A</b>	<b>Q15B</b>	<b>Q15C</b>	<b>Q15D</b>	<b>Q15E</b>	<b>Q15F</b>	<b>Q15G</b>	<b>Q15H</b>	<b>Q16A</b>
<b>Total</b>	Yes	20.08%	18.87%	44.58%	7.62%	3.86%	34.47%	1.04%	3.41%	3.86%	9.66%	3.03%
<b>Age</b>	Under 20 Years	22.59%	22.59%	1.49%	22.68%	3.63%	79.56%	0.00%	3.63%	0.00%	11.02%	6.25%
	20-24 Years	22.30%	21.03%	14.80%	23.91%	4.58%	55.63%	1.18%	2.42%	8.49%	14.34%	2.71%
	25-34 Years	19.86%	18.41%	53.66%	3.99%	4.35%	27.68%	0.77%	3.54%	3.69%	9.49%	2.56%
	Over 34 Years	21.57%	20.85%	61.26%	0.00%	3.01%	25.14%	3.01%	5.59%	2.14%	7.58%	5.76%
<b>Ethnicity</b>	White Non-Hispanic	17.82%	16.02%	58.10%	7.30%	3.78%	23.61%	0.00%	0.39%	5.45%	6.37%	2.31%
	Black Non-Hispanic	22.43%	21.58%	33.24%	8.61%	4.09%	59.13%	2.22%	1.33%	2.64%	6.47%	2.34%
	Hispanic	25.98%	26.26%	12.91%	10.41%	4.06%	40.32%	3.11%	18.40%	2.88%	29.81%	6.93%
<b>Married</b>	Married	22.14%	20.25%	66.86%	2.86%	4.01%	15.37%	1.51%	4.04%	6.71%	7.05%	2.84%
	Not Married	18.26%	17.87%	18.00%	13.75%	4.00%	58.18%	0.61%	2.94%	0.53%	13.33%	3.55%
<b>Previous Live Birth</b>	Yes	19.32%	18.11%	43.32%	3.45%	3.29%	39.77%	1.36%	4.49%	3.67%	10.67%	3.26%
	No	21.91%	20.68%	47.31%	13.95%	5.02%	27.81%	0.74%	2.18%	4.48%	8.76%	3.01%
<b>Education</b>	Less Than 12 Years	22.86%	21.71%	7.34%	5.28%	4.06%	55.12%	3.25%	13.29%	1.07%	28.40%	6.68%
	12 Years	18.93%	18.65%	24.42%	10.83%	4.27%	61.24%	0.72%	2.28%	0.84%	9.71%	3.88%
	Greater Than 12 Years	20.42%	18.75%	67.51%	7.63%	3.80%	16.33%	0.62%	0.81%	6.43%	3.50%	1.80%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q16B-Q17C												
	Percent Response Yes	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
<b>Total</b>	Yes	42.35%	5.47%	2.88%	44.39%	1.36%	4.13%	3.73%	9.58%	41.19%	3.56%	2.21%
<b>Age</b>	Under 20 Years	0.00%	9.35%	3.17%	89.09%	0.00%	4.79%	0.00%	10.13%	0.78%	4.79%	3.17%
	20-24 Years	12.28%	20.05%	2.66%	71.30%	1.55%	3.36%	7.44%	21.60%	10.30%	16.34%	2.93%
	25-34 Years	50.69%	2.33%	3.13%	35.70%	1.12%	4.66%	3.52%	6.94%	49.81%	0.45%	1.95%
	Over 34 Years	58.78%	0.00%	2.08%	31.83%	2.51%	2.73%	1.77%	6.19%	56.77%	0.85%	2.08%
<b>Ethnicity</b>	White Non-Hispanic	57.19%	5.82%	3.61%	32.17%	0.21%	0.47%	5.50%	8.34%	56.45%	3.77%	2.33%
	Black Non-Hispanic	26.19%	5.22%	1.56%	64.46%	1.98%	0.14%	2.10%	8.31%	25.02%	2.17%	0.83%
	Hispanic	11.90%	6.23%	2.08%	59.50%	4.50%	23.74%	1.55%	17.87%	8.68%	6.07%	2.53%
<b>Married</b>	Married	65.03%	1.46%	3.05%	20.62%	1.56%	3.39%	6.19%	6.43%	64.78%	1.21%	2.81%
	Not Married	14.82%	10.35%	2.67%	73.23%	1.11%	5.03%	0.74%	13.40%	12.55%	6.41%	1.48%
<b>Previous Live Birth</b>	Yes	41.09%	2.05%	2.40%	47.02%	1.86%	5.55%	3.29%	8.41%	39.98%	1.82%	1.87%
	No	44.13%	10.32%	3.55%	40.66%	0.65%	2.11%	4.35%	11.25%	42.90%	6.02%	2.69%
<b>Education</b>	Less Than 12 Years	3.19%	2.82%	1.74%	72.48%	4.15%	14.91%	0.00%	12.27%	3.23%	3.52%	1.64%
	12 Years	21.61%	8.59%	2.22%	70.97%	0.32%	3.27%	0.69%	12.48%	18.01%	5.21%	1.87%
	Greater Than 12 Years	65.59%	5.04%	3.34%	22.63%	0.85%	0.76%	6.42%	7.15%	65.10%	2.85%	2.58%
	<b>Lower 95% CI</b>	<b>Q16B</b>	<b>Q16C</b>	<b>Q16D</b>	<b>Q16E</b>	<b>Q16F</b>	<b>Q16G</b>	<b>Q16H</b>	<b>Q16I</b>	<b>Q17A</b>	<b>Q17B</b>	<b>Q17C</b>
<b>Total</b>	Yes	41.39%	5.03%	2.55%	43.43%	1.13%	3.75%	3.36%	9.01%	40.24%	3.20%	1.93%
<b>Age</b>	Under 20 Years	0.00%	7.00%	1.76%	86.58%	0.00%	3.07%	0.00%	7.69%	0.07%	3.07%	1.76%
	20-24 Years	10.77%	18.21%	1.92%	69.22%	0.98%	2.53%	6.24%	19.71%	8.91%	14.64%	2.16%
	25-34 Years	49.45%	1.95%	2.69%	34.52%	0.86%	4.14%	3.07%	6.31%	48.58%	0.29%	1.60%
	Over 34 Years	56.42%	0.00%	1.39%	29.59%	1.76%	1.95%	1.13%	5.03%	54.39%	0.41%	1.39%
<b>Ethnicity</b>	White Non-Hispanic	55.89%	5.20%	3.12%	30.93%	0.09%	0.29%	4.89%	7.61%	55.14%	3.27%	1.93%
	Black Non-Hispanic	24.53%	4.38%	1.09%	62.65%	1.45%	0.00%	1.56%	7.26%	23.38%	1.62%	0.49%
	Hispanic	10.35%	5.07%	1.40%	57.15%	3.50%	21.70%	0.96%	16.03%	7.33%	4.92%	1.78%
<b>Married</b>	Married	63.79%	1.14%	2.60%	19.57%	1.24%	2.92%	5.56%	5.80%	63.54%	0.92%	2.38%
	Not Married	13.80%	9.47%	2.21%	71.96%	0.81%	4.40%	0.50%	12.42%	11.59%	5.71%	1.14%
<b>Previous Live Birth</b>	Yes	39.85%	1.70%	2.02%	45.76%	1.52%	4.97%	2.84%	7.71%	38.74%	1.48%	1.53%
	No	42.64%	9.41%	3.00%	39.18%	0.41%	1.68%	3.74%	10.30%	41.41%	5.31%	2.21%
<b>Education</b>	Less Than 12 Years	2.42%	2.09%	1.16%	70.52%	3.27%	13.35%	0.00%	10.84%	2.46%	2.71%	1.08%
	12 Years	20.02%	7.50%	1.65%	69.22%	0.10%	2.59%	0.37%	11.20%	16.53%	4.35%	1.34%
	Greater Than 12 Years	64.36%	4.47%	2.87%	21.55%	0.61%	0.54%	5.78%	6.48%	63.86%	2.42%	2.17%
	<b>Upper 95% CI</b>	<b>Q16B</b>	<b>Q16C</b>	<b>Q16D</b>	<b>Q16E</b>	<b>Q16F</b>	<b>Q16G</b>	<b>Q16H</b>	<b>Q16I</b>	<b>Q17A</b>	<b>Q17B</b>	<b>Q17C</b>
<b>Total</b>	Yes	43.30%	5.91%	3.20%	45.35%	1.58%	4.51%	4.09%	10.15%	42.13%	3.92%	2.49%
<b>Age</b>	Under 20 Years	0.00%	11.70%	4.59%	91.61%	0.00%	6.51%	0.00%	12.56%	1.49%	6.51%	4.59%
	20-24 Years	13.79%	21.89%	3.40%	73.38%	2.12%	4.19%	8.65%	23.49%	11.70%	18.04%	3.71%
	25-34 Years	51.93%	2.70%	3.56%	36.89%	1.38%	5.19%	3.98%	7.57%	51.05%	0.62%	2.29%
	Over 34 Years	61.15%	0.00%	2.76%	34.06%	3.27%	3.51%	2.40%	7.35%	59.15%	1.29%	2.76%
<b>Ethnicity</b>	White Non-Hispanic	58.50%	6.44%	4.10%	33.40%	0.33%	0.65%	6.10%	9.07%	57.76%	4.27%	2.73%
	Black Non-Hispanic	27.86%	6.06%	2.03%	66.27%	2.51%	0.27%	2.64%	9.35%	26.66%	2.72%	1.17%
	Hispanic	13.45%	7.39%	2.76%	61.85%	5.49%	25.78%	2.15%	19.70%	10.03%	7.21%	3.28%
<b>Married</b>	Married	66.27%	1.77%	3.50%	21.67%	1.88%	3.86%	6.82%	7.07%	66.03%	1.49%	3.24%
	Not Married	15.84%	11.22%	3.13%	74.50%	1.41%	5.66%	0.99%	14.38%	13.50%	7.11%	1.83%
<b>Previous Live Birth</b>	Yes	42.33%	2.41%	2.79%	48.28%	2.20%	6.13%	3.74%	9.11%	41.21%	2.16%	2.21%
	No	45.62%	11.23%	4.11%	42.13%	0.89%	2.55%	4.97%	12.19%	44.38%	6.74%	3.18%
<b>Education</b>	Less Than 12 Years	3.95%	3.54%	2.31%	74.43%	5.02%	16.47%	0.00%	13.71%	4.01%	4.33%	2.19%
	12 Years	23.20%	9.67%	2.79%	72.73%	0.54%	3.96%	1.01%	13.75%	19.50%	6.07%	2.39%
	Greater Than 12 Years	66.83%	5.60%	3.80%	23.71%	1.09%	0.99%	7.05%	7.81%	66.33%	3.28%	2.99%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q17D-Q19												
	Percent Response Yes	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
<b>Total</b>	Yes	43.87%	1.03%	4.23%	3.94%	5.09%	20.65%	13.79%	40.74%	8.04%	15.93%	51.45%
<b>Age</b>	Under 20 Years	90.49%	0.00%	4.79%	0.00%	2.39%	37.71%	3.17%	18.93%	12.52%	27.67%	12.75%
	20-24 Years	70.63%	0.78%	2.58%	8.22%	7.24%	36.31%	8.55%	25.59%	7.04%	21.73%	31.78%
	25-34 Years	35.17%	0.82%	4.73%	3.48%	4.99%	16.39%	14.05%	47.89%	6.92%	13.75%	58.68%
	Over 34 Years	30.85%	2.45%	3.95%	2.40%	4.05%	13.53%	22.32%	38.09%	11.75%	13.62%	59.45%
<b>Ethnicity</b>	White Non-Hispanic	32.52%	0.52%	0.00%	5.45%	2.29%	17.89%	17.14%	46.47%	5.58%	12.50%	60.71%
	Black Non-Hispanic	68.16%	0.99%	0.96%	2.10%	2.74%	24.90%	8.79%	29.50%	11.69%	23.77%	35.07%
	Hispanic	50.23%	3.06%	24.58%	3.02%	18.46%	27.03%	6.38%	36.93%	11.42%	16.56%	41.70%
<b>Married</b>	Married	18.34%	1.22%	4.48%	6.64%	3.29%	14.26%	21.03%	51.58%	3.99%	8.48%	70.37%
	Not Married	74.84%	0.80%	3.93%	0.66%	7.27%	28.42%	5.01%	27.57%	12.96%	24.96%	28.49%
<b>Previous Live Birth</b>	Yes	45.21%	0.86%	5.98%	3.46%	5.78%	19.63%	11.79%	41.48%	10.58%	15.67%	50.49%
	No	41.96%	1.26%	1.76%	4.62%	4.11%	22.10%	16.64%	39.68%	4.44%	16.29%	52.81%
<b>Education</b>	Less Than 12 Years	66.19%	1.98%	17.25%	1.41%	16.00%	26.56%	7.36%	32.15%	11.71%	20.81%	34.81%
	12 Years	72.78%	0.14%	2.56%	0.55%	2.46%	24.21%	7.92%	33.35%	11.32%	22.34%	40.22%
	Greater Than 12 Years	23.08%	1.10%	0.45%	6.37%	2.23%	17.10%	18.76%	46.97%	5.33%	11.18%	62.35%
	<b>Lower 95% CI</b>	<b>Q17D</b>	<b>Q17E</b>	<b>Q17F</b>	<b>Q17G</b>	<b>Q17H</b>	<b>Q18A</b>	<b>Q18B</b>	<b>Q18C</b>	<b>Q18D</b>	<b>Q18E</b>	<b>Q19</b>
<b>Total</b>	Yes	42.91%	0.83%	3.84%	3.56%	4.66%	19.87%	13.13%	39.79%	7.52%	15.22%	50.49%
<b>Age</b>	Under 20 Years	88.12%	0.00%	3.07%	0.00%	1.16%	33.80%	1.76%	15.77%	9.85%	24.06%	10.06%
	20-24 Years	68.53%	0.37%	1.85%	6.96%	6.05%	34.10%	7.26%	23.58%	5.87%	19.84%	29.64%
	25-34 Years	33.98%	0.60%	4.21%	3.02%	4.45%	15.48%	13.19%	46.65%	6.29%	12.90%	57.46%
	Over 34 Years	28.63%	1.71%	3.02%	1.66%	3.11%	11.89%	20.32%	35.76%	10.20%	11.97%	57.09%
<b>Ethnicity</b>	White Non-Hispanic	31.29%	0.33%	0.00%	4.85%	1.89%	16.88%	16.14%	45.15%	4.97%	11.63%	59.42%
	Black Non-Hispanic	66.40%	0.62%	0.60%	1.56%	2.13%	23.26%	7.72%	27.78%	10.48%	22.16%	33.27%
	Hispanic	47.83%	2.24%	22.51%	2.20%	16.60%	24.91%	5.20%	34.62%	9.89%	14.78%	39.34%
<b>Married</b>	Married	17.34%	0.94%	3.95%	5.99%	2.82%	13.35%	19.97%	50.28%	3.48%	7.76%	69.18%
	Not Married	73.60%	0.54%	3.37%	0.43%	6.53%	27.12%	4.38%	26.29%	11.99%	23.72%	27.19%
<b>Previous Live Birth</b>	Yes	43.95%	0.63%	5.38%	3.00%	5.19%	18.63%	10.98%	40.24%	9.80%	14.76%	49.23%
	No	40.48%	0.93%	1.37%	3.99%	3.51%	20.86%	15.52%	38.21%	3.83%	15.18%	51.32%
<b>Education</b>	Less Than 12 Years	64.12%	1.37%	15.60%	0.89%	14.39%	24.63%	6.22%	30.10%	10.30%	19.04%	32.72%
	12 Years	71.06%	0.00%	1.95%	0.26%	1.86%	22.55%	6.87%	31.53%	10.09%	20.73%	38.33%
	Greater Than 12 Years	21.99%	0.83%	0.27%	5.74%	1.85%	16.13%	17.75%	45.68%	4.75%	10.37%	61.10%
	<b>Upper 95% CI</b>	<b>Q17D</b>	<b>Q17E</b>	<b>Q17F</b>	<b>Q17G</b>	<b>Q17H</b>	<b>Q18A</b>	<b>Q18B</b>	<b>Q18C</b>	<b>Q18D</b>	<b>Q18E</b>	<b>Q19</b>
<b>Total</b>	Yes	44.82%	1.22%	4.62%	4.31%	5.51%	21.43%	14.46%	41.68%	8.57%	16.63%	52.41%
<b>Age</b>	Under 20 Years	92.85%	0.00%	6.51%	0.00%	3.63%	41.62%	4.59%	22.09%	15.19%	31.28%	15.44%
	20-24 Years	72.72%	1.18%	3.31%	9.48%	8.43%	38.52%	9.83%	27.60%	8.22%	23.63%	33.92%
	25-34 Years	36.35%	1.05%	5.26%	3.93%	5.53%	17.31%	14.91%	49.13%	7.55%	14.60%	59.90%
	Over 34 Years	33.07%	3.19%	4.89%	3.13%	5.00%	15.17%	24.32%	40.43%	13.30%	15.27%	61.80%
<b>Ethnicity</b>	White Non-Hispanic	33.76%	0.70%	0.00%	6.04%	2.68%	18.91%	18.13%	47.79%	6.19%	13.38%	62.00%
	Black Non-Hispanic	69.92%	1.37%	1.33%	2.64%	3.36%	26.53%	9.86%	31.22%	12.91%	25.37%	36.88%
	Hispanic	52.62%	3.89%	26.64%	3.84%	20.32%	29.16%	7.55%	39.24%	12.94%	18.34%	44.07%
<b>Married</b>	Married	19.35%	1.51%	5.02%	7.29%	3.75%	15.17%	22.09%	52.88%	4.50%	9.21%	71.56%
	Not Married	76.09%	1.05%	4.48%	0.90%	8.02%	29.71%	5.63%	28.85%	13.92%	26.21%	29.78%
<b>Previous Live Birth</b>	Yes	46.46%	1.10%	6.57%	3.92%	6.37%	20.63%	12.60%	42.72%	11.35%	16.59%	51.75%
	No	43.44%	1.60%	2.15%	5.25%	4.70%	23.35%	17.75%	41.14%	5.06%	17.39%	54.31%
<b>Education</b>	Less Than 12 Years	68.26%	2.59%	18.91%	1.92%	17.60%	28.49%	8.50%	34.19%	13.12%	22.59%	36.89%
	12 Years	74.50%	0.29%	3.17%	0.84%	3.06%	25.86%	8.96%	35.17%	12.55%	23.95%	42.12%
	Greater Than 12 Years	24.17%	1.37%	0.62%	7.00%	2.61%	18.08%	19.77%	48.27%	5.91%	12.00%	63.61%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q20-Q24I												
	Percent Response Yes	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
<b>Total</b>	Yes	19.81%	81.97%	5.09%	3.34%	1.57%	3.91%	2.33%	1.21%	2.99%	0.86%	4.61%
<b>Age</b>	Under 20 Years	27.13%	67.93%	7.18%	2.39%	4.79%	0.78%	6.18%	6.96%	8.58%	0.00%	14.92%
	20-24 Years	27.15%	75.81%	8.85%	7.44%	2.26%	7.32%	2.98%	0.15%	4.94%	1.03%	3.48%
	25-34 Years	17.74%	84.76%	4.44%	2.46%	1.48%	3.15%	2.33%	0.70%	2.02%	1.13%	4.50%
	Over 34 Years	17.01%	83.18%	2.68%	2.54%	0.00%	4.15%	0.22%	2.25%	2.54%	0.00%	2.61%
<b>Ethnicity</b>	White Non-Hispanic	16.70%	82.53%	5.69%	3.80%	1.54%	6.02%	2.00%	0.72%	2.49%	1.03%	3.97%
	Black Non-Hispanic	22.95%	82.71%	3.20%	1.88%	1.00%	0.94%	1.86%	1.00%	3.97%	0.17%	5.48%
	Hispanic	30.44%	78.82%	5.16%	5.12%	3.02%	2.12%	4.76%	3.46%	3.91%	1.69%	6.59%
<b>Married</b>	Married	11.35%	87.80%	4.14%	1.97%	0.06%	3.37%	0.30%	0.52%	1.17%	0.25%	1.92%
	Not Married	30.09%	74.89%	6.24%	5.02%	3.40%	4.57%	4.79%	2.04%	5.20%	1.61%	7.88%
<b>Previous Live Birth</b>	Yes	22.15%	82.56%	4.74%	3.70%	1.77%	3.74%	3.08%	1.34%	2.73%	1.47%	4.61%
	No	16.49%	81.13%	5.59%	2.84%	1.29%	4.14%	1.25%	1.02%	3.36%	0.00%	4.62%
<b>Education</b>	Less Than 12 Years	26.11%	74.04%	6.08%	5.52%	5.04%	3.98%	6.62%	3.11%	5.75%	2.11%	7.61%
	12 Years	20.63%	79.04%	4.78%	4.30%	2.38%	3.42%	3.25%	1.32%	3.25%	1.28%	6.62%
	Greater Than 12 Years	17.10%	85.96%	4.91%	2.17%	0.00%	4.12%	0.42%	0.50%	1.93%	0.25%	2.68%
	<b>Lower 95% CI</b>	<b>Q20</b>	<b>Q23</b>	<b>Q24A</b>	<b>Q24B</b>	<b>Q24C</b>	<b>Q24D</b>	<b>Q24E</b>	<b>Q24F</b>	<b>Q24G</b>	<b>Q24H</b>	<b>Q24I</b>
<b>Total</b>	Yes	19.04%	81.23%	4.67%	3.00%	1.33%	3.54%	2.03%	1.00%	2.66%	0.69%	4.21%
<b>Age</b>	Under 20 Years	23.54%	64.17%	5.10%	1.16%	3.07%	0.07%	4.24%	4.90%	6.32%	0.00%	12.04%
	20-24 Years	25.10%	73.84%	7.55%	6.23%	1.57%	6.12%	2.20%	-0.03%	3.94%	0.56%	2.64%
	25-34 Years	16.79%	83.87%	3.93%	2.07%	1.18%	2.72%	1.96%	0.49%	1.67%	0.87%	3.99%
	Over 34 Years	15.21%	81.39%	1.90%	1.79%	0.00%	3.19%	-0.01%	1.54%	1.79%	0.00%	1.84%
<b>Ethnicity</b>	White Non-Hispanic	15.72%	81.53%	5.08%	3.29%	1.21%	5.39%	1.63%	0.50%	2.08%	0.76%	3.46%
	Black Non-Hispanic	21.36%	81.28%	2.53%	1.37%	0.62%	0.57%	1.35%	0.62%	3.23%	0.01%	4.62%
	Hispanic	28.24%	76.86%	4.10%	4.07%	2.20%	1.43%	3.74%	2.59%	2.98%	1.07%	5.40%
<b>Married</b>	Married	10.52%	86.95%	3.62%	1.60%	0.00%	2.90%	0.16%	0.33%	0.89%	0.12%	1.56%
	Not Married	28.77%	73.64%	5.55%	4.39%	2.88%	3.97%	4.17%	1.64%	4.56%	1.25%	7.10%
<b>Previous Live Birth</b>	Yes	21.11%	81.61%	4.20%	3.23%	1.43%	3.27%	2.65%	1.05%	2.32%	1.17%	4.08%
	No	15.38%	79.96%	4.90%	2.34%	0.95%	3.54%	0.91%	0.72%	2.82%	0.00%	3.99%
<b>Education</b>	Less Than 12 Years	24.19%	72.12%	5.03%	4.52%	4.09%	3.12%	5.53%	2.35%	4.73%	1.48%	6.45%
	12 Years	19.06%	77.47%	3.95%	3.51%	1.79%	2.72%	2.56%	0.88%	2.56%	0.84%	5.66%
	Greater Than 12 Years	16.13%	85.06%	4.35%	1.80%	0.00%	3.61%	0.25%	0.32%	1.57%	0.12%	2.27%
	<b>Upper 95% CI</b>	<b>Q20</b>	<b>Q23</b>	<b>Q24A</b>	<b>Q24B</b>	<b>Q24C</b>	<b>Q24D</b>	<b>Q24E</b>	<b>Q24F</b>	<b>Q24G</b>	<b>Q24H</b>	<b>Q24I</b>
<b>Total</b>	Yes	20.58%	82.71%	5.51%	3.69%	1.81%	4.28%	2.62%	1.42%	3.32%	1.04%	5.02%
<b>Age</b>	Under 20 Years	30.72%	71.70%	9.27%	3.63%	6.51%	1.49%	8.12%	9.01%	10.83%	0.00%	17.79%
	20-24 Years	29.19%	77.78%	10.16%	8.65%	2.94%	8.52%	3.77%	0.33%	5.93%	1.49%	4.33%
	25-34 Years	18.68%	85.65%	4.95%	2.84%	1.78%	3.58%	2.70%	0.90%	2.37%	1.39%	5.02%
	Over 34 Years	18.82%	84.98%	3.45%	3.30%	0.00%	5.11%	0.44%	2.96%	3.30%	0.00%	3.37%
<b>Ethnicity</b>	White Non-Hispanic	17.69%	83.53%	6.31%	4.30%	1.86%	6.65%	2.37%	0.95%	2.90%	1.29%	4.49%
	Black Non-Hispanic	24.54%	84.14%	3.86%	2.39%	1.38%	1.30%	2.38%	1.38%	4.70%	0.33%	6.34%
	Hispanic	32.64%	80.78%	6.21%	6.18%	3.84%	2.82%	5.78%	4.34%	4.84%	2.30%	7.78%
<b>Married</b>	Married	12.17%	88.66%	4.66%	2.33%	0.13%	3.84%	0.44%	0.71%	1.45%	0.38%	2.28%
	Not Married	31.40%	76.13%	6.94%	5.64%	3.92%	5.16%	5.40%	2.45%	5.84%	1.97%	8.65%
<b>Previous Live Birth</b>	Yes	23.20%	83.52%	5.27%	4.18%	2.10%	4.22%	3.52%	1.63%	3.14%	1.78%	5.13%
	No	17.60%	82.30%	6.28%	3.33%	1.63%	4.74%	1.58%	1.33%	3.90%	0.00%	5.25%
<b>Education</b>	Less Than 12 Years	28.04%	75.96%	7.12%	6.52%	6.00%	4.83%	7.70%	3.87%	6.77%	2.74%	8.77%
	12 Years	22.19%	80.62%	5.60%	5.08%	2.97%	4.13%	3.93%	1.76%	3.94%	1.71%	7.58%
	Greater Than 12 Years	18.08%	86.86%	5.47%	2.55%	0.00%	4.64%	0.59%	0.68%	2.29%	0.37%	3.10%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q24J-Q25I												
	Percent Response Yes	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
<b>Total</b>	Yes	1.51%	0.85%	55.92%	93.02%	93.93%	93.42%	80.27%	79.31%	83.62%	64.75%	91.70%
<b>Age</b>	Under 20 Years	0.00%	0.00%	56.56%	84.47%	93.04%	93.04%	86.86%	80.68%	90.65%	75.89%	93.04%
	20-24 Years	2.31%	1.28%	57.18%	94.15%	91.63%	92.08%	85.33%	85.51%	88.64%	68.54%	92.70%
	25-34 Years	1.18%	0.92%	56.29%	93.23%	94.72%	93.75%	78.70%	77.60%	82.34%	63.78%	91.90%
	Over 34 Years	2.41%	0.44%	52.90%	94.03%	93.81%	93.81%	78.33%	78.48%	80.47%	60.30%	89.39%
<b>Ethnicity</b>	White Non-Hispanic	0.41%	0.26%	57.24%	95.84%	95.04%	93.93%	78.45%	75.73%	81.54%	59.54%	90.97%
	Black Non-Hispanic	2.43%	0.73%	54.23%	91.19%	92.84%	93.67%	85.62%	85.94%	88.88%	74.62%	92.96%
	Hispanic	4.08%	3.02%	53.33%	87.41%	92.36%	92.36%	81.02%	82.53%	84.65%	67.93%	93.42%
<b>Married</b>	Married	0.31%	0.38%	57.96%	94.87%	94.50%	93.99%	77.29%	75.14%	79.09%	59.88%	90.10%
	Not Married	2.96%	1.43%	53.44%	90.78%	93.24%	92.73%	83.89%	84.37%	89.13%	70.65%	93.65%
<b>Previous Live Birth</b>	Yes	2.15%	1.19%	52.62%	90.64%	92.32%	92.38%	79.90%	78.97%	82.02%	63.67%	91.17%
	No	0.60%	0.38%	60.60%	96.39%	96.22%	94.90%	80.80%	79.80%	85.89%	66.27%	92.46%
<b>Education</b>	Less Than 12 Years	2.93%	2.00%	50.01%	84.63%	93.30%	93.07%	85.40%	82.70%	85.91%	71.13%	92.24%
	12 Years	2.92%	1.14%	57.23%	92.66%	91.19%	90.96%	81.62%	82.76%	84.51%	68.02%	91.42%
	Greater Than 12 Years	0.39%	0.33%	57.65%	96.32%	95.60%	94.86%	78.00%	76.71%	82.58%	61.09%	91.60%
	<b>Lower 95% CI</b>	<b>Q24J</b>	<b>Q24K</b>	<b>Q25A</b>	<b>Q25B</b>	<b>Q25C</b>	<b>Q25D</b>	<b>Q25E</b>	<b>Q25F</b>	<b>Q25G</b>	<b>Q25H</b>	<b>Q25I</b>
<b>Total</b>	Yes	1.27%	0.68%	54.96%	92.53%	93.47%	92.94%	79.50%	78.53%	82.91%	63.82%	91.17%
<b>Age</b>	Under 20 Years	0.00%	0.00%	52.56%	81.54%	90.99%	90.99%	84.14%	77.49%	88.30%	72.44%	90.99%
	20-24 Years	1.62%	0.76%	54.91%	93.08%	90.35%	90.83%	83.70%	83.89%	87.18%	66.41%	91.51%
	25-34 Years	0.91%	0.68%	55.06%	92.60%	94.17%	93.15%	77.68%	76.57%	81.40%	62.59%	91.23%
	Over 34 Years	1.67%	0.12%	50.51%	92.90%	92.65%	92.65%	76.35%	76.51%	78.56%	57.95%	87.91%
<b>Ethnicity</b>	White Non-Hispanic	0.24%	0.12%	55.94%	95.32%	94.47%	93.30%	77.37%	74.60%	80.51%	58.24%	90.21%
	Black Non-Hispanic	1.85%	0.41%	52.35%	90.12%	91.86%	92.75%	84.29%	84.63%	87.69%	72.98%	91.99%
	Hispanic	3.13%	2.20%	50.94%	85.82%	91.09%	91.09%	79.14%	80.71%	82.93%	65.69%	92.24%
<b>Married</b>	Married	0.17%	0.22%	56.68%	94.29%	93.91%	93.37%	76.20%	74.02%	78.03%	58.61%	89.32%
	Not Married	2.48%	1.09%	52.00%	89.95%	92.52%	91.99%	82.83%	83.33%	88.23%	69.34%	92.95%
<b>Previous Live Birth</b>	Yes	1.79%	0.91%	51.36%	89.91%	91.65%	91.71%	78.89%	77.94%	81.06%	62.46%	90.45%
	No	0.37%	0.19%	59.13%	95.83%	95.65%	94.24%	79.62%	78.59%	84.84%	64.85%	91.67%
<b>Education</b>	Less Than 12 Years	2.19%	1.39%	47.82%	83.06%	92.20%	91.96%	83.86%	81.05%	84.39%	69.15%	91.06%
	12 Years	2.27%	0.73%	55.32%	91.65%	90.09%	89.85%	80.12%	81.30%	83.11%	66.21%	90.34%
	Greater Than 12 Years	0.23%	0.18%	56.37%	95.84%	95.07%	94.29%	76.93%	75.61%	81.59%	59.83%	90.88%
	<b>Upper 95% CI</b>	<b>Q24J</b>	<b>Q24K</b>	<b>Q25A</b>	<b>Q25B</b>	<b>Q25C</b>	<b>Q25D</b>	<b>Q25E</b>	<b>Q25F</b>	<b>Q25G</b>	<b>Q25H</b>	<b>Q25I</b>
<b>Total</b>	Yes	1.75%	1.03%	56.87%	93.51%	94.39%	93.90%	81.04%	80.09%	84.34%	65.67%	92.23%
<b>Age</b>	Under 20 Years	0.00%	0.00%	60.56%	87.39%	95.10%	95.10%	89.59%	83.87%	93.00%	79.34%	95.10%
	20-24 Years	3.00%	1.80%	59.46%	95.23%	92.90%	93.32%	86.96%	87.13%	90.10%	70.68%	93.90%
	25-34 Years	1.45%	1.16%	57.52%	93.85%	95.28%	94.35%	79.71%	78.64%	83.29%	64.97%	92.58%
	Over 34 Years	3.14%	0.75%	55.30%	95.17%	94.96%	94.96%	80.31%	80.46%	82.37%	62.65%	90.87%
<b>Ethnicity</b>	White Non-Hispanic	0.57%	0.39%	58.55%	96.37%	95.61%	94.56%	79.54%	76.86%	82.56%	60.83%	91.73%
	Black Non-Hispanic	3.01%	1.06%	56.12%	92.26%	93.81%	94.59%	86.95%	87.25%	90.07%	76.26%	93.93%
	Hispanic	5.03%	3.84%	55.72%	89.00%	93.63%	93.63%	82.90%	84.35%	86.38%	70.16%	94.61%
<b>Married</b>	Married	0.46%	0.54%	59.25%	95.44%	95.10%	94.61%	78.38%	76.27%	80.15%	61.16%	90.87%
	Not Married	3.45%	1.77%	54.87%	91.61%	93.96%	93.48%	84.94%	85.41%	90.02%	71.95%	94.35%
<b>Previous Live Birth</b>	Yes	2.52%	1.46%	53.87%	91.38%	92.99%	93.05%	80.90%	80.00%	82.99%	64.88%	91.88%
	No	0.83%	0.56%	62.06%	96.95%	96.79%	95.56%	81.98%	81.00%	86.93%	67.69%	93.26%
<b>Education</b>	Less Than 12 Years	3.67%	2.61%	52.19%	86.21%	94.39%	94.18%	86.95%	84.36%	87.44%	73.11%	93.41%
	12 Years	3.57%	1.55%	59.14%	93.67%	92.29%	92.07%	83.12%	84.22%	85.91%	69.82%	92.50%
	Greater Than 12 Years	0.55%	0.47%	58.93%	96.81%	96.13%	95.43%	79.08%	77.80%	83.56%	62.36%	92.32%



Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q25J-Q30E												
	Percent Response Yes	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
<b>Total</b>	Yes	80.66%	82.31%	13.21%	44.16%	62.88%	43.17%	85.23%	47.77%	59.82%	20.46%	13.47%
<b>Age</b>	Under 20 Years	86.86%	71.10%	15.38%	32.23%	62.98%	34.62%	66.08%	38.80%	63.91%	25.11%	23.72%
	20-24 Years	83.61%	76.99%	18.25%	38.03%	62.99%	37.37%	85.48%	47.86%	58.51%	22.71%	14.69%
	25-34 Years	79.76%	84.33%	11.86%	46.04%	62.19%	44.08%	85.84%	48.70%	58.83%	19.96%	12.65%
	Over 34 Years	78.62%	84.46%	12.01%	47.99%	65.33%	49.10%	89.43%	47.34%	63.55%	18.25%	11.58%
<b>Ethnicity</b>	White Non-Hispanic	76.03%	83.72%	12.26%	46.71%	67.36%	51.77%	89.11%	50.37%	70.21%	18.68%	12.77%
	Black Non-Hispanic	85.44%	83.63%	14.32%	35.61%	56.82%	32.58%	83.97%	44.11%	56.42%	23.28%	15.19%
	Hispanic	89.21%	76.87%	15.63%	47.81%	55.62%	34.36%	78.22%	45.84%	31.25%	20.58%	10.85%
<b>Married</b>	Married	77.69%	86.33%	12.67%	51.18%	65.73%	54.91%	88.21%	54.79%	70.67%	16.50%	14.25%
	Not Married	84.26%	77.42%	13.86%	35.64%	59.43%	28.92%	81.61%	39.24%	46.66%	25.27%	12.52%
<b>Previous Live Birth</b>	Yes	83.11%	81.86%	12.01%	43.23%	57.37%	39.32%	87.07%	45.17%	52.50%	23.51%	13.96%
	No	77.18%	82.94%	14.91%	45.47%	70.71%	48.63%	82.61%	51.44%	70.22%	16.15%	12.77%
<b>Education</b>	Less Than 12 Years	87.15%	73.78%	11.86%	45.51%	50.87%	25.74%	85.34%	42.08%	32.79%	29.78%	14.81%
	12 Years	84.13%	77.75%	14.80%	30.80%	61.11%	29.62%	81.03%	40.13%	43.38%	21.37%	11.84%
	Greater Than 12 Years	76.72%	87.54%	13.04%	49.67%	68.17%	55.53%	86.99%	53.39%	76.75%	16.91%	13.80%
	<b>Lower 95% CI</b>	<b>Q25J</b>	<b>Q26</b>	<b>Q27A</b>	<b>Q27B</b>	<b>Q28</b>	<b>Q29</b>	<b>Q30A</b>	<b>Q30B</b>	<b>Q30C</b>	<b>Q30D</b>	<b>Q30E</b>
<b>Total</b>	Yes	79.90%	81.57%	12.55%	43.20%	61.95%	42.21%	84.54%	46.80%	58.88%	19.69%	12.81%
<b>Age</b>	Under 20 Years	84.14%	67.45%	12.47%	28.46%	59.09%	30.78%	62.25%	34.86%	60.03%	21.61%	20.28%
	20-24 Years	81.90%	75.05%	16.48%	35.80%	60.77%	35.14%	83.86%	45.56%	56.25%	20.78%	13.06%
	25-34 Years	78.77%	83.43%	11.06%	44.80%	60.99%	42.85%	84.97%	47.46%	57.61%	18.97%	11.83%
	Over 34 Years	76.65%	82.72%	10.45%	45.59%	63.05%	46.70%	87.96%	44.94%	61.24%	16.40%	10.04%
<b>Ethnicity</b>	White Non-Hispanic	74.91%	82.75%	11.39%	45.39%	66.12%	50.45%	88.29%	49.05%	69.00%	17.65%	11.89%
	Black Non-Hispanic	84.11%	82.23%	13.00%	33.80%	54.95%	30.81%	82.59%	42.23%	54.55%	21.68%	13.83%
	Hispanic	87.72%	74.85%	13.89%	45.42%	53.24%	32.09%	76.24%	43.45%	29.03%	18.64%	9.36%
<b>Married</b>	Married	76.61%	85.44%	11.80%	49.88%	64.49%	53.62%	87.37%	53.49%	69.48%	15.54%	13.34%
	Not Married	83.21%	76.22%	12.87%	34.26%	58.02%	27.62%	80.49%	37.84%	45.23%	24.02%	11.57%
<b>Previous Live Birth</b>	Yes	82.17%	80.89%	11.19%	41.98%	56.12%	38.09%	86.23%	43.92%	51.24%	22.44%	13.08%
	No	75.92%	81.81%	13.84%	43.97%	69.35%	47.13%	81.47%	49.95%	68.85%	15.05%	11.77%
<b>Education</b>	Less Than 12 Years	85.68%	71.85%	10.44%	43.33%	48.68%	23.83%	83.79%	39.92%	30.74%	27.78%	13.25%
	12 Years	82.72%	76.15%	13.43%	29.02%	59.23%	27.85%	79.52%	38.23%	41.46%	19.78%	10.59%
	Greater Than 12 Years	75.63%	86.69%	12.17%	48.38%	66.97%	54.24%	86.11%	52.09%	75.66%	15.94%	12.91%
	<b>Upper 95% CI</b>	<b>Q25J</b>	<b>Q26</b>	<b>Q27A</b>	<b>Q27B</b>	<b>Q28</b>	<b>Q29</b>	<b>Q30A</b>	<b>Q30B</b>	<b>Q30C</b>	<b>Q30D</b>	<b>Q30E</b>
<b>Total</b>	Yes	81.42%	83.04%	13.86%	45.11%	63.82%	44.12%	85.91%	48.73%	60.77%	21.24%	14.13%
<b>Age</b>	Under 20 Years	89.59%	74.76%	18.29%	36.00%	66.88%	38.46%	69.90%	42.73%	67.78%	28.61%	27.15%
	20-24 Years	85.31%	78.92%	20.03%	40.26%	65.21%	39.59%	87.10%	50.15%	60.78%	24.63%	16.31%
	25-34 Years	80.76%	85.23%	12.66%	47.27%	63.39%	45.31%	86.70%	49.94%	60.05%	20.95%	13.47%
	Over 34 Years	80.59%	86.20%	13.57%	50.39%	67.62%	51.50%	90.91%	49.74%	65.86%	20.11%	13.11%
<b>Ethnicity</b>	White Non-Hispanic	77.16%	84.70%	13.13%	48.03%	68.59%	53.09%	89.94%	51.69%	71.41%	19.71%	13.66%
	Black Non-Hispanic	86.77%	85.03%	15.65%	37.42%	58.69%	34.35%	85.36%	45.98%	58.29%	24.87%	16.54%
	Hispanic	90.70%	78.89%	17.37%	50.20%	58.00%	36.64%	80.20%	48.23%	33.47%	22.52%	12.34%
<b>Married</b>	Married	78.78%	87.23%	13.54%	52.48%	66.96%	56.21%	89.05%	56.09%	71.85%	17.47%	15.16%
	Not Married	85.30%	78.62%	14.85%	37.01%	60.84%	30.22%	82.72%	40.64%	48.09%	26.52%	13.47%
<b>Previous Live Birth</b>	Yes	84.05%	82.83%	12.83%	44.48%	58.61%	40.55%	87.92%	46.43%	53.75%	24.57%	14.83%
	No	78.44%	84.07%	15.97%	46.96%	72.08%	50.13%	83.74%	52.94%	71.59%	17.25%	13.78%
<b>Education</b>	Less Than 12 Years	88.61%	75.70%	13.27%	47.69%	53.06%	27.65%	86.89%	44.24%	34.85%	31.78%	16.36%
	12 Years	85.54%	79.36%	16.17%	32.59%	63.00%	31.38%	82.55%	42.02%	45.29%	22.95%	13.09%
	Greater Than 12 Years	77.82%	88.40%	13.91%	50.97%	69.38%	56.81%	87.86%	54.68%	77.85%	17.88%	14.70%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q31-Q33G												
	Percent Response Yes	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
<b>Total</b>	Yes	5.45%	7.77%	12.32%	12.43%	15.23%	16.12%	17.07%	0.90%	7.96%	15.84%	5.19%
<b>Age</b>	Under 20 Years	22.49%	4.79%	13.30%	19.48%	22.04%	30.45%	21.87%	0.00%	10.97%	19.87%	5.19%
	20-24 Years	7.85%	6.54%	11.29%	11.77%	17.66%	24.72%	23.08%	1.53%	7.23%	20.91%	6.59%
	25-34 Years	3.28%	6.89%	13.24%	11.79%	14.35%	13.76%	15.71%	0.98%	7.87%	14.39%	4.54%
	Over 34 Years	4.96%	13.50%	9.65%	13.06%	13.48%	10.51%	13.95%	0.22%	8.03%	14.31%	6.11%
<b>Ethnicity</b>	White Non-Hispanic	2.60%	7.66%	12.63%	11.51%	12.36%	15.27%	13.35%	0.88%	8.63%	11.62%	3.79%
	Black Non-Hispanic	10.02%	5.43%	13.98%	13.58%	20.80%	21.74%	24.92%	0.95%	6.20%	22.78%	6.66%
	Hispanic	8.54%	9.65%	10.32%	16.00%	18.91%	12.38%	16.97%	1.12%	10.08%	19.28%	5.83%
<b>Married</b>	Married	3.15%	8.61%	12.51%	8.50%	12.68%	10.04%	12.80%	0.74%	7.87%	11.19%	3.30%
	Not Married	8.24%	6.76%	12.10%	17.20%	18.33%	23.49%	22.26%	1.10%	8.06%	21.47%	7.48%
<b>Previous Live Birth</b>	Yes	4.38%	9.30%	11.15%	14.01%	13.85%	17.56%	17.89%	1.02%	9.00%	18.57%	4.31%
	No	6.97%	5.62%	14.00%	10.18%	17.19%	14.07%	15.91%	0.73%	6.47%	11.96%	6.43%
<b>Education</b>	Less Than 12 Years	10.29%	10.48%	7.26%	19.45%	15.18%	17.91%	15.36%	1.34%	5.21%	18.35%	5.25%
	12 Years	8.25%	6.38%	15.16%	16.05%	21.37%	24.08%	23.71%	0.53%	7.93%	20.95%	5.69%
	Greater Than 12 Years	2.54%	7.50%	12.90%	8.42%	12.58%	12.01%	14.79%	0.91%	8.91%	12.75%	4.91%
	<b>Lower 95% CI</b>	<b>Q31</b>	<b>Q32A</b>	<b>Q32B</b>	<b>Q32C</b>	<b>Q33A</b>	<b>Q33B</b>	<b>Q33C</b>	<b>Q33D</b>	<b>Q33E</b>	<b>Q33F</b>	<b>Q33G</b>
<b>Total</b>	Yes	5.01%	7.26%	11.69%	11.79%	14.54%	15.41%	16.35%	0.72%	7.44%	15.13%	4.76%
<b>Age</b>	Under 20 Years	19.12%	3.07%	10.56%	16.28%	18.69%	26.74%	18.54%	0.00%	8.45%	16.65%	3.40%
	20-24 Years	6.61%	5.41%	9.84%	10.29%	15.91%	22.73%	21.14%	0.97%	6.04%	19.04%	5.45%
	25-34 Years	2.84%	6.26%	12.40%	10.99%	13.49%	12.91%	14.80%	0.74%	7.20%	13.52%	4.02%
	Over 34 Years	3.92%	11.86%	8.23%	11.45%	11.84%	9.04%	12.29%	-0.01%	6.72%	12.63%	4.96%
<b>Ethnicity</b>	White Non-Hispanic	2.18%	6.96%	11.75%	10.66%	11.49%	14.32%	12.45%	0.64%	7.89%	10.77%	3.28%
	Black Non-Hispanic	8.88%	4.57%	12.67%	12.29%	19.27%	20.18%	23.29%	0.58%	5.29%	21.19%	5.72%
	Hispanic	7.20%	8.24%	8.86%	14.25%	17.04%	10.80%	15.17%	0.61%	8.64%	17.39%	4.71%
<b>Married</b>	Married	2.70%	7.88%	11.65%	7.77%	11.81%	9.26%	11.93%	0.51%	7.17%	10.37%	2.84%
	Not Married	7.45%	6.04%	11.17%	16.12%	17.22%	22.27%	21.07%	0.80%	7.28%	20.29%	6.72%
<b>Previous Live Birth</b>	Yes	3.87%	8.56%	10.35%	13.14%	12.98%	16.60%	16.93%	0.77%	8.28%	17.59%	3.80%
	No	6.21%	4.93%	12.96%	9.27%	16.06%	13.03%	14.81%	0.48%	5.74%	10.98%	5.69%
<b>Education</b>	Less Than 12 Years	8.96%	9.14%	6.12%	17.71%	13.61%	16.24%	13.78%	0.84%	4.24%	16.65%	4.27%
	12 Years	7.18%	5.43%	13.77%	14.63%	19.78%	22.42%	22.07%	0.25%	6.88%	19.38%	4.79%
	Greater Than 12 Years	2.13%	6.82%	12.03%	7.70%	11.72%	11.17%	13.87%	0.67%	8.18%	11.89%	4.35%
	<b>Upper 95% CI</b>	<b>Q31</b>	<b>Q32A</b>	<b>Q32B</b>	<b>Q32C</b>	<b>Q33A</b>	<b>Q33B</b>	<b>Q33C</b>	<b>Q33D</b>	<b>Q33E</b>	<b>Q33F</b>	<b>Q33G</b>
<b>Total</b>	Yes	5.89%	8.29%	12.96%	13.07%	15.93%	16.83%	17.80%	1.08%	8.48%	16.54%	5.62%
<b>Age</b>	Under 20 Years	25.86%	6.51%	16.04%	22.68%	25.38%	34.16%	25.21%	0.00%	13.49%	23.09%	6.98%
	20-24 Years	9.09%	7.68%	12.75%	13.26%	19.41%	26.70%	25.01%	2.10%	8.42%	22.78%	7.73%
	25-34 Years	3.72%	7.52%	14.08%	12.58%	15.22%	14.62%	16.61%	1.23%	8.53%	15.26%	5.05%
	Over 34 Years	6.01%	15.14%	11.07%	14.68%	15.12%	11.99%	15.62%	0.44%	9.33%	15.99%	7.26%
<b>Ethnicity</b>	White Non-Hispanic	3.02%	8.36%	13.51%	12.35%	13.22%	16.22%	14.25%	1.13%	9.37%	12.47%	4.29%
	Black Non-Hispanic	11.15%	6.28%	15.29%	14.88%	22.33%	23.30%	26.55%	1.32%	7.11%	24.36%	7.60%
	Hispanic	9.88%	11.06%	11.78%	17.76%	20.79%	13.96%	18.76%	1.62%	11.52%	21.17%	6.96%
<b>Married</b>	Married	3.61%	9.34%	13.37%	9.22%	13.55%	10.83%	13.67%	0.96%	8.58%	12.01%	3.77%
	Not Married	9.03%	7.48%	13.04%	18.28%	19.44%	24.71%	23.45%	1.40%	8.84%	22.65%	8.23%
<b>Previous Live Birth</b>	Yes	4.90%	10.03%	11.94%	14.89%	14.72%	18.52%	18.86%	1.27%	9.72%	19.55%	4.83%
	No	7.73%	6.31%	15.04%	11.09%	18.32%	15.11%	17.01%	0.99%	7.21%	12.93%	7.16%
<b>Education</b>	Less Than 12 Years	11.62%	11.82%	8.39%	21.18%	16.75%	19.59%	16.94%	1.85%	6.18%	20.04%	6.22%
	12 Years	9.31%	7.32%	16.54%	17.47%	22.95%	25.73%	25.36%	0.82%	8.97%	22.53%	6.58%
	Greater Than 12 Years	2.94%	8.18%	13.77%	9.14%	13.44%	12.85%	15.71%	1.16%	9.65%	13.61%	5.47%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q33H-Q34I												
	Percent Response Yes	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
<b>Total</b>	Yes	1.92%	1.94%	2.61%	2.77%	2.75%	0.91%	0.83%	0.51%	13.27%	4.66%	1.25%
<b>Age</b>	Under 20 Years	2.39%	4.56%	0.00%	0.78%	13.36%	2.39%	0.00%	0.00%	18.70%	9.35%	0.00%
	20-24 Years	1.53%	4.21%	2.22%	3.77%	6.61%	1.97%	2.74%	1.72%	10.16%	8.11%	5.50%
	25-34 Years	1.91%	1.12%	3.34%	2.88%	1.01%	0.54%	0.47%	0.06%	13.27%	3.48%	0.36%
	Over 34 Years	2.23%	1.60%	1.19%	1.99%	1.29%	0.60%	0.38%	1.08%	14.73%	3.69%	0.38%
<b>Ethnicity</b>	White Non-Hispanic	1.18%	1.11%	2.56%	2.72%	1.03%	0.77%	0.90%	0.52%	16.79%	3.89%	0.73%
	Black Non-Hispanic	3.92%	3.37%	1.81%	3.73%	5.16%	0.55%	0.25%	0.25%	12.65%	6.75%	2.46%
	Hispanic	1.69%	2.91%	4.60%	1.96%	4.34%	1.96%	1.53%	0.84%	3.03%	4.06%	1.12%
<b>Married</b>	Married	1.05%	1.20%	1.50%	1.83%	0.97%	0.36%	0.11%	0.32%	14.74%	2.52%	0.11%
	Not Married	2.98%	2.84%	3.95%	3.92%	4.90%	1.57%	1.70%	0.75%	11.48%	7.26%	2.62%
<b>Previous Live Birth</b>	Yes	2.12%	1.95%	2.85%	2.75%	1.76%	0.67%	0.61%	0.11%	12.21%	3.53%	1.09%
	No	1.65%	1.92%	2.27%	2.80%	4.14%	1.25%	1.14%	1.08%	14.76%	6.27%	1.46%
<b>Education</b>	Less Than 12 Years	2.98%	2.75%	4.47%	1.52%	4.21%	0.89%	1.11%	0.89%	9.97%	5.27%	1.82%
	12 Years	4.27%	4.54%	3.56%	5.05%	4.68%	1.71%	1.66%	0.66%	10.76%	7.32%	2.94%
	Greater Than 12 Years	0.51%	0.50%	1.54%	2.21%	1.38%	0.56%	0.36%	0.31%	15.62%	3.29%	0.29%
	<b>Lower 95% CI</b>	<b>Q33H</b>	<b>Q33I</b>	<b>Q34A</b>	<b>Q34B</b>	<b>Q34C</b>	<b>Q34D</b>	<b>Q34E</b>	<b>Q34F</b>	<b>Q34G</b>	<b>Q34H</b>	<b>Q34I</b>
<b>Total</b>	Yes	1.66%	1.67%	2.30%	2.46%	2.43%	0.72%	0.65%	0.37%	12.61%	4.26%	1.03%
<b>Age</b>	Under 20 Years	1.16%	2.88%	0.00%	0.07%	10.62%	1.16%	0.00%	0.00%	15.56%	7.00%	0.00%
	20-24 Years	0.97%	3.29%	1.54%	2.90%	5.47%	1.33%	1.99%	1.12%	8.77%	6.85%	4.46%
	25-34 Years	1.57%	0.86%	2.90%	2.47%	0.76%	0.36%	0.30%	0.00%	12.43%	3.03%	0.21%
	Over 34 Years	1.52%	1.00%	0.67%	1.32%	0.75%	0.23%	0.09%	0.58%	13.03%	2.79%	0.09%
<b>Ethnicity</b>	White Non-Hispanic	0.90%	0.83%	2.14%	2.29%	0.77%	0.54%	0.65%	0.33%	15.80%	3.38%	0.50%
	Black Non-Hispanic	3.18%	2.69%	1.31%	3.01%	4.33%	0.27%	0.06%	0.06%	11.39%	5.80%	1.88%
	Hispanic	1.07%	2.11%	3.59%	1.30%	3.36%	1.30%	0.94%	0.41%	2.21%	3.12%	0.61%
<b>Married</b>	Married	0.78%	0.91%	1.19%	1.48%	0.72%	0.21%	0.03%	0.17%	13.82%	2.11%	0.03%
	Not Married	2.49%	2.37%	3.39%	3.36%	4.28%	1.21%	1.33%	0.50%	10.56%	6.52%	2.16%
<b>Previous Live Birth</b>	Yes	1.76%	1.60%	2.43%	2.34%	1.43%	0.46%	0.41%	0.03%	11.39%	3.07%	0.83%
	No	1.26%	1.51%	1.82%	2.31%	3.54%	0.92%	0.82%	0.77%	13.70%	5.54%	1.10%
<b>Education</b>	Less Than 12 Years	2.23%	2.03%	3.57%	0.99%	3.33%	0.48%	0.65%	0.48%	8.66%	4.29%	1.23%
	12 Years	3.49%	3.74%	2.84%	4.20%	3.86%	1.21%	1.17%	0.35%	9.56%	6.31%	2.28%
	Greater Than 12 Years	0.33%	0.32%	1.22%	1.82%	1.08%	0.37%	0.20%	0.17%	14.68%	2.83%	0.15%
	<b>Upper 95% CI</b>	<b>Q33H</b>	<b>Q33I</b>	<b>Q34A</b>	<b>Q34B</b>	<b>Q34C</b>	<b>Q34D</b>	<b>Q34E</b>	<b>Q34F</b>	<b>Q34G</b>	<b>Q34H</b>	<b>Q34I</b>
<b>Total</b>	Yes	2.19%	2.21%	2.91%	3.09%	3.06%	1.09%	1.00%	0.65%	13.92%	5.07%	1.46%
<b>Age</b>	Under 20 Years	3.63%	6.25%	0.00%	1.49%	16.11%	3.63%	0.00%	0.00%	21.85%	11.70%	0.00%
	20-24 Years	2.10%	5.14%	2.90%	4.65%	7.75%	2.61%	3.50%	2.31%	11.55%	9.36%	6.55%
	25-34 Years	2.25%	1.39%	3.79%	3.30%	1.26%	0.72%	0.64%	0.12%	14.11%	3.93%	0.50%
	Over 34 Years	2.94%	2.21%	1.71%	2.66%	1.84%	0.97%	0.68%	1.57%	16.43%	4.60%	0.68%
<b>Ethnicity</b>	White Non-Hispanic	1.47%	1.39%	2.98%	3.15%	1.30%	1.00%	1.15%	0.70%	17.77%	4.40%	0.95%
	Black Non-Hispanic	4.65%	4.05%	2.31%	4.44%	6.00%	0.83%	0.43%	0.43%	13.90%	7.70%	3.05%
	Hispanic	2.30%	3.72%	5.60%	2.62%	5.31%	2.62%	2.12%	1.28%	3.85%	5.01%	1.62%
<b>Married</b>	Married	1.32%	1.48%	1.82%	2.18%	1.23%	0.52%	0.20%	0.46%	15.67%	2.93%	0.20%
	Not Married	3.47%	3.32%	4.51%	4.47%	5.52%	1.93%	2.07%	0.99%	12.39%	8.01%	3.08%
<b>Previous Live Birth</b>	Yes	2.48%	2.30%	3.27%	3.16%	2.09%	0.87%	0.80%	0.19%	13.04%	4.00%	1.36%
	No	2.03%	2.34%	2.71%	3.30%	4.74%	1.58%	1.46%	1.39%	15.83%	7.00%	1.82%
<b>Education</b>	Less Than 12 Years	3.72%	3.47%	5.38%	2.06%	5.09%	1.30%	1.57%	1.30%	11.28%	6.25%	2.40%
	12 Years	5.05%	5.35%	4.28%	5.90%	5.49%	2.21%	2.16%	0.98%	11.96%	8.32%	3.59%
	Greater Than 12 Years	0.70%	0.69%	1.86%	2.59%	1.68%	0.75%	0.51%	0.46%	16.56%	3.75%	0.43%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q34J-Q40D												
	Percent Response Yes	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
<b>Total</b>	Yes	12.88%	16.17%	23.11%	5.98%	1.70%	3.61%	4.50%	7.88%	4.45%	0.16%	4.17%
<b>Age</b>	Under 20 Years	14.92%	29.45%	20.48%	7.96%	0.00%	2.39%	4.79%	9.35%	13.36%	2.39%	11.75%
	20-24 Years	14.58%	26.61%	23.50%	7.67%	1.03%	4.39%	7.22%	10.23%	9.83%	0.00%	5.48%
	25-34 Years	12.97%	13.22%	24.80%	5.66%	2.17%	3.48%	4.31%	6.98%	2.54%	0.00%	3.85%
	Over 34 Years	9.98%	11.15%	17.25%	4.65%	1.29%	3.69%	2.13%	8.16%	2.62%	0.16%	1.24%
<b>Ethnicity</b>	White Non-Hispanic	12.10%	15.54%	30.27%	8.87%	2.15%	5.88%	3.89%	11.65%	3.48%	0.05%	4.20%
	Black Non-Hispanic	18.59%	20.97%	17.59%	3.76%	2.13%	1.83%	7.02%	3.35%	7.36%	0.00%	4.19%
	Hispanic	8.72%	12.64%	14.04%	1.69%	0.00%	0.00%	3.66%	4.22%	4.22%	0.84%	5.18%
<b>Married</b>	Married	11.30%	10.35%	12.69%	2.00%	0.58%	1.83%	2.02%	4.72%	2.28%	0.00%	1.75%
	Not Married	14.80%	23.23%	35.75%	10.81%	3.06%	5.77%	7.50%	11.71%	7.09%	0.36%	7.10%
<b>Previous Live Birth</b>	Yes	12.62%	16.73%	22.34%	6.63%	2.30%	4.24%	5.60%	6.51%	1.58%	0.05%	3.61%
	No	13.24%	15.37%	24.20%	5.07%	0.85%	2.72%	2.94%	9.83%	8.53%	0.33%	4.95%
<b>Education</b>	Less Than 12 Years	11.64%	14.04%	27.23%	11.58%	4.50%	7.48%	3.83%	7.61%	3.23%	0.70%	6.90%
	12 Years	18.22%	25.59%	27.77%	7.65%	2.08%	4.33%	10.30%	8.70%	4.78%	0.00%	1.73%
	Greater Than 12 Years	10.99%	12.78%	19.45%	3.31%	0.56%	1.95%	2.15%	7.41%	4.76%	0.05%	4.33%
	<b>Lower 95% CI</b>	<b>Q34J</b>	<b>Q34K</b>	<b>Q35</b>	<b>Q36</b>	<b>Q37</b>	<b>Q38</b>	<b>Q39</b>	<b>Q40A</b>	<b>Q40B</b>	<b>Q40C</b>	<b>Q40D</b>
<b>Total</b>	Yes	12.23%	15.46%	22.29%	5.53%	1.45%	3.25%	4.10%	7.36%	4.06%	0.09%	3.78%
<b>Age</b>	Under 20 Years	12.04%	25.77%	17.23%	5.78%	0.00%	1.16%	3.07%	7.00%	10.62%	1.16%	9.15%
	20-24 Years	12.95%	24.58%	21.55%	6.45%	0.56%	3.45%	6.03%	8.83%	8.46%	0.00%	4.43%
	25-34 Years	12.13%	12.38%	23.73%	5.09%	1.80%	3.02%	3.80%	6.35%	2.15%	0.00%	3.38%
	Over 34 Years	8.54%	9.64%	15.44%	3.64%	0.75%	2.79%	1.44%	6.85%	1.85%	-0.03%	0.71%
<b>Ethnicity</b>	White Non-Hispanic	11.24%	14.59%	29.06%	8.12%	1.77%	5.26%	3.38%	10.81%	3.00%	-0.01%	3.67%
	Black Non-Hispanic	17.12%	19.44%	16.15%	3.04%	1.59%	1.32%	6.06%	2.67%	6.37%	0.00%	3.43%
	Hispanic	7.37%	11.04%	12.37%	1.07%	0.00%	0.00%	2.76%	3.25%	3.25%	0.41%	4.12%
<b>Married</b>	Married	10.47%	9.56%	11.83%	1.64%	0.38%	1.48%	1.65%	4.17%	1.89%	0.00%	1.41%
	Not Married	13.78%	22.01%	34.37%	9.92%	2.57%	5.10%	6.75%	10.79%	6.35%	0.19%	6.36%
<b>Previous Live Birth</b>	Yes	11.79%	15.79%	21.29%	6.00%	1.92%	3.73%	5.02%	5.89%	1.27%	-0.01%	3.14%
	No	12.23%	14.29%	22.91%	4.41%	0.58%	2.23%	2.43%	8.93%	7.69%	0.16%	4.30%
<b>Education</b>	Less Than 12 Years	10.24%	12.52%	25.28%	10.17%	3.59%	6.33%	2.99%	6.45%	2.45%	0.34%	5.79%
	12 Years	16.73%	23.90%	26.04%	6.63%	1.53%	3.54%	9.13%	7.61%	3.95%	0.00%	1.23%
	Greater Than 12 Years	10.18%	11.91%	18.43%	2.85%	0.37%	1.59%	1.77%	6.73%	4.21%	-0.01%	3.80%
	<b>Upper 95% CI</b>	<b>Q34J</b>	<b>Q34K</b>	<b>Q35</b>	<b>Q36</b>	<b>Q37</b>	<b>Q38</b>	<b>Q39</b>	<b>Q40A</b>	<b>Q40B</b>	<b>Q40C</b>	<b>Q40D</b>
<b>Total</b>	Yes	13.53%	16.88%	23.92%	6.44%	1.95%	3.97%	4.90%	8.40%	4.85%	0.24%	4.55%
<b>Age</b>	Under 20 Years	17.79%	33.13%	23.74%	10.14%	0.00%	3.63%	6.51%	11.70%	16.11%	3.63%	14.34%
	20-24 Years	16.20%	28.64%	25.45%	8.89%	1.49%	5.33%	8.41%	11.62%	11.20%	0.00%	6.52%
	25-34 Years	13.80%	14.06%	25.87%	6.23%	2.53%	3.93%	4.81%	7.62%	2.93%	0.00%	4.33%
	Over 34 Years	11.42%	12.66%	19.07%	5.67%	1.84%	4.60%	2.83%	9.48%	3.38%	0.36%	1.77%
<b>Ethnicity</b>	White Non-Hispanic	12.96%	16.50%	31.49%	9.62%	2.53%	6.50%	4.40%	12.50%	3.96%	0.11%	4.73%
	Black Non-Hispanic	20.06%	22.51%	19.02%	4.48%	2.68%	2.34%	7.99%	4.03%	8.34%	0.00%	4.94%
	Hispanic	10.07%	14.23%	15.70%	2.30%	0.00%	0.00%	4.56%	5.18%	5.18%	1.28%	6.24%
<b>Married</b>	Married	12.12%	11.15%	13.56%	2.37%	0.78%	2.18%	2.39%	5.27%	2.67%	0.00%	2.09%
	Not Married	15.82%	24.44%	37.12%	11.70%	3.55%	6.44%	8.26%	12.64%	7.82%	0.53%	7.84%
<b>Previous Live Birth</b>	Yes	13.46%	17.67%	23.39%	7.25%	2.68%	4.75%	6.17%	7.13%	1.89%	0.10%	4.08%
	No	14.26%	16.45%	25.48%	5.73%	1.13%	3.21%	3.44%	10.72%	9.37%	0.50%	5.61%
<b>Education</b>	Less Than 12 Years	13.04%	15.57%	29.18%	12.98%	5.41%	8.63%	4.67%	8.77%	4.00%	1.07%	8.01%
	12 Years	19.71%	27.28%	29.50%	8.68%	2.64%	5.12%	11.48%	9.79%	5.60%	0.00%	2.24%
	Greater Than 12 Years	11.80%	13.64%	20.48%	3.77%	0.75%	2.31%	2.52%	8.08%	5.32%	0.10%	4.85%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q41-Q46F												
	Percent Response Yes	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
<b>Total</b>	Yes	1.27%	0.45%	63.26%	9.83%	1.68%	20.64%	3.49%	27.88%	2.59%	8.50%	8.81%
<b>Age</b>	Under 20 Years	0.78%	0.00%	39.02%	7.18%	0.00%	11.91%	2.39%	46.98%	9.58%	3.17%	16.53%
	20-24 Years	2.58%	0.78%	56.53%	5.16%	1.03%	20.73%	3.66%	43.29%	1.68%	13.56%	11.21%
	25-34 Years	0.68%	0.45%	67.77%	11.62%	1.93%	21.84%	2.88%	25.29%	2.35%	8.03%	8.16%
	Over 34 Years	2.24%	0.22%	62.25%	9.13%	2.08%	19.14%	5.99%	14.03%	1.98%	6.62%	5.92%
<b>Ethnicity</b>	White Non-Hispanic	1.71%	0.77%	78.86%	15.25%	1.77%	25.77%	3.28%	25.20%	1.74%	8.50%	6.17%
	Black Non-Hispanic	0.43%	0.14%	45.77%	2.95%	1.17%	18.59%	3.73%	30.78%	4.16%	10.04%	10.93%
	Hispanic	0.84%	0.00%	47.27%	5.08%	2.69%	9.90%	3.82%	30.47%	3.54%	6.97%	15.85%
<b>Married</b>	Married	0.75%	0.00%	67.04%	10.78%	1.56%	22.42%	1.60%	22.33%	0.28%	7.49%	4.21%
	Not Married	1.90%	0.99%	58.68%	8.69%	1.83%	18.48%	5.78%	34.62%	5.38%	9.72%	14.40%
<b>Previous Live Birth</b>	Yes	1.39%	0.53%	58.99%	6.55%	1.81%	19.51%	4.64%	23.45%	3.44%	9.17%	10.54%
	No	1.10%	0.33%	69.32%	14.49%	1.50%	22.25%	1.85%	34.16%	1.38%	7.54%	6.37%
<b>Education</b>	Less Than 12 Years	0.46%	0.70%	34.85%	3.00%	0.93%	14.15%	2.16%	28.39%	5.02%	8.07%	12.49%
	12 Years	2.00%	0.55%	53.36%	4.88%	2.05%	18.14%	4.66%	34.26%	4.40%	11.24%	12.90%
	Greater Than 12 Years	1.24%	0.31%	77.69%	14.50%	1.79%	24.09%	3.44%	25.00%	0.93%	7.46%	5.74%
	<b>Lower 95% CI</b>	<b>Q41</b>	<b>Q42</b>	<b>Q43</b>	<b>Q44</b>	<b>Q45</b>	<b>Q46A</b>	<b>Q46B</b>	<b>Q46C</b>	<b>Q46D</b>	<b>Q46E</b>	<b>Q46F</b>
<b>Total</b>	Yes	1.06%	0.32%	62.33%	9.26%	1.44%	19.86%	3.13%	27.02%	2.28%	7.96%	8.27%
<b>Age</b>	Under 20 Years	0.07%	0.00%	35.09%	5.10%	0.00%	9.29%	1.16%	42.96%	7.20%	1.76%	13.54%
	20-24 Years	1.85%	0.37%	54.25%	4.15%	0.56%	18.87%	2.80%	41.02%	1.09%	11.99%	9.76%
	25-34 Years	0.48%	0.29%	66.61%	10.83%	1.59%	20.82%	2.46%	24.21%	1.98%	7.35%	7.48%
	Over 34 Years	1.53%	-0.01%	59.92%	7.75%	1.39%	17.25%	4.85%	12.36%	1.31%	5.43%	4.79%
<b>Ethnicity</b>	White Non-Hispanic	1.37%	0.54%	77.78%	14.30%	1.42%	24.62%	2.81%	24.05%	1.40%	7.76%	5.53%
	Black Non-Hispanic	0.18%	0.00%	43.89%	2.31%	0.76%	17.12%	3.01%	29.04%	3.41%	8.90%	9.75%
	Hispanic	0.41%	0.00%	44.88%	4.03%	1.92%	8.47%	2.90%	28.26%	2.65%	5.75%	14.10%
<b>Married</b>	Married	0.53%	0.00%	65.82%	9.97%	1.24%	21.34%	1.27%	21.24%	0.15%	6.81%	3.69%
	Not Married	1.51%	0.70%	57.27%	7.88%	1.45%	17.37%	5.11%	33.26%	4.73%	8.87%	13.40%
<b>Previous Live Birth</b>	Yes	1.10%	0.34%	57.75%	5.93%	1.48%	18.51%	4.11%	22.39%	2.98%	8.45%	9.77%
	No	0.79%	0.16%	67.94%	13.43%	1.14%	21.01%	1.45%	32.74%	1.03%	6.75%	5.64%
<b>Education</b>	Less Than 12 Years	0.16%	0.34%	32.76%	2.25%	0.51%	12.62%	1.53%	26.41%	4.07%	6.88%	11.04%
	12 Years	1.46%	0.26%	51.43%	4.05%	1.50%	16.65%	3.85%	32.43%	3.61%	10.02%	11.60%
	Greater Than 12 Years	0.95%	0.17%	76.62%	13.59%	1.45%	22.99%	2.97%	23.87%	0.68%	6.78%	5.14%
	<b>Upper 95% CI</b>	<b>Q41</b>	<b>Q42</b>	<b>Q43</b>	<b>Q44</b>	<b>Q45</b>	<b>Q46A</b>	<b>Q46B</b>	<b>Q46C</b>	<b>Q46D</b>	<b>Q46E</b>	<b>Q46F</b>
<b>Total</b>	Yes	1.49%	0.57%	64.19%	10.41%	1.93%	21.42%	3.84%	28.75%	2.89%	9.03%	9.36%
<b>Age</b>	Under 20 Years	1.49%	0.00%	42.96%	9.27%	0.00%	14.52%	3.63%	51.01%	11.95%	4.59%	19.53%
	20-24 Years	3.31%	1.18%	58.81%	6.18%	1.49%	22.60%	4.52%	45.57%	2.27%	15.13%	12.66%
	25-34 Years	0.88%	0.62%	68.93%	12.42%	2.27%	22.87%	3.29%	26.37%	2.73%	8.70%	8.84%
	Over 34 Years	2.95%	0.44%	64.58%	10.51%	2.76%	21.03%	7.12%	15.70%	2.65%	7.82%	7.05%
<b>Ethnicity</b>	White Non-Hispanic	2.05%	1.00%	79.94%	16.19%	2.12%	26.93%	3.75%	26.34%	2.09%	9.23%	6.80%
	Black Non-Hispanic	0.68%	0.27%	47.65%	3.59%	1.58%	20.06%	4.44%	32.53%	4.92%	11.17%	12.10%
	Hispanic	1.28%	0.00%	49.66%	6.13%	3.47%	11.33%	4.74%	32.67%	4.42%	8.19%	17.60%
<b>Married</b>	Married	0.98%	0.00%	68.26%	11.58%	1.88%	23.51%	1.93%	23.41%	0.42%	8.18%	4.73%
	Not Married	2.29%	1.27%	60.09%	9.49%	2.22%	19.60%	6.45%	35.99%	6.03%	10.57%	15.41%
<b>Previous Live Birth</b>	Yes	1.69%	0.71%	60.23%	7.17%	2.15%	20.51%	5.17%	24.52%	3.90%	9.90%	11.31%
	No	1.42%	0.50%	70.71%	15.54%	1.86%	23.50%	2.26%	35.58%	1.73%	8.33%	7.10%
<b>Education</b>	Less Than 12 Years	0.75%	1.07%	36.93%	3.74%	1.35%	15.67%	2.80%	30.36%	5.98%	9.27%	13.93%
	12 Years	2.54%	0.84%	55.29%	5.72%	2.59%	19.63%	5.48%	36.10%	5.19%	12.46%	14.20%
	Greater Than 12 Years	1.52%	0.45%	78.77%	15.41%	2.14%	25.20%	3.92%	26.12%	1.18%	8.14%	6.35%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q46G-Q47C												
	Percent Response Yes	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
<b>Total</b>	Yes	12.02%	3.79%	19.12%	5.02%	15.82%	2.61%	10.77%	14.65%	1.89%	0.27%	0.72%
<b>Age</b>	Under 20 Years	11.75%	0.00%	30.68%	10.97%	6.96%	13.14%	21.32%	22.26%	8.58%	2.39%	2.39%
	20-24 Years	16.06%	7.32%	26.63%	6.75%	18.49%	2.06%	11.63%	16.77%	1.03%	0.00%	2.33%
	25-34 Years	11.23%	3.30%	16.19%	3.90%	15.54%	2.38%	10.78%	13.38%	1.83%	0.00%	0.29%
	Over 34 Years	10.68%	3.15%	17.84%	5.24%	17.11%	0.33%	6.09%	14.45%	0.69%	0.85%	0.00%
<b>Ethnicity</b>	White Non-Hispanic	12.64%	5.11%	15.88%	3.35%	13.23%	1.59%	12.82%	14.62%	1.06%	0.00%	0.51%
	Black Non-Hispanic	8.45%	2.22%	29.99%	8.18%	21.85%	5.61%	8.51%	19.77%	3.48%	0.52%	0.51%
	Hispanic	17.65%	1.50%	14.56%	6.61%	17.23%	1.85%	9.72%	8.63%	0.84%	0.84%	1.96%
<b>Married</b>	Married	9.45%	4.93%	12.97%	1.64%	10.94%	0.30%	4.63%	12.66%	0.60%	0.00%	0.16%
	Not Married	15.14%	2.42%	26.59%	9.12%	21.74%	5.41%	18.23%	17.07%	3.46%	0.60%	1.41%
<b>Previous Live Birth</b>	Yes	11.65%	4.18%	18.52%	5.37%	20.00%	3.33%	10.77%	13.57%	1.95%	0.23%	0.23%
	No	12.54%	3.24%	19.97%	4.52%	9.89%	1.58%	10.78%	16.19%	1.81%	0.33%	1.43%
<b>Education</b>	Less Than 12 Years	13.54%	3.51%	18.96%	5.49%	12.63%	7.00%	13.38%	14.84%	3.86%	0.70%	0.70%
	12 Years	11.16%	2.10%	24.01%	7.39%	24.35%	3.59%	14.54%	15.36%	1.90%	0.55%	1.46%
	Greater Than 12 Years	11.94%	4.68%	17.09%	3.82%	13.20%	0.64%	8.23%	14.36%	1.21%	0.00%	0.41%
	<b>Lower 95% CI</b>	<b>Q46G</b>	<b>Q46H</b>	<b>Q46I</b>	<b>Q46J</b>	<b>Q46K</b>	<b>Q46L</b>	<b>Q46M</b>	<b>Q46N</b>	<b>Q47A</b>	<b>Q47B</b>	<b>Q47C</b>
<b>Total</b>	Yes	11.39%	3.43%	18.36%	4.60%	15.12%	2.30%	10.17%	13.97%	1.63%	0.17%	0.56%
<b>Age</b>	Under 20 Years	9.15%	0.00%	26.95%	8.45%	4.90%	10.41%	18.02%	18.90%	6.32%	1.16%	1.16%
	20-24 Years	14.38%	6.12%	24.60%	5.60%	16.70%	1.40%	10.16%	15.05%	0.56%	0.00%	1.64%
	25-34 Years	10.45%	2.86%	15.28%	3.42%	14.64%	2.00%	10.01%	12.53%	1.50%	0.00%	0.16%
	Over 34 Years	9.20%	2.31%	16.00%	4.17%	15.30%	0.05%	4.94%	12.76%	0.29%	0.41%	0.00%
<b>Ethnicity</b>	White Non-Hispanic	11.76%	4.53%	14.92%	2.87%	12.34%	1.26%	11.94%	13.69%	0.79%	0.00%	0.32%
	Black Non-Hispanic	7.40%	1.67%	28.26%	7.14%	20.29%	4.74%	7.45%	18.27%	2.78%	0.25%	0.24%
	Hispanic	15.82%	0.92%	12.87%	5.42%	15.42%	1.21%	8.31%	7.28%	0.41%	0.41%	1.30%
<b>Married</b>	Married	8.69%	4.36%	12.10%	1.31%	10.13%	0.16%	4.08%	11.80%	0.40%	0.00%	0.06%
	Not Married	14.12%	1.98%	25.32%	8.29%	20.56%	4.76%	17.12%	15.99%	2.94%	0.38%	1.07%
<b>Previous Live Birth</b>	Yes	10.85%	3.68%	17.55%	4.81%	18.99%	2.88%	9.99%	12.71%	1.60%	0.11%	0.11%
	No	11.55%	2.71%	18.77%	3.90%	8.99%	1.20%	9.85%	15.09%	1.41%	0.16%	1.07%
<b>Education</b>	Less Than 12 Years	12.04%	2.70%	17.24%	4.49%	11.18%	5.89%	11.89%	13.28%	3.02%	0.34%	0.34%
	12 Years	9.94%	1.54%	22.36%	6.38%	22.69%	2.87%	13.18%	13.96%	1.38%	0.26%	0.99%
	Greater Than 12 Years	11.10%	4.13%	16.12%	3.33%	12.32%	0.43%	7.52%	13.45%	0.92%	0.00%	0.24%
	<b>Upper 95% CI</b>	<b>Q46G</b>	<b>Q46H</b>	<b>Q46I</b>	<b>Q46J</b>	<b>Q46K</b>	<b>Q46L</b>	<b>Q46M</b>	<b>Q46N</b>	<b>Q47A</b>	<b>Q47B</b>	<b>Q47C</b>
<b>Total</b>	Yes	12.65%	4.16%	19.88%	5.44%	16.52%	2.91%	11.37%	15.34%	2.15%	0.37%	0.89%
<b>Age</b>	Under 20 Years	14.34%	0.00%	34.40%	13.49%	9.01%	15.86%	24.63%	25.62%	10.83%	3.63%	3.63%
	20-24 Years	17.75%	8.52%	28.66%	7.90%	20.27%	2.71%	13.11%	18.49%	1.49%	0.00%	3.02%
	25-34 Years	12.01%	3.74%	17.11%	4.38%	16.44%	2.76%	11.54%	14.22%	2.16%	0.00%	0.43%
	Over 34 Years	12.17%	3.99%	19.68%	6.31%	18.92%	0.60%	7.23%	16.14%	1.09%	1.29%	0.00%
<b>Ethnicity</b>	White Non-Hispanic	13.51%	5.69%	16.85%	3.82%	14.13%	1.92%	13.70%	15.56%	1.33%	0.00%	0.70%
	Black Non-Hispanic	9.50%	2.78%	31.72%	9.21%	23.41%	6.48%	9.56%	21.28%	4.17%	0.80%	0.78%
	Hispanic	19.48%	2.08%	16.25%	7.79%	19.04%	2.50%	11.14%	9.97%	1.28%	1.28%	2.62%
<b>Married</b>	Married	10.21%	5.49%	13.85%	1.98%	11.75%	0.44%	5.17%	13.53%	0.80%	0.00%	0.27%
	Not Married	16.17%	2.86%	27.85%	9.94%	22.93%	6.06%	19.34%	18.15%	3.99%	0.83%	1.74%
<b>Previous Live Birth</b>	Yes	12.46%	4.69%	19.50%	5.94%	21.01%	3.78%	11.55%	14.43%	2.30%	0.35%	0.35%
	No	13.53%	3.77%	21.17%	5.14%	10.78%	1.95%	11.71%	17.30%	2.21%	0.50%	1.78%
<b>Education</b>	Less Than 12 Years	15.03%	4.31%	20.67%	6.48%	14.08%	8.12%	14.87%	16.40%	4.71%	1.07%	1.07%
	12 Years	12.38%	2.65%	25.66%	8.40%	26.01%	4.31%	15.91%	16.75%	2.43%	0.84%	1.92%
	Greater Than 12 Years	12.78%	5.22%	18.07%	4.32%	14.08%	0.85%	8.94%	15.26%	1.49%	0.00%	0.57%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q48A-Q55D												
	Percent Response Yes	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
<b>Total</b>	Yes	1.45%	0.76%	0.26%	16.54%	41.17%	96.12%	94.81%	76.35%	73.24%	70.86%	65.41%
<b>Age</b>	Under 20 Years	7.18%	7.18%	2.39%	10.69%	35.80%	89.03%	89.03%	85.08%	66.99%	63.76%	72.71%
	20-24 Years	1.81%	0.00%	0.00%	16.16%	46.12%	99.18%	96.35%	80.36%	73.89%	68.40%	67.38%
	25-34 Years	1.01%	0.36%	0.15%	17.51%	39.31%	96.19%	95.26%	75.74%	74.87%	74.34%	65.38%
	Over 34 Years	0.69%	0.85%	0.22%	15.37%	44.66%	95.03%	93.48%	71.20%	68.59%	62.99%	60.78%
<b>Ethnicity</b>	White Non-Hispanic	1.28%	0.00%	0.00%	16.29%	36.04%	98.13%	95.82%	77.29%	75.12%	73.56%	65.56%
	Black Non-Hispanic	1.34%	0.52%	0.31%	20.69%	50.05%	92.78%	91.95%	77.81%	71.26%	69.63%	67.52%
	Hispanic	1.69%	3.86%	1.12%	10.42%	41.35%	94.01%	94.85%	71.66%	68.75%	61.38%	60.79%
<b>Married</b>	Married	0.15%	0.00%	0.00%	13.69%	36.47%	96.65%	96.07%	75.63%	76.42%	74.44%	64.61%
	Not Married	3.04%	1.69%	0.58%	20.00%	46.87%	95.48%	93.28%	77.23%	69.37%	66.52%	66.39%
<b>Previous Live Birth</b>	Yes	1.39%	0.60%	0.21%	15.38%	40.01%	96.30%	94.48%	73.16%	69.62%	65.61%	62.78%
	No	1.54%	0.99%	0.33%	18.19%	42.82%	95.88%	95.28%	80.88%	78.37%	78.32%	69.15%
<b>Education</b>	Less Than 12 Years	3.45%	2.52%	0.89%	12.49%	38.12%	96.18%	93.11%	75.53%	69.68%	61.91%	63.30%
	12 Years	1.46%	0.55%	0.36%	23.57%	50.34%	94.25%	91.83%	77.21%	68.83%	60.45%	63.68%
	Greater Than 12 Years	0.76%	0.25%	0.00%	14.59%	38.05%	96.92%	96.72%	76.61%	76.56%	78.75%	66.98%
	<b>Lower 95% CI</b>	<b>Q48A</b>	<b>Q48B</b>	<b>Q48C</b>	<b>Q51</b>	<b>Q52</b>	<b>Q53</b>	<b>Q54</b>	<b>Q55A</b>	<b>Q55B</b>	<b>Q55C</b>	<b>Q55D</b>
<b>Total</b>	Yes	1.22%	0.59%	0.16%	15.82%	40.22%	95.75%	94.38%	75.53%	72.38%	69.99%	64.49%
<b>Age</b>	Under 20 Years	5.10%	5.10%	1.16%	8.20%	31.93%	86.51%	86.51%	82.21%	63.20%	59.88%	69.11%
	20-24 Years	1.19%	0.00%	0.00%	14.47%	43.83%	98.77%	95.49%	78.53%	71.87%	66.26%	65.22%
	25-34 Years	0.76%	0.21%	0.05%	16.57%	38.10%	95.72%	94.74%	74.67%	73.80%	73.26%	64.21%
	Over 34 Years	0.29%	0.41%	-0.01%	13.64%	42.27%	93.98%	92.29%	69.03%	66.36%	60.67%	58.44%
<b>Ethnicity</b>	White Non-Hispanic	0.98%	0.00%	0.00%	15.31%	34.77%	97.77%	95.29%	76.18%	73.98%	72.40%	64.30%
	Black Non-Hispanic	0.91%	0.25%	0.10%	19.16%	48.16%	91.80%	90.92%	76.24%	69.55%	67.90%	65.75%
	Hispanic	1.07%	2.94%	0.61%	8.96%	38.99%	92.87%	93.80%	69.50%	66.53%	59.05%	58.45%
<b>Married</b>	Married	0.05%	0.00%	0.00%	12.80%	35.22%	96.19%	95.57%	74.51%	75.32%	73.30%	63.36%
	Not Married	2.55%	1.32%	0.36%	18.85%	45.44%	94.88%	92.56%	76.03%	68.05%	65.17%	65.03%
<b>Previous Live Birth</b>	Yes	1.10%	0.41%	0.10%	14.47%	38.78%	95.82%	93.91%	72.05%	68.46%	64.41%	61.56%
	No	1.17%	0.69%	0.16%	17.04%	41.34%	95.28%	94.64%	79.70%	77.13%	77.08%	67.76%
<b>Education</b>	Less Than 12 Years	2.65%	1.84%	0.48%	11.04%	35.99%	95.34%	92.00%	73.65%	67.66%	59.79%	61.19%
	12 Years	0.99%	0.26%	0.13%	21.93%	48.41%	93.35%	90.77%	75.59%	67.04%	58.56%	61.82%
	Greater Than 12 Years	0.53%	0.12%	0.00%	13.67%	36.79%	96.47%	96.26%	75.52%	75.46%	77.69%	65.76%
	<b>Upper 95% CI</b>	<b>Q48A</b>	<b>Q48B</b>	<b>Q48C</b>	<b>Q51</b>	<b>Q52</b>	<b>Q53</b>	<b>Q54</b>	<b>Q55A</b>	<b>Q55B</b>	<b>Q55C</b>	<b>Q55D</b>
<b>Total</b>	Yes	1.68%	0.93%	0.36%	17.26%	42.12%	96.49%	95.24%	77.17%	74.09%	71.74%	66.33%
<b>Age</b>	Under 20 Years	9.27%	9.27%	3.63%	13.19%	39.67%	91.55%	91.55%	87.96%	70.79%	67.64%	76.31%
	20-24 Years	2.42%	0.00%	0.00%	17.85%	48.42%	99.60%	97.21%	82.18%	75.91%	70.54%	69.53%
	25-34 Years	1.26%	0.50%	0.24%	18.46%	40.52%	96.67%	95.79%	76.80%	75.95%	75.42%	66.56%
	Over 34 Years	1.09%	1.29%	0.44%	17.10%	47.05%	96.07%	94.66%	73.38%	70.82%	65.31%	63.13%
<b>Ethnicity</b>	White Non-Hispanic	1.58%	0.00%	0.00%	17.26%	37.30%	98.48%	96.34%	78.40%	76.27%	74.73%	66.81%
	Black Non-Hispanic	1.77%	0.80%	0.51%	22.22%	51.94%	93.75%	92.97%	79.38%	72.97%	71.37%	69.29%
	Hispanic	2.30%	4.79%	1.62%	11.89%	43.70%	95.15%	95.91%	73.82%	70.97%	63.71%	63.13%
<b>Married</b>	Married	0.24%	0.00%	0.00%	14.59%	37.73%	97.12%	96.58%	76.75%	77.53%	75.57%	65.85%
	Not Married	3.53%	2.06%	0.79%	21.14%	48.31%	96.07%	94.00%	78.43%	70.70%	67.88%	67.75%
<b>Previous Live Birth</b>	Yes	1.69%	0.80%	0.33%	16.28%	41.24%	96.77%	95.06%	74.28%	70.78%	66.80%	63.99%
	No	1.90%	1.29%	0.50%	19.35%	44.30%	96.47%	95.91%	82.06%	79.60%	79.55%	70.53%
<b>Education</b>	Less Than 12 Years	4.25%	3.21%	1.30%	13.93%	40.24%	97.02%	94.21%	77.41%	71.69%	64.04%	65.40%
	12 Years	1.92%	0.84%	0.59%	25.22%	52.28%	95.15%	92.89%	78.84%	70.62%	62.34%	65.54%
	Greater Than 12 Years	0.98%	0.37%	0.00%	15.50%	39.31%	97.37%	97.18%	77.71%	77.66%	79.81%	68.20%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q55E-Q62C												
	Percent Response Yes	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
<b>Total</b>	Yes	25.12%	12.81%	59.23%	82.41%	48.59%	77.18%	76.95%	70.56%	88.09%	25.31%	7.64%
<b>Age</b>	Under 20 Years	15.14%	14.14%	67.77%	78.29%	15.92%	57.97%	63.53%	75.89%	84.47%	26.89%	10.35%
	20-24 Years	28.85%	14.56%	65.97%	79.73%	36.16%	71.96%	74.26%	77.02%	89.63%	36.59%	6.79%
	25-34 Years	26.01%	12.30%	58.99%	83.71%	54.10%	79.75%	79.11%	68.80%	87.45%	22.37%	7.75%
	Over 34 Years	21.25%	12.32%	49.74%	81.87%	53.02%	79.99%	76.50%	68.23%	90.12%	23.49%	7.17%
<b>Ethnicity</b>	White Non-Hispanic	23.73%	10.18%	60.28%	83.65%	55.70%	84.73%	82.80%	65.39%	89.24%	19.12%	6.51%
	Black Non-Hispanic	26.14%	14.39%	63.44%	79.14%	32.70%	62.72%	67.47%	74.75%	86.52%	29.62%	8.80%
	Hispanic	26.29%	19.02%	48.30%	79.62%	45.70%	76.45%	75.22%	80.63%	84.97%	35.75%	9.70%
<b>Married</b>	Married	27.10%	12.54%	59.26%	88.88%	62.86%	82.28%	79.74%	63.03%	89.20%	20.11%	6.46%
	Not Married	22.72%	13.13%	59.20%	74.55%	31.28%	70.98%	73.56%	79.69%	86.75%	31.63%	9.06%
<b>Previous Live Birth</b>	Yes	24.14%	12.99%	50.38%	80.09%	48.85%	78.15%	78.53%	74.72%	87.06%	26.54%	8.25%
	No	26.51%	12.55%	71.79%	85.70%	48.22%	75.79%	74.71%	64.65%	89.56%	23.57%	6.76%
<b>Education</b>	Less Than 12 Years	28.99%	21.82%	49.35%	73.89%	32.83%	73.97%	74.81%	84.95%	86.54%	31.11%	7.71%
	12 Years	21.66%	10.71%	60.89%	72.40%	30.07%	72.64%	69.63%	73.47%	86.00%	28.41%	8.76%
	Greater Than 12 Years	25.40%	10.67%	61.97%	90.02%	62.44%	80.20%	80.92%	64.11%	89.51%	22.03%	7.09%
	<b>Lower 95% CI</b>	<b>Q55E</b>	<b>Q55F</b>	<b>Q55G</b>	<b>Q56</b>	<b>Q57</b>	<b>Q59</b>	<b>Q60</b>	<b>Q61</b>	<b>Q62A</b>	<b>Q62B</b>	<b>Q62C</b>
<b>Total</b>	Yes	24.28%	12.16%	58.28%	81.67%	47.63%	76.37%	76.14%	69.68%	87.47%	24.47%	7.12%
<b>Age</b>	Under 20 Years	12.25%	11.33%	64.00%	74.96%	12.97%	53.98%	59.65%	72.44%	81.54%	23.31%	7.90%
	20-24 Years	26.77%	12.94%	63.79%	77.88%	33.96%	69.90%	72.25%	75.09%	88.23%	34.38%	5.64%
	25-34 Years	24.92%	11.49%	57.78%	82.80%	52.87%	78.75%	78.10%	67.65%	86.63%	21.34%	7.09%
	Over 34 Years	19.28%	10.75%	47.34%	80.02%	50.62%	78.07%	74.47%	65.99%	88.68%	21.46%	5.93%
<b>Ethnicity</b>	White Non-Hispanic	22.61%	9.38%	58.99%	82.67%	54.39%	83.78%	81.80%	64.14%	88.42%	18.08%	5.86%
	Black Non-Hispanic	24.48%	13.07%	61.62%	77.60%	30.93%	60.89%	65.70%	73.11%	85.22%	27.90%	7.73%
	Hispanic	24.18%	17.14%	45.91%	77.69%	43.32%	74.42%	73.15%	78.74%	83.26%	33.46%	8.28%
<b>Married</b>	Married	25.94%	11.68%	57.98%	88.06%	61.60%	81.28%	78.69%	61.77%	88.39%	19.07%	5.82%
	Not Married	21.52%	12.16%	57.79%	73.30%	29.95%	69.68%	72.30%	78.54%	85.78%	30.29%	8.24%
<b>Previous Live Birth</b>	Yes	23.06%	12.15%	49.12%	79.08%	47.59%	77.11%	77.50%	73.63%	86.21%	25.43%	7.56%
	No	25.19%	11.55%	70.44%	84.65%	46.72%	74.51%	73.40%	63.21%	88.64%	22.30%	6.01%
<b>Education</b>	Less Than 12 Years	27.00%	20.01%	47.17%	71.97%	30.77%	72.05%	72.91%	83.39%	85.04%	29.08%	6.54%
	12 Years	20.06%	9.52%	59.00%	70.67%	28.30%	70.92%	67.85%	71.77%	84.66%	26.67%	7.66%
	Greater Than 12 Years	24.27%	9.87%	60.71%	89.25%	61.19%	79.17%	79.90%	62.87%	88.71%	20.96%	6.42%
	<b>Upper 95% CI</b>	<b>Q55E</b>	<b>Q55F</b>	<b>Q55G</b>	<b>Q56</b>	<b>Q57</b>	<b>Q59</b>	<b>Q60</b>	<b>Q61</b>	<b>Q62A</b>	<b>Q62B</b>	<b>Q62C</b>
<b>Total</b>	Yes	25.96%	13.45%	60.18%	83.14%	49.56%	77.98%	77.76%	71.44%	88.72%	26.15%	8.15%
<b>Age</b>	Under 20 Years	18.04%	16.95%	71.54%	81.61%	18.87%	61.95%	67.42%	79.34%	87.39%	30.47%	12.81%
	20-24 Years	30.93%	16.19%	68.15%	81.58%	38.37%	74.03%	76.27%	78.96%	91.03%	38.81%	7.95%
	25-34 Years	27.09%	13.12%	60.21%	84.63%	55.34%	80.75%	80.12%	69.94%	88.27%	23.41%	8.41%
	Over 34 Years	23.21%	13.90%	52.14%	83.72%	55.41%	81.91%	78.54%	70.47%	91.55%	25.53%	8.41%
<b>Ethnicity</b>	White Non-Hispanic	24.85%	10.98%	61.58%	84.62%	57.01%	85.68%	83.80%	66.65%	90.06%	20.16%	7.16%
	Black Non-Hispanic	27.80%	15.72%	65.26%	80.67%	34.48%	64.54%	69.24%	76.39%	87.81%	31.35%	9.87%
	Hispanic	28.40%	20.90%	50.69%	81.55%	48.09%	78.49%	77.29%	82.53%	86.68%	38.05%	11.11%
<b>Married</b>	Married	28.26%	13.41%	60.54%	89.70%	64.12%	83.27%	80.79%	64.29%	90.00%	21.15%	7.10%
	Not Married	23.92%	14.10%	60.61%	75.80%	32.61%	72.28%	74.83%	80.85%	87.73%	32.96%	9.88%
<b>Previous Live Birth</b>	Yes	25.22%	13.84%	51.63%	81.09%	50.11%	79.19%	79.56%	75.82%	87.90%	27.65%	8.94%
	No	27.83%	13.54%	73.14%	86.75%	49.72%	77.08%	76.01%	66.08%	90.47%	24.85%	7.52%
<b>Education</b>	Less Than 12 Years	30.97%	23.62%	51.54%	75.82%	34.88%	75.89%	76.71%	86.52%	88.03%	33.14%	8.87%
	12 Years	23.25%	11.91%	62.77%	74.13%	31.85%	74.36%	71.41%	75.18%	87.34%	30.16%	9.85%
	Greater Than 12 Years	26.52%	11.46%	63.22%	90.80%	63.69%	81.24%	81.94%	65.35%	90.30%	23.11%	7.75%



Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q62D-Q65												
	Percent Response Yes	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
<b>Total</b>	Yes	45.04%	33.37%	36.47%	7.70%	16.75%	93.79%	86.92%	50.05%	86.62%	85.99%	17.37%
<b>Age</b>	Under 20 Years	38.32%	20.32%	48.45%	9.58%	23.10%	84.47%	84.47%	45.99%	83.08%	80.52%	31.61%
	20-24 Years	49.71%	19.65%	45.73%	12.28%	24.21%	95.32%	87.55%	55.06%	91.69%	84.31%	21.60%
	25-34 Years	43.78%	37.20%	32.98%	6.73%	15.09%	94.78%	87.12%	48.70%	85.78%	87.72%	14.95%
	Over 34 Years	47.07%	38.59%	35.23%	5.70%	12.58%	91.72%	86.33%	51.11%	85.48%	83.25%	16.83%
<b>Ethnicity</b>	White Non-Hispanic	48.65%	44.43%	35.42%	6.03%	14.15%	95.43%	86.23%	45.63%	86.11%	86.00%	15.88%
	Black Non-Hispanic	41.81%	19.98%	35.54%	9.76%	12.92%	92.20%	88.53%	53.12%	86.70%	84.82%	20.03%
	Hispanic	35.73%	17.87%	40.52%	9.25%	29.90%	91.47%	87.65%	57.85%	88.13%	86.01%	19.60%
<b>Married</b>	Married	44.35%	43.81%	31.21%	6.39%	15.53%	95.12%	86.80%	50.14%	86.68%	87.79%	13.01%
	Not Married	45.88%	20.70%	42.85%	9.30%	18.23%	92.19%	87.07%	49.95%	86.55%	83.80%	22.66%
<b>Previous Live Birth</b>	Yes	45.38%	33.72%	36.25%	5.92%	17.34%	93.27%	86.59%	50.41%	84.72%	85.63%	13.78%
	No	44.56%	32.88%	36.77%	10.24%	15.91%	94.53%	87.39%	49.55%	89.32%	86.48%	22.47%
<b>Education</b>	Less Than 12 Years	43.96%	17.71%	44.54%	11.15%	26.92%	92.88%	87.50%	55.72%	82.30%	82.39%	23.49%
	12 Years	40.40%	23.03%	37.13%	6.69%	15.55%	89.13%	82.67%	51.35%	83.80%	81.37%	20.42%
	Greater Than 12 Years	47.44%	43.37%	33.54%	6.99%	13.82%	96.17%	88.55%	47.45%	89.32%	89.48%	13.95%
	<b>Lower 95% CI</b>	<b>Q62D</b>	<b>Q62E</b>	<b>Q62F</b>	<b>Q62G</b>	<b>Q62H</b>	<b>Q63A</b>	<b>Q63B</b>	<b>Q63C</b>	<b>Q63D</b>	<b>Q64</b>	<b>Q65</b>
<b>Total</b>	Yes	44.08%	32.46%	35.54%	7.19%	16.03%	93.33%	86.27%	49.09%	85.96%	85.32%	16.64%
<b>Age</b>	Under 20 Years	34.40%	17.07%	44.42%	7.20%	19.70%	81.54%	81.54%	41.97%	80.05%	77.32%	27.86%
	20-24 Years	47.41%	17.82%	43.44%	10.77%	22.24%	94.35%	86.04%	52.77%	90.42%	82.64%	19.71%
	25-34 Years	42.55%	36.00%	31.81%	6.11%	14.21%	94.23%	86.29%	47.46%	84.92%	86.90%	14.06%
	Over 34 Years	44.67%	36.25%	32.94%	4.59%	10.98%	90.40%	84.68%	48.71%	83.79%	81.46%	15.03%
<b>Ethnicity</b>	White Non-Hispanic	47.33%	43.12%	34.16%	5.40%	13.23%	94.87%	85.32%	44.32%	85.19%	85.09%	14.91%
	Black Non-Hispanic	39.95%	18.47%	33.73%	8.64%	11.66%	91.19%	87.32%	51.24%	85.41%	83.46%	18.52%
	Hispanic	33.43%	16.03%	38.17%	7.86%	27.71%	90.13%	86.08%	55.49%	86.58%	84.35%	17.69%
<b>Married</b>	Married	43.05%	42.52%	30.00%	5.75%	14.58%	94.55%	85.92%	48.83%	85.79%	86.94%	12.14%
	Not Married	44.45%	19.54%	41.43%	8.46%	17.12%	91.42%	86.10%	48.52%	85.57%	82.74%	21.46%
<b>Previous Live Birth</b>	Yes	44.13%	32.53%	35.04%	5.32%	16.38%	92.64%	85.73%	49.15%	83.81%	84.75%	12.91%
	No	43.07%	31.47%	35.32%	9.33%	14.82%	93.85%	86.40%	48.05%	88.39%	85.46%	21.22%
<b>Education</b>	Less Than 12 Years	41.78%	16.04%	42.36%	9.78%	24.98%	91.75%	86.05%	53.55%	80.63%	80.72%	21.64%
	12 Years	38.50%	21.40%	35.26%	5.72%	14.15%	87.93%	81.21%	49.42%	82.38%	79.86%	18.87%
	Greater Than 12 Years	46.15%	42.08%	32.32%	6.33%	12.92%	95.67%	87.72%	46.16%	88.52%	88.69%	13.06%
	<b>Upper 95% CI</b>	<b>Q62D</b>	<b>Q62E</b>	<b>Q62F</b>	<b>Q62G</b>	<b>Q62H</b>	<b>Q63A</b>	<b>Q63B</b>	<b>Q63C</b>	<b>Q63D</b>	<b>Q64</b>	<b>Q65</b>
<b>Total</b>	Yes	46.00%	34.28%	37.39%	8.22%	17.47%	94.26%	87.57%	51.02%	87.28%	86.66%	18.10%
<b>Age</b>	Under 20 Years	42.25%	23.57%	52.49%	11.95%	26.50%	87.39%	87.39%	50.02%	86.10%	83.72%	35.37%
	20-24 Years	52.00%	21.48%	48.02%	13.79%	26.18%	96.29%	89.07%	57.34%	92.96%	85.98%	23.49%
	25-34 Years	45.01%	38.39%	34.14%	7.35%	15.98%	95.33%	87.95%	49.94%	86.65%	88.53%	15.83%
	Over 34 Years	49.47%	40.93%	37.53%	6.81%	14.17%	93.04%	87.98%	53.51%	87.17%	85.04%	18.63%
<b>Ethnicity</b>	White Non-Hispanic	49.97%	45.75%	36.69%	6.66%	15.07%	95.98%	87.14%	46.95%	87.02%	86.92%	16.84%
	Black Non-Hispanic	43.68%	21.49%	37.35%	10.88%	14.19%	93.22%	89.73%	55.01%	87.98%	86.17%	21.54%
	Hispanic	38.02%	19.70%	42.88%	10.64%	32.10%	92.81%	89.23%	60.22%	89.68%	87.67%	21.50%
<b>Married</b>	Married	45.64%	45.10%	32.42%	7.03%	16.47%	95.68%	87.68%	51.44%	87.56%	88.64%	13.89%
	Not Married	47.31%	21.87%	44.27%	10.13%	19.34%	92.96%	88.03%	51.38%	87.53%	84.86%	23.86%
<b>Previous Live Birth</b>	Yes	46.63%	34.91%	37.46%	6.51%	18.29%	93.90%	87.44%	51.66%	85.62%	86.52%	14.64%
	No	46.05%	34.29%	38.21%	11.15%	17.01%	95.21%	88.39%	51.05%	90.24%	87.51%	23.72%
<b>Education</b>	Less Than 12 Years	46.13%	19.38%	46.71%	12.53%	28.86%	94.00%	88.94%	57.90%	83.97%	84.06%	25.35%
	12 Years	42.29%	24.66%	39.00%	7.65%	16.96%	90.34%	84.14%	53.29%	85.23%	82.87%	21.98%
	Greater Than 12 Years	48.74%	44.65%	34.77%	7.65%	14.71%	96.67%	89.37%	48.74%	90.12%	90.28%	14.85%

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q66-Q68B												
	Percent Response Yes	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
<b>Total</b>	Yes	75.61%	3.71%	0.59%	0.90%	7.31%	6.88%	5.49%	2.29%	1.71%	8.55%	1.47%
<b>Age</b>	Under 20 Years	70.33%	3.79%	2.39%	0.00%	7.96%	14.14%	10.97%	2.39%	2.39%	0.00%	0.00%
	20-24 Years	72.21%	3.76%	1.03%	0.25%	11.05%	7.92%	6.72%	3.09%	3.11%	3.44%	0.00%
	25-34 Years	77.25%	3.71%	0.23%	0.81%	6.48%	6.69%	4.22%	1.97%	1.46%	8.14%	1.75%
	Over 34 Years	75.04%	3.62%	0.85%	2.29%	6.14%	3.89%	6.99%	2.61%	0.85%	18.68%	2.51%
<b>Ethnicity</b>	White Non-Hispanic	78.17%	4.63%	0.26%	0.55%	7.28%	6.68%	2.88%	1.85%	1.24%	7.03%	2.41%
	Black Non-Hispanic	72.30%	3.54%	0.52%	1.39%	7.51%	7.42%	8.05%	2.21%	1.91%	11.41%	0.70%
	Hispanic	76.11%	1.81%	1.96%	1.53%	7.61%	7.44%	6.28%	3.49%	3.37%	10.29%	0.00%
<b>Married</b>	Married	76.38%	3.83%	0.08%	0.45%	7.29%	6.25%	4.84%	1.96%	0.80%	8.61%	2.14%
	Not Married	74.68%	3.56%	1.21%	1.45%	7.33%	7.64%	6.28%	2.69%	2.81%	8.48%	0.65%
<b>Previous Live Birth</b>	Yes	78.67%	1.89%	0.70%	1.17%	5.67%	5.54%	3.81%	1.91%	1.78%	14.34%	2.50%
	No	71.27%	6.29%	0.44%	0.52%	9.64%	8.77%	7.87%	2.83%	1.60%	0.33%	0.00%
<b>Education</b>	Less Than 12 Years	71.35%	3.32%	1.41%	1.69%	11.23%	10.94%	7.32%	3.85%	3.75%	13.74%	0.23%
	12 Years	73.35%	4.33%	0.55%	0.87%	5.36%	6.11%	4.64%	1.38%	2.18%	8.26%	0.69%
	Greater Than 12 Years	77.99%	3.58%	0.33%	0.65%	6.86%	5.84%	5.26%	2.17%	0.79%	6.91%	2.26%
	<b>Lower 95% CI</b>	<b>Q66</b>	<b>Q67A</b>	<b>Q67B</b>	<b>Q67C</b>	<b>Q67D</b>	<b>Q67E</b>	<b>Q67F</b>	<b>Q67G</b>	<b>Q67H</b>	<b>Q68A</b>	<b>Q68B</b>
<b>Total</b>	Yes	74.79%	3.34%	0.44%	0.72%	6.81%	6.39%	5.05%	2.00%	1.46%	8.01%	1.24%
<b>Age</b>	Under 20 Years	66.64%	2.25%	1.16%	0.00%	5.78%	11.33%	8.45%	1.16%	1.16%	0.00%	0.00%
	20-24 Years	70.15%	2.89%	0.56%	0.02%	9.61%	6.68%	5.57%	2.29%	2.31%	2.60%	0.00%
	25-34 Years	76.21%	3.24%	0.11%	0.59%	5.87%	6.07%	3.72%	1.62%	1.17%	7.47%	1.43%
	Over 34 Years	72.96%	2.72%	0.41%	1.58%	4.99%	2.96%	5.76%	1.84%	0.41%	16.81%	1.76%
<b>Ethnicity</b>	White Non-Hispanic	77.08%	4.07%	0.12%	0.35%	6.59%	6.02%	2.44%	1.49%	0.95%	6.35%	2.01%
	Black Non-Hispanic	70.61%	2.84%	0.25%	0.95%	6.51%	6.43%	7.02%	1.66%	1.40%	10.21%	0.38%
	Hispanic	74.07%	1.17%	1.30%	0.94%	6.34%	6.18%	5.12%	2.61%	2.51%	8.83%	0.00%
<b>Married</b>	Married	75.28%	3.33%	0.01%	0.28%	6.62%	5.62%	4.28%	1.60%	0.56%	7.88%	1.77%
	Not Married	73.43%	3.03%	0.90%	1.11%	6.59%	6.87%	5.59%	2.23%	2.34%	7.68%	0.42%
<b>Previous Live Birth</b>	Yes	77.64%	1.55%	0.49%	0.90%	5.09%	4.97%	3.33%	1.57%	1.45%	13.46%	2.11%
	No	69.92%	5.56%	0.24%	0.31%	8.76%	7.92%	7.06%	2.33%	1.22%	0.16%	0.00%
<b>Education</b>	Less Than 12 Years	69.37%	2.54%	0.89%	1.12%	9.85%	9.57%	6.18%	3.01%	2.92%	12.23%	0.02%
	12 Years	71.64%	3.54%	0.26%	0.51%	4.49%	5.18%	3.83%	0.93%	1.62%	7.19%	0.37%
	Greater Than 12 Years	76.91%	3.10%	0.18%	0.44%	6.20%	5.23%	4.68%	1.79%	0.56%	6.25%	1.87%
	<b>Upper 95% CI</b>	<b>Q66</b>	<b>Q67A</b>	<b>Q67B</b>	<b>Q67C</b>	<b>Q67D</b>	<b>Q67E</b>	<b>Q67F</b>	<b>Q67G</b>	<b>Q67H</b>	<b>Q68A</b>	<b>Q68B</b>
<b>Total</b>	Yes	76.44%	4.07%	0.74%	1.09%	7.81%	7.37%	5.93%	2.58%	1.96%	9.09%	1.70%
<b>Age</b>	Under 20 Years	74.01%	5.33%	3.63%	0.00%	10.14%	16.95%	13.49%	3.63%	3.63%	0.00%	0.00%
	20-24 Years	74.27%	4.64%	1.49%	0.48%	12.49%	9.17%	7.87%	3.88%	3.90%	4.27%	0.00%
	25-34 Years	78.29%	4.18%	0.34%	1.03%	7.09%	7.30%	4.72%	2.31%	1.76%	8.82%	2.08%
	Over 34 Years	77.12%	4.51%	1.29%	3.01%	7.29%	4.82%	8.21%	3.37%	1.29%	20.55%	3.27%
<b>Ethnicity</b>	White Non-Hispanic	79.26%	5.18%	0.39%	0.74%	7.96%	7.34%	3.32%	2.20%	1.53%	7.70%	2.82%
	Black Non-Hispanic	73.99%	4.23%	0.80%	1.84%	8.51%	8.41%	9.07%	2.77%	2.43%	12.61%	1.01%
	Hispanic	78.16%	2.44%	2.62%	2.12%	8.88%	8.69%	7.45%	4.37%	4.24%	11.75%	0.00%
<b>Married</b>	Married	77.49%	4.33%	0.15%	0.63%	7.97%	6.88%	5.40%	2.32%	1.03%	9.34%	2.52%
	Not Married	75.93%	4.09%	1.52%	1.79%	8.08%	8.40%	6.98%	3.16%	3.29%	9.28%	0.88%
<b>Previous Live Birth</b>	Yes	79.70%	2.23%	0.91%	1.44%	6.25%	6.12%	4.30%	2.26%	2.11%	15.22%	2.90%
	No	72.63%	7.02%	0.64%	0.74%	10.53%	9.62%	8.68%	3.32%	1.98%	0.51%	0.00%
<b>Education</b>	Less Than 12 Years	73.33%	4.11%	1.92%	2.25%	12.61%	12.30%	8.46%	4.69%	4.58%	15.25%	0.44%
	12 Years	75.06%	5.12%	0.84%	1.23%	6.23%	7.03%	5.45%	1.83%	2.75%	9.32%	1.01%
	Greater Than 12 Years	79.06%	4.07%	0.47%	0.86%	7.51%	6.45%	5.84%	2.54%	1.02%	7.57%	2.64%

Table 7T. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q68C-Q70A												
	Percent Response Yes	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
<b>Total</b>	Yes	15.59%	21.95%	8.13%	4.28%	11.40%	4.39%	3.59%	12.45%	6.20%	86.84%	49.77%
<b>Age</b>	Under 20 Years	14.76%	17.86%	14.61%	11.13%	12.75%	6.96%	2.39%	8.74%	10.74%	73.72%	40.10%
	20-24 Years	13.99%	22.69%	11.46%	4.85%	14.89%	9.65%	1.55%	11.58%	3.79%	83.15%	40.67%
	25-34 Years	16.72%	22.40%	6.84%	4.19%	10.69%	3.51%	4.56%	14.18%	5.96%	88.74%	52.27%
	Over 34 Years	13.40%	20.91%	7.05%	1.54%	9.83%	1.07%	2.62%	8.23%	8.13%	88.33%	53.75%
<b>Ethnicity</b>	White Non-Hispanic	20.08%	22.08%	5.38%	3.89%	14.34%	0.85%	3.73%	14.97%	6.77%	89.46%	47.79%
	Black Non-Hispanic	15.67%	22.38%	14.01%	5.81%	7.91%	3.12%	1.85%	8.25%	6.35%	84.31%	45.99%
	Hispanic	4.29%	18.10%	8.42%	4.08%	9.64%	19.08%	4.03%	13.65%	3.24%	82.11%	60.30%
<b>Married</b>	Married	16.15%	26.89%	2.91%	3.46%	11.48%	2.80%	4.74%	11.73%	5.86%	91.91%	56.18%
	Not Married	14.92%	15.96%	14.47%	5.27%	11.31%	6.33%	2.20%	13.34%	6.62%	80.68%	42.00%
<b>Previous Live Birth</b>	Yes	12.99%	21.21%	8.13%	3.79%	10.89%	4.43%	4.05%	12.75%	5.97%	84.09%	48.53%
	No	19.28%	23.01%	8.13%	4.97%	12.13%	4.34%	2.94%	12.03%	6.53%	90.73%	51.53%
<b>Education</b>	Less Than 12 Years	6.27%	17.27%	8.17%	4.55%	8.80%	14.05%	2.87%	9.11%	6.70%	78.55%	49.44%
	12 Years	13.61%	20.21%	15.05%	4.64%	10.65%	3.95%	4.27%	9.38%	5.64%	77.68%	41.24%
	Greater Than 12 Years	19.84%	24.43%	5.06%	3.80%	12.72%	0.99%	3.56%	15.07%	6.31%	93.77%	53.69%
	<b>Lower 95% CI</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>	<b>Q68H</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q69</b>	<b>Q70A</b>
<b>Total</b>	Yes	14.90%	21.15%	7.60%	3.89%	10.79%	4.00%	3.23%	11.82%	5.74%	86.18%	48.81%
<b>Age</b>	Under 20 Years	11.89%	14.77%	11.76%	8.59%	10.06%	4.90%	1.16%	6.46%	8.24%	70.17%	36.15%
	20-24 Years	12.40%	20.76%	10.00%	3.86%	13.25%	8.29%	0.98%	10.11%	2.91%	81.43%	38.41%
	25-34 Years	15.80%	21.37%	6.22%	3.70%	9.92%	3.06%	4.04%	13.32%	5.38%	87.96%	51.03%
	Over 34 Years	11.76%	18.96%	5.82%	0.95%	8.40%	0.57%	1.85%	6.91%	6.81%	86.79%	51.36%
<b>Ethnicity</b>	White Non-Hispanic	19.03%	20.99%	4.79%	3.38%	13.41%	0.61%	3.23%	14.03%	6.11%	88.65%	46.47%
	Black Non-Hispanic	14.30%	20.80%	12.70%	4.93%	6.89%	2.47%	1.34%	7.21%	5.43%	82.93%	44.10%
	Hispanic	3.32%	16.26%	7.09%	3.14%	8.23%	17.20%	3.09%	12.01%	2.39%	80.28%	57.95%
<b>Married</b>	Married	15.19%	25.74%	2.47%	2.99%	10.65%	2.37%	4.19%	10.89%	5.25%	91.20%	54.88%
	Not Married	13.90%	14.91%	13.46%	4.63%	10.40%	5.63%	1.77%	12.36%	5.91%	79.55%	40.59%
<b>Previous Live Birth</b>	Yes	12.15%	20.18%	7.45%	3.31%	10.11%	3.91%	3.56%	11.91%	5.37%	83.17%	47.27%
	No	18.10%	21.75%	7.31%	4.32%	11.15%	3.73%	2.43%	11.06%	5.79%	89.86%	50.03%
<b>Education</b>	Less Than 12 Years	5.21%	15.61%	6.97%	3.64%	7.56%	12.53%	2.14%	7.85%	5.61%	76.75%	47.25%
	12 Years	12.28%	18.66%	13.67%	3.83%	9.46%	3.20%	3.49%	8.26%	4.75%	76.07%	39.33%
	Greater Than 12 Years	18.80%	23.32%	4.49%	3.30%	11.85%	0.73%	3.08%	14.14%	5.68%	93.15%	52.39%
	<b>Upper 95% CI</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>	<b>Q68H</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q69</b>	<b>Q70A</b>
<b>Total</b>	Yes	16.29%	22.75%	8.66%	4.67%	12.02%	4.79%	3.95%	13.09%	6.67%	87.49%	50.74%
<b>Age</b>	Under 20 Years	17.62%	20.95%	17.46%	13.67%	15.44%	9.01%	3.63%	11.02%	13.24%	77.28%	44.06%
	20-24 Years	15.59%	24.61%	12.92%	5.84%	16.52%	11.01%	2.12%	13.05%	4.67%	84.88%	42.92%
	25-34 Years	17.65%	23.43%	7.47%	4.69%	11.45%	3.97%	5.07%	15.05%	6.55%	89.53%	53.51%
	Over 34 Years	15.04%	22.86%	8.28%	2.13%	11.26%	1.56%	3.38%	9.55%	9.44%	89.87%	56.15%
<b>Ethnicity</b>	White Non-Hispanic	21.14%	23.18%	5.98%	4.41%	15.26%	1.09%	4.23%	15.91%	7.44%	90.27%	49.11%
	Black Non-Hispanic	17.04%	23.95%	15.32%	6.69%	8.93%	3.78%	2.36%	9.29%	7.27%	85.68%	47.87%
	Hispanic	5.26%	19.95%	9.75%	5.03%	11.06%	20.96%	4.97%	15.29%	4.09%	83.95%	62.64%
<b>Married</b>	Married	17.11%	28.05%	3.34%	3.94%	12.31%	3.23%	5.30%	12.56%	6.47%	92.62%	57.47%
	Not Married	15.95%	17.01%	15.48%	5.91%	12.22%	7.03%	2.62%	14.31%	7.33%	81.81%	43.42%
<b>Previous Live Birth</b>	Yes	13.84%	22.24%	8.82%	4.27%	11.68%	4.95%	4.55%	13.59%	6.57%	85.01%	49.79%
	No	20.47%	24.27%	8.95%	5.62%	13.11%	4.96%	3.45%	13.01%	7.27%	91.60%	53.03%
<b>Education</b>	Less Than 12 Years	7.33%	18.92%	9.37%	5.46%	10.04%	15.57%	3.60%	10.37%	7.80%	80.34%	51.62%
	12 Years	14.94%	21.77%	16.43%	5.45%	11.85%	4.70%	5.05%	10.51%	6.53%	79.29%	43.14%
	Greater Than 12 Years	20.87%	25.54%	5.63%	4.29%	13.58%	1.25%	4.04%	16.00%	6.94%	94.40%	54.98%


Table 7U. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q70B-Q72												
	Percent Response Yes	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
<b>Total</b>	Yes	47.74%	46.33%	75.15%	38.76%	17.91%	53.90%	52.60%	69.57%	16.74%	5.78%	6.77%
<b>Age</b>	Under 20 Years	46.22%	44.05%	68.16%	39.49%	19.87%	50.78%	55.57%	60.36%	19.33%	7.96%	12.52%
	20-24 Years	50.62%	44.10%	77.08%	46.07%	22.72%	61.70%	55.91%	67.94%	23.36%	6.06%	3.84%
	25-34 Years	47.17%	46.63%	78.04%	37.31%	16.98%	51.28%	50.52%	70.65%	14.33%	5.32%	7.22%
	Over 34 Years	47.25%	48.46%	64.66%	35.95%	15.48%	56.34%	55.75%	70.55%	17.64%	6.46%	6.20%
<b>Ethnicity</b>	White Non-Hispanic	45.12%	45.47%	77.37%	38.15%	18.39%	51.12%	49.07%	73.31%	9.25%	6.01%	4.41%
	Black Non-Hispanic	48.54%	43.73%	73.68%	43.34%	13.16%	56.75%	56.12%	65.59%	20.14%	5.44%	10.98%
	Hispanic	53.31%	47.27%	70.62%	33.23%	25.48%	60.10%	57.78%	66.82%	32.12%	6.32%	3.14%
<b>Married</b>	Married	48.60%	50.32%	78.67%	38.72%	17.61%	50.84%	51.37%	74.44%	14.81%	4.44%	6.22%
	Not Married	46.70%	41.49%	70.88%	38.81%	18.28%	57.62%	54.09%	63.66%	19.08%	7.41%	7.44%
<b>Previous Live Birth</b>	Yes	45.36%	41.10%	69.19%	37.46%	17.91%	50.73%	52.76%	67.93%	19.23%	6.48%	7.44%
	No	51.11%	53.76%	83.60%	40.60%	17.92%	58.41%	52.38%	71.90%	13.20%	4.80%	5.82%
<b>Education</b>	Less Than 12 Years	48.21%	46.25%	65.74%	34.68%	19.70%	60.20%	57.23%	62.80%	33.53%	7.11%	8.69%
	12 Years	48.66%	39.93%	67.96%	39.92%	18.27%	54.63%	51.73%	64.28%	18.23%	8.44%	8.55%
	Greater Than 12 Years	47.11%	49.18%	81.53%	39.88%	16.73%	51.36%	51.60%	74.39%	10.29%	4.16%	5.33%
	<b>Lower 95% CI</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q70E</b>	<b>Q70F</b>	<b>Q70G</b>	<b>Q70H</b>	<b>Q70I</b>	<b>Q70J</b>	<b>Q71</b>	<b>Q72</b>
<b>Total</b>	Yes	46.78%	45.37%	74.32%	37.82%	17.17%	52.94%	51.64%	68.68%	16.02%	5.33%	6.28%
<b>Age</b>	Under 20 Years	42.20%	40.04%	64.40%	35.54%	16.65%	46.75%	51.56%	56.41%	16.14%	5.78%	9.85%
	20-24 Years	48.32%	41.82%	75.15%	43.78%	20.80%	59.47%	53.63%	65.79%	21.42%	4.96%	2.96%
	25-34 Years	45.94%	45.39%	77.01%	36.11%	16.05%	50.04%	49.28%	69.52%	13.46%	4.76%	6.58%
	Over 34 Years	44.86%	46.06%	62.36%	33.65%	13.74%	53.95%	53.37%	68.36%	15.81%	5.28%	5.05%
<b>Ethnicity</b>	White Non-Hispanic	43.81%	44.16%	76.27%	36.87%	17.37%	49.80%	47.75%	72.14%	8.48%	5.39%	3.86%
	Black Non-Hispanic	46.65%	41.86%	72.01%	41.47%	11.88%	54.88%	54.25%	63.80%	18.62%	4.58%	9.80%
	Hispanic	50.92%	44.87%	68.44%	30.97%	23.39%	57.76%	55.41%	64.57%	29.89%	5.15%	2.30%
<b>Married</b>	Married	47.30%	49.02%	77.60%	37.45%	16.62%	49.54%	50.07%	73.31%	13.88%	3.91%	5.59%
	Not Married	45.26%	40.08%	69.58%	37.41%	17.17%	56.20%	52.66%	62.28%	17.96%	6.66%	6.68%
<b>Previous Live Birth</b>	Yes	44.11%	39.86%	68.03%	36.24%	16.94%	49.47%	51.50%	66.75%	18.24%	5.86%	6.78%
	No	49.61%	52.26%	82.49%	39.13%	16.77%	56.93%	50.88%	70.55%	12.19%	4.16%	5.12%
<b>Education</b>	Less Than 12 Years	46.02%	44.06%	63.66%	32.60%	17.96%	58.06%	55.07%	60.69%	31.46%	5.98%	7.46%
	12 Years	46.73%	38.04%	66.16%	38.03%	16.78%	52.70%	49.80%	62.42%	16.73%	7.36%	7.46%
	Greater Than 12 Years	45.82%	47.88%	80.52%	38.61%	15.77%	50.07%	50.30%	73.26%	9.50%	3.65%	4.75%
	<b>Upper 95% CI</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q70E</b>	<b>Q70F</b>	<b>Q70G</b>	<b>Q70H</b>	<b>Q70I</b>	<b>Q70J</b>	<b>Q71</b>	<b>Q72</b>
<b>Total</b>	Yes	48.70%	47.29%	75.98%	39.70%	18.65%	54.86%	53.56%	70.46%	17.46%	6.23%	7.25%
<b>Age</b>	Under 20 Years	50.24%	48.06%	71.92%	43.44%	23.09%	54.82%	59.58%	64.31%	22.52%	10.14%	15.19%
	20-24 Years	52.92%	46.39%	79.02%	48.36%	24.65%	63.93%	58.20%	70.09%	25.31%	7.16%	4.72%
	25-34 Years	48.41%	47.86%	79.06%	38.51%	17.91%	52.52%	51.76%	71.78%	15.20%	5.87%	7.87%
	Over 34 Years	49.65%	50.86%	66.95%	38.26%	17.21%	58.72%	58.14%	72.74%	19.47%	7.64%	7.36%
<b>Ethnicity</b>	White Non-Hispanic	46.44%	46.79%	78.48%	39.43%	19.41%	52.44%	50.39%	74.48%	10.01%	6.64%	4.95%
	Black Non-Hispanic	50.43%	45.61%	75.34%	45.21%	14.44%	58.62%	58.00%	67.39%	21.65%	6.30%	12.16%
	Hispanic	55.70%	49.66%	72.80%	35.48%	27.56%	62.45%	60.15%	69.08%	34.36%	7.48%	3.98%
<b>Married</b>	Married	49.90%	51.62%	79.73%	39.98%	18.61%	52.14%	52.67%	75.58%	15.73%	4.98%	6.85%
	Not Married	48.13%	42.91%	72.18%	40.21%	19.39%	59.03%	55.52%	65.04%	20.21%	8.16%	8.19%
<b>Previous Live Birth</b>	Yes	46.62%	42.34%	70.35%	38.68%	18.87%	51.98%	54.02%	69.10%	20.22%	7.09%	8.10%
	No	52.61%	55.25%	84.71%	42.08%	19.07%	59.88%	53.88%	73.25%	14.22%	5.44%	6.52%
<b>Education</b>	Less Than 12 Years	50.40%	48.43%	67.81%	36.76%	21.45%	62.34%	59.40%	64.92%	35.59%	8.23%	9.93%
	12 Years	50.60%	41.83%	69.77%	41.81%	19.77%	56.55%	53.67%	66.13%	19.72%	9.51%	9.63%
	Greater Than 12 Years	48.41%	50.47%	82.53%	41.15%	17.70%	52.65%	52.89%	75.52%	11.07%	4.68%	5.91%

Table 7V. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q74-Q78B												
	Percent Response Yes	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
<b>Total</b>	Yes	13.05%	7.34%	5.41%	84.52%	31.88%	39.71%	6.80%	2.09%	1.35%	74.01%	80.11%
<b>Age</b>	Under 20 Years	2.86%	2.39%	0.47%	76.12%	36.18%	71.17%	15.69%	0.00%	2.39%	71.64%	71.42%
	20-24 Years	12.26%	6.39%	5.87%	82.28%	45.12%	67.53%	4.68%	2.92%	1.48%	69.43%	75.83%
	25-34 Years	12.58%	7.06%	5.26%	86.75%	29.88%	32.96%	6.45%	2.26%	1.32%	76.04%	82.11%
	Over 34 Years	19.26%	11.15%	7.20%	81.60%	23.43%	23.55%	7.31%	1.29%	0.91%	72.20%	80.35%
<b>Ethnicity</b>	White Non-Hispanic	14.02%	8.54%	5.27%	86.38%	21.37%	23.33%	5.93%	1.79%	0.42%	85.75%	88.25%
	Black Non-Hispanic	11.20%	6.51%	4.09%	83.57%	50.52%	59.58%	6.52%	3.20%	2.60%	63.53%	73.19%
	Hispanic	10.03%	3.29%	6.52%	82.34%	43.28%	70.26%	10.31%	1.90%	2.75%	60.59%	66.98%
<b>Married</b>	Married	13.62%	8.73%	4.69%	86.67%	15.02%	19.67%	6.69%	0.81%	0.52%	78.83%	84.50%
	Not Married	12.35%	5.65%	6.28%	81.92%	52.35%	64.03%	6.94%	3.64%	2.35%	68.16%	74.78%
<b>Previous Live Birth</b>	Yes	12.59%	6.31%	6.03%	84.76%	37.53%	42.64%	7.24%	2.50%	1.64%	71.58%	77.80%
	No	13.70%	8.80%	4.52%	84.19%	23.88%	35.55%	6.19%	1.52%	0.92%	77.45%	83.39%
<b>Education</b>	Less Than 12 Years	6.25%	0.41%	5.26%	78.51%	53.33%	77.37%	8.32%	3.52%	2.52%	59.37%	66.44%
	12 Years	15.36%	6.98%	7.61%	84.77%	53.24%	56.85%	7.94%	3.42%	1.85%	69.28%	75.30%
	Greater Than 12 Years	14.47%	9.97%	4.50%	86.68%	14.97%	19.05%	5.80%	1.01%	0.71%	81.35%	87.19%
	<b>Lower 95% CI</b>	<b>Q74</b>	<b>Q75A</b>	<b>Q75B</b>	<b>Q76</b>	<b>Q77A</b>	<b>Q77B</b>	<b>Q77C</b>	<b>Q77D</b>	<b>Q77E</b>	<b>Q78A</b>	<b>Q78B</b>
<b>Total</b>	Yes	12.40%	6.84%	4.97%	83.83%	30.98%	38.76%	6.32%	1.82%	1.12%	73.16%	79.34%
<b>Age</b>	Under 20 Years	1.51%	1.16%	-0.08%	72.68%	32.30%	67.51%	12.76%	0.00%	1.16%	68.00%	67.77%
	20-24 Years	10.75%	5.27%	4.79%	80.53%	42.83%	65.38%	3.71%	2.15%	0.92%	67.31%	73.86%
	25-34 Years	11.76%	6.43%	4.71%	85.91%	28.75%	31.80%	5.84%	1.89%	1.04%	74.98%	81.16%
	Over 34 Years	17.37%	9.64%	5.96%	79.74%	21.39%	21.52%	6.06%	0.75%	0.45%	70.05%	78.44%
<b>Ethnicity</b>	White Non-Hispanic	13.10%	7.80%	4.68%	85.48%	20.29%	22.21%	5.30%	1.44%	0.25%	84.83%	87.40%
	Black Non-Hispanic	10.01%	5.57%	3.34%	82.17%	48.63%	57.72%	5.58%	2.53%	2.00%	61.71%	71.51%
	Hispanic	8.59%	2.44%	5.34%	80.51%	40.91%	68.07%	8.86%	1.25%	1.96%	58.25%	64.73%
<b>Married</b>	Married	12.73%	8.00%	4.14%	85.79%	14.09%	18.63%	6.04%	0.58%	0.33%	77.76%	83.56%
	Not Married	11.40%	4.98%	5.58%	80.81%	50.91%	62.65%	6.21%	3.11%	1.92%	66.82%	73.54%
<b>Previous Live Birth</b>	Yes	11.75%	5.70%	5.43%	83.86%	36.31%	41.39%	6.59%	2.10%	1.32%	70.44%	76.75%
	No	12.67%	7.95%	3.90%	83.09%	22.60%	34.12%	5.46%	1.15%	0.64%	76.20%	82.28%
<b>Education</b>	Less Than 12 Years	5.19%	0.13%	4.28%	76.71%	51.14%	75.54%	7.11%	2.72%	1.84%	57.22%	64.38%
	12 Years	13.96%	5.99%	6.58%	83.38%	51.31%	54.93%	6.89%	2.72%	1.33%	67.50%	73.63%
	Greater Than 12 Years	13.56%	9.19%	3.96%	85.80%	14.05%	18.04%	5.20%	0.75%	0.49%	80.35%	86.33%
	<b>Upper 95% CI</b>	<b>Q74</b>	<b>Q75A</b>	<b>Q75B</b>	<b>Q76</b>	<b>Q77A</b>	<b>Q77B</b>	<b>Q77C</b>	<b>Q77D</b>	<b>Q77E</b>	<b>Q78A</b>	<b>Q78B</b>
<b>Total</b>	Yes	13.70%	7.84%	5.84%	85.22%	32.78%	40.65%	7.29%	2.37%	1.57%	74.85%	80.88%
<b>Age</b>	Under 20 Years	4.21%	3.63%	1.01%	79.56%	40.05%	74.82%	18.63%	0.00%	3.63%	75.28%	75.06%
	20-24 Years	13.77%	7.52%	6.95%	84.04%	47.40%	69.68%	5.65%	3.70%	2.03%	71.54%	77.79%
	25-34 Years	13.40%	7.70%	5.81%	87.59%	31.02%	34.13%	7.06%	2.63%	1.61%	77.10%	83.06%
	Over 34 Years	21.16%	12.66%	8.45%	83.46%	25.46%	25.59%	8.56%	1.84%	1.37%	74.35%	82.26%
<b>Ethnicity</b>	White Non-Hispanic	14.94%	9.28%	5.86%	87.29%	22.45%	24.44%	6.55%	2.14%	0.59%	86.68%	89.10%
	Black Non-Hispanic	12.39%	7.44%	4.84%	84.97%	52.41%	61.43%	7.45%	3.86%	3.20%	65.35%	74.86%
	Hispanic	11.47%	4.15%	7.71%	84.16%	45.65%	72.45%	11.77%	2.56%	3.53%	62.93%	69.23%
<b>Married</b>	Married	14.52%	9.47%	5.24%	87.56%	15.95%	20.70%	7.34%	1.05%	0.70%	79.89%	85.44%
	Not Married	13.29%	6.31%	6.97%	83.02%	53.78%	65.41%	7.67%	4.18%	2.78%	69.49%	76.03%
<b>Previous Live Birth</b>	Yes	13.42%	6.92%	6.63%	85.67%	38.75%	43.88%	7.89%	2.89%	1.96%	72.72%	78.84%
	No	14.73%	9.65%	5.14%	85.28%	25.16%	36.99%	6.91%	1.89%	1.21%	78.70%	84.51%
<b>Education</b>	Less Than 12 Years	7.30%	0.69%	6.24%	80.30%	55.51%	79.20%	9.53%	4.33%	3.21%	61.52%	68.51%
	12 Years	16.75%	7.96%	8.63%	86.16%	55.17%	58.76%	8.98%	4.13%	2.37%	71.07%	76.96%
	Greater Than 12 Years	15.38%	10.74%	5.04%	87.56%	15.90%	20.07%	6.41%	1.27%	0.93%	82.36%	88.06%


<b>Table 7W. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS: Q78C-Q79B</b>					
	<b>Percent Response Yes</b>	<b>Q78C</b>	<b>Q78D</b>	<b>Q79A</b>	<b>Q79B</b>
<b>Total</b>	Yes	84.57%	82.20%	5.13%	7.56%
<b>Age</b>	Under 20 Years	76.20%	77.21%	19.48%	14.30%
	20-24 Years	80.57%	82.85%	5.17%	4.97%
	25-34 Years	87.32%	84.04%	4.29%	8.07%
	Over 34 Years	81.59%	76.35%	3.15%	6.08%
<b>Ethnicity</b>	White Non-Hispanic	89.67%	90.89%	3.55%	7.65%
	Black Non-Hispanic	78.87%	75.89%	5.92%	6.65%
	Hispanic	79.19%	67.15%	7.16%	8.91%
<b>Married</b>	Married	87.30%	85.28%	4.32%	7.38%
	Not Married	81.27%	78.47%	6.11%	7.77%
<b>Previous Live Birth</b>	Yes	82.06%	79.66%	3.12%	8.75%
	No	88.14%	85.80%	7.98%	5.86%
<b>Education</b>	Less Than 12 Years	77.21%	72.69%	8.60%	6.27%
	12 Years	80.23%	79.66%	5.55%	9.24%
	Greater Than 12 Years	89.26%	86.82%	3.76%	7.29%
	<b>Lower 95% CI</b>	<b>Q78C</b>	<b>Q78D</b>	<b>Q79A</b>	<b>Q79B</b>
<b>Total</b>	Yes	83.88%	81.46%	4.70%	7.05%
<b>Age</b>	Under 20 Years	72.77%	73.82%	16.28%	11.48%
	20-24 Years	78.76%	81.12%	4.15%	3.97%
	25-34 Years	86.49%	83.13%	3.79%	7.39%
	Over 34 Years	79.73%	74.31%	2.31%	4.94%
<b>Ethnicity</b>	White Non-Hispanic	88.87%	90.13%	3.06%	6.95%
	Black Non-Hispanic	77.32%	74.28%	5.03%	5.71%
	Hispanic	77.25%	64.90%	5.92%	7.55%
<b>Married</b>	Married	86.43%	84.36%	3.79%	6.70%
	Not Married	80.15%	77.29%	5.42%	7.00%
<b>Previous Live Birth</b>	Yes	81.09%	78.65%	2.68%	8.04%
	No	87.17%	84.76%	7.17%	5.16%
<b>Education</b>	Less Than 12 Years	75.37%	70.74%	7.37%	5.21%
	12 Years	78.69%	78.10%	4.66%	8.12%
	Greater Than 12 Years	88.46%	85.95%	3.26%	6.62%
	<b>Upper 95% CI</b>	<b>Q78C</b>	<b>Q78D</b>	<b>Q79A</b>	<b>Q79B</b>
<b>Total</b>	Yes	85.27%	82.94%	5.56%	8.07%
<b>Age</b>	Under 20 Years	79.64%	80.59%	22.68%	17.13%
	20-24 Years	82.39%	84.58%	6.19%	5.97%
	25-34 Years	88.14%	84.95%	4.80%	8.74%
	Over 34 Years	83.45%	78.39%	3.99%	7.23%
<b>Ethnicity</b>	White Non-Hispanic	90.48%	91.65%	4.04%	8.36%
	Black Non-Hispanic	80.41%	77.51%	6.81%	7.59%
	Hispanic	81.14%	69.40%	8.39%	10.27%
<b>Married</b>	Married	88.17%	86.20%	4.85%	8.07%
	Not Married	82.38%	79.65%	6.79%	8.54%
<b>Previous Live Birth</b>	Yes	83.02%	80.68%	3.56%	9.46%
	No	89.11%	86.85%	8.79%	6.57%
<b>Education</b>	Less Than 12 Years	79.05%	74.64%	9.83%	7.33%
	12 Years	81.77%	81.21%	6.43%	10.36%
	Greater Than 12 Years	90.06%	87.70%	4.25%	7.97%

**APPENDIX A (RAW VARIABLE GRAPHS)**


**Appendix AQ5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?\*\*\*,§§ [RAW] (% “Yes”)**




**Appendix AQ6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?\*\*\*,§§ [RAW] (% “Yes”)**



**Appendix AQ11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office?\*\*\* [RAW] (% “Yes”)**







**Appendix AQ11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight?\*\*\***


[RAW] (% “Yes”)




**Appendix AQ12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do?\*\*\* [RAW]**  
 (% “Yes”)






**Appendix AQ12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?\*\*\***

[RAW] (% “Yes”)




**Appendix AQ14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?\*\*\***


[RAW] (% “Yes”)




**Appendix AQ14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? [RAW] (% “Yes”)**




**Appendix AQ14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. [RAW] (% “Yes”)**




**Appendix AQ16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. [RAW] (% “Yes”)**




**Appendix AQ16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. [RAW] (% “Yes”)**




**Appendix AQ16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care.\*\*\***  
 [RAW] (% “Yes”)




**Appendix AQ16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. [RAW] (% “Yes”)**



**Appendix AQ16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care. [RAW] (% “Yes”)**




**Appendix AQ16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. [RAW] (% “Yes”)**







**Appendix AQ16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. [RAW] (% “Yes”)**




**Appendix AQ20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ23: Did you get prenatal care as early in your pregnancy as you wanted?\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. \*\*\* [RAW] (% “Yes”)**




**Appendix AQ24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. \*\*\* [RAW] (% “Yes”)**




**Appendix AQ24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.\*\*\* [RAW] (% "Yes")**




**Appendix AQ24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. \*\*\* [RAW] (% "Yes")**




**Appendix AQ24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. \*\*\* [RAW] (% "Yes")**



**Appendix AQ25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?\*\*\* [RAW] (% “Yes”)**






**Appendix AQ25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?\*\*\***

[RAW] (% “Yes”)




**Appendix AQ25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?\*\*\***


[RAW] (% “Yes”)




**Appendix AQ25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ38: Do you currently smoke 11 or more cigarettes on average each day?\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ53: Is your baby alive now?\*\*\* [RAW] (% “Yes”)**







**Appendix AQ54: Is your baby living with you now?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? [RAW] (% “Yes”)**




**Appendix AQ55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? [RAW] (% “Yes”)**




**Appendix AQ55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends? \*\*\* [RAW] (% “Yes”)**




**Appendix AQ56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ57: Are you currently breastfeeding or feeding pumped milk to your new baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ59: Do you most often lay your baby down on his or her back when he or she sleeps now?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ60: Does your baby always or often sleep alone in his or her own crib or bed?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair? [RAW] (% “Yes”)**







**Appendix AQ62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? [RAW] (% “Yes”)**




**Appendix AQ62F: In the past 2 weeks, did your new baby usually sleep with a blanket?\*\*\* [RAW]**  
 (% “Yes”)




**Appendix AQ62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? [RAW]**  
 (% “Yes”)




**Appendix AQ62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* [RAW] (% “Yes”)**




**Appendix AQ67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.<sup>†††,\*\*\*</sup> [RAW] (% “Yes”)**




**Appendix AQ67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.<sup>†††,\*\*\*</sup> [RAW] (% “Yes”)**



**Appendix AQ67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,\*\*\* [RAW] (% "Yes")**




**Appendix AQ67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. \*\*\* [RAW] (% "Yes")**







**Appendix AQ67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* [RAW] (% “Yes”)**




**Appendix AQ67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* [RAW] (% “Yes”)**




**Appendix AQ67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,\*\*\* [RAW] (% “Yes”)**




**Appendix AQ68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)**




**Appendix AQ68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)**




**Appendix AQ68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. \*\*\* [RAW] (% “Yes”)**



**Appendix AQ68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant.\*\*\* [RAW] (% “Yes”)**




**Appendix AQ68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant.\*\*\* [RAW] (% “Yes”)**




**Appendix AQ68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. \*\*\***

[RAW] (% “Yes”)




**Appendix AQ68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. \*\*\* [RAW]**


(% “Yes”)




**Appendix AQ68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.\*\*\* [RAW] (% “Yes”)**




**Appendix AQ68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)**




**Appendix AQ68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant.\*\*\* [RAW] (% “Yes”)**



**Appendix AQ68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant.\*\*\* [RAW] (% “Yes”)**



**Appendix AQ70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?\*\*\* [RAW] (% “Yes”)**







**Appendix AQ70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?\*\*\* [RAW] (% “Yes”)**




**Appendix AQ76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ79A: During your most recent pregnancy, did you take any parenting classes?\*\*\* [RAW] (% “Yes”)**



**Appendix AQ79B: During your most recent pregnancy, did you receive counseling for depression or anxiety?\*\*\* [RAW] (% “Yes”)**



**APPENDIX B (RAW VARIABLE TABLES)**

<b>Appendix BA. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q5-Q12B</b>												
	<b>Percent Response Yes</b>	<b>Q5</b>	<b>Q6</b>	<b>Q11A</b>	<b>Q11B</b>	<b>Q11C</b>	<b>Q11D</b>	<b>Q11E</b>	<b>Q11F</b>	<b>Q11G</b>	<b>Q12A</b>	<b>Q12B</b>
<b>Total</b>	Yes	8.23%	6.99%	40.54%	49.35%	13.38%	4.52%	11.49%	7.53%	40.87%	23.92%	31.87%
<b>Age</b>	Under 20 Years	2.39%	5.57%	31.61%	10.29%	6.34%	8.74%	6.34%	7.12%	23.65%	4.79%	23.10%
	20-24 Years	7.04%	5.81%	42.42%	35.95%	11.05%	2.33%	8.58%	4.29%	31.73%	10.43%	30.10%
	25-34 Years	8.31%	6.36%	39.48%	54.00%	14.41%	5.31%	12.99%	8.07%	42.67%	26.70%	31.52%
	Over 34 Years	11.31%	11.14%	45.64%	60.35%	14.52%	2.45%	10.87%	9.19%	50.19%	34.94%	38.24%
<b>Ethnicity</b>	White Non-Hispanic	5.40%	4.28%	41.37%	60.75%	17.42%	4.13%	15.15%	10.46%	53.32%	28.96%	31.75%
	Black Non-Hispanic	10.75%	10.28%	44.64%	45.72%	9.55%	4.52%	6.52%	3.87%	30.12%	18.41%	35.59%
	Hispanic	11.83%	10.30%	30.29%	20.69%	8.35%	7.04%	9.05%	5.82%	20.55%	13.07%	26.96%
<b>Married</b>	Married	6.46%	3.80%	40.81%	58.87%	15.56%	4.44%	15.05%	6.47%	52.15%	34.83%	32.96%
	Not Married	10.38%	10.85%	40.21%	37.80%	10.73%	4.61%	7.18%	8.81%	27.19%	10.67%	30.55%
<b>Previous Live Birth</b>	Yes	13.61%	10.95%	38.76%	50.13%	12.84%	4.49%	9.80%	6.85%	35.99%	22.50%	30.62%
	No	0.60%	1.37%	43.06%	48.25%	14.15%	4.56%	13.90%	8.50%	47.81%	25.93%	33.66%
<b>Education</b>	Less Than 12 Years	13.79%	11.92%	28.72%	19.67%	5.03%	5.75%	6.11%	6.26%	15.33%	12.67%	19.51%
	12 Years	7.95%	8.26%	41.71%	41.55%	11.47%	4.88%	5.60%	7.93%	27.06%	12.66%	31.26%
	Greater Than 12 Years	6.46%	4.73%	44.38%	63.46%	17.23%	3.95%	16.08%	7.84%	56.18%	33.04%	36.65%
	<b>Lower 95% CI</b>	<b>Q5</b>	<b>Q6</b>	<b>Q11A</b>	<b>Q11B</b>	<b>Q11C</b>	<b>Q11D</b>	<b>Q11E</b>	<b>Q11F</b>	<b>Q11G</b>	<b>Q12A</b>	<b>Q12B</b>
<b>Total</b>	Yes	7.70%	6.49%	39.59%	48.39%	12.72%	4.12%	10.88%	7.02%	39.93%	23.10%	30.98%
<b>Age</b>	Under 20 Years	1.16%	3.72%	27.86%	7.84%	4.38%	6.46%	4.38%	5.04%	20.22%	3.07%	19.70%
	20-24 Years	5.86%	4.73%	40.14%	33.74%	9.61%	1.64%	7.29%	3.35%	29.59%	9.03%	28.00%
	25-34 Years	7.63%	5.75%	38.26%	52.77%	13.54%	4.75%	12.16%	7.40%	41.45%	25.61%	30.37%
	Over 34 Years	9.78%	9.63%	43.24%	58.00%	12.83%	1.71%	9.37%	7.80%	47.79%	32.65%	35.91%
<b>Ethnicity</b>	White Non-Hispanic	4.80%	3.74%	40.06%	59.46%	16.42%	3.60%	14.21%	9.66%	52.00%	27.76%	30.52%
	Black Non-Hispanic	9.58%	9.13%	42.76%	43.84%	8.44%	3.73%	5.59%	3.14%	28.39%	16.94%	33.78%
	Hispanic	10.29%	8.85%	28.09%	18.75%	7.03%	5.81%	7.68%	4.70%	18.62%	11.45%	24.83%
<b>Married</b>	Married	5.82%	3.30%	39.53%	57.59%	14.62%	3.91%	14.12%	5.83%	50.85%	33.59%	31.74%
	Not Married	9.50%	9.96%	38.80%	36.41%	9.84%	4.01%	6.44%	8.00%	25.92%	9.79%	29.23%
<b>Previous Live Birth</b>	Yes	12.75%	10.16%	37.53%	48.88%	11.99%	3.97%	9.05%	6.21%	34.78%	21.45%	29.46%
	No	0.37%	1.02%	41.58%	46.75%	13.10%	3.93%	12.86%	7.66%	46.31%	24.62%	32.24%
<b>Education</b>	Less Than 12 Years	12.28%	10.50%	26.74%	17.93%	4.07%	4.73%	5.06%	5.20%	13.76%	11.21%	17.78%
	12 Years	6.90%	7.20%	39.80%	39.65%	10.24%	4.05%	4.71%	6.88%	25.34%	11.37%	29.47%
	Greater Than 12 Years	5.82%	4.18%	43.09%	62.21%	16.25%	3.44%	15.13%	7.14%	54.90%	31.82%	35.40%
	<b>Upper 95% CI</b>	<b>Q5</b>	<b>Q6</b>	<b>Q11A</b>	<b>Q11B</b>	<b>Q11C</b>	<b>Q11D</b>	<b>Q11E</b>	<b>Q11F</b>	<b>Q11G</b>	<b>Q12A</b>	<b>Q12B</b>
<b>Total</b>	Yes	8.76%	7.48%	41.48%	50.32%	14.03%	4.92%	12.11%	8.04%	41.82%	24.74%	32.77%
<b>Age</b>	Under 20 Years	3.63%	7.42%	35.37%	12.74%	8.31%	11.02%	8.31%	9.19%	27.08%	6.51%	26.50%
	20-24 Years	8.21%	6.88%	44.69%	38.15%	12.49%	3.02%	9.87%	5.22%	33.87%	11.84%	32.21%
	25-34 Years	8.99%	6.96%	40.69%	55.24%	15.28%	5.86%	13.82%	8.74%	43.90%	27.80%	32.67%
	Over 34 Years	12.83%	12.65%	48.03%	62.70%	16.21%	3.19%	12.36%	10.58%	52.59%	37.23%	40.58%
<b>Ethnicity</b>	White Non-Hispanic	6.00%	4.81%	42.67%	62.04%	18.42%	4.66%	16.10%	11.27%	54.64%	30.16%	32.98%
	Black Non-Hispanic	11.92%	11.42%	46.51%	47.60%	10.66%	5.30%	7.45%	4.60%	31.86%	19.87%	37.40%
	Hispanic	13.38%	11.76%	32.49%	22.63%	9.68%	8.26%	10.42%	6.95%	22.49%	14.68%	29.09%
<b>Married</b>	Married	7.10%	4.30%	42.09%	60.15%	16.51%	4.98%	15.98%	7.11%	53.45%	36.07%	34.19%
	Not Married	11.25%	11.74%	41.61%	39.19%	11.61%	5.21%	7.92%	9.63%	28.47%	11.56%	31.87%
<b>Previous Live Birth</b>	Yes	14.47%	11.73%	39.98%	51.39%	13.68%	5.01%	10.55%	7.49%	37.19%	23.55%	31.78%
	No	0.83%	1.72%	44.55%	49.74%	15.19%	5.18%	14.93%	9.33%	49.31%	27.24%	35.07%
<b>Education</b>	Less Than 12 Years	15.30%	13.34%	30.70%	21.41%	5.99%	6.77%	7.16%	7.32%	16.91%	14.12%	21.25%
	12 Years	9.00%	9.33%	43.62%	43.46%	12.71%	5.72%	6.49%	8.97%	28.77%	13.94%	33.06%
	Greater Than 12 Years	7.09%	5.28%	45.66%	64.70%	18.21%	4.45%	17.04%	8.54%	57.47%	34.26%	37.90%



Appendix BB. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q12C-Q14A												
	Percent Response Yes	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
<b>Total</b>	Yes	11.23%	32.21%	31.45%	20.16%	20.43%	55.22%	38.09%	38.58%	45.97%	26.86%	18.11%
<b>Age</b>	Under 20 Years	5.57%	6.34%	18.25%	6.34%	18.25%	36.40%	25.43%	29.22%	22.10%	20.48%	12.21%
	20-24 Years	10.58%	19.13%	36.38%	14.42%	25.70%	53.24%	43.70%	44.07%	44.90%	27.96%	16.81%
	25-34 Years	10.30%	35.72%	31.00%	21.75%	19.39%	56.47%	36.53%	36.73%	47.36%	27.97%	16.84%
	Over 34 Years	17.40%	42.43%	32.43%	25.35%	19.36%	59.34%	42.31%	42.84%	50.39%	23.76%	26.40%
<b>Ethnicity</b>	White Non-Hispanic	9.34%	39.81%	32.01%	20.65%	16.41%	62.71%	41.11%	40.09%	52.58%	21.70%	17.04%
	Black Non-Hispanic	13.25%	22.21%	33.83%	21.11%	28.32%	51.92%	38.28%	40.55%	42.52%	39.85%	19.16%
	Hispanic	14.23%	21.43%	27.28%	16.03%	22.96%	39.83%	29.99%	33.37%	33.24%	24.94%	17.67%
<b>Married</b>	Married	10.59%	43.84%	32.01%	25.17%	14.71%	59.60%	38.65%	38.47%	51.30%	21.88%	22.38%
	Not Married	11.99%	18.09%	30.77%	14.09%	27.37%	49.91%	37.42%	38.70%	39.51%	32.90%	12.94%
<b>Previous Live Birth</b>	Yes	11.80%	29.65%	30.74%	18.63%	18.94%	51.62%	36.93%	38.79%	42.89%	26.26%	18.48%
	No	10.41%	35.84%	32.46%	22.33%	22.54%	60.33%	39.74%	38.27%	50.35%	27.71%	17.60%
<b>Education</b>	Less Than 12 Years	8.19%	13.68%	21.99%	14.59%	20.65%	32.42%	24.24%	25.03%	23.35%	15.92%	17.37%
	12 Years	11.41%	17.79%	30.71%	14.38%	21.02%	51.74%	37.74%	41.28%	42.70%	36.25%	13.47%
	Greater Than 12 Years	12.27%	45.33%	35.27%	24.82%	20.20%	65.01%	43.25%	42.26%	55.56%	26.56%	20.56%
	<b>Lower 95% CI</b>	<b>Q12C</b>	<b>Q12D</b>	<b>Q12E</b>	<b>Q12F</b>	<b>Q12G</b>	<b>Q12H</b>	<b>Q12I</b>	<b>Q12J</b>	<b>Q12K</b>	<b>Q12L</b>	<b>Q14A</b>
<b>Total</b>	Yes	10.62%	31.31%	30.56%	19.39%	19.65%	54.26%	37.16%	37.64%	45.01%	26.00%	17.37%
<b>Age</b>	Under 20 Years	3.72%	4.38%	15.13%	4.38%	15.13%	32.52%	21.92%	25.55%	18.75%	17.23%	9.57%
	20-24 Years	9.17%	17.32%	34.17%	12.81%	23.69%	50.95%	41.42%	41.79%	42.61%	25.89%	15.09%
	25-34 Years	9.55%	34.53%	29.86%	20.73%	18.41%	55.25%	35.34%	35.53%	46.13%	26.85%	15.91%
	Over 34 Years	15.58%	40.06%	30.18%	23.26%	17.46%	56.98%	39.94%	40.46%	47.99%	21.71%	24.29%
<b>Ethnicity</b>	White Non-Hispanic	8.57%	38.51%	30.78%	19.58%	15.43%	61.44%	39.81%	38.80%	51.26%	20.61%	16.05%
	Black Non-Hispanic	11.97%	20.64%	32.04%	19.57%	26.61%	50.03%	36.45%	38.70%	40.66%	38.00%	17.67%
	Hispanic	12.56%	19.46%	25.15%	14.28%	20.94%	37.49%	27.79%	31.11%	30.98%	22.87%	15.85%
<b>Married</b>	Married	9.79%	42.55%	30.80%	24.04%	13.79%	58.32%	37.38%	37.21%	50.00%	20.80%	21.29%
	Not Married	11.06%	16.99%	29.44%	13.09%	26.09%	48.48%	36.03%	37.30%	38.11%	31.55%	11.97%
<b>Previous Live Birth</b>	Yes	10.99%	28.50%	29.58%	17.65%	17.95%	50.36%	35.71%	37.56%	41.64%	25.15%	17.50%
	No	9.50%	34.40%	31.06%	21.08%	21.29%	58.86%	38.28%	36.81%	48.85%	26.37%	16.45%
<b>Education</b>	Less Than 12 Years	6.99%	12.18%	20.17%	13.05%	18.88%	30.37%	22.37%	23.13%	21.50%	14.32%	15.71%
	12 Years	10.18%	16.32%	28.93%	13.02%	19.44%	49.81%	35.86%	39.38%	40.79%	34.39%	12.15%
	Greater Than 12 Years	11.42%	44.05%	34.03%	23.70%	19.16%	63.77%	41.97%	40.98%	54.27%	25.42%	19.51%
	<b>Upper 95% CI</b>	<b>Q12C</b>	<b>Q12D</b>	<b>Q12E</b>	<b>Q12F</b>	<b>Q12G</b>	<b>Q12H</b>	<b>Q12I</b>	<b>Q12J</b>	<b>Q12K</b>	<b>Q12L</b>	<b>Q14A</b>
<b>Total</b>	Yes	11.83%	33.11%	32.35%	20.93%	21.21%	56.18%	39.03%	39.51%	46.94%	27.71%	18.86%
<b>Age</b>	Under 20 Years	7.42%	8.31%	21.37%	8.31%	21.37%	40.29%	28.95%	32.89%	25.45%	23.74%	14.85%
	20-24 Years	12.00%	20.93%	38.59%	16.04%	27.71%	55.54%	45.98%	46.35%	47.18%	30.02%	18.53%
	25-34 Years	11.06%	36.91%	32.15%	22.77%	20.37%	57.70%	37.73%	37.92%	48.60%	29.08%	17.77%
	Over 34 Years	19.22%	44.80%	34.67%	27.44%	21.25%	61.69%	44.68%	45.21%	52.79%	25.80%	28.52%
<b>Ethnicity</b>	White Non-Hispanic	10.11%	41.10%	33.24%	21.72%	17.39%	63.99%	42.41%	41.38%	53.90%	22.79%	18.03%
	Black Non-Hispanic	14.53%	23.78%	35.61%	22.65%	30.02%	53.80%	40.12%	42.41%	44.39%	41.70%	20.64%
	Hispanic	15.90%	23.39%	29.42%	17.79%	24.97%	42.18%	32.18%	35.62%	35.50%	27.01%	19.50%
<b>Married</b>	Married	11.40%	45.13%	33.23%	26.30%	15.63%	60.88%	39.91%	39.74%	52.60%	22.96%	23.47%
	Not Married	12.93%	19.19%	32.09%	15.09%	28.65%	51.34%	38.81%	40.10%	40.91%	34.25%	13.90%
<b>Previous Live Birth</b>	Yes	12.61%	30.80%	31.90%	19.61%	19.93%	52.88%	38.14%	40.02%	44.13%	27.36%	19.46%
	No	11.33%	37.27%	33.86%	23.58%	23.79%	61.80%	41.21%	39.73%	51.85%	29.06%	18.74%
<b>Education</b>	Less Than 12 Years	9.39%	15.19%	23.80%	16.14%	22.43%	34.47%	26.12%	26.93%	25.20%	17.52%	19.03%
	12 Years	12.64%	19.27%	32.50%	15.73%	22.59%	53.67%	39.61%	43.18%	44.62%	38.11%	14.79%
	Greater Than 12 Years	13.12%	46.62%	36.51%	25.94%	21.24%	66.25%	44.53%	43.54%	56.84%	27.70%	21.60%

Appendix BC. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q14B-Q16E												
	Percent Response Yes	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
<b>Total</b>	Yes	12.92%	14.40%	8.77%	21.01%	20.48%	20.80%	19.47%	42.62%	5.61%	3.01%	44.52%
<b>Age</b>	Under 20 Years	7.65%	9.58%	4.79%	19.39%	21.79%	21.79%	21.79%	0.00%	9.35%	3.17%	89.09%
	20-24 Years	11.56%	11.58%	10.04%	17.52%	22.50%	21.73%	20.50%	13.06%	20.83%	3.44%	72.07%
	25-34 Years	11.90%	12.90%	7.31%	21.27%	19.98%	20.36%	18.71%	50.92%	2.33%	3.13%	35.70%
	Over 34 Years	20.10%	24.84%	14.27%	24.43%	19.66%	21.05%	20.36%	58.78%	0.00%	2.08%	31.83%
<b>Ethnicity</b>	White Non-Hispanic	12.74%	14.48%	7.14%	20.82%	17.37%	17.64%	15.88%	57.19%	5.82%	3.61%	32.17%
	Black Non-Hispanic	12.83%	11.54%	8.61%	18.64%	23.02%	23.55%	22.19%	26.19%	5.22%	1.56%	64.46%
	Hispanic	11.92%	15.87%	12.70%	24.99%	25.89%	25.46%	25.74%	12.74%	7.08%	2.92%	60.35%
<b>Married</b>	Married	16.07%	17.69%	9.24%	25.40%	20.78%	21.94%	20.08%	65.53%	1.71%	3.30%	20.87%
	Not Married	9.11%	10.42%	8.20%	15.69%	20.11%	19.40%	18.72%	14.82%	10.35%	2.67%	73.23%
<b>Previous Live Birth</b>	Yes	12.90%	14.44%	9.66%	19.21%	20.31%	19.77%	18.59%	41.32%	2.05%	2.40%	47.02%
	No	12.96%	14.35%	7.51%	23.56%	20.72%	22.25%	20.72%	44.46%	10.65%	3.88%	40.99%
<b>Education</b>	Less Than 12 Years	10.77%	12.24%	11.77%	19.96%	21.43%	22.00%	20.89%	3.89%	3.52%	2.44%	73.18%
	12 Years	10.43%	9.70%	8.24%	16.12%	21.96%	20.13%	19.86%	21.61%	8.59%	2.22%	70.97%
	Greater Than 12 Years	14.87%	17.11%	7.76%	23.45%	19.35%	20.54%	18.66%	65.84%	5.04%	3.34%	22.63%
	<b>Lower 95% CI</b>	<b>Q14B</b>	<b>Q14C</b>	<b>Q14D</b>	<b>Q14E</b>	<b>Q14F</b>	<b>Q14G</b>	<b>Q14H</b>	<b>Q16B</b>	<b>Q16C</b>	<b>Q16D</b>	<b>Q16E</b>
<b>Total</b>	Yes	12.28%	13.73%	8.22%	20.23%	19.70%	20.01%	18.70%	41.67%	5.16%	2.68%	43.57%
<b>Age</b>	Under 20 Years	5.50%	7.20%	3.07%	16.20%	18.46%	18.46%	18.46%	0.00%	7.00%	1.76%	86.58%
	20-24 Years	10.09%	10.11%	8.66%	15.77%	20.58%	19.83%	18.64%	11.51%	18.96%	2.60%	70.01%
	25-34 Years	11.10%	12.07%	6.66%	20.25%	18.99%	19.37%	17.75%	49.68%	1.95%	2.69%	34.52%
	Over 34 Years	18.18%	22.76%	12.59%	22.37%	17.76%	19.09%	18.42%	56.42%	0.00%	1.39%	29.59%
<b>Ethnicity</b>	White Non-Hispanic	11.86%	13.55%	6.46%	19.75%	16.37%	16.63%	14.92%	55.89%	5.20%	3.12%	30.93%
	Black Non-Hispanic	11.56%	10.33%	7.55%	17.17%	21.43%	21.94%	20.62%	24.53%	4.38%	1.09%	62.65%
	Hispanic	10.36%	14.12%	11.10%	22.91%	23.79%	23.38%	23.64%	11.14%	5.85%	2.12%	58.00%
<b>Married</b>	Married	15.11%	16.69%	8.49%	24.27%	19.73%	20.86%	19.04%	64.29%	1.37%	2.83%	19.81%
	Not Married	8.28%	9.54%	7.41%	14.64%	18.96%	18.27%	17.60%	13.80%	9.47%	2.21%	71.96%
<b>Previous Live Birth</b>	Yes	12.05%	13.56%	8.91%	18.22%	19.30%	18.77%	17.61%	40.08%	1.70%	2.02%	45.76%
	No	11.95%	13.30%	6.72%	22.29%	19.50%	21.01%	19.50%	42.97%	9.73%	3.30%	39.51%
<b>Education</b>	Less Than 12 Years	9.41%	10.81%	10.36%	18.21%	19.63%	20.19%	19.11%	3.04%	2.71%	1.76%	71.24%
	12 Years	9.25%	8.55%	7.18%	14.70%	20.36%	18.58%	18.32%	20.02%	7.50%	1.65%	69.22%
	Greater Than 12 Years	13.94%	16.13%	7.06%	22.35%	18.33%	19.49%	17.65%	64.61%	4.47%	2.87%	21.55%
	<b>Upper 95% CI</b>	<b>Q14B</b>	<b>Q14C</b>	<b>Q14D</b>	<b>Q14E</b>	<b>Q14F</b>	<b>Q14G</b>	<b>Q14H</b>	<b>Q16B</b>	<b>Q16C</b>	<b>Q16D</b>	<b>Q16E</b>
<b>Total</b>	Yes	13.57%	15.08%	9.31%	21.80%	21.26%	21.58%	20.23%	43.57%	6.05%	3.34%	45.48%
<b>Age</b>	Under 20 Years	9.79%	11.95%	6.51%	22.59%	25.12%	25.12%	25.12%	0.00%	11.70%	4.59%	91.61%
	20-24 Years	13.03%	13.05%	11.42%	19.27%	24.42%	23.62%	22.36%	14.61%	22.69%	4.27%	74.14%
	25-34 Years	12.71%	13.73%	7.95%	22.28%	20.97%	21.36%	19.68%	52.16%	2.70%	3.56%	36.89%
	Over 34 Years	22.03%	26.91%	15.95%	26.49%	21.57%	23.01%	22.29%	61.15%	0.00%	2.76%	34.06%
<b>Ethnicity</b>	White Non-Hispanic	13.62%	15.41%	7.82%	21.89%	18.37%	18.64%	16.85%	58.50%	6.44%	4.10%	33.40%
	Black Non-Hispanic	14.09%	12.75%	9.67%	20.11%	24.61%	25.15%	23.76%	27.86%	6.06%	2.03%	66.27%
	Hispanic	13.47%	17.62%	14.29%	27.06%	27.99%	27.55%	27.83%	14.34%	8.30%	3.73%	62.69%
<b>Married</b>	Married	17.02%	18.68%	9.99%	26.53%	21.84%	23.02%	21.13%	66.76%	2.04%	3.76%	21.93%
	Not Married	9.93%	11.30%	8.98%	16.73%	21.26%	20.54%	19.84%	15.84%	11.22%	3.13%	74.50%
<b>Previous Live Birth</b>	Yes	13.74%	15.33%	10.40%	20.21%	21.32%	20.77%	19.57%	42.56%	2.41%	2.79%	48.28%
	No	13.97%	15.40%	8.30%	24.83%	21.93%	23.50%	21.93%	45.95%	11.58%	4.46%	42.46%
<b>Education</b>	Less Than 12 Years	12.12%	13.68%	13.18%	21.71%	23.22%	23.82%	22.67%	4.74%	4.33%	3.11%	75.12%
	12 Years	11.61%	10.84%	9.30%	17.54%	23.56%	21.68%	21.40%	23.20%	9.67%	2.79%	72.73%
	Greater Than 12 Years	15.79%	18.08%	8.45%	24.54%	20.37%	21.59%	19.67%	67.07%	5.60%	3.80%	23.71%

Appendix BD. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q16F-Q24E												
	Percent Response Yes	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
<b>Total</b>	Yes	1.53%	4.27%	3.86%	1.98%	20.60%	82.08%	6.27%	3.96%	2.24%	4.38%	2.77%
<b>Age</b>	Under 20 Years	0.00%	4.79%	0.00%	2.39%	27.13%	67.93%	10.97%	3.17%	8.58%	0.78%	6.18%
	20-24 Years	2.33%	4.13%	8.22%	1.23%	27.92%	75.81%	9.63%	8.99%	2.26%	7.32%	3.76%
	25-34 Years	1.18%	4.66%	3.52%	2.23%	18.45%	84.94%	5.57%	2.95%	2.24%	3.69%	2.84%
	Over 34 Years	2.51%	2.73%	1.77%	1.76%	18.40%	83.18%	3.59%	2.54%	0.00%	5.06%	0.22%
<b>Ethnicity</b>	White Non-Hispanic	0.21%	0.47%	5.50%	1.34%	17.02%	82.53%	6.37%	3.80%	1.54%	6.02%	2.26%
	Black Non-Hispanic	1.98%	0.14%	2.10%	1.79%	23.94%	82.71%	4.64%	2.05%	2.39%	1.67%	2.00%
	Hispanic	5.56%	24.59%	2.40%	4.97%	31.97%	79.51%	7.91%	8.50%	4.93%	3.87%	5.61%
<b>Married</b>	Married	1.81%	3.64%	6.44%	1.61%	12.52%	87.80%	5.44%	3.01%	0.77%	3.82%	0.86%
	Not Married	1.18%	5.03%	0.74%	2.44%	30.41%	75.13%	7.28%	5.11%	4.03%	5.07%	5.09%
<b>Previous Live Birth</b>	Yes	1.92%	5.55%	3.29%	1.93%	23.21%	82.75%	5.94%	4.24%	2.54%	4.55%	3.61%
	No	0.98%	2.44%	4.68%	2.06%	16.90%	81.13%	6.73%	3.56%	1.81%	4.14%	1.58%
<b>Education</b>	Less Than 12 Years	4.85%	15.62%	0.70%	7.31%	26.69%	74.62%	7.37%	7.86%	6.11%	5.27%	6.62%
	12 Years	0.46%	3.27%	0.69%	0.14%	22.22%	79.04%	7.20%	4.30%	4.24%	3.87%	5.04%
	Greater Than 12 Years	0.85%	0.76%	6.42%	0.71%	17.61%	85.96%	5.51%	2.47%	0.00%	4.33%	0.42%
	<b>Lower 95% CI</b>	<b>Q16F</b>	<b>Q16G</b>	<b>Q16H</b>	<b>Q16I</b>	<b>Q20</b>	<b>Q23</b>	<b>Q24A</b>	<b>Q24B</b>	<b>Q24C</b>	<b>Q24D</b>	<b>Q24E</b>
<b>Total</b>	Yes	1.29%	3.88%	3.49%	1.72%	19.82%	81.34%	5.80%	3.58%	1.96%	3.99%	2.45%
<b>Age</b>	Under 20 Years	0.00%	3.07%	0.00%	1.16%	23.54%	64.17%	8.45%	1.76%	6.32%	0.07%	4.24%
	20-24 Years	1.64%	3.22%	6.96%	0.72%	25.86%	73.84%	8.27%	7.68%	1.57%	6.12%	2.89%
	25-34 Years	0.91%	4.14%	3.07%	1.86%	17.49%	84.06%	5.00%	2.53%	1.87%	3.22%	2.43%
	Over 34 Years	1.76%	1.95%	1.13%	1.13%	16.54%	81.39%	2.70%	1.79%	0.00%	4.01%	-0.01%
<b>Ethnicity</b>	White Non-Hispanic	0.09%	0.29%	4.89%	1.03%	16.03%	81.53%	5.72%	3.29%	1.21%	5.39%	1.87%
	Black Non-Hispanic	1.45%	0.00%	1.56%	1.29%	22.33%	81.28%	3.84%	1.51%	1.82%	1.19%	1.47%
	Hispanic	4.46%	22.52%	1.66%	3.93%	29.74%	77.58%	6.62%	7.16%	3.89%	2.95%	4.50%
<b>Married</b>	Married	1.46%	3.15%	5.80%	1.29%	11.66%	86.95%	4.85%	2.57%	0.54%	3.32%	0.62%
	Not Married	0.87%	4.40%	0.50%	1.99%	29.09%	73.89%	6.54%	4.48%	3.47%	4.44%	4.46%
<b>Previous Live Birth</b>	Yes	1.57%	4.97%	2.84%	1.58%	22.15%	81.80%	5.35%	3.74%	2.15%	4.03%	3.14%
	No	0.68%	1.98%	4.05%	1.63%	15.78%	79.96%	5.98%	3.00%	1.41%	3.54%	1.20%
<b>Education</b>	Less Than 12 Years	3.91%	14.03%	0.34%	6.17%	24.75%	72.71%	6.23%	6.68%	5.06%	4.29%	5.53%
	12 Years	0.20%	2.59%	0.37%	0.00%	20.61%	77.47%	6.20%	3.51%	3.46%	3.13%	4.19%
	Greater Than 12 Years	0.61%	0.54%	5.78%	0.49%	16.63%	85.06%	4.92%	2.07%	0.00%	3.80%	0.25%
	<b>Upper 95% CI</b>	<b>Q16F</b>	<b>Q16G</b>	<b>Q16H</b>	<b>Q16I</b>	<b>Q20</b>	<b>Q23</b>	<b>Q24A</b>	<b>Q24B</b>	<b>Q24C</b>	<b>Q24D</b>	<b>Q24E</b>
<b>Total</b>	Yes	1.76%	4.66%	4.24%	2.25%	21.38%	82.82%	6.74%	4.34%	2.53%	4.78%	3.09%
<b>Age</b>	Under 20 Years	0.00%	6.51%	0.00%	3.63%	30.72%	71.70%	13.49%	4.59%	10.83%	1.49%	8.12%
	20-24 Years	3.02%	5.05%	9.48%	1.73%	29.98%	77.78%	10.99%	10.31%	2.94%	8.52%	4.64%
	25-34 Years	1.44%	5.19%	3.98%	2.59%	19.41%	85.83%	6.14%	3.37%	2.60%	4.16%	3.25%
	Over 34 Years	3.27%	3.51%	2.40%	2.39%	20.26%	84.98%	4.48%	3.30%	0.00%	6.12%	0.44%
<b>Ethnicity</b>	White Non-Hispanic	0.33%	0.65%	6.10%	1.64%	18.02%	83.53%	7.01%	4.30%	1.86%	6.65%	2.65%
	Black Non-Hispanic	2.51%	0.27%	2.64%	2.30%	25.55%	84.14%	5.43%	2.58%	2.97%	2.16%	2.53%
	Hispanic	6.66%	26.65%	3.13%	6.01%	34.21%	81.44%	9.21%	9.83%	5.96%	4.80%	6.71%
<b>Married</b>	Married	2.16%	4.13%	7.08%	1.94%	13.38%	88.66%	6.03%	3.46%	0.99%	4.32%	1.10%
	Not Married	1.49%	5.66%	0.99%	2.88%	31.73%	76.37%	8.03%	5.75%	4.60%	5.70%	5.72%
<b>Previous Live Birth</b>	Yes	2.26%	6.13%	3.74%	2.28%	24.27%	83.70%	6.54%	4.75%	2.94%	5.08%	4.08%
	No	1.27%	2.91%	5.32%	2.49%	18.03%	82.30%	7.49%	4.12%	2.21%	4.74%	1.95%
<b>Education</b>	Less Than 12 Years	5.79%	17.20%	1.07%	8.45%	28.63%	76.52%	8.51%	9.04%	7.16%	6.25%	7.70%
	12 Years	0.72%	3.96%	1.01%	0.29%	23.82%	80.62%	8.20%	5.08%	5.02%	4.62%	5.88%
	Greater Than 12 Years	1.09%	0.99%	7.05%	0.93%	18.60%	86.86%	6.10%	2.87%	0.00%	4.85%	0.59%

Appendix BE. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q24F-Q25E												
	Percent Response Yes	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
<b>Total</b>	Yes	1.90%	3.94%	1.45%	5.33%	2.06%	1.25%	56.05%	93.30%	94.10%	93.59%	80.44%
<b>Age</b>	Under 20 Years	10.74%	9.35%	0.00%	14.92%	0.00%	0.00%	56.56%	84.47%	93.04%	93.04%	86.86%
	20-24 Years	0.93%	7.27%	1.03%	3.74%	2.56%	1.28%	57.18%	94.15%	91.63%	92.08%	85.33%
	25-34 Years	1.25%	2.83%	2.09%	5.43%	1.97%	1.39%	56.51%	93.64%	94.95%	93.97%	78.92%
	Over 34 Years	2.25%	2.54%	0.00%	3.30%	2.62%	1.13%	52.90%	94.25%	94.02%	94.02%	78.55%
<b>Ethnicity</b>	White Non-Hispanic	0.93%	2.74%	1.03%	4.05%	0.91%	0.47%	57.24%	95.84%	95.04%	93.93%	78.45%
	Black Non-Hispanic	3.21%	5.39%	0.17%	6.87%	2.87%	0.73%	54.76%	91.72%	93.36%	94.19%	86.14%
	Hispanic	3.46%	6.44%	4.43%	8.50%	5.14%	4.77%	53.33%	88.10%	92.36%	92.36%	81.02%
<b>Married</b>	Married	1.13%	1.97%	1.25%	2.69%	0.63%	0.63%	58.21%	95.18%	94.82%	94.30%	77.61%
	Not Married	2.82%	6.33%	1.69%	8.53%	3.81%	2.00%	53.44%	91.03%	93.24%	92.73%	83.89%
<b>Previous Live Birth</b>	Yes	1.95%	3.60%	2.47%	5.83%	3.10%	1.67%	52.62%	90.89%	92.38%	92.44%	79.96%
	No	1.82%	4.42%	0.00%	4.62%	0.60%	0.65%	60.93%	96.72%	96.55%	95.23%	81.13%
<b>Education</b>	Less Than 12 Years	3.11%	6.68%	3.70%	8.73%	5.03%	3.46%	50.01%	85.39%	93.48%	93.25%	85.59%
	12 Years	2.64%	5.22%	2.38%	8.18%	3.06%	1.14%	57.23%	92.66%	91.19%	90.96%	81.62%
	Greater Than 12 Years	1.15%	2.43%	0.25%	2.89%	0.59%	0.53%	57.89%	96.57%	95.85%	95.11%	78.25%
	<b>Lower 95% CI</b>	<b>Q24F</b>	<b>Q24G</b>	<b>Q24H</b>	<b>Q24I</b>	<b>Q24J</b>	<b>Q24K</b>	<b>Q25A</b>	<b>Q25B</b>	<b>Q25C</b>	<b>Q25D</b>	<b>Q25E</b>
<b>Total</b>	Yes	1.63%	3.56%	1.22%	4.89%	1.79%	1.03%	55.10%	92.82%	93.65%	93.12%	79.68%
<b>Age</b>	Under 20 Years	8.24%	7.00%	0.00%	12.04%	0.00%	0.00%	52.56%	81.54%	90.99%	90.99%	84.14%
	20-24 Years	0.49%	6.07%	0.56%	2.86%	1.83%	0.76%	54.91%	93.08%	90.35%	90.83%	83.70%
	25-34 Years	0.97%	2.42%	1.73%	4.87%	1.62%	1.10%	55.29%	93.03%	94.40%	93.38%	77.91%
	Over 34 Years	1.54%	1.79%	0.00%	2.44%	1.86%	0.62%	50.51%	93.13%	92.89%	92.89%	76.58%
<b>Ethnicity</b>	White Non-Hispanic	0.68%	2.31%	0.76%	3.53%	0.66%	0.29%	55.94%	95.32%	94.47%	93.30%	77.37%
	Black Non-Hispanic	2.54%	4.54%	0.01%	5.91%	2.24%	0.41%	52.88%	90.67%	92.42%	93.31%	84.84%
	Hispanic	2.59%	5.26%	3.45%	7.16%	4.09%	3.75%	50.94%	86.55%	91.09%	91.09%	79.14%
<b>Married</b>	Married	0.85%	1.61%	0.96%	2.27%	0.42%	0.42%	56.93%	94.62%	94.24%	93.70%	76.52%
	Not Married	2.35%	5.63%	1.32%	7.73%	3.26%	1.60%	52.00%	90.21%	92.52%	91.99%	82.83%
<b>Previous Live Birth</b>	Yes	1.60%	3.13%	2.07%	5.24%	2.66%	1.35%	51.36%	90.17%	91.71%	91.77%	78.95%
	No	1.42%	3.80%	0.00%	3.99%	0.37%	0.41%	59.46%	96.19%	96.00%	94.59%	79.96%
<b>Education</b>	Less Than 12 Years	2.35%	5.59%	2.88%	7.49%	4.07%	2.66%	47.82%	83.85%	92.40%	92.15%	84.05%
	12 Years	2.02%	4.36%	1.79%	7.12%	2.39%	0.73%	55.32%	91.65%	90.09%	89.85%	80.12%
	Greater Than 12 Years	0.87%	2.03%	0.12%	2.45%	0.39%	0.34%	56.61%	96.10%	95.33%	94.55%	77.18%
	<b>Upper 95% CI</b>	<b>Q24F</b>	<b>Q24G</b>	<b>Q24H</b>	<b>Q24I</b>	<b>Q24J</b>	<b>Q24K</b>	<b>Q25A</b>	<b>Q25B</b>	<b>Q25C</b>	<b>Q25D</b>	<b>Q25E</b>
<b>Total</b>	Yes	2.16%	4.31%	1.68%	5.76%	2.34%	1.46%	57.01%	93.79%	94.56%	94.07%	81.21%
<b>Age</b>	Under 20 Years	13.24%	11.70%	0.00%	17.79%	0.00%	0.00%	60.56%	87.39%	95.10%	95.10%	89.59%
	20-24 Years	1.37%	8.46%	1.49%	4.61%	3.29%	1.80%	59.46%	95.23%	92.90%	93.32%	86.96%
	25-34 Years	1.52%	3.24%	2.44%	5.99%	2.31%	1.68%	57.74%	94.24%	95.49%	94.56%	79.93%
	Over 34 Years	2.96%	3.30%	0.00%	4.16%	3.39%	1.64%	55.30%	95.37%	95.16%	95.16%	80.52%
<b>Ethnicity</b>	White Non-Hispanic	1.19%	3.18%	1.29%	4.58%	1.16%	0.65%	58.55%	96.37%	95.61%	94.56%	79.54%
	Black Non-Hispanic	3.88%	6.25%	0.33%	7.83%	3.50%	1.06%	56.64%	92.76%	94.30%	95.07%	87.45%
	Hispanic	4.34%	7.61%	5.42%	9.83%	6.20%	5.79%	55.72%	89.65%	93.63%	93.63%	82.90%
<b>Married</b>	Married	1.41%	2.33%	1.53%	3.11%	0.83%	0.83%	59.49%	95.74%	95.39%	94.91%	78.69%
	Not Married	3.30%	7.03%	2.06%	9.33%	4.36%	2.40%	54.87%	91.85%	93.96%	93.48%	84.94%
<b>Previous Live Birth</b>	Yes	2.30%	4.07%	2.86%	6.42%	3.53%	1.99%	53.87%	91.62%	93.05%	93.11%	80.96%
	No	2.22%	5.03%	0.00%	5.25%	0.83%	0.89%	62.39%	97.26%	97.10%	95.87%	82.31%
<b>Education</b>	Less Than 12 Years	3.87%	7.77%	4.53%	9.96%	5.99%	4.26%	52.19%	86.94%	94.56%	94.35%	87.12%
	12 Years	3.26%	6.08%	2.97%	9.24%	3.72%	1.55%	59.14%	93.67%	92.29%	92.07%	83.12%
	Greater Than 12 Years	1.42%	2.82%	0.37%	3.32%	0.79%	0.72%	59.17%	97.04%	96.36%	95.66%	79.32%

Appendix BF. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q25F-Q44												
	Percent Response Yes	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
<b>Total</b>	Yes	79.48%	83.79%	64.92%	91.99%	80.94%	5.98%	2.14%	3.81%	1.59%	1.10%	9.83%
<b>Age</b>	Under 20 Years	80.68%	90.65%	75.89%	93.04%	86.86%	7.96%	0.00%	2.39%	3.17%	0.00%	7.18%
	20-24 Years	85.51%	88.64%	68.54%	92.70%	83.61%	7.67%	1.81%	4.39%	2.58%	1.55%	5.16%
	25-34 Years	77.83%	82.57%	64.00%	92.31%	80.17%	5.66%	2.66%	3.75%	0.98%	1.30%	11.62%
	Over 34 Years	78.70%	80.69%	60.52%	89.61%	78.84%	4.65%	1.29%	3.91%	2.24%	0.22%	9.13%
<b>Ethnicity</b>	White Non-Hispanic	75.73%	81.54%	59.54%	90.97%	76.03%	8.87%	2.20%	5.93%	1.97%	1.44%	15.25%
	Black Non-Hispanic	86.47%	89.40%	75.14%	93.48%	85.97%	3.76%	2.13%	1.97%	0.60%	0.14%	2.95%
	Hispanic	82.53%	84.65%	67.93%	94.11%	89.90%	1.69%	1.69%	0.00%	1.69%	1.12%	5.08%
<b>Married</b>	Married	75.46%	79.40%	60.20%	90.41%	78.01%	2.00%	0.88%	2.19%	1.00%	0.86%	10.78%
	Not Married	84.37%	89.13%	70.65%	93.90%	84.51%	10.81%	3.66%	5.77%	2.30%	1.39%	8.69%
<b>Previous Live Birth</b>	Yes	79.03%	82.09%	63.73%	91.42%	83.36%	6.63%	2.77%	4.30%	1.70%	0.79%	6.55%
	No	80.13%	86.22%	66.60%	92.80%	77.51%	5.07%	1.25%	3.11%	1.43%	1.53%	14.49%
<b>Education</b>	Less Than 12 Years	82.88%	86.10%	71.31%	92.99%	87.90%	11.58%	5.21%	7.48%	1.16%	1.41%	3.00%
	12 Years	82.76%	84.51%	68.02%	91.42%	84.13%	7.65%	2.08%	4.33%	2.72%	0.73%	4.88%
	Greater Than 12 Years	76.96%	82.82%	61.34%	91.84%	76.97%	3.31%	1.10%	2.31%	1.24%	1.16%	14.50%
	<b>Lower 95% CI</b>	<b>Q25F</b>	<b>Q25G</b>	<b>Q25H</b>	<b>Q25I</b>	<b>Q25J</b>	<b>Q36</b>	<b>Q37</b>	<b>Q38</b>	<b>Q41</b>	<b>Q42</b>	<b>Q44</b>
<b>Total</b>	Yes	78.70%	83.08%	64.00%	91.46%	80.19%	5.53%	1.86%	3.44%	1.35%	0.90%	9.26%
<b>Age</b>	Under 20 Years	77.49%	88.30%	72.44%	90.99%	84.14%	5.78%	0.00%	1.16%	1.76%	0.00%	5.10%
	20-24 Years	83.89%	87.18%	66.41%	91.51%	81.90%	6.45%	1.19%	3.45%	1.85%	0.98%	4.15%
	25-34 Years	76.80%	81.63%	62.81%	91.65%	79.18%	5.09%	2.26%	3.28%	0.73%	1.02%	10.83%
	Over 34 Years	76.74%	78.79%	58.17%	88.14%	76.88%	3.64%	0.75%	2.98%	1.53%	-0.01%	7.75%
<b>Ethnicity</b>	White Non-Hispanic	74.60%	80.51%	58.24%	90.21%	74.91%	8.12%	1.81%	5.30%	1.60%	1.13%	14.30%
	Black Non-Hispanic	85.17%	88.24%	73.51%	92.55%	84.65%	3.04%	1.59%	1.44%	0.31%	0.00%	2.31%
	Hispanic	80.71%	82.93%	65.69%	92.98%	88.46%	1.07%	1.07%	0.00%	1.07%	0.61%	4.03%
<b>Married</b>	Married	74.34%	78.35%	58.92%	89.64%	76.93%	1.64%	0.64%	1.81%	0.74%	0.62%	9.97%
	Not Married	83.33%	88.23%	69.34%	93.21%	83.47%	9.92%	3.13%	5.10%	1.87%	1.05%	7.88%
<b>Previous Live Birth</b>	Yes	78.01%	81.12%	62.52%	90.71%	82.42%	6.00%	2.35%	3.79%	1.37%	0.57%	5.93%
	No	78.93%	85.18%	65.19%	92.02%	76.26%	4.41%	0.91%	2.59%	1.08%	1.16%	13.43%
<b>Education</b>	Less Than 12 Years	81.24%	84.58%	69.33%	91.87%	86.48%	10.17%	4.23%	6.33%	0.69%	0.89%	2.25%
	12 Years	81.30%	83.11%	66.21%	90.34%	82.72%	6.63%	1.53%	3.54%	2.10%	0.40%	4.05%
	Greater Than 12 Years	75.86%	81.85%	60.08%	91.13%	75.88%	2.85%	0.83%	1.92%	0.95%	0.88%	13.59%
	<b>Upper 95% CI</b>	<b>Q25F</b>	<b>Q25G</b>	<b>Q25H</b>	<b>Q25I</b>	<b>Q25J</b>	<b>Q36</b>	<b>Q37</b>	<b>Q38</b>	<b>Q41</b>	<b>Q42</b>	<b>Q44</b>
<b>Total</b>	Yes	80.26%	84.50%	65.84%	92.51%	81.70%	6.44%	2.42%	4.18%	1.83%	1.30%	10.41%
<b>Age</b>	Under 20 Years	83.87%	93.00%	79.34%	95.10%	89.59%	10.14%	0.00%	3.63%	4.59%	0.00%	9.27%
	20-24 Years	87.13%	90.10%	70.68%	93.90%	85.31%	8.89%	2.42%	5.33%	3.31%	2.12%	6.18%
	25-34 Years	78.86%	83.51%	65.19%	92.97%	81.16%	6.23%	3.06%	4.22%	1.22%	1.58%	12.42%
	Over 34 Years	80.67%	82.58%	62.87%	91.07%	80.80%	5.67%	1.84%	4.84%	2.95%	0.44%	10.51%
<b>Ethnicity</b>	White Non-Hispanic	76.86%	82.56%	60.83%	91.73%	77.16%	9.62%	2.59%	6.55%	2.33%	1.76%	16.19%
	Black Non-Hispanic	87.76%	90.57%	76.78%	94.42%	87.28%	4.48%	2.68%	2.49%	0.89%	0.27%	3.59%
	Hispanic	84.35%	86.38%	70.16%	95.24%	91.34%	2.30%	2.30%	0.00%	2.30%	1.62%	6.13%
<b>Married</b>	Married	76.58%	80.45%	61.47%	91.18%	79.08%	2.37%	1.12%	2.57%	1.26%	1.10%	11.58%
	Not Married	85.41%	90.02%	71.95%	94.59%	85.54%	11.70%	4.20%	6.44%	2.73%	1.72%	9.49%
<b>Previous Live Birth</b>	Yes	80.06%	83.05%	64.94%	92.12%	84.30%	7.25%	3.18%	4.81%	2.02%	1.01%	7.17%
	No	81.32%	87.25%	68.02%	93.57%	78.76%	5.73%	1.58%	3.63%	1.79%	1.90%	15.54%
<b>Education</b>	Less Than 12 Years	84.53%	87.61%	73.29%	94.11%	89.33%	12.98%	6.18%	8.63%	1.63%	1.92%	3.74%
	12 Years	84.22%	85.91%	69.82%	92.50%	85.54%	8.68%	2.64%	5.12%	3.35%	1.06%	5.72%
	Greater Than 12 Years	78.05%	83.80%	62.60%	92.55%	78.06%	3.77%	1.37%	2.70%	1.52%	1.44%	15.41%

Appendix BG. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q45-Q56												
	Percent Response Yes	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
<b>Total</b>	Yes	1.68%	96.17%	95.13%	76.96%	73.96%	71.34%	65.72%	25.30%	13.03%	59.82%	82.99%
<b>Age</b>	Under 20 Years	0.00%	89.03%	89.03%	85.08%	66.99%	63.76%	72.71%	15.14%	14.14%	67.77%	78.29%
	20-24 Years	1.03%	99.43%	96.35%	81.39%	74.92%	68.65%	67.63%	29.10%	14.56%	66.22%	79.98%
	25-34 Years	1.93%	96.19%	95.61%	76.26%	75.22%	74.68%	65.46%	26.05%	12.30%	59.52%	84.06%
	Over 34 Years	2.08%	95.03%	94.17%	71.90%	70.67%	64.37%	62.17%	21.94%	13.71%	51.12%	83.95%
<b>Ethnicity</b>	White Non-Hispanic	1.77%	98.13%	96.07%	78.01%	76.06%	74.03%	65.97%	23.99%	10.60%	60.96%	84.32%
	Black Non-Hispanic	1.17%	92.78%	92.64%	78.51%	71.95%	70.33%	67.69%	26.14%	14.39%	64.14%	79.83%
	Hispanic	2.69%	94.28%	94.85%	71.93%	69.02%	61.65%	61.07%	26.56%	19.02%	48.57%	79.89%
<b>Married</b>	Married	1.56%	96.65%	96.65%	76.21%	77.21%	75.02%	65.09%	27.35%	12.75%	60.04%	89.67%
	Not Married	1.83%	95.57%	93.28%	77.88%	70.02%	66.87%	66.49%	22.82%	13.38%	59.55%	74.89%
<b>Previous Live Birth</b>	Yes	1.81%	96.37%	94.53%	73.28%	70.12%	65.92%	63.04%	24.26%	13.18%	50.69%	80.59%
	No	1.50%	95.88%	95.98%	82.18%	79.41%	79.02%	69.53%	26.78%	12.82%	72.77%	86.41%
<b>Education</b>	Less Than 12 Years	0.93%	96.18%	93.11%	76.24%	70.38%	61.91%	63.30%	28.99%	21.82%	49.35%	73.89%
	12 Years	2.05%	94.43%	91.83%	77.84%	69.01%	60.63%	63.86%	21.84%	10.71%	61.51%	72.58%
	Greater Than 12 Years	1.79%	96.92%	97.29%	77.19%	77.54%	79.53%	67.47%	25.65%	11.07%	62.74%	91.00%
	<b>Lower 95% CI</b>	<b>Q45</b>	<b>Q53</b>	<b>Q54</b>	<b>Q55A</b>	<b>Q55B</b>	<b>Q55C</b>	<b>Q55D</b>	<b>Q55E</b>	<b>Q55F</b>	<b>Q55G</b>	<b>Q56</b>
<b>Total</b>	Yes	1.44%	95.80%	94.72%	76.15%	73.12%	70.47%	64.81%	24.46%	12.38%	58.87%	82.27%
<b>Age</b>	Under 20 Years	0.00%	86.51%	86.51%	82.21%	63.20%	59.88%	69.11%	12.25%	11.33%	64.00%	74.96%
	20-24 Years	0.56%	99.09%	95.49%	79.60%	72.92%	66.52%	65.48%	27.01%	12.94%	64.05%	78.14%
	25-34 Years	1.59%	95.72%	95.10%	75.21%	74.15%	73.61%	64.28%	24.96%	11.49%	58.31%	83.15%
	Over 34 Years	1.39%	93.98%	93.05%	69.74%	68.48%	62.08%	59.84%	19.95%	12.06%	48.72%	82.19%
<b>Ethnicity</b>	White Non-Hispanic	1.42%	97.77%	95.56%	76.92%	74.93%	72.87%	64.72%	22.86%	9.79%	59.67%	83.36%
	Black Non-Hispanic	0.76%	91.80%	91.65%	76.96%	70.26%	68.60%	65.92%	24.48%	13.07%	62.33%	78.32%
	Hispanic	1.92%	93.17%	93.80%	69.78%	66.81%	59.32%	58.73%	24.45%	17.14%	46.18%	77.97%
<b>Married</b>	Married	1.24%	96.19%	96.19%	75.10%	76.12%	73.89%	63.85%	26.19%	11.88%	58.77%	88.88%
	Not Married	1.45%	94.98%	92.56%	76.69%	68.71%	65.52%	65.13%	21.61%	12.40%	58.14%	73.65%
<b>Previous Live Birth</b>	Yes	1.48%	95.90%	93.96%	72.17%	68.97%	64.73%	61.83%	23.18%	12.33%	49.43%	79.59%
	No	1.14%	95.28%	95.39%	81.04%	78.19%	77.80%	68.15%	25.45%	11.81%	71.43%	85.38%
<b>Education</b>	Less Than 12 Years	0.51%	95.34%	92.00%	74.37%	68.38%	59.79%	61.19%	27.00%	20.01%	47.17%	71.97%
	12 Years	1.50%	93.54%	90.77%	76.23%	67.22%	58.74%	62.00%	20.24%	9.52%	59.63%	70.85%
	Greater Than 12 Years	1.45%	96.47%	96.87%	76.10%	76.46%	78.48%	66.25%	24.51%	10.26%	61.49%	90.26%
	<b>Upper 95% CI</b>	<b>Q45</b>	<b>Q53</b>	<b>Q54</b>	<b>Q55A</b>	<b>Q55B</b>	<b>Q55C</b>	<b>Q55D</b>	<b>Q55E</b>	<b>Q55F</b>	<b>Q55G</b>	<b>Q56</b>
<b>Total</b>	Yes	1.93%	96.54%	95.55%	77.78%	74.81%	72.21%	66.64%	26.14%	13.68%	60.76%	83.72%
<b>Age</b>	Under 20 Years	0.00%	91.55%	91.55%	87.96%	70.79%	67.64%	76.31%	18.04%	16.95%	71.54%	81.61%
	20-24 Years	1.49%	99.78%	97.21%	83.18%	76.91%	70.78%	69.78%	31.19%	16.19%	68.40%	81.82%
	25-34 Years	2.27%	96.67%	96.11%	77.32%	76.29%	75.76%	66.64%	27.14%	13.12%	60.74%	84.96%
	Over 34 Years	2.76%	96.07%	95.30%	74.05%	72.86%	66.67%	64.50%	23.93%	15.36%	53.52%	85.71%
<b>Ethnicity</b>	White Non-Hispanic	2.12%	98.48%	96.59%	79.11%	77.19%	75.19%	67.23%	25.12%	11.41%	62.25%	85.28%
	Black Non-Hispanic	1.58%	93.75%	93.63%	80.06%	73.65%	72.06%	69.46%	27.80%	15.72%	65.95%	81.35%
	Hispanic	3.47%	95.40%	95.91%	74.08%	71.24%	63.98%	63.40%	28.68%	20.90%	50.97%	81.81%
<b>Married</b>	Married	1.88%	97.12%	97.12%	77.32%	78.30%	76.15%	66.33%	28.51%	13.62%	61.32%	90.46%
	Not Married	2.22%	96.16%	94.00%	79.07%	71.33%	68.22%	67.84%	24.02%	14.35%	60.95%	76.14%
<b>Previous Live Birth</b>	Yes	2.15%	96.84%	95.10%	74.40%	71.28%	67.11%	64.26%	25.34%	14.04%	51.94%	81.58%
	No	1.86%	96.47%	96.57%	83.33%	80.62%	80.24%	70.91%	28.11%	13.82%	74.10%	87.43%
<b>Education</b>	Less Than 12 Years	1.35%	97.02%	94.21%	78.10%	72.38%	64.04%	65.40%	30.97%	23.62%	51.54%	75.82%
	12 Years	2.59%	95.31%	92.89%	79.45%	70.80%	62.52%	65.72%	23.43%	11.91%	63.39%	74.30%
	Greater Than 12 Years	2.14%	97.37%	97.71%	78.28%	78.62%	80.57%	68.68%	26.78%	11.88%	64.00%	91.74%

Appendix BH. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q57-Q62G												
	Percent Response Yes	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
<b>Total</b>	Yes	49.10%	77.93%	77.54%	71.37%	88.98%	25.63%	7.88%	45.29%	34.07%	36.76%	7.70%
<b>Age</b>	Under 20 Years	15.92%	57.97%	63.53%	75.89%	84.47%	26.89%	10.35%	38.32%	20.32%	48.45%	9.58%
	20-24 Years	36.42%	72.21%	75.29%	78.30%	90.91%	37.37%	6.79%	49.71%	19.90%	45.73%	12.28%
	25-34 Years	54.50%	80.50%	79.37%	69.28%	88.12%	22.67%	7.97%	44.00%	37.72%	33.46%	6.73%
	Over 34 Years	54.40%	81.59%	78.10%	70.05%	91.72%	23.49%	7.86%	47.76%	40.66%	35.23%	5.70%
<b>Ethnicity</b>	White Non-Hispanic	56.17%	85.49%	83.68%	66.13%	90.26%	19.38%	6.72%	48.86%	45.32%	35.63%	6.03%
	Black Non-Hispanic	33.40%	64.06%	67.94%	75.75%	87.69%	30.32%	9.33%	42.34%	20.84%	36.24%	9.76%
	Hispanic	46.19%	76.45%	75.22%	80.91%	85.24%	35.75%	9.70%	35.73%	17.87%	40.52%	9.25%
<b>Married</b>	Married	63.71%	82.94%	79.94%	63.77%	90.06%	20.44%	6.71%	44.60%	44.51%	31.54%	6.39%
	Not Married	31.38%	71.85%	74.63%	80.59%	87.67%	31.93%	9.31%	46.13%	21.39%	43.09%	9.30%
<b>Previous Live Birth</b>	Yes	49.22%	78.86%	79.04%	75.24%	87.58%	26.54%	8.44%	45.57%	34.22%	36.25%	5.92%
	No	48.93%	76.61%	75.41%	65.88%	90.97%	24.34%	7.09%	44.89%	33.86%	37.48%	10.24%
<b>Education</b>	Less Than 12 Years	33.01%	74.38%	75.69%	85.84%	87.65%	31.81%	7.71%	43.96%	17.71%	44.54%	11.15%
	12 Years	30.25%	73.45%	70.25%	74.55%	86.81%	28.41%	8.76%	40.40%	23.66%	37.58%	6.69%
	Greater Than 12 Years	63.22%	81.06%	81.40%	64.72%	90.37%	22.36%	7.53%	47.89%	44.35%	33.87%	6.99%
	<b>Lower 95% CI</b>	<b>Q57</b>	<b>Q59</b>	<b>Q60</b>	<b>Q61</b>	<b>Q62A</b>	<b>Q62B</b>	<b>Q62C</b>	<b>Q62D</b>	<b>Q62E</b>	<b>Q62F</b>	<b>Q62G</b>
<b>Total</b>	Yes	48.14%	77.13%	76.74%	70.50%	88.38%	24.79%	7.36%	44.33%	33.16%	35.83%	7.19%
<b>Age</b>	Under 20 Years	12.97%	53.98%	59.65%	72.44%	81.54%	23.31%	7.90%	34.40%	17.07%	44.42%	7.20%
	20-24 Years	34.20%	70.15%	73.31%	76.41%	89.59%	35.14%	5.64%	47.41%	18.07%	43.44%	10.77%
	25-34 Years	53.27%	79.51%	78.37%	68.14%	87.32%	21.63%	7.30%	42.77%	36.52%	32.29%	6.11%
	Over 34 Years	52.01%	79.73%	76.12%	67.85%	90.40%	21.46%	6.57%	45.36%	38.30%	32.94%	4.59%
<b>Ethnicity</b>	White Non-Hispanic	54.86%	84.56%	82.71%	64.88%	89.48%	18.33%	6.06%	47.54%	44.01%	34.37%	5.40%
	Black Non-Hispanic	31.62%	62.25%	66.18%	74.13%	86.44%	28.58%	8.23%	40.47%	19.31%	34.42%	8.64%
	Hispanic	43.81%	74.42%	73.15%	79.03%	83.55%	33.46%	8.28%	33.43%	16.03%	38.17%	7.86%
<b>Married</b>	Married	62.46%	81.96%	78.90%	62.52%	89.28%	19.39%	6.06%	43.30%	43.22%	30.33%	5.75%
	Not Married	30.04%	70.56%	73.39%	79.46%	86.73%	30.59%	8.47%	44.70%	20.22%	41.67%	8.46%
<b>Previous Live Birth</b>	Yes	47.97%	77.84%	78.02%	74.15%	86.75%	25.43%	7.74%	44.32%	33.02%	35.04%	5.32%
	No	47.43%	75.34%	74.12%	64.46%	90.11%	23.06%	6.32%	43.40%	32.44%	36.03%	9.33%
<b>Education</b>	Less Than 12 Years	30.95%	72.47%	73.81%	84.31%	86.21%	29.77%	6.54%	41.78%	16.04%	42.36%	9.78%
	12 Years	28.48%	71.74%	68.49%	72.86%	85.50%	26.67%	7.66%	38.50%	22.01%	35.71%	5.72%
	Greater Than 12 Years	61.97%	80.05%	80.39%	63.48%	89.60%	21.28%	6.85%	46.60%	43.06%	32.64%	6.33%
	<b>Upper 95% CI</b>	<b>Q57</b>	<b>Q59</b>	<b>Q60</b>	<b>Q61</b>	<b>Q62A</b>	<b>Q62B</b>	<b>Q62C</b>	<b>Q62D</b>	<b>Q62E</b>	<b>Q62F</b>	<b>Q62G</b>
<b>Total</b>	Yes	50.07%	78.73%	78.35%	72.24%	89.59%	26.47%	8.40%	46.25%	34.98%	37.69%	8.22%
<b>Age</b>	Under 20 Years	18.87%	61.95%	67.42%	79.34%	87.39%	30.47%	12.81%	42.25%	23.57%	52.49%	11.95%
	20-24 Years	38.63%	74.27%	77.28%	80.20%	92.23%	39.59%	7.95%	52.00%	21.74%	48.02%	13.79%
	25-34 Years	55.74%	81.48%	80.37%	70.42%	88.92%	23.71%	8.64%	45.23%	38.92%	34.63%	7.35%
	Over 34 Years	56.79%	83.45%	80.09%	72.25%	93.04%	25.53%	9.15%	50.16%	43.02%	37.53%	6.81%
<b>Ethnicity</b>	White Non-Hispanic	57.48%	86.42%	84.66%	67.38%	91.04%	20.42%	7.38%	50.18%	46.63%	36.90%	6.66%
	Black Non-Hispanic	35.18%	65.87%	69.71%	77.37%	88.93%	32.05%	10.42%	44.20%	22.38%	38.05%	10.88%
	Hispanic	48.58%	78.49%	77.29%	82.79%	86.94%	38.05%	11.11%	38.02%	19.70%	42.88%	10.64%
<b>Married</b>	Married	64.96%	83.92%	80.98%	65.02%	90.84%	21.49%	7.36%	45.89%	45.81%	32.75%	7.03%
	Not Married	32.71%	73.14%	75.88%	81.73%	88.62%	33.27%	10.14%	47.56%	22.57%	44.51%	10.13%
<b>Previous Live Birth</b>	Yes	50.48%	79.89%	80.07%	76.33%	88.41%	27.65%	9.14%	46.82%	35.41%	37.46%	6.51%
	No	50.43%	77.88%	76.71%	67.30%	91.83%	25.63%	7.86%	46.38%	35.28%	38.93%	11.15%
<b>Education</b>	Less Than 12 Years	35.07%	76.29%	77.57%	87.36%	89.09%	33.85%	8.87%	46.13%	19.38%	46.71%	12.53%
	12 Years	32.03%	75.15%	72.02%	76.23%	88.12%	30.16%	9.85%	42.29%	25.30%	39.46%	7.65%
	Greater Than 12 Years	64.47%	82.07%	82.41%	65.95%	91.13%	23.44%	8.22%	49.18%	45.63%	35.10%	7.65%

Appendix BI. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q62H-Q67D												
	Percent Response Yes	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
<b>Total</b>	Yes	17.06%	94.72%	87.69%	50.77%	87.50%	86.79%	17.44%	3.93%	0.70%	1.33%	7.86%
<b>Age</b>	Under 20 Years	23.10%	84.47%	84.47%	45.99%	83.08%	80.52%	31.61%	3.79%	2.39%	0.00%	7.96%
	20-24 Years	24.71%	96.35%	88.58%	56.08%	92.72%	85.09%	21.60%	3.76%	1.03%	0.25%	13.38%
	25-34 Years	15.28%	95.45%	87.72%	49.23%	86.38%	88.27%	15.06%	3.71%	0.23%	1.09%	6.70%
	Over 34 Years	13.27%	93.80%	87.71%	52.49%	87.56%	85.33%	16.83%	5.00%	1.54%	3.90%	6.14%
<b>Ethnicity</b>	White Non-Hispanic	14.57%	96.65%	87.16%	46.57%	87.25%	87.18%	15.93%	4.63%	0.26%	1.22%	7.53%
	Black Non-Hispanic	13.09%	93.24%	89.56%	53.99%	87.73%	85.51%	20.20%	3.54%	0.52%	1.53%	8.56%
	Hispanic	30.18%	91.47%	87.65%	57.85%	88.13%	86.01%	19.60%	2.49%	2.65%	1.75%	8.45%
<b>Married</b>	Married	15.73%	95.98%	87.58%	50.92%	87.46%	88.61%	13.14%	4.03%	0.08%	0.91%	7.79%
	Not Married	18.67%	93.18%	87.81%	50.60%	87.54%	84.60%	22.66%	3.81%	1.46%	1.85%	7.94%
<b>Previous Live Birth</b>	Yes	17.41%	93.85%	86.90%	50.64%	85.22%	86.09%	13.82%	2.27%	0.89%	1.91%	5.67%
	No	16.56%	95.95%	88.81%	50.96%	90.73%	87.79%	22.58%	6.29%	0.44%	0.52%	10.96%
<b>Education</b>	Less Than 12 Years	26.92%	93.81%	88.20%	56.43%	83.01%	83.32%	23.49%	3.32%	1.41%	1.87%	12.64%
	12 Years	16.18%	89.76%	83.30%	51.80%	84.43%	81.82%	20.42%	4.78%	1.00%	1.01%	5.36%
	Greater Than 12 Years	14.10%	97.23%	89.41%	48.31%	90.38%	90.41%	14.08%	3.79%	0.33%	1.30%	7.35%
	<b>Lower 95% CI</b>	<b>Q62H</b>	<b>Q63A</b>	<b>Q63B</b>	<b>Q63C</b>	<b>Q63D</b>	<b>Q64</b>	<b>Q65</b>	<b>Q67A</b>	<b>Q67B</b>	<b>Q67C</b>	<b>Q67D</b>
<b>Total</b>	Yes	16.33%	94.29%	87.05%	49.81%	86.86%	86.14%	16.71%	3.56%	0.54%	1.11%	7.34%
<b>Age</b>	Under 20 Years	19.70%	81.54%	81.54%	41.97%	80.05%	77.32%	27.86%	2.25%	1.16%	0.00%	5.78%
	20-24 Years	22.73%	95.49%	87.12%	53.80%	91.52%	83.45%	19.71%	2.89%	0.56%	0.02%	11.82%
	25-34 Years	14.39%	94.94%	86.91%	47.99%	85.53%	87.47%	14.18%	3.24%	0.11%	0.83%	6.08%
	Over 34 Years	11.64%	92.64%	86.13%	50.10%	85.97%	83.63%	15.03%	3.95%	0.95%	2.97%	4.99%
<b>Ethnicity</b>	White Non-Hispanic	13.64%	96.18%	86.28%	45.25%	86.37%	86.30%	14.96%	4.07%	0.12%	0.93%	6.84%
	Black Non-Hispanic	11.82%	92.29%	88.41%	52.11%	86.49%	84.18%	18.68%	2.84%	0.25%	1.07%	7.50%
	Hispanic	27.98%	90.13%	86.08%	55.49%	86.58%	84.35%	17.69%	1.75%	1.88%	1.12%	7.12%
<b>Married</b>	Married	14.78%	95.47%	86.72%	49.62%	86.60%	87.78%	12.26%	3.52%	0.01%	0.66%	7.09%
	Not Married	17.56%	92.46%	86.87%	49.16%	86.59%	83.56%	21.46%	3.26%	1.11%	1.47%	7.16%
<b>Previous Live Birth</b>	Yes	16.46%	93.25%	86.05%	49.38%	84.33%	85.22%	12.95%	1.89%	0.65%	1.56%	5.09%
	No	15.45%	95.35%	87.86%	49.46%	89.86%	86.81%	21.32%	5.56%	0.24%	0.31%	10.03%
<b>Education</b>	Less Than 12 Years	24.98%	92.75%	86.79%	54.26%	81.36%	81.69%	21.64%	2.54%	0.89%	1.28%	11.18%
	12 Years	14.76%	88.59%	81.86%	49.87%	83.03%	80.33%	18.87%	3.95%	0.61%	0.62%	4.49%
	Greater Than 12 Years	13.20%	96.80%	88.61%	47.01%	89.62%	89.65%	13.18%	3.29%	0.18%	1.01%	6.67%
	<b>Upper 95% CI</b>	<b>Q62H</b>	<b>Q63A</b>	<b>Q63B</b>	<b>Q63C</b>	<b>Q63D</b>	<b>Q64</b>	<b>Q65</b>	<b>Q67A</b>	<b>Q67B</b>	<b>Q67C</b>	<b>Q67D</b>
<b>Total</b>	Yes	17.79%	95.15%	88.32%	51.74%	88.14%	87.45%	18.17%	4.31%	0.86%	1.56%	8.38%
<b>Age</b>	Under 20 Years	26.50%	87.39%	87.39%	50.02%	86.10%	83.72%	35.37%	5.33%	3.63%	0.00%	10.14%
	20-24 Years	26.70%	97.21%	90.05%	58.37%	93.91%	86.72%	23.49%	4.64%	1.49%	0.48%	14.95%
	25-34 Years	16.17%	95.97%	88.54%	50.46%	87.23%	89.07%	15.95%	4.18%	0.34%	1.35%	7.32%
	Over 34 Years	14.90%	94.95%	89.29%	54.89%	89.14%	87.03%	18.63%	6.05%	2.13%	4.83%	7.29%
<b>Ethnicity</b>	White Non-Hispanic	15.50%	97.13%	88.05%	47.88%	88.13%	88.06%	16.89%	5.18%	0.39%	1.51%	8.23%
	Black Non-Hispanic	14.37%	94.19%	90.72%	55.87%	88.97%	86.84%	21.72%	4.23%	0.80%	1.99%	9.62%
	Hispanic	32.37%	92.81%	89.23%	60.22%	89.68%	87.67%	21.50%	3.24%	3.42%	2.38%	9.79%
<b>Married</b>	Married	16.68%	96.49%	88.44%	52.22%	88.33%	89.43%	14.02%	4.55%	0.15%	1.15%	8.49%
	Not Married	19.79%	93.90%	88.75%	52.03%	88.49%	85.63%	23.86%	4.36%	1.80%	2.24%	8.71%
<b>Previous Live Birth</b>	Yes	18.37%	94.45%	87.75%	51.90%	86.11%	86.96%	14.69%	2.64%	1.13%	2.25%	6.25%
	No	17.68%	96.54%	89.75%	52.46%	91.60%	88.77%	23.83%	7.02%	0.64%	0.74%	11.90%
<b>Education</b>	Less Than 12 Years	28.86%	94.86%	89.61%	58.60%	84.65%	84.95%	25.35%	4.11%	1.92%	2.46%	14.09%
	12 Years	17.61%	90.93%	84.74%	53.73%	85.83%	83.31%	21.98%	5.60%	1.38%	1.40%	6.23%
	Greater Than 12 Years	15.00%	97.65%	90.20%	49.60%	91.14%	91.18%	14.98%	4.28%	0.47%	1.59%	8.03%



Appendix BJ. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q67E-Q68G												
	Percent Response Yes	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
<b>Total</b>	Yes	7.20%	6.20%	2.43%	1.84%	9.01%	1.47%	15.81%	23.22%	8.35%	4.28%	11.40%
<b>Age</b>	Under 20 Years	14.14%	11.75%	2.39%	2.39%	0.00%	0.00%	14.76%	17.86%	14.61%	11.13%	12.75%
	20-24 Years	8.95%	8.00%	3.86%	3.11%	3.69%	0.00%	13.99%	25.79%	12.69%	4.85%	14.89%
	25-34 Years	6.91%	4.76%	1.97%	1.69%	8.59%	1.75%	17.08%	23.11%	6.84%	4.19%	10.69%
	Over 34 Years	3.89%	7.68%	2.61%	0.85%	19.59%	2.51%	13.40%	22.73%	7.05%	1.54%	9.83%
<b>Ethnicity</b>	White Non-Hispanic	6.68%	3.43%	1.85%	1.24%	7.37%	2.41%	20.08%	23.80%	5.38%	3.89%	14.34%
	Black Non-Hispanic	8.64%	8.91%	2.21%	1.91%	11.97%	0.70%	16.50%	23.07%	14.84%	5.81%	7.91%
	Hispanic	7.44%	7.46%	4.34%	4.22%	11.13%	0.00%	4.29%	18.27%	8.42%	4.08%	9.64%
<b>Married</b>	Married	6.50%	4.99%	2.21%	1.05%	8.86%	2.14%	16.15%	28.36%	2.91%	3.46%	11.48%
	Not Married	8.04%	7.68%	2.69%	2.81%	9.20%	0.65%	15.40%	16.98%	14.95%	5.27%	11.31%
<b>Previous Live Birth</b>	Yes	5.62%	4.52%	1.91%	2.01%	15.13%	2.50%	12.99%	23.10%	8.13%	3.79%	10.89%
	No	9.43%	8.58%	3.16%	1.60%	0.33%	0.00%	19.81%	23.40%	8.65%	4.97%	12.13%
<b>Education</b>	Less Than 12 Years	11.16%	8.66%	4.55%	4.45%	14.85%	0.23%	6.27%	19.61%	8.17%	4.55%	8.80%
	12 Years	6.11%	5.72%	1.38%	2.18%	8.71%	0.69%	14.48%	21.49%	15.92%	4.64%	10.65%
	Greater Than 12 Years	6.33%	5.59%	2.17%	0.79%	7.16%	2.26%	19.84%	25.33%	5.06%	3.80%	12.72%
	<b>Lower 95% CI</b>	<b>Q67E</b>	<b>Q67F</b>	<b>Q67G</b>	<b>Q67H</b>	<b>Q68A</b>	<b>Q68B</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>
<b>Total</b>	Yes	6.70%	5.74%	2.13%	1.58%	8.46%	1.24%	15.11%	22.41%	7.81%	3.89%	10.79%
<b>Age</b>	Under 20 Years	11.33%	9.15%	1.16%	1.16%	0.00%	0.00%	11.89%	14.77%	11.76%	8.59%	10.06%
	20-24 Years	7.64%	6.75%	2.98%	2.31%	2.82%	0.00%	12.40%	23.78%	11.16%	3.86%	13.25%
	25-34 Years	6.28%	4.24%	1.62%	1.37%	7.90%	1.43%	16.15%	22.07%	6.22%	3.70%	9.92%
	Over 34 Years	2.96%	6.40%	1.84%	0.41%	17.69%	1.76%	11.76%	20.72%	5.82%	0.95%	8.40%
<b>Ethnicity</b>	White Non-Hispanic	6.02%	2.95%	1.49%	0.95%	6.68%	2.01%	19.03%	22.68%	4.79%	3.38%	13.41%
	Black Non-Hispanic	7.58%	7.83%	1.66%	1.40%	10.75%	0.38%	15.10%	21.48%	13.50%	4.93%	6.89%
	Hispanic	6.18%	6.20%	3.36%	3.25%	9.63%	0.00%	3.32%	16.41%	7.09%	3.14%	8.23%
<b>Married</b>	Married	5.86%	4.42%	1.83%	0.78%	8.12%	1.77%	15.19%	27.19%	2.47%	2.99%	10.65%
	Not Married	7.26%	6.91%	2.23%	2.34%	8.37%	0.42%	14.37%	15.91%	13.93%	4.63%	10.40%
<b>Previous Live Birth</b>	Yes	5.04%	4.00%	1.57%	1.66%	14.23%	2.11%	12.15%	22.03%	7.45%	3.31%	10.11%
	No	8.55%	7.74%	2.63%	1.22%	0.16%	0.00%	18.61%	22.13%	7.81%	4.32%	11.15%
<b>Education</b>	Less Than 12 Years	9.79%	7.43%	3.64%	3.55%	13.30%	0.02%	5.21%	17.88%	6.97%	3.64%	7.56%
	12 Years	5.18%	4.82%	0.93%	1.62%	7.61%	0.37%	13.12%	19.90%	14.50%	3.83%	9.46%
	Greater Than 12 Years	5.70%	4.99%	1.79%	0.56%	6.49%	1.87%	18.80%	24.20%	4.49%	3.30%	11.85%
	<b>Upper 95% CI</b>	<b>Q67E</b>	<b>Q67F</b>	<b>Q67G</b>	<b>Q67H</b>	<b>Q68A</b>	<b>Q68B</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>
<b>Total</b>	Yes	7.69%	6.67%	2.72%	2.10%	9.57%	1.70%	16.51%	24.04%	8.88%	4.67%	12.02%
<b>Age</b>	Under 20 Years	16.95%	14.34%	3.63%	3.63%	0.00%	0.00%	17.62%	20.95%	17.46%	13.67%	15.44%
	20-24 Years	10.26%	9.24%	4.75%	3.90%	4.55%	0.00%	15.59%	27.81%	14.22%	5.84%	16.52%
	25-34 Years	7.54%	5.29%	2.31%	2.01%	9.29%	2.08%	18.01%	24.16%	7.47%	4.69%	11.45%
	Over 34 Years	4.82%	8.96%	3.37%	1.29%	21.50%	3.27%	15.04%	24.75%	8.28%	2.13%	11.26%
<b>Ethnicity</b>	White Non-Hispanic	7.34%	3.91%	2.20%	1.53%	8.06%	2.82%	21.14%	24.93%	5.98%	4.41%	15.26%
	Black Non-Hispanic	9.70%	9.99%	2.77%	2.43%	13.20%	1.01%	17.90%	24.66%	16.18%	6.69%	8.93%
	Hispanic	8.69%	8.72%	5.31%	5.18%	12.64%	0.00%	5.26%	20.12%	9.75%	5.03%	11.06%
<b>Married</b>	Married	7.15%	5.55%	2.59%	1.31%	9.60%	2.52%	17.11%	29.54%	3.34%	3.94%	12.31%
	Not Married	8.82%	8.44%	3.16%	3.29%	10.03%	0.88%	16.44%	18.06%	15.97%	5.91%	12.22%
<b>Previous Live Birth</b>	Yes	6.20%	5.05%	2.26%	2.37%	16.04%	2.90%	13.84%	24.16%	8.82%	4.27%	11.68%
	No	10.31%	9.42%	3.68%	1.98%	0.51%	0.00%	21.00%	24.67%	9.49%	5.62%	13.11%
<b>Education</b>	Less Than 12 Years	12.54%	9.90%	5.46%	5.36%	16.41%	0.44%	7.33%	21.35%	9.37%	5.46%	10.04%
	12 Years	7.03%	6.61%	1.83%	2.75%	9.80%	1.01%	15.84%	23.08%	17.33%	5.45%	11.85%
	Greater Than 12 Years	6.97%	6.18%	2.54%	1.02%	7.83%	2.64%	20.87%	26.46%	5.63%	4.29%	13.58%

Appendix BK. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q68H-Q70G												
	Percent Response Yes	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
<b>Total</b>	Yes	4.39%	3.87%	15.25%	8.36%	49.91%	47.92%	46.62%	75.44%	38.80%	17.91%	54.23%
<b>Age</b>	Under 20 Years	6.96%	2.39%	13.53%	15.53%	40.10%	46.22%	44.05%	68.16%	39.49%	19.87%	50.78%
	20-24 Years	9.65%	2.33%	16.75%	7.35%	41.44%	51.40%	44.88%	77.86%	46.07%	22.72%	62.48%
	25-34 Years	3.51%	4.78%	16.66%	7.21%	52.27%	47.25%	46.88%	78.29%	37.38%	16.98%	51.54%
	Over 34 Years	1.07%	2.62%	8.92%	11.22%	53.75%	47.25%	48.46%	64.66%	35.95%	15.48%	56.55%
<b>Ethnicity</b>	White Non-Hispanic	0.85%	3.73%	17.53%	8.56%	47.79%	45.21%	45.77%	77.66%	38.23%	18.39%	51.41%
	Black Non-Hispanic	3.12%	1.85%	12.17%	8.40%	45.99%	48.54%	43.73%	73.68%	43.34%	13.16%	56.88%
	Hispanic	19.08%	5.72%	15.50%	5.62%	61.14%	54.16%	48.11%	71.46%	33.23%	25.48%	60.95%
<b>Married</b>	Married	2.80%	4.74%	14.49%	7.78%	56.18%	48.60%	50.52%	78.87%	38.72%	17.61%	51.04%
	Not Married	6.33%	2.80%	16.17%	9.05%	42.30%	47.10%	41.89%	71.28%	38.91%	18.28%	58.10%
<b>Previous Live Birth</b>	Yes	4.43%	4.28%	14.54%	7.92%	48.53%	45.36%	41.29%	69.38%	37.46%	17.91%	50.98%
	No	4.34%	3.27%	16.25%	8.98%	51.86%	51.55%	54.19%	84.04%	40.71%	17.92%	58.84%
<b>Education</b>	Less Than 12 Years	14.05%	4.28%	11.45%	8.52%	50.14%	48.92%	46.95%	66.44%	34.68%	19.70%	61.08%
	12 Years	3.95%	4.27%	14.14%	8.20%	41.24%	48.84%	40.11%	68.14%	40.10%	18.27%	54.80%
	Greater Than 12 Years	0.99%	3.56%	17.16%	8.42%	53.69%	47.11%	49.38%	81.73%	39.88%	16.73%	51.56%
	<b>Lower 95% CI</b>	<b>Q68H</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q70A</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q70E</b>	<b>Q70F</b>	<b>Q70G</b>
<b>Total</b>	Yes	4.00%	3.49%	14.55%	7.82%	48.95%	46.96%	45.66%	74.61%	37.86%	17.17%	53.27%
<b>Age</b>	Under 20 Years	4.90%	1.16%	10.76%	12.61%	36.15%	42.20%	40.04%	64.40%	35.54%	16.65%	46.75%
	20-24 Years	8.29%	1.64%	15.03%	6.15%	39.18%	49.10%	42.59%	75.95%	43.78%	20.80%	60.25%
	25-34 Years	3.06%	4.25%	15.74%	6.57%	51.03%	46.01%	45.65%	77.27%	36.19%	16.05%	50.30%
	Over 34 Years	0.57%	1.85%	7.55%	9.70%	51.36%	44.86%	46.06%	62.36%	33.65%	13.74%	54.17%
<b>Ethnicity</b>	White Non-Hispanic	0.61%	3.23%	16.52%	7.82%	46.47%	43.89%	44.45%	76.56%	36.95%	17.37%	50.09%
	Black Non-Hispanic	2.47%	1.34%	10.93%	7.35%	44.10%	46.65%	41.86%	72.01%	41.47%	11.88%	55.01%
	Hispanic	17.20%	4.60%	13.77%	4.51%	58.81%	51.77%	45.72%	69.30%	30.97%	23.39%	58.61%
<b>Married</b>	Married	2.37%	4.19%	13.57%	7.08%	54.88%	47.30%	49.22%	77.81%	37.45%	16.62%	49.74%
	Not Married	5.63%	2.33%	15.11%	8.23%	40.89%	45.66%	40.48%	69.98%	37.51%	17.17%	56.68%
<b>Previous Live Birth</b>	Yes	3.91%	3.77%	13.65%	7.24%	47.27%	44.11%	40.05%	68.22%	36.24%	16.94%	49.72%
	No	3.73%	2.74%	15.15%	8.12%	50.36%	50.05%	52.70%	82.94%	39.24%	16.77%	57.37%
<b>Education</b>	Less Than 12 Years	12.53%	3.39%	10.06%	7.30%	47.95%	46.73%	44.77%	64.37%	32.60%	17.96%	58.95%
	12 Years	3.20%	3.49%	12.79%	7.13%	39.33%	46.91%	38.21%	66.34%	38.20%	16.78%	52.88%
	Greater Than 12 Years	0.73%	3.08%	16.18%	7.70%	52.39%	45.82%	48.09%	80.73%	38.61%	15.77%	50.27%
	<b>Upper 95% CI</b>	<b>Q68H</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q70A</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q70E</b>	<b>Q70F</b>	<b>Q70G</b>
<b>Total</b>	Yes	4.79%	4.24%	15.94%	8.89%	50.87%	48.88%	47.59%	76.27%	39.74%	18.65%	55.19%
<b>Age</b>	Under 20 Years	9.01%	3.63%	16.29%	18.46%	44.06%	50.24%	48.06%	71.92%	43.44%	23.09%	54.82%
	20-24 Years	11.01%	3.02%	18.46%	8.55%	43.71%	53.69%	47.17%	79.77%	48.36%	24.65%	64.70%
	25-34 Years	3.97%	5.31%	17.58%	7.85%	53.51%	48.48%	48.12%	79.32%	38.58%	17.91%	52.78%
	Over 34 Years	1.56%	3.38%	10.29%	12.73%	56.15%	49.65%	50.86%	66.95%	38.26%	17.21%	58.93%
<b>Ethnicity</b>	White Non-Hispanic	1.09%	4.23%	18.53%	9.30%	49.11%	46.52%	47.08%	78.76%	39.51%	19.41%	52.73%
	Black Non-Hispanic	3.78%	2.36%	13.40%	9.45%	47.87%	50.43%	45.61%	75.34%	45.21%	14.44%	58.75%
	Hispanic	20.96%	6.83%	17.23%	6.72%	63.48%	56.54%	50.50%	73.62%	35.48%	27.56%	63.28%
<b>Married</b>	Married	3.23%	5.30%	15.40%	8.48%	57.47%	49.90%	51.82%	79.93%	39.98%	18.61%	52.34%
	Not Married	7.03%	3.27%	17.23%	9.88%	43.72%	48.53%	43.31%	72.58%	40.31%	19.39%	59.51%
<b>Previous Live Birth</b>	Yes	4.95%	4.79%	15.43%	8.60%	49.79%	46.62%	42.53%	70.54%	38.68%	18.87%	52.23%
	No	4.96%	3.81%	17.36%	9.84%	53.36%	53.04%	55.69%	85.14%	42.18%	19.07%	60.32%
<b>Education</b>	Less Than 12 Years	15.57%	5.16%	12.84%	9.74%	52.33%	51.10%	49.13%	68.51%	36.76%	21.45%	63.22%
	12 Years	4.70%	5.05%	15.49%	9.26%	43.14%	50.78%	42.01%	69.94%	41.99%	19.77%	56.73%
	Greater Than 12 Years	1.25%	4.04%	18.14%	9.14%	54.98%	48.41%	50.68%	82.73%	41.15%	17.70%	52.86%

Appendix BL. Percent Response Yes and Lower/Upper 95% CI, Delaware 2016 PRAMS (RAW Variables): Q70H-Q79B									
	Percent Response Yes	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
<b>Total</b>	Yes	52.68%	69.65%	16.77%	8.17%	6.11%	84.67%	5.29%	7.72%
<b>Age</b>	Under 20 Years	55.57%	60.36%	19.33%	2.39%	0.47%	76.12%	19.48%	14.30%
	20-24 Years	55.91%	67.94%	23.36%	6.64%	6.90%	82.28%	5.94%	5.74%
	25-34 Years	50.59%	70.73%	14.33%	8.19%	5.76%	86.93%	4.34%	8.07%
	Over 34 Years	55.97%	70.77%	17.86%	11.84%	8.59%	81.82%	3.15%	6.25%
<b>Ethnicity</b>	White Non-Hispanic	49.15%	73.40%	9.25%	9.21%	6.04%	86.38%	3.86%	7.96%
	Black Non-Hispanic	56.26%	65.73%	20.27%	8.17%	4.52%	83.57%	5.92%	6.65%
	Hispanic	57.78%	66.82%	32.12%	3.56%	6.80%	83.03%	7.16%	8.91%
<b>Married</b>	Married	51.37%	74.44%	14.81%	8.93%	5.39%	86.74%	4.37%	7.43%
	Not Married	54.27%	63.83%	19.16%	7.25%	6.98%	82.17%	6.41%	8.07%
<b>Previous Live Birth</b>	Yes	52.82%	67.99%	19.29%	7.66%	6.72%	85.01%	3.17%	8.80%
	No	52.49%	72.01%	13.20%	8.91%	5.25%	84.19%	8.31%	6.20%
<b>Education</b>	Less Than 12 Years	57.41%	62.99%	33.71%	1.34%	5.26%	79.26%	9.30%	6.98%
	12 Years	51.91%	64.45%	18.23%	8.72%	7.79%	84.77%	5.55%	9.24%
	Greater Than 12 Years	51.60%	74.39%	10.29%	10.37%	5.69%	86.68%	3.80%	7.34%
	<b>Lower 95% CI</b>	<b>Q70H</b>	<b>Q70I</b>	<b>Q70J</b>	<b>Q75A</b>	<b>Q75B</b>	<b>Q76</b>	<b>Q79A</b>	<b>Q79B</b>
<b>Total</b>	Yes	51.72%	68.76%	16.05%	0.53%	0.46%	83.98%	4.86%	7.21%
<b>Age</b>	Under 20 Years	51.56%	56.41%	16.14%	1.23%	0.55%	72.68%	16.28%	11.48%
	20-24 Years	53.63%	65.79%	21.42%	1.14%	1.16%	80.53%	4.86%	4.68%
	25-34 Years	49.36%	69.60%	13.46%	0.68%	0.58%	86.10%	3.83%	7.39%
	Over 34 Years	53.59%	68.58%	16.02%	1.55%	1.35%	79.97%	2.31%	5.09%
<b>Ethnicity</b>	White Non-Hispanic	47.83%	72.23%	8.48%	0.76%	0.63%	85.48%	3.35%	7.24%
	Black Non-Hispanic	54.39%	63.93%	18.75%	1.03%	0.78%	82.17%	5.03%	5.71%
	Hispanic	55.41%	64.57%	29.89%	0.89%	1.21%	81.23%	5.92%	7.55%
<b>Married</b>	Married	50.07%	73.31%	13.88%	0.74%	0.59%	85.85%	3.84%	6.75%
	Not Married	52.84%	62.46%	18.03%	0.74%	0.73%	81.07%	5.71%	7.29%
<b>Previous Live Birth</b>	Yes	51.56%	66.82%	18.30%	0.67%	0.63%	84.11%	2.72%	8.08%
	No	50.99%	70.66%	12.19%	0.85%	0.67%	83.09%	7.48%	5.47%
<b>Education</b>	Less Than 12 Years	55.25%	60.87%	31.64%	0.50%	0.98%	77.49%	8.03%	5.86%
	12 Years	49.98%	62.60%	16.73%	1.09%	1.04%	83.38%	4.66%	8.12%
	Greater Than 12 Years	50.30%	73.26%	9.50%	0.79%	0.60%	85.80%	3.31%	6.67%
	<b>Upper 95% CI</b>	<b>Q70H</b>	<b>Q70I</b>	<b>Q70J</b>	<b>Q75A</b>	<b>Q75B</b>	<b>Q76</b>	<b>Q79A</b>	<b>Q79B</b>
<b>Total</b>	Yes	53.64%	70.54%	17.50%	7.65%	5.65%	85.37%	5.72%	8.24%
<b>Age</b>	Under 20 Years	59.58%	64.31%	22.52%	1.16%	-0.08%	79.56%	22.68%	17.13%
	20-24 Years	58.20%	70.09%	25.31%	5.50%	5.73%	84.04%	7.03%	6.81%
	25-34 Years	51.83%	71.85%	15.20%	7.51%	5.18%	87.77%	4.84%	8.74%
	Over 34 Years	58.36%	72.95%	19.70%	10.29%	7.24%	83.67%	3.99%	7.41%
<b>Ethnicity</b>	White Non-Hispanic	50.47%	74.56%	10.01%	8.45%	5.41%	87.29%	4.37%	8.67%
	Black Non-Hispanic	58.13%	67.52%	21.79%	7.13%	3.74%	84.97%	6.81%	7.59%
	Hispanic	60.15%	69.08%	34.36%	2.68%	5.59%	84.82%	8.39%	10.27%
<b>Married</b>	Married	52.67%	75.58%	15.73%	8.19%	4.81%	87.62%	4.91%	8.12%
	Not Married	55.70%	65.21%	20.29%	6.51%	6.25%	83.26%	7.11%	8.85%
<b>Previous Live Birth</b>	Yes	54.08%	69.16%	20.29%	6.99%	6.09%	85.91%	3.61%	9.51%
	No	53.98%	73.35%	14.22%	8.05%	4.58%	85.28%	9.14%	6.92%
<b>Education</b>	Less Than 12 Years	59.58%	65.10%	35.78%	0.84%	4.28%	81.04%	10.57%	8.09%
	12 Years	53.84%	66.31%	19.72%	7.63%	6.75%	86.16%	6.43%	10.36%
	Greater Than 12 Years	52.89%	75.52%	11.07%	9.58%	5.09%	87.56%	4.30%	8.02%