


Levels of Care for RI Emergency Departments and Hospitals for Treating Overdose and Opioid Use Disorder

Elizabeth A. Samuels, MD, MPH
October 26, 2017
Delaware Health and Social Services
A Vision for Substance Use Disorder Treatment Conference

RI Strategic Plan





Rhode Island's Strategic Plan on Addiction and Overdose

Four Strategies to Alter the Course of an Epidemic

RI Strategic Plan





Levels of Care







Levels of Care



LEVEL 3

- 1. Follows discharge planning per law
- 2. Administers standardized substance use disorder screening for all patients
- 3. Educates all patients who are prescribed opioids on safe storage and disposal
- 4. Dispenses naloxone to patients at risk, according to clear protocol
- 5. Offers peer recovery support services
- Provides active referral to appropriate community provider(s)
- 7. Complies with 48-hour reporting of overdose to RIDOH
- Performs laboratory drug screening that includes fentanyl on patients who overdose

LEVEL 2 Meets all criteria of Level 3 and:

- Conducts comprehensive, standardized substance use assessment
- Maintains capacity for evaluation and treatment of opioid use disorder using support from addiction specialty services

LEVEL 1 Meets criteria of Level 3 and Level 2 and also:

- Maintains a Center of
 Excellence or comparable
 arrangement for initiating,
 stabilizing, and re-stabilizing
 patients on medication
 assisted treatment
- Ensures transitioning to/ from community care to facilitate recovery
- Evaluates and manages medication assisted treatment

48-Hour Overdose Reporting





Rhode Island Opioid Overdose Case Report

Please report all cases of suspected opioid overdose to the Rhode Island Department of Health within $48\ \text{hours}$.

Patient medical record number *					
Tatient incurcui record number	=				
Must be between 1 and 11 characters.	Currently Used:	0 characters.			
Patient city or town of residence *					
Patient gender *					
	0				
Patient age *					
	0				
Patient race (self reported) *					
	0				
Patient ethnicity (self reported) *					
	\$				
Does the patient self report to be g	ay, lesbian, bi	sexual, and/	or transger	ider? *	
In what city/town did the overdose	occur? *				
er incompered · · · · · · · · · · · · · · · · · · ·	0				



HOME

ABOUT •

PREVENT OVERDOSE

SEE THE DATA

FIND RESOURCES

MORE TOPICS

We all have a role to play in ending Rhode Island's overdose crisis.

What's yours?









Family & Friends

First Responders

Providers

Get Help




Emergency departments (EDs) across Rhode Island treat patients for overdose

Under regulation **R23-1-OPIOID**, the Department of Health requires every health professional and hospital in Rhode Island to report all opioid overdoses or suspected overdoses within 48 hours. The data shown below reflect cases submitted to this anonymous 48-hour reporting system since January 2016.


Source (RIDOH)

Number of Emergency Department (ED) Visits for Overdose (Feb 2016 – Septmeber 2017)



RI Overdose Action Areas






Data without out action is inaction

Implementation



- 6 Level 1 Hospitals
- 1 Level 2 Hospitals
- 2 Level 3 Hospitals
- 2 Applications in process



Challenges & Opportunities



- Stakeholder engagement
- 48-hour reporting
- Naloxone cost
- Availability of MAT
- Stigma



Next Steps



- Improve efficiency and timeliness of data surveillance
- Full implementation
- Evaluation







Elizabeth A. Samuels, MD, MPH Levels of Care Implementation Lead Rhode Island Department of Health liz.samuels@health.ri.gov